CISS240: Introduction to Programming Quiz q0101

Name:	bglandis1@cougars.ccis.edu	Score:
This is	a closed-book, no compiler, 5 minute quiz.	
	a closed book quiz. You have 5 minutes (that is from g the submission of your work.)	beginning to the end
	re using Microsoft Visual Studio, you must clear all the te the program on your own.	e auto-generated code
Q1. The	e goal is to write a C++ program.	
The FII	RST FEW LINES of your C++ source file must look like	e this:
1 ' '	: John Doe : main.cpp	
#includ	e <iostream></iostream>	
with "Jo	ohn Doe"replaced by your name (of course).	
	C++ program that produces the following output in the cute the program):	console window (when
hello m	aster	
	tput must following the above <i>exactly</i> as given. For in if the output is	stance, your program
Hello m	aster	
or		
hello m	aster.	
or		
hello	master	
or any o	ther variation.	

Your coding style must following the coding style as used in class. That includes the spacing, the blank lines, etc.

After you have tested your code, open main.tex (using emacs). Look for ANSWER (in emacs search is C-s). Copy-and-paste your code between \begin{answercode}

and \end{answercode}. Save main.tex (in emacs do C-x C-s). In your bash shell, execute make and view the pdf. Submit using the alex program.

Answer:

```
// Name: Brysen Landis
// File: main.cpp

#include <iostream>
int main()
{
   std::cout << "hello master ...\n";
   return 0;
}</pre>
```

Grading.

- 1. If your program was not received in time: 0/2
- 2. If your program contains error(s) and does not run: 0/2
- 3. If your program is error-free, does run, but produces no output: 0/2
- 4. If your program is error-free, does run, produces an output, but the output does not match the given output: 0/2
- 5. If your program is error-free, does run, and produces an output that matches the given output: 2/2
- 6. After the points from above, point(s) will be taken off for incorrect coding style.

Instructions

In the file thispreamble.tex look for

\renewcommand\AUTHOR{}

and enter your email address:

\renewcommand\AUTHOR{jdoe5@cougars.ccis.edu}

(This is not really necessary since alex will change that for you when you execute make.) In your bash shell, execute "make" to recompile main.pdf. Execute "make v" to view main.pdf.

Enter your answers in main.tex. In the bash shell, execute "make" to recompile main.pdf. Execute "make v" to view main.pdf.

For each question, you'll see boxes for you to fill. For small boxes, if you see

```
1 + 1 = \answerbox{}.
```

you do this:

```
1 + 1 = \answerbox{2}.
```

answerbox will also appear in "true/false" and "multiple-choice" questions.

For longer answers that need typewriter font, if you see

```
Write a C++ statement that declares an integer variable name x.
\begin{answercode}
\end{answercode}
```

you do this:

```
Write a C++ statement that declares an integer variable name x.
\begin{answercode}
int x;
\end{answercode}
```

answercode will appear in questions asking for code, algorithm, and program output. In this case, indentation and spacing is significant. For program output, I do look at spaces and newlines.

For long answers (not in typewriter font) if you see

```
What is the color of the sky?
\begin{answerlong}
\end{answerlong}
```

vou can write

```
What is the color of the sky?
\begin{answerlong}
The color of the sky is blue.
\end{answerlong}
```

A question that begins with "T or F or M" requires you to identify whether it is true or false, or meaningless. "Meaningless" means something's wrong with the question and it is not well-defined. Something like "1+2=4" is either true or false (of course it's false). Something like "1+2=4?" does not make sense.

When writing results of computations, make sure it's simplified. For instance write 2 instead of 1 + 1.

HIGHER LEVEL CLASSES.

For students beyond 245: You can put LATEX commands in answerlong.

More examples of meaningless statements: Questions such as "Is $42 = 1+_2$ true or false?" or "Is $42 = \{2\}^{\{3\}}$ true or false?" does not make sense. "Is $P(42) = \{42\}$ true or false?" is meaningless because P(X) is only defined if X is a set. For "Is 1+2+3 true or false?", "1+2+3" is well-defined but as a "numerical expression", not as a "proposition", i.e., it cannot be true or false. Therefore "Is 1+2+3 true or false?" is also not a well-defined question.

More examples of simplification: When you write down sets, if the answer is $\{1\}$, do not write $\{1,1\}$. And when the values can be ordered, write the elements of the set in ascending order. When writing polynomials, begin with the highest degree term.

When writing a counterexample, always write the simplest.