

HUMBOLDT-UNIVERSITÄT ZU BERLIN



L^AT_EX for Linguists

L^AT_EX 9: Debugging

Sebastian Nordhoff & Antonio Machicao y Priemer

www.linguistik.hu-berlin.de/staff/amp

LOT 2019, Amsterdam

January 18, 2019

Contents

- 1 Localise the problem
- 2 Frequent problems: Syntax error
- 3 Frequent problems: Packages
- 4 Minimal (not) working example

- 1 Localise the problem
- 2 Frequent problems: Syntax error
- 3 Frequent problems: Packages
- 4 Minimal (not) working example

Localise the problem

If your document does not compile, follow these steps:

- Check the **warnings** your editor is giving you. It normally tells you where the error is.

09-LOT-Debugging_master.vrb	Fehler	Zeile 12	Misplaced alignment tab character &.
-----------------------------	--------	----------	--------------------------------------

Localise the problem

If your document does not compile, follow these steps:

- Check the **warnings** your editor is giving you. It normally tells you where the error is.

09-LOT-Debugging_master.vrb	Fehler	Zeile 12	Misplaced alignment tab character &.
-----------------------------	--------	----------	--------------------------------------

- Was your document compiling before and can you remember the **last changes** you did?

Localise the problem

If your document does not compile, follow these steps:

- Check the **warnings** your editor is giving you. It normally tells you where the error is.

09-LOT-Debugging_master.vrb	Fehler	Zeile 12	Misplaced alignment tab character &.
-----------------------------	--------	----------	--------------------------------------

- Was your document compiling before and can you remember the **last changes** you did?

YES **Comment** the last changes **out** (with %) and compile again.

Localise the problem

If your document does not compile, follow these steps:

- Check the **warnings** your editor is giving you. It normally tells you where the error is.

09-LOT-Debugging_master.vrb	Fehler	Zeile 12	Misplaced alignment tab character &.
-----------------------------	--------	----------	--------------------------------------

- Was your document compiling before and can you remember the **last changes** you did?

YES **Comment** the last changes **out** (with %) and compile again.

- Delete all **auxiliary files** (.aux, .log, .bbl, etc.) and compile.
Sometimes, errors are saved in your **auxiliary files** and not deleted after new compilations. That happens very often when you have errors in your .bib file.

- If your document is organised with a `master` file and several `input/include` files, **comment all chapters out** and compile. If it works, include your chapters one after another compiling by every step. Doing so, you can **localise the problem**.

- If your document is organised with a `master` file and several `input/include` files, **comment all chapters out** and compile. If it works, include your chapters one after another compiling by every step. Doing so, you can **localise the problem**.
- If your document is not organised with a `master` file, then comment everything out and start including your text **block by block** compiling by every step.

- If your document is organised with a `master` file and several `input/include` files, **comment all chapters out** and compile. If it works, include your chapters one after another compiling by every step. Doing so, you can **localise the problem**.
- If your document is not organised with a `master` file, then comment everything out and start including your text **block by block** compiling by every step.
- If you have localised the position of your problem, but you **don't understand** what the problem is ...
 - ... **google** the **warning** given to you by your editor.
 - If you don't understand the solutions provided by google, or there are no solutions provided, make a **minimal working example** (MWE) and post it.

- 1 Localise the problem
- 2 Frequent problems: Syntax error
- 3 Frequent problems: Packages
- 4 Minimal (not) working example

Frequent problems: Syntax error

- You are using a **special character** without escaping their function.

(1) `&` instead of `\&`

Frequent problems: Syntax error

- You are using a **special character** without escaping their function.
 - (1) `&` instead of `\&`
- You have **copied text** from another document (from a PDF or a Word document). Maybe, there is a **hidden special character** that you don't see.
 - (2) a protected blank space or a ligature ($f+i$)

Frequent problems: Syntax error

- You are using a **special character** without escaping their function.
 - (1) `&` instead of `\&`
- You have **copied text** from another document (from a PDF or a Word document). Maybe, there is a **hidden special character** that you don't see.
 - (2) a protected blank space or a ligature ($f+i$)
- You are using **math commands** outside your math mode.
 - (3) `\alpha` instead of `$_alpha$`

- You **forgot** a **bracket**.

(4) `\textbf{Hello World!`

- You **forgot** a **bracket**.

(4) `\textbf{Hello World!`

- You put **too many brackets**.

(5) `\textbf{Hello World!}}`

- You **forgot** a **bracket**.

(4) `\textbf{Hello World!`

- You put **too many brackets**.

(5) `\textbf{Hello World!}}`

- You have closed a **simple command** with a backslash inside another command, getting the combination **backslash** + **curly bracket**.

(6) `\textbf{I love \LaTeX}}` instead of `\textbf{I love \LaTeX }`
for **I love LaTeX**

- You have used **two line breaks**.

```
This is a sentence.\\  
\\  
This is a new sentence.
```

- You have used **two line breaks**.

```
This is a sentence.\\  
\\  
This is a new sentence.
```

- You have opened an **environment without closing** it.

```
\begin{itemize}  
  \item content  
  
\section{Trees in LaTeX}
```

- You have used **two line breaks**.

```
This is a sentence.\\
\\
This is a new sentence.
```

- You have opened an **environment without closing** it.

```
\begin{itemize}
  \item content

\section{Trees in LaTeX}
```

- You have opened a **list environment**, but you do not have an item.

```
\begin{itemize}

\end{itemize}
```

- You have used **two line breaks**.

```
This is a sentence.\\  
\\  
This is a new sentence.
```

- You have opened an **environment without closing** it.

```
\begin{itemize}  
  \item content  
  
\section{Trees in LaTeX}
```

- You have opened a **list environment**, but you do not have an `item`.

```
\begin{itemize}  
  
\end{itemize}
```

- You have opened a **list environment**, and you have text before your `item` command.

```
\begin{itemize}  
I will start a list.  
  \item List 1  
\end{itemize}
```

- You have a **nesting problem**.

```
\begin{itemize}
  \item Itemize list 1
  \begin{enumerate}
    \item Enumerate list 1
  \end{enumerate}
\end{itemize}
```

- You have a **nesting problem**.

```
\begin{itemize}
  \item Itemize list 1
  \begin{enumerate}
    \item Enumerate list 1
  \end{enumerate}
\end{itemize}
\end{enumerate}
```

- You forgot `\end{document}` or **commented it out** looking for other errors.

```
% Is the problem here?
% \end{document}
```

- You have a **nesting problem**.

```
\begin{itemize}
  \item Itemize list 1
  \begin{enumerate}
    \item Enumerate list 1
  \end{enumerate}
\end{itemize}
\end{enumerate}
```

- You forgot `\end{document}` or **commented it out** looking for other errors.

```
% Is the problem here?
% \end{document}
```

- You are using **commands** from **packages** you **haven't loaded**.

(7) `\scalebox{.8}{text}` without loading `graphics`

- You have a **nesting problem**.

```
\begin{itemize}
  \item Itemize list 1
  \begin{enumerate}
    \item Enumerate list 1
  \end{enumerate}
\end{itemize}
```

- You forgot `\end{document}` or **commented it out** looking for other errors.

```
% Is the problem here?
% \end{document}
```

- You are using **commands** from **packages** you **haven't loaded**.

(7) `\scalebox{.8}{text}` without loading `graphics`

- You have **misspelled a command**.

```
\begins{itemize}
  \item test
\end{itemize}
```

- 1 Localise the problem
- 2 Frequent problems: Syntax error
- 3 Frequent problems: Packages**
- 4 Minimal (not) working example

Frequent problems: Packages

- A **new package** was loaded in the **body** of your document and not in the **preamble**.

```
\begin{document}  
\usepackage{gb4e}
```

Frequent problems: Packages

- A **new package** was loaded in the **body** of your document and not in the **preamble**.

```
\begin{document}  
\usepackage{gb4e}
```

- A **new package** was loaded, but you don't have the **package in your system** (locally installed).
 - (8) `avm` or `jambox` are packages that must be **downloaded manually** and saved in the **same folder** as your `.tex` document to be found.

Frequent problems: Packages

- A **new package** was loaded in the **body** of your document and not in the **preamble**.

```
\begin{document}  
\usepackage{gb4e}
```

- A **new package** was loaded, but you don't have the **package in your system** (locally installed).
 - (8) `avm` or `jambox` are packages that must be **downloaded manually** and saved in the **same folder** as your `.tex` document to be found.
- The package is **not compatible** with your **compiler**.
 - (9) `fontspec` works with Xe^LA_TE_X, but not with PDF^LA_TE_X.

- The package is not **compatible** with **other packages**.
 - (10) a. `linguex` is not compatible with `gb4e`.
 - b. `tipa` and `fontspec` don't like each other.

- The package is not **compatible** with **other packages**.
(10) a. `linguex` is not compatible with `gb4e`.
b. `tipa` and `fontspec` don't like each other.
- The **position of the package** is conflicting with other packages or with other commands, because it **re-defines commands**.

```
\usepackage{gb4e}  
\usepackage{forest}
```

- 1 Localise the problem
- 2 Frequent problems: Syntax error
- 3 Frequent problems: Packages
- 4 Minimal (not) working example

Minimal (not) working example

- You have **localised** your problem, but you don't know what exactly the problem is, and **google is not helping**.

Minimal (not) working example

- You have **localised** your problem, but you don't know what exactly the problem is, and **google is not helping**.
- Build a MWE and post it:
<https://tex.stackexchange.com>

Minimal (not) working example

- You have **localised** your problem, but you don't know what exactly the problem is, and **google is not helping**.
- Build a MWE and post it:
<https://tex.stackexchange.com>
- There is no perfect recipe for MWEs: it depends on your **problem** and on your **work**.

Minimal (not) working example

- You have **localised** your problem, but you don't know what exactly the problem is, and **google is not helping**.
- Build a MWE and post it:
`https://tex.stackexchange.com`
- There is no perfect recipe for MWEs: it depends on your **problem** and on your **work**.
- People should be able to **see**, **copy**, and **compile** your code.

- Build a **new basic document structure**:
Use a **common** document class such as `standalone` and avoid using **idiosyncratic document classes** like `lotdiss`.

```
\documentclass{standalone}  
\begin{document}  
  
\end{document}
```

- Build a **new basic document structure**:

Use a **common** document class such as `standalone` and avoid using **idiosyncratic document classes** like `lotdiss`.

```
\documentclass{standalone}
\begin{document}

\end{document}
```

- Put the **relevant packages** and **new commands** you are using.
(But keep it minimal!)

- Build a **new basic document structure**:

Use a **common** document class such as `standalone` and avoid using **idiosyncratic document classes** like `lotdiss`.

```
\documentclass{standalone}
\begin{document}

\end{document}
```

- Put the **relevant packages** and **new commands** you are using.
(But keep it minimal!)
- Include the **text/code** causing the problem.
(You have localised it by commenting things out).

- Build a **new basic document structure**:

Use a **common** document class such as `standalone` and avoid using **idiosyncratic document classes** like `lotdiss`.

```
\documentclass{standalone}
\begin{document}

\end{document}
```

- Put the **relevant packages** and **new commands** you are using.
(But keep it minimal!)
- Include the **text/code** causing the problem.
(You have localised it by commenting things out).
- Do not forget to **include the packages** you need for **this text passage**,
e.g. if it is an example, include your example package (`gb4e`).

- Build a **new basic document structure**:

Use a **common** document class such as `standalone` and avoid using **idiosyncratic document classes** like `lotdiss`.

```
\documentclass{standalone}
\begin{document}

\end{document}
```

- Put the **relevant packages** and **new commands** you are using.
(But keep it minimal!)
- Include the **text/code** causing the problem.
(You have localised it by commenting things out).
- Do not forget to **include the packages** you need for **this text passage**, e.g. if it is an example, include your example package (`gb4e`).
- **Replicate** your original text compiling it step by step **until the error appears**.
(But keep it minimal: Do not send your complete dissertation!)

- Take into account that your error could be in the **table of contents**, **list of figures/tables**, or **bibliography**.
Include them as well to see whether your error is there.

- Take into account that your error could be in the **table of contents**, **list of figures/tables**, or **bibliography**.
Include them as well to see whether your error is there.
- Take into account that many errors occur because of the **conflicting interaction of packages**.

- Take into account that your error could be in the **table of contents**, **list of figures/tables**, or **bibliography**.
Include them as well to see whether your error is there.
- Take into account that many errors occur because of the **conflicting interaction of packages**.
- If you haven't found the source of the problem by creating your MWE, then post it.

- Take into account that your error could be in the **table of contents**, **list of figures/tables**, or **bibliography**.
Include them as well to see whether your error is there.
- Take into account that many errors occur because of the **conflicting interaction of packages**.
- If you haven't found the source of the problem by creating your MWE, then post it.
- In your **message**, include information about:
 - What you want to achieve, what has (not) happened, what should have happened instead.
 - compiler (e.g. Xe^LA_TE_X)
 - T_EX distribution (TeXLive, MikTeX) and version
 - And copy the error message your editor is giving you.

Here is a **good example** for a MWE:

<https://tex.stackexchange.com/questions/470550/url-linebreak>

Internet sources I

- Link: LaTeX MeMeS for Well Typeset Teens.
<https://www.facebook.com/badness10000/> [Access: 29/07/2018]
- Link: Let me google it for you.
<https://www.lmgtfy.com> [Access: 15/01/2019]
- Link: Frequently Asked Question List for TeX: How to make a “minimum example”.
<https://texfaq.org/FAQ-minxmpl> [Access: 15/01/2019]
- Link: TeX Stack Exchange
<https://tex.stackexchange.com> [Access: 15/01/2019]
- Link: TeX Stack Exchange: URL line break
<https://tex.stackexchange.com/questions/470550/url-linebreak> [Access: 17/01/2019]
- Link: TeX Stack Exchange: What makes a good MWE?
<https://tex.meta.stackexchange.com/questions/3343/what-makes-a-good-mwe> [Access: 15/01/2019]
- Link: TeX Stack Exchange: I've just been asked to write a minimal example, what is that?
<https://tex.meta.stackexchange.com/questions/228/ive-just-been-asked-to-write-a-minimal-example-what-is-that> [Access: 15/01/2019]

Internet sources II

- Twitter: T_EX Users Group
<https://twitter.com/texusersgroup>

[Access: 02/01/2019]

Literature I

- Freitag, Constantin & Antonio Machicao y Priemer. 2015. LaTeX-Einführung für Linguisten. Manuscript. <https://www.linguistik.hu-berlin.de/de/staff/amp/latex-einfuehrung>.
- Knuth, Donald E. 1986. *The TeX book*. Boston: Addison-Wesley.
- Kopka, Helmut. 1994. *LaTeX: Einführung*, vol. 1. Bonn: Addison-Wesley.