

L^AT_EX for Linguists

My first T_EX document

Sebastian Nordhoff Antonio Machicao y Priemer

July 29, 2019

Contents

1	Headlines and paragraphs	1
1.1	First subsection	2
1.1.1	First subsubsection	2
1.2	Second subsection	2
1.2.1	Second subsubsection	2
1.3	Paragraphs and line brakes	2
2	Footnotes	3
3	Special characters	3
4	Spacing & line breaks	3
5	Commenting out	4
5.1	Finding the error	4
5.2	Dividing a word	5
6	Text formatting commands	5

1 Playing with headlines and paragraphs

This is my first L^AT_EX file.

This an example with a word in **bold**. This an example with a word in *italics*.

This sentence is centered.

This sentence is not centered.

This sentence has a huge word. This sentence is in normal size.

1.1 My first subsection

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

1.1.1 My first subsubsection

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

1.2 My second subsection

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

1.2.1 My second subsubsection

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

1.3 Playing with paragraphs and line brakes

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

This text is **not indented**. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

This text is **not indented**. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

My first paragraph This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

My first subparagraph This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

2 Playing with footnotes

This is a sample text. The only purpose of this text¹ is to show how to work with footnotes in L^AT_EX.² It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

3 Special characters

Here you can practice some commands for accents: Ü Ë ÿ ö í è ā ß û ñ č

This is a sample list of special characters: \ ~ ^ > < | # \$ & - { } %

4 Spacing & line breaks

Write this sentence with five blanks before the first word in this sentence. Put five blanks after the following German word: *Muße* and put one line break after the following Spanish word: *niño* and now, put one empty line after the last word of this sentence.

To finish, put 9 empty lines after the end of this sentence.

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

¹A text (literary theory) is any object that can be read.

²L^AT_EX is a document preparation system.

5 Commenting out

5.1 Finding the error

Copy the following two paragraphs into your document and find the error in the code by commenting out the paragraphs and parts of the paragraphs.

[illegible]

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text.

5.2 Dividing a word

6 Text formatting commands

This word is tiny. These words are in script size. These words are in footnote size. This word is small. This word is large. This word is **Large**, and this one is **LARGE**. This word is **huge** and this one **Huge**.