HUMBOLDT-UNIVERSITÄT ZU BERLIN



LATEX for Linguists LATEX 5: IPA & verbatim

Sebastian Nordhoff & Antonio Machicao y Priemer www.linguistik.hu-berlin.de/staff/amyp

LOT 2019, Amsterdam

January 16, 2019

Contents

Transcriptions with IPA

2 Verbatim

- Transcriptions with IPA
- 2 Verbatim

Transcriptions with IPA

With XelaTeX, you can use **Unicode characters** for your transcriptions:

You can copy the Unicode characters for transcriptions from here: http://westonruter.github.io/ipa-chart/keyboard/

4/9

Transcriptions with IPA

With XelaTeX, you can use **Unicode characters** for your transcriptions:

You can copy the Unicode characters for transcriptions from here: http://westonruter.github.io/ipa-chart/keyboard/

Some **fonts** cannot display all Unicode characters, e.g. try to copy the Unicode characters for the following word and compile using first <code>lmodern</code> and then <code>libertine</code>.

(1) ['?ɛtsəndəre]

Transcriptions with IPA

With XelaTeX, you can use **Unicode characters** for your transcriptions:

You can copy the Unicode characters for transcriptions from here: http://westonruter.github.io/ipa-chart/keyboard/

Some **fonts** cannot display all Unicode characters, e.g. try to copy the Unicode characters for the following word and compile using first <code>lmodern</code> and then <code>libertine</code>.

(1) ['?ɛtsəndəre]

The package tipa offers commands for transcriptions with IPA, but it is not compatible with all other packages.

\usepackage{tipa}

tipa provides 3 ways to use IPA characters:

macros:

```
[\textglotstop{}an.\textesh{}\textinvscr{}\texttoptiebar{a\textsci{}}.\textschwa{}n]
```

[\textsecstress\textepsilon kspl\textschwa \textprimstress ne\textsci\textschwa \textschwa n]

(2) [ʔan.ʃʁa͡ɪ.ən]

(3) [εkspləˈneɪʃən]

groups of macros:

```
\textipa{[Pan.SK\t{aI}.@n]}
\textipa{[""Ekspl@"neIS@n]}
```

- (4) [?an.∫ʁai.ən]
- (5) [sksplə'neisən]

tipa environment:

```
\begin{IPA}
[Pan.SK\t{aI}.@n]

[""Ekspl@"neIS@n]
\end{IPA}
```

- (6) [?an.∫ʁai.ən]
- (7) [¡ɛkspləˈneɪʃən]

- Transcriptions with IPA
- 2 Verbatim

Verbatim

If you want to **write code**, LATEX provides the verb **command** and the verbatim **environment**.

```
\verb|\textbf{test}|
\begin{verbatim}
\textbf{test}
\end{verbatim}
\textbf{test}
\end{verbatim}
```

With the package listings, more options for verbatim can be specified:

```
\usepackage{listings}

\lstset{
  language=TeX,
  backgroundcolor=\color{lightgray},
  basicstyle={\footnotesize\ttfamily\color{blue}},
  showstringspaces=false,
  columns=flexible
}
```

This package offers an **in-line version** with the \lstinline **command** and the lstlisting **environment**.

For the in-line version, use **characters** as **delimiters** for your command \lstinline that are not used in your code.

Exercise

Go to

https://github.com/langsci/latex4linguists/blob/master/3-1.md and follow the instructions of **all blocks** in your .tex file.

Internet sources I

 Link: CTAN - The Comprehensive TEX Archive Network . http://www.ctan.org/ [Access: 02/01/2019]

 Link: The International Phonetic Alphabet (revised to 2005) http://westonruter.github.io/ipa-chart/keyboard/ [Access: 15/01/2019]

 Link: Type IPA phonetic symbols. http://ipa.typeit.org/full/ [Access: 02/01/2019]

Literature I

Freitag, Constantin & Antonio Machicao y Priemer. 2015. LaTeX-Einführung für Linguisten. Manuscript. https://www.linguistik.hu-berlin.de/de/staff/amyp/latex-einfuehrung.

Knuth, Donald E. 1986. The TeX book. Boston: Addison-Wesley.

Kopka, Helmut. 1994. LaTeX: Einführung, vol. 1. Bonn: Addison-Wesley.

Linke, Rona & Alex Linke. 2005. LaTeX für Linguisten: IPA, Glossing und Baumstrukturen. Manuscript.

http://homepage.ruhr-uni-bochum.de/alexander.linke-2/linguistik/LaTeX/.

Rei, Fukui. 2004. Tipa manual – version 1.3. CTAN: Comprehensive TeX Archive Network http://www.ctan.org/tex-archive/fonts/tipa/tipa.