

```

1
2 !
3 ! Last configuration change at 03:05:30 UTC Mon May 28 2018 by cisco
4 !
5 version 15.5
6 service timestamps debug datetime msec
7 service timestamps log datetime msec
8 no service password-encryption
9 !
10 hostname Internet
11 !
12 boot-start-marker
13 boot-end-marker
14 !
15 !
16 logging buffered 51200 warnings
17 !
18 no aaa new-model
19 ethernet lmi ce
20 !
21 crypto pki trustpoint TP-self-signed-1869551841
22   enrollment selfsigned
23   subject-name cn=IOS-Self-Signed-Certificate-1869551841
24   revocation-check none
25   rsakeypair TP-self-signed-1869551841
26 !
27 !
28 crypto pki certificate chain TP-self-signed-1869551841
29   certificate self-signed 01
30     3082022B 30820194 A0030201 02020101 300D0609 2A864886 F70D0101 05050030
31     31312F30 2D060355 04031326 494F532D 53656C66 2D536967 6E65642D 43657274
32     69666963 6174652D 31383639 35353138 3431301E 170D3138 30353231 30363132
33     30395A17 0D323030 31303130 30303030 305A3031 312F302D 06035504 03132649
34     4F532D53 656C662D 5369676E 65642D43 65727469 66696361 74652D31 38363935
35     35313834 3130819F 300D0609 2A864886 F70D0101 01050003 818D0030 81890281
36     8100B16B 3F7D0F85 F198ABB9 EEE200D4 EC849722 694B0B32 628E91AB 8CCE7F45
37     77B68D0F 43C63D3D DAAEF278 C55EFC4C C6A51725 256B1DDB 9518C73B C027301A
38     57CBD4E6 34CAE664 6AF69F55 5DBADBF2 FBF311A6 514502A3 754C2BE4 508C69BB
39     2070E07D 0227B281 8864757F 1F8CE47A B6BB7C46 40F1FF22 475FF0DF 19AAFD94
40     54E50203 010001A3 53305130 0F060355 1D130101 FF040530 030101FF 301F0603
41     551D2304 18301680 14528220 C01C6197 86CDB371 FA7A4461 0F052FF8 44301D06
42     03551D0E 04160414 528220C0 1C619786 CDB371FA 7A44610F 052FF844 300D0609
43     2A864886 F70D0101 05050003 81810053 11FA2938 3E58C989 7B00C14A 7CEA9E56
44     AC8F8119 721F029C E6672152 A6A0247D 05E9654D E59F7EE8 8B44AE46 65BDD8E6
45     0D49BF4A C4B636EC 3B6B7952 55A4A9CE 48496221 D67AE612 D9E530B5 DE4E8305
46     74FF9F78 BBDE550D 37966B1D E3BB026A C24C6970 DB9F7CD0 E65863C9 7B6CA7F3
47     D25D3DBA CFCB20D7 276B3B13 4CA052
48   quit
49 !
50 !
51 !

```

```
52 |!  
53 |!  
54 |!  
55 no ip domain lookup  
56 ip domain name yourdomain.com  
57 ip cef  
58 no ipv6 cef  
59 |!  
60 |!  
61 license udi pid C841M-4X-JSEC/K9 sn FGL213895JY  
62 |!  
63 |!  
64 username cisco privilege 15 secret 5 $1$Ro1U$16JUNkpCM79q5HnLgm7tQ.  
65 |!  
66 redundancy  
67 |!  
68 |!  
69 |!  
70 |!  
71 no cdp run  
72 |!  
73 |!  
74 |!  
75 |!  
76 |!  
77 |!  
78 |!  
79 |!  
80 |!  
81 |!  
82 |!  
83 interface GigabitEthernet0/0  
84   no ip address  
85 |!  
86 interface GigabitEthernet0/1  
87   no ip address  
88 |!  
89 interface GigabitEthernet0/2  
90   no ip address  
91 |!  
92 interface GigabitEthernet0/3  
93   no ip address  
94 |!  
95 interface GigabitEthernet0/4  
96   no ip address  
97   duplex auto  
98   speed auto  
99 |!  
100 interface GigabitEthernet0/5  
101   ip address 192.168.35.1 255.255.255.0  
102   ip nat outside
```

```
103 ip virtual-reassembly in
104 duplex auto
105 speed auto
106 !
107 interface Vlan1
108 description $ETH_LAN$
109 ip address 10.0.0.1 255.255.255.0
110 ip nat inside
111 ip virtual-reassembly in
112 ip tcp adjust-mss 1452
113 !
114 router ospf 2
115 network 10.0.0.0 0.255.255.255 area 0
116 default-information originate always
117 !
118 ip forward-protocol nd
119 ip http server
120 ip http access-class 23
121 ip http authentication local
122 ip http secure-server
123 ip http timeout-policy idle 60 life 86400 requests 10000
124 !
125 !
126 ip nat inside source list 10 interface GigabitEthernet0/5 overload
127 ip route 0.0.0.0 0.0.0.0 192.168.35.254
128 !
129 !
130 !
131 access-list 10 permit 172.16.1.0 0.0.0.255
132 access-list 10 permit 192.168.10.0 0.0.0.255
133 access-list 10 permit 192.168.20.0 0.0.0.255
134 access-list 10 permit 192.168.30.0 0.0.0.255
135 access-list 23 permit any
136 !
137 !
138 line con 0
139 logging synchronous
140 login local
141 no modem enable
142 line vty 0 4
143 access-class 23 in
144 privilege level 15
145 login local
146 transport input telnet ssh
147 line vty 5 15
148 access-class 23 in
149 privilege level 15
150 login local
151 transport input telnet ssh
152 !
153 scheduler allocate 20000 1000
```

OfficeLAN-internet-config.txt

```
154 |!  
155 |end
```