

```
1 |
2 !
3 ! Last configuration change at 06:47:01 UTC Fri May 25 2018 by cisco
4 !
5 version 15.5
6 service timestamps debug datetime msec
7 service timestamps log datetime msec
8 no service password-encryption
9 !
10 hostname Office
11 !
12 boot-start-marker
13 boot-end-marker
14 !
15 !
16 logging buffered 51200 warnings
17 !
18 no aaa new-model
19 ethernet lmi ce
20 !
21 crypto pki trustpoint TP-self-signed-1869551841
22   enrollment selfsigned
23   subject-name cn=IOS-Self-Signed-Certificate-1869551841
24   revocation-check none
25   rsakeypair TP-self-signed-1869551841
26 !
27 !
28 crypto pki certificate chain TP-self-signed-1869551841
29   certificate self-signed 01
30     3082022B 30820194 A0030201 02020101 300D0609 2A864886 F70D0101 05050030
31     31312F30 2D060355 04031326 494F532D 53656C66 2D536967 6E65642D 43657274
32     69666963 6174652D 31383639 35353138 3431301E 170D3138 30353231 30363132
33     30395A17 0D323030 31303130 30303030 305A3031 312F302D 06035504 03132649
34     4F532D53 656C662D 5369676E 65642D43 65727469 66696361 74652D31 38363935
35     35313834 3130819F 300D0609 2A864886 F70D0101 01050003 818D0030 81890281
36     8100B16B 3F7D0F85 F198ABB9 EEE200D4 EC849722 694B0B32 628E91AB 8CCE7F45
37     77B68D0F 43C63D3D DAAEF278 C55EFC4C C6A51725 256B1DDB 9518C73B C027301A
38     57CBD4E6 34CAE664 6AF69F55 5DBADBF2 FBF311A6 514502A3 754C2BE4 508C69BB
39     2070E07D 0227B281 8864757F 1F8CE47A B6BB7C46 40F1FF22 475FF0DF 19AAFD94
40     54E50203 010001A3 53305130 0F060355 1D130101 FF040530 030101FF 301F0603
41     551D2304 18301680 14528220 C01C6197 86CDB371 FA7A4461 0F052FF8 44301D06
42     03551D0E 04160414 528220C0 1C619786 CDB371FA 7A44610F 052FF844 300D0609
43     2A864886 F70D0101 05050003 81810053 11FA2938 3E58C989 7B00C14A 7CEA9E56
44     AC8F8119 721F029C E6672152 A6A0247D 05E9654D E59F7EE8 8B44AE46 65BDD8E6
45     0D49BF4A C4B636EC 3B6B7952 55A4A9CE 48496221 D67AE612 D9E530B5 DE4E8305
46     74FF9F78 BBDE550D 37966B1D E3BB026A C24C6970 DB9F7CD0 E65863C9 7B6CA7F3
47     D25D3DBA CFCB20D7 276B3B13 4CA052
48   quit
49 !
50 !
51 !
```

```
52 |!  
53 |!  
54 |!  
55 no ip domain lookup  
56 ip domain name yourdomain.com  
57 ip cef  
58 no ipv6 cef  
59 |!  
60 |!  
61 license udi pid C841M-4X-JSEC/K9 sn FGL213895JY  
62 |!  
63 |!  
64 username cisco privilege 15 secret 5 $1$Ro1U$16JUNkpCM79q5HnLgm7tQ.  
65 |!  
66 redundancy  
67 |!  
68 |!  
69 |!  
70 |!  
71 no cdp run  
72 |!  
73 |!  
74 |!  
75 |!  
76 |!  
77 |!  
78 |!  
79 |!  
80 |!  
81 |!  
82 |!  
83 interface GigabitEthernet0/0  
84   switchport access vlan 10  
85   no ip address  
86 |!  
87 interface GigabitEthernet0/1  
88   switchport access vlan 20  
89   no ip address  
90 |!  
91 interface GigabitEthernet0/2  
92   switchport access vlan 30  
93   no ip address  
94 |!  
95 interface GigabitEthernet0/3  
96   no ip address  
97 |!  
98 interface GigabitEthernet0/4  
99   ip address 10.0.0.14 255.255.255.252  
100 duplex auto  
101 speed auto  
102 |!
```

```
103 interface GigabitEthernet0/5
104   ip address 10.0.0.1 255.255.255.252
105   duplex auto
106   speed auto
107   !
108 interface Vlan1
109   description $ETH_LAN$
110   no ip address
111   ip tcp adjust-mss 1452
112   !
113 interface Vlan10
114   ip address 192.168.10.254 255.255.255.0
115   !
116 interface Vlan20
117   ip address 192.168.20.254 255.255.255.0
118   !
119 interface Vlan30
120   ip address 192.168.30.254 255.255.255.0
121   !
122 router rip
123   version 2
124   network 10.0.0.0
125   network 192.168.10.0
126   network 192.168.20.0
127   network 192.168.30.0
128   !
129 ip forward-protocol nd
130 ip http server
131 ip http access-class 23
132 ip http authentication local
133 ip http secure-server
134 ip http timeout-policy idle 60 life 86400 requests 10000
135   !
136   !
137   !
138   !
139   !
140 access-list 23 permit any
141   !
142   !
143 line con 0
144   logging synchronous
145   login local
146   no modem enable
147 line vty 0 4
148   access-class 23 in
149   privilege level 15
150   login local
151   transport input telnet ssh
152 line vty 5 15
153   access-class 23 in
```

rip-office-config.txt

```
154 | privilege level 15
155 | login local
156 | transport input telnet ssh
157 | !
158 | scheduler allocate 20000 1000
159 | !
160 | end
```