# Scripts and Events

Lara J. Martin (she/they)

https://laramartin.net/interactive-fiction-class

### Learning Objectives

Start to identify the limitations of using transformers for storytelling and what attributes a good storytelling model would require

Differentiate between a script and causal chains


Create your own script

Speculate how scripts can be used in story generation

Distinguish between causal and probabilistic events

Identify the strengths and limitations of scripts

# Project Flow




# Storytelling Corpora

https://laramartin.net/resources.html

https://huggingface.co/datasets

#### What's the difference between:

- encoder-only models
- decoder only models
- encoder-decoder models



### Review: What is a foundation model?

A model that captures "foundational" or core information about a modality (e.g., text, speech, images)

Pretrained on a large amount of data & able to be finetuned on a particular task

Self-supervised

All non-finetuned pretrained large language models (LLMs) are foundation models

### GPT-3 for Story Generation

#### The hungry dog licked her lips as she watched her owner eat.

"You've been a good girl," he told her. "I think you deserve a reward."

Once she was done, she jumped back on the couch and waited patiently.

Her owner took a piece of steak out of the fridge and gave it to her.

"Thank you," he said. "I'm glad you're my dog."

She wagged her tail and ate the steak.

"If you're good, you can have a treat later," he said. "But for now, you have to sleep. I have a long day tomorrow."

She nodded and lay down on the floor.

Her owner got up, turned off the lights, and lay down on the bed.

### GPT-3 for Story Generation

#### The hungry dog licked her lips as she watched her owner eat.

"You've been a good girl," he told her. "I think you deserve a reward."

Once she was done, she jumped back on the couch and waited patiently.

Her owner took a piece of steak out of the fridge and gave it to her

"Thank you," he said. "I'm glad you're my dog."

She wagged her tail and ate the steak.

"If you're good, you can have a treat later," he said. "But for now, you have to sleep. I have a long day tomorrow."

She nodded and lay down on the floor.

Her owner got up, turned off the lights, and lay down on the bed.

Commonsense reasoning

Remembering Story

State

### Levels of Information

'What's it going to be then, eh?'

There was me, that is Alex, and my three droogs, that is Pete, Georgie, and Dim, Dim being really dim, and we sat in the Korova Milkbar making up our rassoodocks what to do with the evening, a flip dark chill winter bastard though dry. The Korova Milkbar was a milk-plus mesto, and you may, O my brothers, have forgotten what these mestos were like, things changing so skorry these days and everybody very quick to forget, newspapers not being read much neither. Well, what they sold there was milk plus something else. They had no licence for selling liquor, but there was no law yet against prodding some of the new veshches which they used to put into the old moloko, so you could peet it with vellocet or synthemesc or drencrom or one or two other veshches which would give you a nice quiet horror-show fifteen minutes admiring Bog and All His Holy Angels and Saints in your left shoe with lights nursing all over your mozg. ...

Text from A Clockwork Orange by Anthony Burgess

The story begins with the droogs sitting in their favourite hangout, the Korova Milk Bar, and drinking "milk-plus" — a beverage consisting of milk laced with the customer's drug of choice — to prepare for a night of ultra-violence.

Summary from Wikipedia

Alex begins his narrative from the Korova, where the boys sit around drinking.

Summary from SparkNotes.com

Meena got on a bus.

She fell asleep.


She woke up in New York.

Bilbo joined a group of dwarves on an adventure.


He found a ring in a cave.

He was able to save the dwarves from giant spiders.

#### Causal Links




### Causal Chains



### Script

"A standard event sequence" that

- Lays out different paths/options
- Consists of causal chains
- Can be used to leave out tedious details the reader is expected to know
- Can be considered a literary trope or a common social scenario



### Causal Chains vs Scripts

#### CAUSAL CHAINS

"Sequential flow of events" with cause & effect links between

Might be missing events that are considered "common knowledge"

#### **SCRIPTS**

Frequently co-occurring events

The "common knowledge"

Disclaimer: This is the way Schank and Abelson defined them, but sometimes these terms get fuzzy in today's research, especially because of the use of probabilistic models (further in the lecture)

### Script

"A standard event sequence" that

- Lays out different paths/options
- Consists of causal chains
- Can be used to leave out tedious details the reader is expected to know

Can be considered a literary trope or a common social scenario

### Principle of Minimal Departure

"This law—to which I shall refer as the principle of minimal departure—states that we reconstrue the central world of a textual universe in the same way we reconstrue the alternate possible worlds of nonfactual statement: as conforming as far as possible to our representation of [the actual world]"

In other words:

The story world is expected to be like the real world, unless otherwise specified

### Or, as Miguel de Cervantes points out...

"The innkeeper asked if he had any money. Don Quixote said that he didn't have a blanca, because he'd never read in the histories of knights errant that any one of them had taken money with him. To this, the innkeeper said that he was mistaken, because, although the histories didn't specify something as obvious and necessary as money and clean shirts, there was no reason to believe that they didn't have them."


### In-Class Activity

Create a small graph to represent the script for "checking out at a grocery store"

Use <u>draw.io</u> (or your graph-making software of choice) to make the graph.


Or if you prefer paper, take a picture of the graph when you're done.

Submit to Blackboard!



# Now that you've gotten your hands dirty

How do you think you would you use scripts to generate a story?




#### **Events**

#### An occurrence that

- has a distinct beginning & end
- may contain multiple actions
  - E.g., "paying the bill" might involve taking out your credit card, handing it over to the staff, etc.
- can be at a variety of levels of granularity
  - E.g. "opens wallet" vs "pays the bill" vs "ate at the restaurant"

In storytelling, we might consider this as something that moves the narrative along (As opposed to descriptions of people/places: "It was a dark and stormy night..."



### Pre-conditions and Effects

<u>Pre-conditions</u> determine what the state of the world needs to be in before an event is entered

Effects (or post-conditions) tell you what happens after an event occurs

### Restaurant Example

Customer asks for specials Customer Effect: orders Waitstaff transfers "specials" info to Pre-condition: customer Customer knows what they want to order

#### **Domain**

dig(?char,?item) Precons: ?char alive.

?item buried.

?char knows ?item.

?char has ?item. Effects:

¬?item buried.

Consent: ?char

give(?gvr,?item,?rcvr)

Precons: ?gvr alive.

?gvr has ?item.

?rcvr alive.

Effects: ?rcvr has ?item.

- ?gvr has ?item.

Consent: ?gvr ?rcvr

open(?char)

Precons: ?char alive.

?char has ?item.

Effects: Ropened.

- ?char alive.

Consent: ?char

take(?thief,?item,?char)

Precons: ?thief alive.

?char has ?item.


- ?char alive OR

?thief armed.

?thief has ?item. Effects:

¬?char has?item.

Consent: ?thief



Join by **PollEv.com/**Web **laramartin527** 

Join Send

by laramartin527

Text to **22333** 



## Linking Events

#### **PROBABILISTIC**

Occur frequently together (not necessarily because they had to)

#### Example:

I pour dog food in my dog's bowl.

I pet my dog.

#### **CAUSAL**

Occur because of one another

#### Example:

I pour dog food in my dog's bowl.

My dog eats dog food.

# Example of a Probabilistic Event Representation

From sentence, extract event representation:

(subject, verb, direct object, modifier, preposition)

Original sentence: yoda uses the force to take apart the platform

#### **Events:**

```
yoda use force Ø Ø yoda take apart platform Ø Ø
```

#### **Generalized Events:**

```
<PERSON>0 fit-54.3 power.n.01 Ø Ø
<PERSON>0 destroy-44 surface.n.01 Ø Ø
```

# Pros & Cons of Scripts

PROS CONS