


Design of study

Work in progress

Subjective branch



Objective branch

TN: trigeminal neuralgia, PCA: principal component analysis, PC: principal component, DWI: diffusion weighted imaging, DTI: diffusion tensor imaging, JHU: Johns Hopkins University, ML: machine learning



Results

Work in progress

Demographics and baseline feature extraction

Dataset demographics	
Sample size (n)	86
Age (years)	58.6 ± 14.9
Sex (males : females)	35 : 81
Pain side (L : R)	38 : 48
Surgery (GK : MVD : rhizotomy)	50 : 32 : 4

- 19 PCs to explain 95% of variance in data.
- PC1 vs Duration of response: $r = -0.48$ $[-0.65 - -0.28]$ ($p = 0.0007$)

Feature	PC1 Weight
MVD history	0.335632
GK history	0.329493
Triggers	0.329472
Diabetes	0.314593
Pain description	0.311991
Medication effect on pain	0.300786
Liver/GI disease	0.295251
Frequency of attacks	0.277658
Affected branches	0.259692
Trigeminal deficit	0.249866
Musculoskeletal comorbidities	0.155456
Thyroid comorbidities	-0.13547
Urogenital comorbidities	0.10515
Age	-0.09092
Autoimmune comorbidities	-0.08575
Pain duration	0.082589
Pain side (laterality)	-0.08199
Sex	-0.06408
Other neurosurgery	-0.04577
Cancer	-0.01457
Hypertension	-0.0106
Cardiological comorbidities	-0.00522
Dyslipidemia	0.004421
Respiratory comorbidities	-0.00136
Psychiatric comorbidities	0

