



UNIVERSITAT POLITÈCNICA DE CATALUNYA
BARCELONATECH

Escola Superior d'Enginyeries Industrial,
Aeroespacial i Audiovisual de Terrassa

ESEIAAT - UPC

Study for the computational resolution of conservation equations of mass, momentum and energy. Possible application to different aeronautical and industrial engineering problems: Case 1B

Attachment A - Results

Author: Laura Pla Olea

Director: Carlos David Perez Segarra

Co-Director: Asensio Oliva Llena

Degree: Grau en Enginyeria en Tecnologies Aeroespacials

Delivery date: 10-06-2017

Contents

List of Tables	iii
List of Figures	iv
1 Smith-Hutton problem	1
1.1 $\rho/\Gamma = 10$	1
1.2 $\rho/\Gamma = 10^3$	3
1.3 $\rho/\Gamma = 10^6$	6
2 Buoyancy	8

List of Tables

List of Figures

1.1	Representation of the whole domain for $\rho/\Gamma = 10$ (CDS)	1
1.2	Representation of the whole domain for $\rho/\Gamma = 10$ (UDS)	2
1.3	Representation of the whole domain for $\rho/\Gamma = 10$ (HDS)	2
1.4	Representation of the whole domain for $\rho/\Gamma = 10$ (EDS)	3
1.5	Representation of the whole domain for $\rho/\Gamma = 10$ (PLDS)	3
1.6	Representation of the whole domain for $\rho/\Gamma = 10^3$ (UDS)	4
1.7	Representation of the whole domain for $\rho/\Gamma = 10^3$ (HDS)	4
1.8	Representation of the whole domain for $\rho/\Gamma = 10^3$ (EDS)	5
1.9	Representation of the whole domain for $\rho/\Gamma = 10^3$ (PLDS)	5
1.10	Representation of the whole domain for $\rho/\Gamma = 10^6$ (UDS)	6
1.11	Representation of the whole domain for $\rho/\Gamma = 10^6$ (HDS)	6
1.12	Representation of the whole domain for $\rho/\Gamma = 10^6$ (EDS)	7
1.13	Representation of the whole domain for $\rho/\Gamma = 10^6$ (PLDS)	7
2.1	Contour plots of the temperature	8

1 | Smith-Hutton problem

In the following sections there are represented the results of the Smith-Hutton problem for all the resolution schemes that have been coded.

1.1 $\rho/\Gamma = 10$




Figure 1.1: Representation of the whole domain for $\rho/\Gamma = 10$ (CDS)




Figure 1.2: Representation of the whole domain for $\rho/\Gamma = 10$ (UDS)




Figure 1.3: Representation of the whole domain for $\rho/\Gamma = 10$ (HDS)

$$\rho/\Gamma = 10^3$$




Figure 1.4: Representation of the whole domain for $\rho/\Gamma = 10$ (EDS)




Figure 1.5: Representation of the whole domain for $\rho/\Gamma = 10$ (PLDS)

1.2 $\rho/\Gamma = 10^3$

In this section there is not a solution for the central differencing scheme because it diverges.




Figure 1.6: Representation of the whole domain for $\rho/\Gamma = 10^3$ (UDS)




Figure 1.7: Representation of the whole domain for $\rho/\Gamma = 10^3$ (HDS)




Figure 1.8: Representation of the whole domain for $\rho/\Gamma = 10^3$ (EDS)




Figure 1.9: Representation of the whole domain for $\rho/\Gamma = 10^3$ (PLDS)

1.3 $\rho/\Gamma = 10^6$

Like in the previous section, in this case there is no results for the central differencing scheme because of its divergence.




Figure 1.10: Representation of the whole domain for $\rho/\Gamma = 10^6$ (UDS)




Figure 1.11: Representation of the whole domain for $\rho/\Gamma = 10^6$ (HDS)




Figure 1.12: Representation of the whole domain for $\rho/\Gamma = 10^6$ (EDS)




Figure 1.13: Representation of the whole domain for $\rho/\Gamma = 10^6$ (PLDS)

2 | Buoyancy




Figure 2.1: Contour plots of the temperature