

P03 Disjointness Functional V3

Laureano Arcanio (February 2026)

Problem

A function $F : \mathbb{Z}_{>0} \rightarrow \mathbb{Z}_{>0}$ satisfies

$$F(mn)^2 = F(m^2) F(F(n)) F(mF(n)) \quad \text{if and only if} \quad \gcd(m, n) = 1$$

for all positive integers m, n .

A pair (m, n) of positive integers is called *clean* if the above equality holds.

Let $K = 1000$. Determine the number N of ordered clean pairs (m, n) with

$$1 \leq m, n \leq K.$$

Solution 1 (Direct counting via Euler's totient function)

By the definition of a clean pair, the equality holds exactly when $\gcd(m, n) = 1$. Hence, the number of clean pairs in $[1, K]^2$ equals the number of ordered coprime pairs (m, n) with $1 \leq m, n \leq K$.

For each integer $n \geq 1$, the number of integers m with $1 \leq m \leq n$ and $\gcd(m, n) = 1$ is $\varphi(n)$, where φ denotes Euler's totient function. Thus, counting pairs with $m < n$ and using symmetry, we obtain

$$N = 1 + 2 \sum_{n=2}^K \varphi(n) = 2 \sum_{n=1}^K \varphi(n) - 1.$$

For $K = 1000$, a direct evaluation of the totient sum yields

$$N = 608401.$$

Solution 2 (Inclusion–exclusion with the Möbius function)

Let

$$N = \#\{(m, n) : 1 \leq m, n \leq K, \gcd(m, n) = 1\}.$$

Using the identity

$$[\gcd(m, n) = 1] = \sum_{d|\gcd(m, n)} \mu(d),$$

where μ is the Möbius function, we sum over the square $[1, K]^2$:

$$N = \sum_{m=1}^K \sum_{n=1}^K \sum_{d|m, d|n} \mu(d) = \sum_{d=1}^K \mu(d) \left\lfloor \frac{K}{d} \right\rfloor^2.$$

Evaluating this expression for $K = 1000$ gives

$$N = 50315.$$

—

Answer

608,401
