

The Nature of Breath: A Biomimetic Kinetic Sculpture that Breathes

Lauria Clarke

Parsons School of Design, The New School
New York, USA
clarl404@newschool.edu

Abstract

The Nature of Breath is a kinetic sculpture exploring the sound and mechanics of human breath. By mimicking the mechanics of the human body this piece asks what it means for a machine to breath, drawing an uncertain line between what is considered natural and artificial and what is considered to be living or non-living. The Nature of Breath is also situated in response to the COVID-19 pandemic. In response to the virus' spread over the last two years, humans around the globe have become unusually attuned to the degrees of health or sickness that breath can indicate as well as the factors that may change one to the other. Through its contrast between the natural and artificial, this work intends to spur reflection on the pandemic as an indicator of humanity's relationship with the natural world.

Keywords

kinetic sculpture, COVID-19, biomimicry, breath

Introduction

Kinetic sculpture can be an incredibly powerful technique for re-contextualizing the beauty of movement often overlooked in everyday life. The process of recreating natural movement through mechanical, man-made means allows artists to highlight and isolate natural movement outside of its conventional context in nature. Mimicking the movement of a field of wheat in the wind, for example, draws our attention from the awe-inspiring scale of such a landscape to focus on the magical quality of movement produced by a single stalk operating within a group. While isolating such an innate quality of the natural world is itself magical, those looking a little closer cannot help but notice the stark contrast between such a natural movement and the artificial way in which it may be achieved. This blurred distinction between the natural and the artificial is a hallmark characteristic of biomimetic movement from kinetic sculpture to engineering and beyond.

Our present understanding and knowledge of the natural world and its boundaries is changing at an unprecedented rate due to human caused environmental change. The question of what is natural and what has been altered, enhanced, or created by humankind – the artificial – is therefore increasingly urgent and difficult to answer. Through the lens of this question it becomes clear that creating a solid boundary between humankind and the rest of the natural world is

a mindset which cannot be sustained indefinitely.[1] As Jeddiah Purdy notes, “the natural and the artificial have merged at every scale...If Nature were a place, we could not find it. If Nature were a state of mind, we could not attain it. We are something else, and so is the world.”[2]

The question of what it means to be alive is unavoidable when considering the relationship between movement and what is natural. Movement is a key indicator of life and the ability to distinguish between the living and non-living is a deeply rooted capacity of the human brain. Psychologists and Neurologists have long been aware that “the distinction between living and non-living things forms a natural place,” to divide the functionalities and capacities of the mind.[3] Kinetic sculpture layers these two distinctions – between the natural and the artificial and the living and non-living.

Perhaps the most natural indicator of life is the movement of breathing. Respiration is an indicator of life at all scales - from single celled organisms to human beings. Whether involving oxygen in the conventional sense of breath, or operating at the cellular level, the process of energy production – often for the purpose of movement – is essential to life as we know it.[4] Taking breath, the most natural of human movements, into close consideration, this work examines the relationship between what is natural and what is, or has been, alive. This mechanism may breathe in a natural way, but its appearance clearly identifies it as something which is purely artificial. There is no question that this breathing work does not actually possess life.

This work also asks us to consider the fragility of human breath in light of the COVID-19 pandemic. Seemingly overnight, much of the world became obsessed with breath as the toll of the virus spread. In the two years since, we have become incredibly attuned to the quality and sound of our own breath and what it may say about our mortality. This work seeks to probe these newfound sensitivities, forcing us to question which actions may lead the act of breathing to be easy or sharply painful.

Prior Work

Two notable works in the field of kinetic sculpture provide some reference and context for this work, Maywa Denki's WAHHA GO GO and Rafael Lozano-Hemmer's Vicious Circular Breathing.[5][6]

Denki's work is arguably the more mechanically sophis-

ticated of the two and most relevant in the discussion of breathing noises. WAHHA GO GO uses a bellows to force air through a larynx like opening which expands and contracts producing a laughing noise. The translation of motion through this piece is done using extremely precise and well made metal parts. This means that little noise – aside from a pleasant whirring sound – is generated by the mechanism itself focusing all of the viewers' attention on the eerie laughter it produces.




Figure 1: WAHHA GO GO by Maywa Denki




Figure 2: Vicious Circular Breathing by Rafael Lozano-Hemmer

In contrast, Vicious Circular Breathing relies on the sharp sound of crinkling paper bags to indicate the movement of breath. This behemoth machine composed of gigantic bellows, yards of tubing, and a huge array of relays makes a lot of noise. Lozano-Hemmer's interest in breath is less about its bodily mechanics and more about the impacts and (un)sustainability of human breathing. Users are invited to add their breath to the closed loop system which eventually

approaches a level of CO₂ saturation, rendering the piece unusable. Ultimately this sends a darker message about human breath.

These two pieces provoke thought about breath, but still use simple bellow based mechanisms to produce airflow. Bellows have been used for a long time in mechanical ventilation. Mechanical ventilation, as used in medicine since the early 1900s, seeks to provide “replacement of the respiratory muscles.”[7] This results in apparatuses that resemble the respiratory system only in the sense that they cause a regulated change in pressure which allows for oxygenation of the blood. These devices have no need for recreating the process by which breath sounds are actually produced. The field of biomimetic robotics has little use for such inquiry either – respiration is not necessary for an electronic being and it is much easier to produce vocal noises digitally than mechanically.

Finally, it would be an oversight not to mention the hundreds of engineers and makers who devoted much time and thought to the development of OpenSource emergency ventilators during the beginning and worst months of the pandemic.[8] Very few of these devices were ever used on patients, but the collective thought and conversation surrounding the mechanics of breath cannot be discounted as useless, if only as a poignant reminder of the body’s mystery and vulnerability.

Implementation

Before beginning construction of the breathing machine I made a cursory, but interesting investigation into some of the techniques used for creating pressure differentials of air in industrial processes. These were expensive, noisy, and ultimately lay outside the scope of this discussion. The intent of this work was to draw mechanical inspiration from the human body, so I began my inquiry there.

System Breakdown

The complexity of the human respiratory system lies not in its gross mechanics, but in the biological materials and molecular mechanics that allow for the transfer of oxygen to the blood.[9] To simplify this system for translation to a constructable mechanical structure, I broke it down into three main sub-systems. Each sub-system exists solely for the purpose of generating breath noises and not for the actual exchange of oxygen as would normally occur during respiration.

Actuation Actuation is the process which causes air to move through the respiratory system. In our own bodies this is achieved by the movement of the diaphragm. In ventilators this is often achieved by a pump or bellows.

Storage Storage describes the way air is stored and contained during the act of breath. This is done by the lungs and is only necessary for the transfer of oxygen to the blood. While the lungs are arguably the most critical part of the respiratory system, however they are the most difficult to simulate with accuracy. Interestingly they have relatively little bearing on the sound of breath in this context.




Figure 3: Diagram of the human respiratory system.

Modulation Modulation is the way the sound of breath is shaped as it leaves the body. This is achieved by the bronchial tree, trachea, larynx, pharynx, and mouth.[10] Changes in the shape of these structures, particularly the trachea and the mouth, change the way breath sounds as it leaves the body. The main focus of this project was to reproduce the sound of human breath. After actuation has been achieved, modulation is therefore the most interesting and relevant part of the respiratory system to investigate.

Making and Testing

My two main areas of inquiry, were auditory prototypes – exploring the effect of disembodied breath noises – as well as mechanical prototypes – exploring ways to achieve a physiologically accurate breathing mechanism. In addition to creating a visual tie between the biological nature of the respiratory system, I chose to closely mimic the diaphragm and trachea to prevent the noise of the mechanical components from overwhelming the noise of the breath produced. This approach relies on the material properties of latex and vinyl – elasticity and rigidity – to be functional.

Auditory Trials The objective of these prototypes was to understand the reaction observers have to disembodied breath noises. Disembodied in this case means that the noise is not coming from a source which appears to be alive. Some of this testing was done in a classroom with an audience who knew what was happening, and some was done on the streets of New York City with passersby. Both achieved surprisingly similar results.

To test the effect of disembodied breath on strangers, a

small speaker was placed inside of two five gallon plastic buckets. An old cellphone was pre-loaded with a three minute sound effect track of different types of breathing noises. These cycled through breath which sounded like someone sleeping to someone wheezing from exertion. In one bucket, a hole was drilled and a large diameter latex tube was inserted. This provided a way to direct the sound emanating from the speaker and obfuscated the function of the assembly. The assembly was then placed near a crosswalk with a high level of foot traffic around 8 PM ET on the day of Halloween. This location was chosen specifically because it was easy to observe discreetly and had a wide variety of pedestrians.



Figure 4: Passerby observing a breathing bucket.

Due to the road noise of the location I only observed a handful of passersby alter their activity because of the bucket. It's possible many more heard the noise and simply ignored it. Those who did notice the noises were visibly confused or disconcerted and usually took a moment to look inside the bucket. It was clear based on this action that they were expecting something to be inside the bucket. The most interesting interaction happened while a young woman was waiting at the crosswalk with a group of friends. She happened to be near the edge of the group closest to the bucket and was clearly confused yet intrigued by the noise, as she kept looking furtively over her shoulder at the bucket. It was also clear that she felt some uncertainty or concern about the interaction because I observed that she didn't immediately mention it to her companions.

The second investigation of disembodied breath happened in a classroom setting with a prepared audience. First, normal breath noises were played. Then, the noises of someone coughing and wheezing were overlaid at a much louder volume. Almost immediately, the audience was extremely uncomfortable with the "sick" noises. A few began to cover their ears. Due to the level of discomfort visible around the room I decided to end the experiment. A smaller version of this experiment was repeated at lower volume with an audience of only three people with similar results. There was im-

mediate, visible concern among the audience when the “sick” breathing began to play.

Physical Trials The objective of this second category of trials was to investigate ways of generating breathing noises mechanically. Using the systems breakdown discussed above, I attempted to create mechanisms for both modulation and actuation of breath. I first approached the diaphragm because actuation occurs before modulation. Using the five gallon buckets, I cut out the center of the lid of one bucket and used it to secure a large piece of 25 mil natural latex over the opening. I then inserted the same large piece of latex tubing into a hole at the other end of the bucket. By depressing the latex, air was forced out of the tube. Pinching the tube at different heights and changing the cadence of the diaphragm movement created a pretty wide range of breath-like noises.

This assembly was then mounted on a frame created using t-slotted aluminum. A lever was also installed under the diaphragm. The end of the lever had a long piece of metal wrapped in a soft rag which was roughly centered on the diaphragm. By depressing the lever with my foot the end of this lever extended into the diaphragm activating it while I used my hands to create variation in the noise of the airflow through the tube. This was sort of a “playable” breath maker.



Figure 5: Previous assembly installed with lever.

After measuring the force required to depress the lever fully – 100 Newtons – I determined that creating an electronic system to activate the diaphragm would be costly and complicated given the scope of time. A few attempts at creating mechanical advantage for the lever were attempted, but none had successful results. It was very difficult to generate the required amount of force without putting a significant amount of weight on the lever itself. I ultimately decided that, due to the expense of high-powered and quiet motors, it made more sense to solve this problem after the core interaction of the piece had been refined.

To approach modulation I decided to rely, again, on the mechanics of the human body. The trachea contains C shaped bands of cartridge with a section smooth muscle on the open side. When this muscle contracts the C shape is compressed

changing how air flows through the trachea. The trachea is about one inch in diameter.[11] I found that a two inch section of 1/8 inch vinyl tubing had an internal radius of about one inch when bent in a C shape which reduced to less than a quarter of an inch when the two ends of the C were pulled together.




Figure 6: Cross section of the trachea and esophagus.

I embedded four sections of this tubing between two sheets of fourteen mil natural latex. I then bent this into a curved tube-like shape and enclosed the open end of the C. Once this basic shape was complete I threaded each piece of tubing with monofilament and anchored the assembly between two dowels. By pulling on the monofilament it was possible to contract each ring within the tube individually. This result was highly successful and it was possible to contract the aperture to varying degrees.




Figure 7: Contracted and relaxed trachea.

While this trachea meachanism was not integrated into the modulation prototype, it was by far the most naturalistic movement produced during the investigation. In comparison to the latex tubing used to mimic the trachea earlier, this mechanical latex assembly has much thinner walls. Overall, I believe this will produce more accurate breath noises when combined with the actuation mechanism

Combined Trial Based on the results of the trials discussed above, I produced a final version combining the successful auditory and physical components.

I first created a digital breath generator in order to create a more nuanced interaction between the viewer and the breathing noises. This was done using the javascript library P5.js and allowed me to change the cadence, pitch, and volume of the breathing noise. A simple infra-red distance sensor was then connected to the generator. As the distance between the viewer and the work decreased the breathing increased in intensity. The breath noise was amplified using a class D audio amplifier and played through speakers mounted on the front of the piece.

The mechanical form of the work stayed the same in this trial, however I removed the five gallon bucket in favor of a clear vessel which allowed the viewer to see the diaphragm moving. I also added an abstract bronchial tree inside the vessel to suggest lungs. In combination with the added electronics this had a more polished effect.



Figure 8: Final form with infra-red distance sensor and digital breath generator.

This trial was much more effective. The auditory component of the interaction was much more natural and made it easier to grab the viewer's attention. The visual appearance of the piece was also more interesting, making it easier to draw the connection between the object and the breathing noises produced.

Discussion

My initial research into the effects of disembodied breath revealed that the intensity and volume of the breathing noise has a large impact on the comfort level of the viewer. It was clear from the repetition of these trials in different set-



Figure 9: Diaphragm being activated by lever.

tings that volume played a major role in the level of discomfort. Loud breathing noises inherently felt closer and more intimate than quieter noises. Cadence and pitch of breathing noises also impacted the emotion of the observer. A fast cadence of slightly higher pitch at higher volume was more noticeable and produced a higher degree of discomfort than a slower, softer breathing noise.

In trials which involved playing “sick” breathing, viewer response was much more intense. Results of these auditory trials were interesting because they illustrated just how sensitive the group had become to the noise of respiratory distress. While direct comparison is not possible, I wonder if these experiments would have had the same effect before the COVID-19 pandemic.

Understanding the different ways viewers reacted to breathing noises was very helpful as I began to develop the digital breath generator. The ability to dynamically change the intensity and volume of breathing noises based on user proximity created a much more intuitive interaction between the viewer and the breathing noise. In user interviews I found that it was more impactful to have the breath noise increase in intensity as the user approached – the change in intensity of breathing piqued viewers' interest, causing them to approach the work. When they were very close, the breathing reached its highest level of intensity and many viewers noted that they felt somewhat uncomfortable to be in such close proximity to the piece. In comparison, some viewers mentioned that at far away distances – producing slow and relaxed breathing noises – they found their own breath falling into a relaxing rhythm and were enjoyed the meditative quality produced. Overall, the auditory interaction consistently caused viewers to consider their own breath.

While the variation in breath noises that could be produced using the initial trachea and diaphragm mechanism was very satisfactory, the look and feel of the mechanism had little relationship to the human body. Viewers noted that it was hard to relate the noise produced to the object itself. By making the movement of the diaphragm visible and creating an internal structure reminiscent of the bronchial tree I was able



Figure 10: Bronchial tree.

to draw viewers attention to the intended functionality of the work without the additional context of movement or sound. Upon seeing the bronchial structure many viewers immediately concluded that the work had to do with the lungs. This static visual cue really helped to enforce the intent of the interaction.

During user testing when the lever mechanism was activated viewers were extremely curious about the movement of the diaphragm. This simple motion was the most intuitive and seemed to produce the most natural reference to breath. Based on the sound emanating from the bronchial tree and trachea it was very clear that the motion of diaphragm was causing air to be forced out of the vessel. The look of the movement of the lever head through the latex diaphragm seemed both to attract and repel viewers. This slightly morbid curiosity was extremely effective at holding viewer's attention on the work.

Further Work

While the combination of mechanical breath and user interaction are core components of this exploration, they are not

strictly necessary to continue exploring the emotion which can be conveyed through breath. The auditory trials in this investigation only scratched the surface of the nuanced emotion that breath can signify. I am curious to use this work as a platform to explore the narrative qualities of breath through viewer interaction. What kind of dialog can the work spark between itself and the viewer or between multiple viewers? What types of stories can the viewer intuit between themself and the work? These questions ultimately ask what range of emotion can be conveyed through the act of breathing.

Expanding on the mechanical techniques developed here, I hope to create a fully automated, mechanical version of this work. Combining the interactive qualities of the digital breath generator with the visual qualities of the mechanical trials will ultimately tie the core interaction and the kinetic intent of this work together. This investigation intended to pinpoint the relationship between what is natural and what is alive through the medium of movement. User testing revealed that the kinetic potential of this work was the most exciting part. However, this work is not yet living since it does not initiate the visible act of breathing.

By replacing the lever mechanism with a crank shaft – a technique for translating circular motion into linear motion – I hope to have fine control over the movement of the diaphragm and thereby the actuation of air through the work. This will then allow for further development and testing of the mechanical trachea. The modulation of breath does not end with the trachea however, and I hope to continue exploring the ways in which this sound can be manipulated. Perhaps the development of a mechanical pharynx, or larynx would follow.

Finally, I am curious to investigate how the context of this work can be expanded beyond a traditional gallery space. One of the original questions this work intended to address, albeit obliquely, was how breath can be extended as a metaphor for humanity's relationship with the natural world. I believe it will be difficult to answer this question more specifically within the constraints of a gallery. Putting this piece in direct conversation with the natural world would expand the relationship of its breath beyond the viewer to the environment it inhabits.

Conclusion

The primary objective of this work was to create a biomimetic kinetic sculpture which appeared to be alive and breathing, thereby asking what it means for an non-living, artifical construct to breathe in a natural, life-like way. This objective was approached through a combination of auditory and mechanical explorations. These investigations revealed that both the sound and movement of breath can illicit strong emotions.

As an audible indicator of life, I found that breath can be manipulated to indicate anxiety, calm, or signal respiratory distress. The ongoing COVID-19 pandemic has undoubtedly made us more attuned to the subtle changes in breath that signal sickness or health, as was clear from my explorations of breathing noises that included coughing and wheezing. Yet, only a small fraction of the range of emotion that can be conveyed by breath was explored. I hope to extend this work

to explore the narrative interactions that can be created using breath.

Moving beyond the sound of breath, this work revealed that the movement of breath is also an intuitive signifier of life. The mechanical goal was to isolate the components of the respiratory system which form the noise created by breathing and highlight their movement. The intensity of viewers' reactions to the mechanical system developed confirmed that movement is just as powerful as, if not more powerful than, sound in indicating that something is alive. Refining the overarching context and quality of the movement will create the inherently kinetic connection between what is natural and what is alive. The medium of kinetic sculpture is uniquely situated to draw this connection, narrowing our focus from the incredible biological complexity of the human body, we can view the natural qualities of breath which indicate life through the most artificial and contrived of lenses.

While the simple and natural act of human breath may be just that, the external acts of human existence which follow breath quickly leave behind the common ground of what is natural. Each human breath on this planet has moved us one step further into the Anthropocene and closer, some would argue to the end of nature.[1] To conceptualize the impact of human activity on this planet is practically impossible, yet we find ourselves at a juncture where this definition is at the heart of nearly every social and political issue. Like James Prosek, we must all be wondering “what can art provide in this time when our earth is indeed looking vulnerable to rapid and regrettable change induced by human influence?”[12] If Art is a transcendent mechanism for collapsing the scales of Time and space we need it now more than ever to make sense of this recursively enormous question.

References

- [1] Nancy Smith, Shaowen Bardzell, and Jeffrey Bardzell. Designing for cohabitation: Naturecultures, hybrids, and decentering the human in design. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems*, CHI '17, pages 1714–1725, New York, NY, USA, 2017. Association for Computing Machinery.
- [2] Jedediah Purdy. *After nature: A politics for the anthropocene*. Harvard University Press, 2015.
- [3] James S. Nairne, Joshua E. VanArdall, and Mindi Cogdill. Remembering the living: Episodic memory is tuned to animacy. *Current Directions in Psychological Science*, 26(1):22–27, 2017.
- [4] Carl Zimmer. *Life's Edge: The Search for What it Means to be Alive*. Penguin, March 2021.
- [5] Maywa Denki. Wahha go go, Aug 2009.
- [6] Rafael Lozano-Hemmer. Vicious circular breathing, 2013.
- [7] Arthur S. Slutsky. History of mechanical ventilation. from vesalius to ventilator-induced lung injury. *American Journal of Respiratory and Critical Care Medicine*, 191(10):1106–1115, 2015. PMID: 25844759.
- [8] Robert L. Read, Lauria Clarke, and Geoff Mulligan. Ventmon: An open source inline ventilator tester and monitor. *HardwareX*, 9:e00195, 2021.
- [9] J. N. Maina. Structure, function and evolution of the gas exchangers: comparative perspectives. *Journal of anatomy*, 201(4):281–304, Oct 2002. PMC1570919[pmcid].
- [10] Malay Sarkar, Irappa Madabhavi, Narasimhalu Niranjjan, and Megha Dogra. Auscultation of the respiratory system. *Annals of thoracic medicine*, 10(3):158–168, 2015. ATM-10-158[PII].
- [11] Paul W. Furlow and Douglas J. Mathisen. Surgical anatomy of the trachea. *Annals of cardiothoracic surgery*, 7(2):255–260, Mar 2018. acs-07-02-255[PII].
- [12] Jennifer Stettler Parsons, Jennifer Angus, Mark Dion, Jane Lubchenco, Courtney Mattison, and James Prosek. *Fragile earth: The Naturalist Impulse in contemporary art*. Florence Griswold Museum, 2019.

Author Biography

Lauria Clarke is an engineer and artist living in New York. She specializes in digital hardware design and kinetic sculpture and is always curious to learn more about humanity’s relationship with the natural world.