

Summary of OMs

L Kell

10 August, 2018

Turbot




Figure 1 Operating model quantities for turbot.




Figure 2 Correlation with length for turbot.

Brill




Figure 3 Operating model quantities for brill.




Figure 4 Correlation with length for brill.

Ray




Figure 5 Operating model quantities for ray.




Figure 6 Correlation with length for ray.

Pollack



Figure 7 Operating model quantities for pollack.




Figure 8 Correlation with length for pollack.

Sprat




Figure 9 Operating model quantities for sprat.




Figure 10 Correlation with length for sprat.

Razor



Figure 11 Operating model quantities for razor clams.




Figure 12 Correlation with length for razor clams.

Lobster




Figure 13 Operating model quantities for lobster.




Figure 14 Correlation with length for lobster.

Session Info

R version 3.4.1 (2017-06-30)
Platform: x86_64-pc-linux-gnu (64-bit)
Running under: Ubuntu 16.04.2 LTS

Matrix products: default
BLAS: /usr/lib/libblas/libblas.so.3.6.0
LAPACK: /usr/lib/lapack/liblapack.so.3.6.0

locale:
[1] LC_CTYPE=en_US.UTF-8 LC_NUMERIC=C
[3] LC_TIME=en_GB.UTF-8 LC_COLLATE=en_US.UTF-8
[5] LC_MONETARY=en_GB.UTF-8 LC_MESSAGES=en_US.UTF-8
[7] LC_PAPER=en_GB.UTF-8 LC_NAME=C
[9] LC_ADDRESS=C LC_TELEPHONE=C
[11] LC_MEASUREMENT=en_GB.UTF-8 LC_IDENTIFICATION=C

attached base packages:
[1] stats graphics grDevices utils datasets methods base

other attached packages:
[1] GGally_1.4.0 FLife_3.2.0 FLBRP_2.5.3 ggplotFL_2.6.4
[5] FLCore_2.6.9 lattice_0.20-35 dplyr_0.7.6 ggplot2_3.0.0
[9] reshape_0.8.7 plyr_1.8.4 knitr_1.20

loaded via a namespace (and not attached):
[1] Rcpp_0.12.18 RColorBrewer_1.1-2 pillar_1.1.0
[4] compiler_3.4.1 bindr_0.1.1 tools_3.4.1
[7] digest_0.6.15 evaluate_0.10.1 tibble_1.4.2
[10] gtable_0.2.0 pkgconfig_2.0.1 rlang_0.2.1
[13] Matrix_1.2-10 yaml_2.1.18 bindrcpp_0.2.2
[16] gridExtra_2.3 withr_2.1.2 stringr_1.3.1
[19] stats4_3.4.1 rprojroot_1.3-2 grid_3.4.1
[22] tidyselect_0.2.4 glue_1.2.0 R6_2.2.2
[25] rmarkdown_1.9 FLRP_1.0.1.9002 reshape2_1.4.3
[28] purrr_0.2.5 magrittr_1.5 codetools_0.2-15
[31] backports_1.1.2 scales_0.5.0 htmltools_0.3.6
[34] MASS_7.3-47 assertthat_0.2.0 colorspace_1.3-2
[37] labeling_0.3 stringi_1.2.3 lazyeval_0.2.1
[40] munsell_0.5.0

Software Versions

- R version 3.4.1 (2017-06-30)
- FLCore: 2.6.9
- FLife: 3.2.0
- FLBRP: 2.5.3
- **Compiled:** Fri Aug 10 09:58:50 2018

Author information

Laurence Kell. laurie@seaplusplus.es

Acknowledgements

This vignette and many of the methods documented in it were developed under the MyDas project funded by the Irish exchequer and EMFF 2014-2020. The overall aim of MyDas is to develop and test a range of assessment models and methods to establish Maximum Sustainable Yield (MSY) reference points (or proxy MSY reference points) across the spectrum of data-limited stocks.

References