Simulation test using Operating Model based on Life History

Biomass Dynamic $\begin{array}{c} L \ \textit{Kell} \\ \textit{24 July, 2018} \end{array}$

Simulation tests





Figure 1, Simulation test of biomass dyanmic assessment for brill.

Turbot



 ${\bf Figure~2,~Simulation~test~of~biomass~dyanmic~assessment~for~turbot.}$

Ray




Figure 3, Simulation test of biomass dyanmic assessment for ray.

Pollack




Figure 4, Simulation test of biomass dyanmic assessment for pollack.

Sprat




Figure 5, Simulation test of biomass dyanmic assessment for sprat.

Lobster




Figure 6, Simulation test of biomass dyanmic assessment for lobster.

Razor




Figure 7, Simulation test of biomass dyanmic assessment for razor.




Figure 8, Biomass dynamic production function.

Figure 9, Biomass dynamic

Figure 10, Biomass dynamic

Software Versions

• R version 3.4.1 (2017-06-30)

FLCore: 2.6.9FLife: 3.2.0FLBRP: 2.5.3

• Compiled: Tue Jul 24 08:43:20 2018

Author information

Laurence Kell. laurie@seaplusplus.es

Acknowledgements

This vignette and many of the methods documented in it were developed under the MyDas project funded by the Irish exchequer and EMFF 2014-2020. The overall aim of MyDas is to develop and test a range of assessment models and methods to establish Maximum Sustainable Yield (MSY) reference points (or proxy MSY reference points) across the spectrum of data-limited stocks.

References

Session Info

```
R version 3.4.1 (2017-06-30)
Platform: x86_64-pc-linux-gnu (64-bit)
Running under: Ubuntu 16.04.2 LTS
Matrix products: default
BLAS: /usr/lib/libblas/libblas.so.3.6.0
LAPACK: /usr/lib/lapack/liblapack.so.3.6.0
locale:
 [1] LC CTYPE=en US.UTF-8
                                LC NUMERIC=C
 [3] LC_TIME=en_GB.UTF-8
                                LC_COLLATE=en_US.UTF-8
 [5] LC MONETARY=en GB.UTF-8
                                LC_MESSAGES=en_US.UTF-8
 [7] LC_PAPER=en_GB.UTF-8
                                LC_NAME=C
 [9] LC ADDRESS=C
                                LC TELEPHONE=C
[11] LC_MEASUREMENT=en_GB.UTF-8 LC_IDENTIFICATION=C
attached base packages:
[1] stats
              graphics grDevices utils
                                            datasets methods
                                                                 base
other attached packages:
[1] mpb_3.0.0
                    ggplotFL_2.6.4 FLCore_2.6.9
                                                    lattice_0.20-35
[5] dplyr_0.7.6
                    plyr_1.8.4
                                    reshape_0.8.7
                                                    ggplot2_3.0.0
[9] knitr_1.20
loaded via a namespace (and not attached):
 [1] Rcpp_0.12.18
                      pillar_1.1.0
                                       compiler_3.4.1
                                                        bindr_0.1.1
 [5] tools_3.4.1
                      digest 0.6.15
                                       evaluate 0.10.1 tibble 1.4.2
```

[9]	gtable_0.2.0	pkgconfig_2.0.1	rlang_0.2.1	Matrix_1.2-10
[13]	yaml_2.1.18	bindrcpp_0.2.2	<pre>gridExtra_2.3</pre>	withr_2.1.2
[17]	stringr_1.3.1	stats4_3.4.1	rprojroot_1.3-2	grid_3.4.1
[21]	tidyselect_0.2.4	glue_1.2.0	R6_2.2.2	rmarkdown_1.9
[25]	FLBRP_2.5.3	FLRP_1.0.1.9002	purrr_0.2.5	magrittr_1.5
[29]	codetools_0.2-15	backports_1.1.2	scales_0.5.0	htmltools_0.3.6
[33]	MASS_7.3-47	assertthat_0.2.0	FLife_3.2.0	<pre>colorspace_1.3-2</pre>
[37]	labeling 0.3	stringi 1.2.3	lazyeval 0.2.1	munsell 0.5.0