

---

# PROJECT 2

*Human-Computer Interaction*

---

Aalborg University

Ida Taglioni, Janis Ludvigs Berzins-Berzitis, Jonas Litvinas  
Malte Juel Breddam, Morten Porsing, Laurynas Lubys

This is where the date is supposed to be  
CHANGE THIS BEFORE HANDIN

# Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
1.1	Initial Problem Statement . . . . .	2
<b>2</b>	<b>Analysis</b>	<b>3</b>
2.1	Target Group . . . . .	3
2.1.1	Demographics . . . . .	4
2.1.2	Psychographics . . . . .	5
2.1.3	Digital knowledge . . . . .	7
2.1.4	Target group conclusion . . . . .	7
2.2	User Experience for mobiles . . . . .	8
2.2.1	Introduction to user experience . . . . .	8
2.2.2	User experience for mobiles . . . . .	10
2.2.3	Understanding our Users . . . . .	12
2.3	Interaction Design . . . . .	12
2.3.1	Traditional interaction methods and their replacement . . . . .	12
2.3.2	Mobile Usability . . . . .	13
2.3.3	Sensors . . . . .	14
2.3.4	Conclusion . . . . .	16
2.4	Graphical Design . . . . .	16
2.4.1	Design Patterns . . . . .	21
2.5	Mobile Hardware Considerations . . . . .	23
2.6	State of the Art . . . . .	23
2.7	Similar applications on market . . . . .	23
2.7.1	IKEA kitchen planner . . . . .	23

---

2.7.2	Autodesk’s “Homestyler” mobile version . . . . .	25
2.7.3	IKEA’s Catalogue . . . . .	25

# 1 | Introduction

The aim of our project is to give users a unique virtual experience of walking around their own designed homes in 3d. this will be accomplished by using the existing in-built smart device sensors. A feature that is accessible in almost every modern smart device will be used - the gyroscope (along with other sensors that might compliment the product). Users will be able to experience their preferred designs in a 3d environment, being able to explore it with an additional feeling of Immersion. With a fast and busy lifestyle, it is hard not to think about time efficiency, especially with the tasks that people do not want to spend too much of their resources on. This is why it is important to establish pleasant experiences. The application that will be developed will help people to save not only time but expenses too.

## 1.1 INITIAL PROBLEM STATEMENT

How can we improve user experience in an interior design app using non-traditional mobile sensors?

## 2 | Analysis

Segmenting gives possibility to understand chosen subject deeper and hopefully it leads to better project. Prototype design will be specifically designed for segmented and generalized group of people of this project. Connecting with target group is essential since product will be used by actual customers. It is not enough to generalize group of people from surface observations or believed stereotypes, since sometimes people do not act as they speak and actual needs can vary a lot. In target group section, detailed information about users of IKEA will be revealed.

### 2.1 TARGET GROUP



Good understanding of our target group helps to create a good concept and design requirements, to accommodate users specific needs and wishes. This project is targeting people who are IKEA's customers and who are newly decorating or changing furniture, decor of their home. This part of the research includes two parts - understanding people who has need for

the application, and IKEA's target group - people that Ikea attracts and who are coming to shop for furniture or decor.

There are many ways to segment target audience. Probably most popular is Geographic or Demographic segmentation. In this case we will go deeper and have a look at Psychographics as we want to know specific needs of customers which will help to design a helpful app.

### 2.1.1 DEMOGRAPHICS

Probably the most common segment of target group analysis is Demographics. Demographics is segmenting that divides group of people according age, gender, family size and life cycle (examstutor.com, Demographics). This segment gives core for understanding the audience and it helps to start creating other generalizations as psychographics.

#### WHAT IS IKEA TARGETED CUSTOMER'S AGE ?

There is no official specific range of age that IKEA is targeting at. Contacting IKEA also did not result in finding out their specific age range. IKEA's target group's age range is really wide - there are lounges for children, considerations for disabled and old people. At "IKEA'S Accessibility Plan" (Accessibility Plan 2013) they mention that there are consideration to accept people from children to old people and disabled people. The Report states that IKEA's staff is trained to help people with disabilities, their equipment and even help-animals. All IKEA shops has mini restaurants where different range of age people can eat. They serve special menus for children, sell wine, and have quick walk-by coffee machines. An Assumption can be made that IKEA is trying to appeal to all age range and has not created clear concept design around specific life-cycle stage nor age range.

However, looking at IKEA's actual customers and considering that in general the furniture price is low, we can state that IKEA attracts young people, who cares about expenses. At our first interview with customers we interviewed 10 people and average age was 35 years. Danish people become parents pretty late, on average women give first birth when they are 29 years old (Statistics Denmark 2014). On average Danish men get married at late age of 35 and 32 as woman. A conclusion can be made that IKEA attracts young people - students, young couples and families, who has less income and priorities of expenses are probably somewhere else as taking care of children or study expenses. It means that we should target at range of age 25-35 which includes, students, young couples and parents.

### 2.1.2 PSYCHOGRAPHICS

Psychographic generalization segments target group according social class, lifestyle and personality characteristics. (Examstutor.com, Psychographics) It is important and relevant to understand customer needs ,their habits and personality since it partially can answer how app concept can be developed.

Since IKEA is targeting at young people with lower income level, it is possible to do more accurate analysis of social class, lifestyle and personality traits of our target group (Examstutor.com, 2015). According "examstutor" website, social class is categorized in grade class, where IKEA's targeted customers could be defined as class C1, C2, D or E:

**The socio-economic scale**

Social grade	Description of occupation	Example
<b>A</b>	higher managerial, administrative or professional	Company director
<b>B</b>	intermediate managerial, administrative or professional	Middle manager
<b>C1</b>	supervisory, clerical, junior administrative or professional	Bank clerk
<b>C2</b>	skilled manual workers	Plumber
<b>D</b>	semi- and unskilled manual workers	Labourer
<b>E</b>	state pensioners with no other income, widows, casual and lowest grade earners	Unemployed

Figure 2.1: Scale of the economic classes

If most of our target group has lower income level, it would be reasonable to assume that most of IKEA customers does not have expensive gadgets as leading-brand, expensive smartphones. However, our first interview showed that 9 out of 10 have smartphones. Further investigation of finding out which smartphones users have, would be useful to know how optimized an application needs to be for slower mobile devices. Analyzing lifestyle traits, means touching upon values, beliefs, interests and opinions. According age, and other statistical information on "Statistic Denmark" it is understandable that IKEA's customers are busy people

- students, young parents and couples, people who are beginning their career life.




Figure 2.2: Relationship statistics

While interviewing customers we found out that around 50% count their expenses while shopping at IKEA. This only would put social class categorization in doubt. However, while interviewing employees, it was more clear that customers are actually concerned about the price of the product - in fact as employees stated, price is one of the most common topic to talk with customers about. This confirms social class categorization mentioned above.



### 2.1.3 DIGITAL KNOWLEDGE

Marc Prensky in his "Digital Natives, Digital Immigrants" (Prensky, 2001) article categorizes his understanding of target group to two segments, when it comes to understanding or learning with digital technology. He categorizes them to "digital natives" and "digital immigrants". There are few more categorizations that people use as "Born digital" or "Digital Settlers", so it is common to separate people to "digital knowledge" groups. Immigrant- is the one who was born and grew up before technology revolution, so for example 65 years old man who did not have all the computers and digital tools or equipment as we do now. This person only adopted to technology at certain age or life point when it was needed. Digital native is the one who grew up in technology era, where he had access for example to Internet, computers, probably experienced one or more ways of learning in digital environment (Prensky, 2001). However, Prensky notes that time will make everyone a "digital native", as everyone will be born in a world full of advanced technology, so old generalization terminology will not be suiting in future. He quotes Albert Einstein - "The problems that exist in the world today cannot be solved by the level of thinking that created them." Prensky later introduces "Digital wisdom" that is more general but suiting in this era. (M. Prensky, 2008). This "tag" is best suiting to our target group - if IKEA's customers are young students or people around 35 years of age it means that target group is on the edge of being called both- if person born in 80s or 90s he/she had a chance to learn or use modern technology, depending on geographical and social class of course. That is why terminology of "Digital wisdom" is useful - we can assume that most of our target group will be with digital-wisdom. Therefore most of the targeted users should not have huge problems to start using any digital application. Interviewing our target group gave us knowledge that users plan and prepare before going to actual shop. All of our interviewed people do some kind of measurements when buying furniture. All interviewed people check website before going to IKEA, majority do plan before going.

### 2.1.4 TARGET GROUP CONCLUSION

Our target group are young and busy people - from age of 25-35 who are shopping at IKEA for new furniture or decor. Majority has access to personal smartphone and digital-wisdom in using its applications. Our target group are careful with expenses and considering the price, they also tend to know about the product before actually visiting the shop.

## 2.2 USER EXPERIENCE FOR MOBILES

### 2.2.1 INTRODUCTION TO USER EXPERIENCE

A study of user experience<sup>1</sup> is a study of how a user feels when interacting with a system. The field encompasses a whole range of different and seemingly unrelated topics. The most known part of UX is probably the concept of usability which will be discussed later in the section, other things make up UX, such as: Design, Accessibility, System performance, Ergonomics, human factors and more concepts[?]. The term user experience was originally coined by Dr. Donald Norman, who was the first to describe the importance of user-centered design. User-centered design is a design concept that lets the users influence(to a certain degree) what the system should contain and what form it should take. Before user-centered design the general design process looked like:




Figure 2.3: old decision process, Jacob Gube 2010

nowhere in the design process was the users a factor, the design was simply made according to how the designers as well as the client felt it should be. making the same kind of chart for a

---

<sup>1</sup>hereafter referred to as UX

user-centered approach would look differently:




Figure 2.4: a chart of how user-centered design could function, Usabilla 2014

as this chart shows, user-centered design can be an iterative process. the grey arrow represents the user feedback, which shows that the users should be involved in the evaluation of a design.

User Experience and usability is often confused since a large portion of the guidelines for proper usability also applies to giving a good user experience. What sets the user experience apart from usability is the feelings that the user is subjected to while using the site, app or programme. An example of which could be the iBooks app for iPad, which is basically an application for reading and browsing E-books. The layout is simple, it provides an overview of the owned books with a visual representation of the covers which is common for such apps and as such, do not set itself apart from the state of the art when it comes to usability, however the user experience is greatly improved simply by changing the background to resemble a bookshelf, it gives a "cozy" feel to the app, you can almost imagine yourself sitting in front of the fireplace sitting with a good book.

source  
for the  
example




Figure 2.5: Apple iBooks for comparison




Figure 2.6: Google Play Books for comparison

## 2.2.2 USER EXPERIENCE FOR MOBILES

when designing a mobile app with UX focus, the unique challenges of the mobile platform has to be considered. A brief look at three of the most outstanding challenges:

- Screen size  
as opposed to a traditional computer screen the general mobile platform has a much more limited amount of screen space. This restriction will force the designers to eliminate as many redundancies as possible so as to not clutter the screen with unnecessary information. [Sardo, 2009]

- User input

user input is according to Giorgio Sardo one of the smartphones weakness. it is mentioned that “Entering text on a mobile phone is hard, and people tend to avoid it if they can” [Sardo, 2009]

- Loading times

Mobile devices are generally slower than a PC or Mac, both when it comes to processing power and internet speed, assuming they’re using a mobile network [Nielsen and Budui, 2015]

When attempting to improve usability and user experience, for people using a site or a programme on a phone, the optimal way to do so is to make an actual app where you either port the mobile site or the web application so that it can be downloaded and accessed directly from your phone or tablet instead of via the internet browser. Some of the guidelines for optimizing for mobile devices are cutting features, reduce word count and enlarge interface elements to accommodate the “fat finger problem”. [Nielsen and Budui, 2015] an example of poor simplification used in the book is IKEA where they simplify the mobile site by only showing a single item when browsing for bedframes.




Figure 2.7: the mobile website from IKEA, anno 2013

### 2.2.3 UNDERSTANDING OUR USERS

Even though we have previously analysed our target group, when we want to focus on the user experience, further target group considerations have to be made, that is why this paper will next talk about the concept of understanding the users. Georgi Sardo provides three points that will help with the design process of the app:

- What are your users' digital device skills? Are they used to working with digital devices and software applications?[Sardo, 2009]
- What are your users' skills in using your application? Does the application revolve around their professional area?[Sardo, 2009]
- Is the application the focal point for your users? Or is their attention limited?[Sardo, 2009]

these three points can help develop an app that will be focused on the users' needs, which is at its core what UX is all about.

## 2.3 INTERACTION DESIGN

A very important part when developing the application to fit a pleasurable user experience is to make sure that it works as flawless as possible, and there are no misinterpretations when using the product. For the product that is going to be developed, the "traditional" interaction methods do not cover the functionalities that are needed to cover our initial concept needs. To assure that the alternative interaction is integrated in a convenient manner, knowledge about different sensors and possible combination of two or more to make more intelligent outcomes should be established.

needs intro ease-in

### 2.3.1 TRADITIONAL INTERACTION METHODS AND THEIR REPLACEMENT

As technology evolves, new ways of interacting with computational devices are constantly built. With that, people's needs also change. The transition from the classical buttons on a cellphone to a touchscreen has made new ways of interaction possible - the delimitation of physical buttons made it available to have any customised graphical interfaces on the screen possible. This made life easier for casual tasks - like zooming a photo using two fingers as

multi-touch input, which is much more intuitive than the classical button alternative. Soon enough non-traditional sensors started finding their place in smartphones - the implementation of these sensors in the smartphone allowed new forms of interaction, such as video calling, flashlight and screen orientation, followed by more interesting unusual uses - application developers started making instrument tuners (GStrings), barcode scanners, radiation detectors (GammaPix), pulse detectors (Instant Heart Rate), light intensity meters (Light Meter) and countless other applications that use the sensors to their favour in a non-traditional manner. However, we will only focus on sensors that support our problem area, which points to the ones that can work with 3d environment - the relevant ones for this project are the gyroscope, accelerometer and magnetometer. In section 2.3.2 possible sensors and combinations of them that are considered to be used to achieve a functioning prototype will be discussed.

need to  
reference  
Sensors  
section,  
idk how  
to do it

### 2.3.2 MOBILE USABILITY

According to the Journal of Interaction Science (<http://www.journalofinteractionsience.com/content/1/1>), mobile usability is measured by these three attributes: effectiveness, efficiency and satisfaction. These attributes may not always be achieved with traditional interaction methods – because they are limited to visual feedback dependent on touch interaction with the device (which, for instance, will not be able to utilize a sense of 3d placement of the device in its environment). It has also been shown that it might conflict with the users interaction, if the user has limited mobility (e.g. has a case of Tetraplegia) – it will cause higher error rates with the interaction (especially with complex applications that have smaller buttons). This project will focus on utilizing the use of non-traditional interaction methods to focus on enhancing user experience by using interactional input means that are not considered traditional.

needs to  
be made  
into a  
reference

As we are aiming for a better user experience, and one of the factors is the previous experience the user has had involving the task, a proper approach would be to guide the user through the switching process between interaction methods. E.g. if a task would normally be performed with traditional gestures, the user should be intuitively guided on how to do it in an alternative way. On the other hand, users that have no prior experience with the task or similar apps, should be able to discover what they need easily. Although, context of use is not considered often (according to the same article, less than 10% of the taken studies took it into consideration), as opposed to previously made point.

### 2.3.3 SENSORS

#### THE ACCELEROMETER

The accelerometer is capable of detecting the force and the movement in a three-dimensional space. This feature is most commonly used to adjust the display to match the position that the device is held in by the user (Chong, 2015??). If the accelerometer is rotated at the center of the system, however, it will not detect the movement. Accelerometer, along with other sensors is commonly used in the augmented reality concepts.

#### THE GYROSCOPE

A gyroscope is a device that uses Earth's gravity to help determine orientation. Its design consists of a freely-rotating disk called a rotor, mounted onto a spinning axis in the center of a larger and more stable wheel. As the axis turns, the rotor remains stationary to indicate the central gravitational pull, and thus which way is "down." (Ryan Goodrich, 2013). Gyroscope, in comparison to magnetometer and accelerometer, is the physically largest and most expensive sensor, so the possible limitations in the smart devices in-built Gyroscopes have to be considered.



Figure 2.8: iPhone game using a gyroscope sensor



## THE MAGNETOMETER

The magnetometer can be combined with an accelerometer (to complement in measuring the gravity) to get the input of the 3d orientation the phone is being held in. It can be useful in determining the absolute orientation of directions in the North/East/South/West plane. The issue with the magnetometer is that magnetic interference can disturb its flow, making the device output unpredictable results.




Figure 2.9: a simple compass app that establishes the magnetometer sensor

## COMBINED SENSORS (6-AXIS APPROACH)

Combining accelerometer and gyroscope allows measurement of 6 orientations on X, Y and Z axis, allowing the apps to calculate placement of the device in the 3D environment more accurately.

## 9-AXIS APPROACH

Accelerometer, magnetometer, gyroscope could be all combined together for even more valuable user experience. For instance - enabling an online feature with more precise positioning in relation to other users could be considered. The data gathered from accelerometer, magnetometer and gyroscope can accurately position the artefact in the world, including the changes

these 2 subsections need merging into 1

in position and rotation. On top of that, multiple sensors could fill individual sensors blind spots.





Figure 2.10: uses of sensors

## 2.3.4 CONCLUSION

After gaining more knowledge it can be seen that there is a variety of options how to use sensors in apps. Whether it is all of them together or using only few of them, it is needed to take all the options into consideration. As the project theme mentions it, the project has to be with non-traditional user interface, meaning that this project should aim for more complex or more “interesting” choices regarding sensors or user input. This means that we will go for more complex options, regarding sensors, in this case it will be 9-axis sensor fusion, combining accelerometer, gyroscope and magnetometer, as this will provide us with most accurate measurements in this project.

## 2.4 GRAPHICAL DESIGN

When you dive into the ocean of possibilities that is design, there are many factors to be considered. What color palette should you choose? And which fonts goes best together. How do you find your way through mixing the right colors and fonts? And how does this affect the way your design is being perceived?

## COLORS

Colours are not just colours when you are designing a brand, an app or a website. Colours are perceived in various ways and is a big part of how your design is coming across to the user. But first things first, let's have a look at what colours consists of.

There are to primary colours. Additive and subtractive. Additive is used on screens as it gives away light and subtractive is used for e.g. book covers as it reflects light. [Hampton-Smith, 2014] These are also known as RGB(Red, blue and green) and CMYK(Cyan, magenta and yellow). In additive colours white is colours mixed together where black is the absence of colour. In subtractive white is the absence of colour and black all the colours mixed together. Since subtractive colour do not fully absorb light a fourth element has been added, hence the K in CMYK. K stand for 'key' which essentially is black.[Hampton-Smith, 2014]

The colour wheel can helps us see which colours are complimentary, adjacent and triadic.



Figure 2.11: The colour wheel. [Hampton-Smith, 2014]

Colours are defined by hue, saturation and brightness. Using a colour gamut you can see all the different shades available. As you will discover, the RGB is much more limited than CMYK. This is because there is a limit to how much a screen is able to show.

It is important to remember that when choosing the colour palette for a design that how we perceive colour is very different. Also, colours can change according to what you put it next to. Yellow might look different next to grey than it will next to purple for instances. [Hampton-Smith, 2014]

When it comes to color psychology the truth is, it is too dependent on personal experience. There is no one right answer to which color falls into what mood. [Ciotti, 2013] There is, however, many studies conducted on this matter. One study shows that 90% of people make

snap judgement based on colour alone. [Ciotti, 2013] Another study shows that an intend of purchasing is linked with how a brand is perceived i.e. what kind of "personality" does the brand have?[Ciotti, 2013]



Figure 2.12: Overall image of how colours are generally perceived. [Ciotti, 2013]

But all in all, the concept you are working with is key. Many studies show that it is greatly more important to choose a colour that shows the personality of your product than picking a stereotype colour. [Ciotti, 2013] Since this analysis is within the aims of interior design it is proper to assume that this app's personality should reflect feelings of inspiration.

Lastly, colour preferences differ between genders. Women prefer soft colours and tints while men prefer bright colours and shades. [Ciotti, 2013]

So how does one find the best way to coordinate different colours? Research indicates that the isolation effect is very useful.



Figure 2.13: "The sign-up button stands out because it's like a red "island" in a sea of blue." [Ciotti, 2013]

Using the isolation effect will help the user have a more efficient experience because the most important feature e.g. a "sign up here" button, stands out. [Ciotti, 2013] (See fig. 2.13) Research suggests that a colour scheme that consists of analogous colors and combine it with a accent complimentary color or a tertiary color is preferred among users. [Ciotti, 2013]

### **RYTHM, BALANCE AND PROPORTIONS**

Something about rhythm, balance and proportions. [McGlurg-Genevese, 2005]

### **FONTS**

The most popular combinations of fonts is sans serif and a serif body type. [Bonneville, 2010]

Dan Mayer has created a set of guidelines to choosing a font and typeface. This consist of 5 simple rules that will make the art of choosing the right font a little easier. First thing Dan mentions is that picking a font is like picking out an outfit for the day. Appropriateness is key, although you might have some favourites that you love to use. As he says "While appropriateness isn't a sexy concept, it's the acid test that should guide our choice of font." [Mayer, 2010]

There is a huge list of fonts to choose from. Mayer suggests that we only look at 5 key groups.



Figure 2.14: Mayer's five groups of fonts. [Mayer, 2010]

- Geometric Sans

Geometric sans is a "less is more" typeface; it is minimalistic.

"At their best, Geometric Sans are clear, objective, modern, universal; at their worst, cold, impersonal, boring. A classic Geometric Sans is like a beautifully designed airport: it's impressive, modern and useful, but we have to think twice about whether or not we'd like to live there." [Mayer, 2010]

- Humanist Sans

These Sans faces are based on hand writing. Even though some of them look clean and modern they still have a human touch. One one hand it manages to both be clear and modern but also human and empathic. One the other hand it might come across as wish-wash and and fake. [Mayer, 2010]

- Old Style

These are the oldest typefaces there are, hence the name. They are classic and traditional which can be a good or bad thing given the context.

- Transitional and Modern

These typefaces emerged as type designers experimented with more geometric sharp and virtuosic typefaces. These can seem strong, dynamic and stylish but at their worst too baroque and to stodgy. [Mayer, 2010]

- Slab Serif

Slab serif is hard to generalize. It goes in many different directions and can both seem hard (Rockwell) but also friendly (Archer). As Mayer says " .. their distinctive blocky serifs function something like a pair of horn-rimmed glasses: they add a distinctive wrinkle to anything, but can easily become overly conspicuous in the wrong surroundings." [Mayer, 2010]

Third principle - The principle of decisive contrast. When combining typefaces either go with the exact same or make a big contrast. The official name for this is Correspondence and Contrast. As the name suggests, it means that you either stay with the same typeface(correspondence) or you do something completely different(contrasting).[Mayer, 2010] There is no general rule to decide how to fonts go well together, they just do. But a general rule of thumb can be to choose two fonts that have one thing in common, like x-height or stroke, but are different in all other aspects.

"A little can go a long way" is the fourth rule. In short, this teaches us that when you need something with personality only use it in a small amount. E.g. use a fun font for a headline and combine it with another more simple font for the main text.

Mayers fifth rule is that there is no rule - the best way of finding a great fit is to try a lot of different styles. [Mayer, 2010]

To sum up, do not overdress your text and always keep it simple. Combining a maximum of two fonts should hit the spot.[Bonneville, 2010]

### **2.4.1 DESIGN PATTERNS**

Two of the things people often complaint about in applications is a confusing interface design and poor navigation. [Neil, 2014] This can be prevented by using design patterns.

First, let's look at navigation. There are two ways to make navigating through an app easier. Persistent and transient. Persistent navigation is your list menus and your tab menus or menu structures if you will. Transient navigation has to be revealed through a tab action or the likes.[Neil, 2014] Does the user need to see the menu at all times? If not, you can use an off-canvas solution like the side bar. It has become more and more popular to use off canvas methods. [Neil, 2014] This helps the app hold more information but without being confusing e.g. If all your information has to go on one page.

You don't want to put too much text into one page or have a simple form take up several pages. A sign in for example should only be one page. A way to not get an over lapping look is by using vertical labels instead of horizontal. [Neil, 2014] Or you could have the horizontal labels where the text disappears as soon as the user starts typing, but you risk that the user forgets what they should fill in.[Neil, 2014] Some apps, like Instagram, shows the "sign in" and "sign up" option all the way through the tutorial. This also insures that the user do not have to go through a whole tutorial if they don't need it.

Another important form is the "search" form. This should be very short. It is a good idea to offer a filter option like "saved searches". There are several kinds of searches.

- Explicit search is the most standard search option and is pretty straight forward. But you can still give it a little extra. E.g. When the user chooses the search bar but haven't typed anything in yet you could give them some options in a list e.g. have a "scan" option at the top, latest searches, saved searches etc. [Neil, 2014]
- Implicit search will give the user something they didn't search for and what they might not know they needed. E.g. Search for coupons when you enter your local grocery store and give an alert if there is anything useful. This will enhance the user experience as well. [Neil, 2014]
- Scoped searches is searching for something more specific. You can choose to search in different categories to minimize the results and not get a result of 1500 different chairs if you are looking for one specific chair. [Neil, 2014]
- Lastly there is the dynamic search or dynamic filtering. This is used to minimize choices in set lists like in music library. This is however only good with small data sets.[Neil, 2014]

There are many more patterns and anti-patterns to discover. [Neil, 2014]

Keeping these patterns in mind there are still many things to consider. First of all, remember the size of the screen that you are designing for. Avoid using big scaled photos and put too much information on one page. This will make it look cluttered and make it less intuitive. [Sardo, 2009] In short, make everything as clean and simple as possible.

When designing your layout it is, once again, key to keep everything simple and streamlined. Follow the general rules, left-to-right and top-to-bottom. Make sure the most important feature is in the top left corner where the user will look first.[Sardo, 2009]

Be careful when choosing a font type. You can't control the device's fonts and thus try to pick a common type font. [Sardo, 2009] To make the text easy to read make sure that the contrast between text and background is present. Either black and white or a light coloured background with dark text. [Sardo, 2009]

Last but not least; colours. Make sure that the colours are bright enough and that the contrast is sufficient since the weather can affect the UX. [Sardo, 2009]



## **2.5 MOBILE HARDWARE CONSIDERATIONS**

## **2.6 STATE OF THE ART**

State of the art is the level of knowledge and development achieved in a technique, science, etc, esp at present (dictionary.com - SOTA). Regarding this project SOTA will be analysis of similar applications and if and how they use mobile sensors or any other non traditional mobile interaction at present. Analysing and understanding SOTA will help to build “on-top” of what market offers to create better app.

## **2.7 SIMILAR APPLICATIONS ON MARKET**

### **2.7.1 IKEA KITCHEN PLANNER**

IKEA offers two applications to plan furniture placing in customers homes. The first one goes after the name “IKEA kitchen planner”. In this application customers can create accurate measurements of their own kitchen and place the furniture from IKEA’s catalogue. It is possible to do different wall measurements, add wallpapers to walls, apply different ceiling and floor covers, add windows and doors. Users can view the layout from top-down view and later see how furnished layouts look in 3D perspective. Users have a possibility to browse IKEA’s furniture on sale and add it to their designed rooms. Pictures below show the application’s appearance: 1 - top-down layout, 2 - layout with placed furniture, 3 - 3D representation.




Figure 2.15: IKEA's kitchen planning application

The application is rich in features. It offers short description, dimensions and price of each item that is on sale. It is possible to accurately rotate and place any chosen item. The items do not overlap unrealistically - the designing of the room gives realistic outcomes. There are also “smart” helping features such as snapping the items to the wall or to a specifically selected place. For instance - if the user wants to replace an item with another one, they automatically switch places. . (IKEA's kitchen planning app) User has the possibility to log in and save the layout and check overall price status of items added to the room.

However this application is built for PC and not for mobile platforms. It takes some time to get used to it as the application is vast and rich in features. Some of the IKEA's centers have dedicated PC rooms with assistant employees that help users navigate this application.

(Picture of IKEA's Kitchen planning app room in IKEA)

This could indicate that users need help using this application. Most of the people that were asked in the initial interview also confirm that they do not use this application. Some of the participants have tried the application and know about it, but don't use it.

The application offers plenty of useful features and can be used to give a grasp of how people's homes would look like prior to buying the actual items, however, it is barely used by IKEA's customers. The problem could be that the application is hard to use, leading to long time spans used to build the desired kitchen design. A solution to this possible problem could be to create an application that is more intuitive and takes less time to achieve the user's needs.

### **2.7.2 AUTODESK'S "HOMESTYLER" MOBILE VERSION**

Autodesk software development company offers an application, in which the user can take or use an existing picture and modify it by adding furniture or decor to it. In the picture below you can see how 3D chair was added to an existing picture.

This application uses a very familiar approach of non-traditional interaction of many mobile applications, "Apple" companies' operating systems and software. To scale a 3D object, two fingers need to be slid inwards or outwards. To rotate - two fingers need to rotate around the object, and to move the object in the environment - a simple touch-move-release action is used. This approach of controls was well designed and used by big companies so it has become the "standard" intuitive action to perform. < (source or test)

### **2.7.3 IKEA'S CATALOGUE**

The Catalogue application uses "Augmented reality" (Augmented reality - webopedia.com ) principle, where 3D objects are placed on top of camera view. To make this application work, they use gyroscope to first "tag" the position of where camera is aiming, and when an object is placed, the camera can be pointed to a different direction - the object will stay at the same coordinates. Picture bellow:

It is a smart way to display a 3D object in an environment, but it does not look completely well designed in this application. It is only possible to view one object from one perspective. Furthermore, the 3D object and environment have very different appearances, because the application does not do any real-time lighting calculation on the 3D object. It is also very hard to visualize the real size of the object as it does not detect nor lets the user choose its measurements.

# Bibliography

- [Bonneville, 2010] Bonneville, D. (2010). Best practices of combining typefaces. <http://www.smashingmagazine.com/2010/11/04/best-practices-of-combining-typefaces>.
- [Ciotti, 2013] Ciotti, G. (2013). The psychology of colour in marketing and branding.
- [Hampton-Smith, 2014] Hampton-Smith, S. (2014). How to master colour theory. <http://www.creativebloq.com/colour/colour-theory-11121290>.
- [Mayer, 2010] Mayer, D. (2010). What font should i use?: Five principles for choosing and using typefaces. <http://www.smashingmagazine.com/2010/12/14/what-font-should-i-use-five-principles-for-choosing-and-using-typefaces>.
- [McGlurg-Genevese, 2005] McGlurg-Genevese, J. D. (2005). The principles of design. [http://www.digital-web.com/articles/principles\\_of\\_design](http://www.digital-web.com/articles/principles_of_design).
- [Neil, 2014] Neil, T. (2014). *Mobile Design Pattern Gallery*. O'Reilly Media, Inc., 2nd edition. ISBN:8349857349687.
- [Nielsen and Budui, 2015] Nielsen, J. and Budui, R. (2015). *Mobile Usability*. The Nielsen Norman Group. ISBN:978-0-321-88448-0.
- [Sardo, 2009] Sardo, G. (2009). Building mobile user experiences.