

# Model Comparison

Subgroup Analysis: African-American Subpopulation


	# of Parameters	Log-Likelihood	AIC	BIC
<b>(1) Any VTE</b>				
Proportional Hazards	16	−6796.4	13624.8	13697.920
Interaction with log(t)	17	−6738.1	13510.2	13587.859
NCS with df = 1	17	−6770.4	13574.8	13652.503
NCS with df = 2	18	−6756.6	13549.2	13631.397
NCS with df = 3	19	−6732.2	13502.3	13589.113
NCS with df = 4	20	−6730.7	13501.3	13592.697
NCS with df = 5	21	−6729.7	13501.4	13597.316
NCS with df = 6	22	−6730.0	13504.1	13604.578
<b>(3) PE (w/ or w/out DVT)</b>				
Proportional Hazards	16	−2872.4	5776.8	5836.120
Interaction with log(t)	17	−2853.6	5741.2	5804.237
NCS with df = 1	17	−2864.6	5763.2	5826.279
NCS with df = 2	18	−2858.4	5752.7	5819.497
NCS with df = 3	19	−2850.8	5739.6	5810.107
NCS with df = 4	20	−2850.1	5740.1	5814.332
NCS with df = 5	21	−2850.2	5742.4	5820.356
NCS with df = 6	22	−2848.8	5741.6	5823.185

Red: Best Model by BIC | Blue: Best Model by AIC | Purple: Best Model by BOTH metrics

# Hazard Ratio for Surgery Over Time

## Subgroup Analysis: African-American Subpopulation

Surgery Hazard Ratio






# Hazard Ratio for Surgery Over Time

## Subgroup Analysis: African-American Subpopulation

Surgery Hazard Ratio






# Hazard Ratio for Surgery Over Time

## Subgroup Analysis: African-American Subpopulation

Surgery Hazard Ratio





# Hazard Ratio for Surgery Over Time

## Subgroup Analysis: African-American Subpopulation

