

Model Comparison

	# of Parameters	Log-Likelihood	AIC	BIC
(1) Any VTE				
Proportional Hazards	20	−46410.9	92861.8	92987.98
Interaction with log(t)	21	−46219.6	92481.1	92613.64
NCS with df = 1	21	−46355.9	92753.8	92886.36
NCS with df = 2	22	−46289.3	92622.5	92761.35
NCS with df = 3	23	−46205.5	92457.0	92602.17
NCS with df = 4	24	−46170.0	92388.0	92539.49
NCS with df = 5	25	−46164.8	92379.5	92537.32
NCS with df = 6	26	−46167.8	92387.7	92551.75


(3) PE (w/ or w/out DVT)

Proportional Hazards	20	−16058.8	32157.6	32262.78
Interaction with log(t)	21	−16005.3	32052.6	32163.05
NCS with df = 1	21	−16045.6	32133.1	32243.60
NCS with df = 2	22	−16023.0	32090.0	32205.73
NCS with df = 3	23	−15993.8	32033.6	32154.64
NCS with df = 4	24	−15984.4	32016.7	32142.98
NCS with df = 5	25	−15984.6	32019.1	32150.62
NCS with df = 6	26	−15984.2	32020.4	32157.20

Red: Best Model by BIC | Blue: Best Model by AIC | Purple: Best Model by BOTH metrics


Hazard Ratio for Surgery Over Time

Surgery Hazard Ratio




Hazard Ratio for Surgery Over Time

Surgery Hazard Ratio



Hazard Ratio for Surgery Over Time

Surgery Hazard Ratio



Hazard Ratio for Surgery Over Time

