

Model Comparison

Subgroup Analysis: Non-Hispanic White Subpopulation

	# of Parameters	Log-Likelihood	AIC	BIC
(1) Any VTE				
Proportional Hazards	16	−25388.1	50808.2	50900.39
Interaction with log(t)	17	−25308.6	50651.1	50749.09
NCS with df = 1	17	−25371.3	50776.6	50874.61
NCS with df = 2	18	−25342.7	50721.3	50825.08
NCS with df = 3	19	−25291.6	50621.2	50730.69
NCS with df = 4	20	−25274.7	50589.4	50704.71
NCS with df = 5	21	−25272.0	50585.9	50706.98
NCS with df = 6	22	−25273.1	50590.2	50717.00


(3) PE (w/ or w/out DVT)				
Proportional Hazards	16	−8892.4	17816.8	17892.47
Interaction with log(t)	17	−8873.2	17780.4	17860.77
NCS with df = 1	17	−8890.1	17814.2	17894.55
NCS with df = 2	18	−8881.2	17798.4	17883.48
NCS with df = 3	19	−8862.3	17762.6	17852.40
NCS with df = 4	20	−8857.1	17754.2	17848.74
NCS with df = 5	21	−8856.6	17755.1	17854.37
NCS with df = 6	22	−8856.5	17757.0	17860.95

Red: Best Model by BIC | Blue: Best Model by AIC | Purple: Best Model by BOTH metrics

Hazard Ratio for Surgery Over Time

Subgroup Analysis: Non-Hispanic White Subpopulation


Surgery Hazard Ratio



Hazard Ratio for Surgery Over Time

Subgroup Analysis: Non-Hispanic White Subpopulation


Surgery Hazard Ratio



Hazard Ratio for Surgery Over Time

Subgroup Analysis: Non-Hispanic White Subpopulation

Surgery Hazard Ratio



Hazard Ratio for Surgery Over Time

Subgroup Analysis: Non-Hispanic White Subpopulation

