

Pre-Requisites

https://lcastrose.signin.aws.amazon.com/console

Create the Environment in AWS with the Ubuntu AMI (Ubuntu Server 18.04 LTS (HVM), SSD Volume Type) using 3 instances of T2.Medium:

1 Master & 2 Worker Nodes

Create all instances in a new subnet (according Lab Files), then you need to add the following components:

- VPC
- Internet Gateway
- Public IP address for each Instance
- Default Route
- Security Group allowing all incoming traffic from your subnet

Step 1 - Preparation

Change the hostname for every instance accordingly

sudo hostnamectl set-hostname kubernetes-master

sudo hostnamectl set-hostname worker-1

sudo hostnamectl set-hostname worker-2

```
root@ip-10-1-0-85:/home/ubuntu# hostnamectl set-hostname worker-2
root@ip-10-1-0-85:/home/ubuntu# vi /etc/hosts
```

Perform this task in all three instances

sudo vi /etc/hosts

<IP_Add_K8s_Master> kubernetes-master

<IP_Add_Woker-1> worker-1

<IP_Add_Woker-2> worker-2

```
# The following lines are desirable for IPv6 capable hosts
::1 ip6-localhost ip6-loopback
fe00::0 ip6-localnet
ff00::0 ip6-mcastprefix
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
ff02::3 ip6-allhosts

10.1.0.12 worker-1
10.1.0.85 worker-2
10.1.0.109 kubernetes-master
```



Step 2 - Docker Install

sudo apt update

```
root@ip-10-1-0-85:/home/ubuntu# sudo apt update

Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic InRelease

Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-updates InRelease [88.7 kB]

Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-backports InRelease [74.6 kB]

Get:4 http://security.ubuntu.com/ubuntu bionic-security InRelease [88.7 kB]

Get:5 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64 Packages [8570 kB]

Get:6 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic/universe Translation-en [4941 kB]

Get:7 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic/multiverse amd64 Packages [151 kB]

Get:8 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic/multiverse Translation-en [108 kB]

Get:9 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 Packages [914 kB]

Get:10 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-updates/main Translation-en [314 kB]

Get:11 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-updates/restricted amd64 Packages [43.9 kB]

Get:12 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-updates/restricted Translation-en [11.0 kB]
```

sudo apt install apt-transport-https ca-certificates curl software-properties-common

```
root@ip-10-1-0-85:/home/ubuntu# sudo apt install apt-transport-https ca-certificates curl software-properties-common
Reading package lists... Done
Building dependency tree
Reading state information... Done
ca-certificates is already the newest version (20180409).
ca-certificates set to manually installed.
curl is already the newest version (7.58.0-2ubuntu3.8).
curl set to manually installed.
software-properties-common is already the newest version (0.96.24.32.12).
software-properties-common set to manually installed.
The following NEW packages will be installed:
 apt-transport-https
0 upgraded, 1 newly installed, 0 to remove and 73 not upgraded.
Need to get 1692 B of archives.
After this operation, 153 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-updates/universe amd64 apt-transport-https all 1.6.12 [1692 B]
Fetched 1692 B in 0s (0 B/s)
Selecting previously unselected package apt-transport-https.
(Reading database ... 56554 files and directories currently installed.)
Preparing to unpack .../apt-transport-https_1.6.12_all.deb ... SUPPORTED ON MacOS, run the following
Unpacking apt-transport-https (1.6.12) ...
Setting up apt-transport-https (1.6.12) ...
```

curl -fsSL https://download.docker.com/linux/ubuntu/gpg | sudo apt-key add

```
root@ip-10-1-0-85:/home/ubuntu# curl -fsSL https://download.docker.com/linux/ubuntu/gpg | sudo apt-key add
OK
```

sudo add-apt-repository "deb [arch=amd64] https://download.docker.com/linux/ubuntu bionic stable"

```
root@ip-10-1-0-85:/home/ubuntu# sudo add-apt-repository "deb [arch=amd64] https://download.docker.com/linux/ubuntu bionic stable"
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic InRelease
Hit:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-updates InRelease
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-backports InRelease
Get:4 https://download.docker.com/linux/ubuntu bionic InRelease
Hit:5 http://security.ubuntu.com/ubuntu bionic-security InRelease
Get:6 https://download.docker.com/linux/ubuntu bionic/stable amd64 Packages [11.0 kB] achdeb cpu features
Fetched 75.5 kB in 0s (175 kB/s)
Reading package lists... Done
```



sudo apt update

```
root@ip-10-1-0-85:/home/ubuntu# sudo apt update
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic InRelease
Hit:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-updates InRelease
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-backports InRelease
Hit:4 https://download.docker.com/linux/ubuntu bionic InRelease
Hit:5 http://security.ubuntu.com/ubuntu bionic-security InRelease
Reading package lists... Done
```

apt-cache policy docker-ce

```
oot@ip=10=1=0=85:/home/ubuntu# apt=cache policy docker=ce
Installed: (none)
Candidate: 5:19.03.8~3-0~ubuntu-bionic
Version table:
   5:19.03.8~3-0~ubuntu-bionic 500
       500 https://download.docker.com/linux/ubuntu bionic/stable amd64 Packages
   5:19.83.7~3-0~ubuntu-bionic 500
500 https://download.docker.com/linux/ubuntu-bionic/stable amd64 Packages
   5:19.83.6~3-8~ubuntu-bionic 508
500 https://download.docker.com/linux/ubuntu-bionic/stable amd64 Packages
   5:19.03.5~3-0~ubuntu-bionic 500
       500 https://download.docker.com/linux/ubuntu bionic/stable amd64 Packages
   5:19.83.4~3-8~ubuntu-bionic 500
500 https://download.docker.com/linux/ubuntu-bionic/stable amd64 Packages
   5:19.03.3~3-0~ubuntu-bionic 500
   598 https://download.docker.com/linux/ubuntu bionic/stable amd64 Packages 5:19.83.2~3-8~ubuntu-bionic 500
        500 https://download.docker.com/linux/ubuntu bionic/stable amd64 Packages
   5:19.03.1~3-0~ubuntu-bionic 500
   588 https://download.docker.com/linux/ubuntu bionic/stable amd64 Packages 5:19.83.8~3-8~ubuntu-bionic 588
   500 https://download.docker.com/linux/ubuntu bionic/stable amd64 Packages 5:18.09.9~3-0~ubuntu-bionic 500
       500 https://download.docker.com/linux/ubuntu bionic/stable amd64 Packag
```

sudo apt install docker-ce

```
rootdis-19-1-8-65/hore/doutful sudo act install docker-ce
Peading package lists:... Dare
Peading package lists:... Dare
Peading state information... Dare
Peading state informat
```

sudo service docker status

```
root@ip-10-1-0-85:/home/ubuntu# sudo systematl status docker
 docker.service - Docker Application Container Engine
   Loaded: loaded (/lib/systemd/system/docker.service; enabled; vendor preset: enabled)
   Active: active (running) since Fri 2020-04-10 21:18:34 UTC; 30s ago
     Docs: https://docs.docker.com
 Main PID: 4082 (dockerd)) 1 Validate Virtualizacion Support
    Tasks: 10
   CGroup: /system.slice/docker.service
            └─4082 /usr/bin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock ac OS run the follow
Apr 10 21:18:33 worker-2 dockerd[4082]: time="2020-04-10T21:18:33.644794507Z" level=warning msg="Your kernel does not su
Apr 10 21:18:33 worker-2 dockerd[4082]: time="2020-04-10T21:18:33.644833919Z" level=warning msg="Your kernel does not su
Apr 10 21:18:33 worker-2 dockerd[4082]: time="2020-04-10T21:18:33.644843454Z" level=warning msg="Your kernel does not su
Apr 10 21:18:33 worker-2 dockerd[4082]: time="2020-04-10T21:18:33.644991417Z" level=info msg="Loading containers: start.
Apr 10 21:18:33 worker-2 dockerd[4082]: time="2020-04-10T21:18:33.940903879Z" level=info msg="Default bridge (docker0) i
Apr 10 21:18:34 worker_2 dockerd[4082]: time="2020-04-10T21:18:34.1326347502" level=info msg="Loading containers: done."
Apr 10 21:18:34 worker_2 dockerd[4082]: time="2020-04-10T21:18:34.1868825212" level=info msg="Docker daemon" commit=afac
Apr 10 21:18:34 worker-2 dockerd[4082]: time="2020-04-10T21:18:34.187001232Z" level=info msg="Daemon has completed initi
Apr 10 21:18:34 worker-2 dockerd[4082]: time="2020-04-10T21:18:34.251250173Z" level=info msg="API listen on /var/run/doc
Apr 10 21:18:34 worker-2 systemd[1]: Started Docker Application Container Engine.
```



Step 3 - Kubernetes Install

curl -s https://packages.cloud.google.com/apt/doc/apt-key.gpg | sudo apt-key add

```
root@ip-10-1-0-85:/home/ubuntu# curl -s https://packages.cloud.google.com/apt/doc/apt-key.gpg | sudo apt-key add
```

sudo apt-add-repository "deb http://apt.kubernetes.io/ kubernetes-xenial main"

```
root@ip-10-1-0-85:/home/ubuntu# sudo apt-add-repository "deb http://apt.kubernetes.io/ kubernetes-xenial main"
Hit:1 https://download.docker.com/linux/ubuntu bionic InRelease
Hit:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic InRelease
[Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-updates InRelease
                                                                               'machdep.cpu.featı
Hit:4 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic-backports InRelease
Hit:6 http://security.ubuntu.com/ubuntu bionic-security InRelease
Get:5 https://packages.cloud.google.com/apt kubernetes-xenial InRelease [8993 B]
Get:7 https://packages.cloud.google.com/apt kubernetes-xenial/main amd64 Packages [34.8 kB] ed), the VT-x feat
Fetched 43.8 kB in 1s (75.1 kB/s)
Reading package lists... Done
```

sudo swapoff -a

```
root@ip=10=1=0=85:/home/ubuntu# sudo swapoff =a
```

Step 4 - Kubeadm Install

sudo apt-get install kubeadm -y

```
root@ip-10-1-0-85:/home/ubuntu# sudo apt-get install kubeadm -y
F — COLOR MACHAED CDU features
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
conntrack cri-tools kubectl kubelet kubernetes-cni socat put (should be colored), the VT-x feature is
The following NEW packages will be installed:
conntrack cri-tools kubeadm kubectl kubelet kubernetes-cni socat
0 upgraded, 7 newly installed, 0 to remove and 73 not upgraded.
                                                           ipported on Windows 8 and above, re
Need to get 52.0 MB of archives.
After this operation, 275 MB of additional disk space will be used.
Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 conntrack amd64 1:1.4.4+snapshot20161117-6ubuntu2 [30.6
```

kubeadm version

```
root@kubernetes_master:/home/ubuntu# kubeadm version
kubeadm version: &version.Info{Major:"1", Minor:"18", GitVersion:"v1.18.1", GitCommit:"7879fc12a63337efff607952a323df90cdc7a335"
```

Step 5 - Initialize Cluster in Master ONLY

kubeadm init -pod-network-cidr=10.244.0.0/16

```
ernetes-master:/home/ubuntu# sudo kubeadm init --pod-network-cidre18.244.8.0/16
1:4+33.659228 - 6578 configset.go:202] WARNING: kubeadm cannot validate component configs for API groups [kubelet.config.k8s.io kubeprocy.config.k8s.io]
Ising Kuberretes version: v1.18.1
| Using Kimernetes version: vt.18.1
| Using Kimernetes version: vt.18.1
| Using Kimernetes version: vt.18.2
| WARNIX (stockerSystemDheck): decision
| WARNIX (stockerSystemDheck): decision
| Using Kimernetes version: vt.18
| Using Kimernetes vt.18
| Using Kimernet
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            K8's-LAB #3 - Cluster Install
               Listant | Vitting kubelet configuration to file "Avar/lib/kubelet/config.yaml"
Listant | Starting the kubelet
Listant | Star
```



Save the output command to join worker nodes, as the follow example:

```
Your Kubernetes control-plane has initialized successfully! k f virtualization is supported on macOs
To start using your cluster, you need to run the following as a regular user:

mkdir -p $HOME/.kube
sudo cp -i /etc/kubernetes/admin.conf $HOME/.kube/config
sudo chown $(id -u):$(id -g) $HOME/.kube/config
sudo chown $(id -u):$(id -g) $HOME/.kube/config

You should now deploy a pod network to the cluster.OU SEC VMX in the Output (Should be Colored)
Run "kubectl apply -f [podnetwork].yaml" with one of the options listed at:
https://kubernetes.io/docs/concepts/cluster-administration/addons/

Then you can join any number of worker nodes by running the following on each as root:

kubeadm join 18.1.8.109:6443 --token 0pkqzf.qdozh5j8yae2locm \
--discovery-token-ca-cert-hash sha256:0d22dfcf6325143a034ce80ccb3b57b9c92a3c49e27f56b3702be3e77befeb7c
```

kubeadm join 10.1.0.109:6443 --token bk4qq9.x3irstlsbkn2o5i4 --discovery-token-ca-cert-hash sha256:0d22dfcf6325143a034ce80ccb3b57b9c92a3c49e27f56b3702be3e77befeb7c

mkdir -p \$HOME/.kube sudo cp -i /etc/kubernetes/admin.conf \$HOME/.kube/config sudo chown \$(id -u):\$(id -g) \$HOME/.kube/config

```
root@kubernetes_master:/home/ubuntu# mkdir _p $HOME/.kube
root@kubernetes_master:/home/ubuntu# sudo cp _i /etc/kubernetes/admin.conf $HOME/.kube/config
root@kubernetes_master:/home/ubuntu# sudo chown $(id _u):$(id _g) $HOME/.kube/config
```

sudo kubectl apply -f https://raw.githubusercontent.com/coreos/flannel/master/Documentation/kube-flannel.yml

```
root@kubernetes-master:/home/ubuntu# sudo kubectl apply -f https://raw.githubusercontent.com/coreos/flannel/master/Documentation/kube-flannel.ymlures | vocasecuritypolicy.policy/psp.flannel.umprivileged created | clusterrole.rbac.authorization.k8s.io/flannel unchanged | clusterrolebinding.rbac.authorization.k8s.io/flannel unchanged | serviceaccount/flannel unchanged | clusterrolebinding.rbac.authorization.k8s.io/flannel unchanged | serviceaccount/flannel unchanged | clusterrolebinding.rbac.authorization.k8s.io/flannel unchanged | configured | co
```

kubectl get pods --all-namespaces

root Akubarnat oo maat ar i (kana kubuntuut kubaat Laat nada Lall nanaanaasa					
root@kubernetes-master:/home/ubuntu# kubectl get podsall-namespaces					
NAMESPACE	NAME	READY	STATUS	RESTARTS	AGE
kube-system	coredns-66bff467f8-9lwlb	1/1	Running	0	2m55s
kube-system	coredns-66bff467f8-mfmfn	0/1	Running	0	2m55s
kube-system	etcd-kubernetes-master	1/1	Running	0	3m11s
kube-system	kube-apiserver-kubernetes-master	1/1	Running	0	3m11s
kube-system	kube-controller-manager-kubernetes-master	S1/10 T	Running	caving.	C3m11s UT, YOU
kube-system	kube-flannel-ds-amd64-rwcxl	1/1	Running	0	20s
kube-system	kube-proxy-dsxkt SKID U	11/110	Running	⁾ 0	2m55s
kube-system	kube-scheduler-kubernetes-master	1/1	Running	0	3m11s



kubectl get nodes

```
root@kubernetes-master:/home/ubuntu# kubectl get nodes
NAME STATUS ROLES AGE VERSION
kubernetes-master Ready master 3m13s v1.18.1
```

Step 6 - Add the workers nodes to the cluster

 $kubeadm\ join\ 10.1.0.109;6443\ --token\ bk4qq9.x3irstlsbkn2o5i4 \qquad --discovery-token-ca-cert-hash\ sha256:0d22dfcf6325143a034ce80ccb3b57b9c92a3c49e27f56b3702be3e77befeb7c$

```
root@ip-10-1-8-85:/home/ubuntu# kubeadm join 10.1.0.109:6443 --token bk4qq9.x3irstlsbkn2o5i4 --discovery-token-ca-cert-hash sh a256:0022drcf63251430834cs80ccb3b5705c9203c49e27f56b3702be3e77befeb7c w0410 21:19:55.091403 [617168 join.go:346] [preflight] WARNING: JoinContro[Pane.controlPlane settings will be ignored when control-plane flog is not set. [preflight] Running pre-flight checks [preflight] Running pre-flight checks [warning pre-flight] with the preflight preflight
```

Check nodes have been added (Run this command on the master node)

```
buntu@kubernetes-master:~$ sudo su
oot@kubernetes-master:/home/ubuntu# kubectl get nodes
NAME
                  STATUS ROLES
                                    AGE VERSION
ib-10-1-0-12 ube-sy Ready na
                           ⊲none>
                                    39m
                                         v1.18.1
                                    66m
                                         V1.18.1
kubernetes-master Ready
                           master
                                   31m
worker-2
                  Ready
                           ⊲none>
                                          v1.18.1
root@kubernetes-master:/home/ubuntu#
```

Step 7 - Test your cluster

kubectl create deployment nginx-deployment -image=nginx

kubectl get deployments

kubectl get pods

```
root@kubernetes-master:/home/ubuntu# kubectl create deployment nginx-deployment --image=nginx deployment.apps/nginx-deployment created root@kubernetes-master:/home/ubuntu# kubectl get deploymentscratch, as well as test the compo NAME READY UP-TO-DATE AVAILABLE AGE nginx of 1/1 column of the deployments, pods, portforwarding, and nginx-deployments of/tos) 1 nd execut 1 a comma 9st from within a pod. In order to build the root@kubernetes-master:/home/ubuntu# kubectl get pods
NAME Kubernetes clust READY STATUS IN RESTARTS CAGE aliner runtime, as well as nginx-deployment-5969c7f455-89zrk-ct1/1nd k Running W@ will then 15st jalize the cluster, add our nginx-f89759699-pj65j 1/1 Running @ 2m27s
root@kubernetes-master:/home/ubuntu#$ to the cluster.
```

Step 8 - Clear the environment

Kubectl delete deployments nginx-deployment