ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Diabetes

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25501.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Questionnaire: Diabetes

Respondent sequence number

Location:	1-4 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number.
DIQ010	Doctor told you have diabetes
Location:	5-7 (width: 3; decimal: 0)
Variable Type:	numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.1 English Text: The next questions are about specific medical conditions. {Other than during pregnancy, {have you/has SP}/{Have you/Has SP}} ever been told by a doctor or health professional that {you have/{he/she/SP} has} diabetes or sugar diabetes? English Instructions: CAPI INSTRUCTION: IF SP AGE < 12, DISPLAY "HAVE YOU" FOR THE FIRST DISPLAY AND "SP HAS" FOR THE SECOND DISPLAY. IF SP IS FEMALE AND AGE >= 20.

DISPLAY "OTHER THAN DURING PREGNANCY, {HAVE YOU/HAS SP}".

Value	Label	Unweighted Frequency	%
1	Yes	489	5.2 %
2	No (Skip to: DIQ050)	8936	94.1 %
3	Borderline (Skip to: DIQ050)	58	0.6 %
7	Refused (Skip to: DIQ050)	1	0.0 %
9	Don't know (Skip to: DIQ050)	4	0.0 %
. (M)	-	5	0.1 %

DIQ040G Age when first told you had diabetes

Location: 8-10 (width: 3; decimal: 0)

Variable Type: numeric

SEQN

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.0 English Text: How old {was SP/were you} when a doctor or

other health professional first told {you/him/her} that {you/he/she} had diabetes or sugar diabetes?

English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	475	5.0 %
2	Less than 1 year	13	0.1 %
9	Don't know	1	0.0 %
. (M)	-	9004	94.8 %

DIQ040Q Number of years of age

Location: 11-15 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.0 English Text: How old {was SP/were you} when a doctor or

other health professional first told {you/him/her} that {you/he/she} had diabetes or sugar diabetes?

- Study 25501 -

English Instructions: CAPI INSTRUCTION: IF SP AGE < 12, DISPLAY "YOU" FOR THE SECOND DISPLAY. ENTER AGE IN YEARS.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	3	0.0 %
3	-	3	0.0 %
4	-	2	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
9	-	2	0.0 %
10	-	4	0.0 %
11	-	2	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %
14	-	3	0.0 %
15	-	3	0.0 %
17	-	2	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	5	0.1 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	3	0.0 %
27	-	1	0.0 %
28	-	6	0.1 %
29	-	2	0.0 %
30	-	8	0.1 %
31	-	2	0.0 %
32	-	5	0.1 %
33	-	2	0.0 %
34	-	5	0.1 %
35	-	8	0.1 %
36	-	4	0.0 %
37	-	6	0.1 %
38	-	8	0.1 %
39	-	5	0.1 %
40	-	15	0.2 %
41	-	7	0.1 %
42	-	8	0.1 %

Value	Label	Unweighted Frequency	%
43	-	9	0.1 %
44	-	11	0.1 %
45	-	16	0.2 %
46	-	5	0.1 %
47	-	4	0.0 %
48	-	13	0.1 %
49	-	8	0.1 %
50	-	27	0.3 %
51	-	11	0.1 %
52	-	14	0.1 %
53	-	7	0.1 %
54	-	6	0.1 %
55	-	17	0.2 %
56	-	6	0.1 %
57	-	13	0.1 %
58	-	21	0.2 %
59	-	6	0.1 %
60	-	14	0.1 %
61	-	9	0.1 %
62	-	10	0.1 %
63	-	14	0.1 %
64	-	16	0.2 %
65	-	11	0.1 %
66	-	4	0.0 %
67	-	5	0.1 %
68	-	3	0.0 %
69	-	6	0.1 %
70	-	7	0.1 %
71	-	7	0.1 %
72	-	5	0.1 %
73	-	3	0.0 %
74	-	9	0.1 %
75	-	3	0.0 %
76	-	2	0.0 %
77	-	3	0.0 %
78	-	2	0.0 %
79	-	2	0.0 %
81	-	3	0.0 %
82	-	2	0.0 %
84		1	0.0 %

Value	Label	Unweighted Frequency	%
99999	Don't know	3	0.0 %
. (M)	-	9018	95.0 %

DIQ050 Taking insulin now

Location: 16-18 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.1 English Text: {Is SP/Are you} now taking insulin English

Instructions: {Is SP/Are you} now taking insulin

Value	Label	Unweighted Frequency	%
1	Yes	138	1.5 %
2	No (Skip to: DIQ065)	6509	68.6 %
7	Refused (Skip to: DIQ065)	1	0.0 %
9	Don't know (Skip to: DIQ065)	1	0.0 %
. (M)	-	2844	30.0 %

DIQ060G How long taking insulin

Location: 19-21 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.0 English Text: For how long {have you/has SP} been taking

insulin? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number (of months or years)	135	1.4 %
2	Less than 1 month	3	0.0 %
. (M)	-	9355	98.5 %

DIQ060Q Number of mos/yrs taking insulin

Location: 22-26 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.0 English Text: For how long {have you/has SP} been taking

insulin? English Instructions: ENTER NUMBER (OF MONTHS OR YEARS)

Value	Label	Unweighted Frequency	%
1	-	11	0.1 %
2	-	9	0.1 %
3	-	8	0.1 %
4	-	5	0.1 %
5	-	13	0.1 %
6	-	7	0.1 %
7	-	7	0.1 %
8	-	9	0.1 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
9	=	3	0.0 %
10	=	17	0.2 %
11	-	3	0.0 %
12	-	5	0.1 %
13	-	1	0.0 %
14	-	3	0.0 %
15	-	8	0.1 %
16	-	1	0.0 %
17	-	2	0.0 %
20	-	10	0.1 %
21	-	1	0.0 %
22	-	2	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
34	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
64	-	1	0.0 %
99999	Don't know	1	0.0 %
. (M)	-	9358	98.6 %

DIQ060U Unit of measure (month/year)

Location: 27-29 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English Instructions:

ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Months	10	0.1 %
2	Years	124	1.3 %
. (M)	-	9359	98.6 %

DIQ070 Take diabetic pills to lower blood sugar

Location: 30-32 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. - 120 Yrs.) Version 1.0 English Text: {Is SP/Are you} now taking diabetic pills to

lower {{his/her}/your} blood sugar? These are sometimes called oral agents or oral hypoglycemic

agents. English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	334	3.5 %
2	No	153	1.6 %
9	Don't know	2	0.0 %
. (M)	-	9004	94.8 %

DIQ080 Diabetes affected eyes/had retinopathy

Location: 33-35 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: Has a doctor ever told {you/SP} that diabetes

has affected {your/his/her} eyes or that {you/s/he} had retinopathy? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	155	1.6 %
2	No	316	3.3 %
9	Don't know	9	0.1 %
. (M)	-	9013	94.9 %

DIQ090 Ulcer/sore not healed within 4 weeks

Location: 36-38 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. - 120 Yrs.) Version 1.0 English Text: {Have you/Has SP} ever had an ulcer or sore

on {your/his/her} leg or foot that took more than 4 weeks to heal? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	112	1.2 %
2	No	3067	32.3 %
7	Refused	1	0.0 %
9	Don't know	4	0.0 %
. (M)	-	6309	66.5 %

DIQ100 Numbness in hands/feet-past 3 mos

Location: 39-41 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. - 120 Yrs.) Version 1.0 English Text: During the past 3 months, {have you/has SP}

had numbness or loss of feeling in $\{your/his/her\}\ hands$ or feet, other than from $\{your/his/her\}\ hands$

or feet falling asleep? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	621	6.5 %
2	No (Skip to: DIQ120)	2558	26.9 %
7	Refused (Skip to: DIQ120)	1	0.0 %
9	Don't know (Skip to: DIQ120)	4	0.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	6309	66.5 %

DIQ110 Numbness in hands, feet or both

Location: 42-44 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. - 120 Yrs.) Version 1.0 English Text: Has the numbness or loss of feeling been in

{your/SP's} hands, feet, or both? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Hands	273	2.9 %
2	Feet	150	1.6 %
3	Both	198	2.1 %
. (M)	-	8872	93.5 %

DIQ120 Pain/tingling in hands/feet - past 3 mos

Location: 45-47 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(40 Yrs. - 120 Yrs.) Version 1.0 English Text: During the past 3 months, {have you/has SP}

had a painful sensation or tingling in {your/his/her} hands or feet? Do not include normal foot aches

from standing or walking for long periods. English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	607	6.4 %
2	No (Skip to: DIQ140)	2565	27.0 %
7	Refused (Skip to: DIQ140)	1	0.0 %
9	Don't know (Skip to: DIQ140)	11	0.1 %
. (M)	-	6309	66.5 %

DIQ130 Pain/tingling in hands,feet or both

Location: 48-50 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: (40 Yrs. - 120 Yrs.) Version 1.0 English Text: Has the painful sensation or tingling been in

{your/his/her} hands, feet, or both? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Hands	251	2.6 %
2	Feet	151	1.6 %
3	Both	205	2.2 %
. (M)	-	8886	93.6 %

DIQ140 Pain in either leg while walking

Location: 51-53 (width: 3; decimal: 0)

Question:

Target: (40 Yrs. - 120 Yrs.) Version 1.0 English Text: {Do you/Does SP} ever get pain in either leg while {you are/s/he is} walking? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	894	9.4 %
2	No (End of Section)	2284	24.1 %
7	Refused (End of Section)	2	0.0 %
9	Don't know (End of Section)	4	0.0 %
. (M)	-	6309	66.5 %

DIQ150 Pain in calf or calves

Location: 54-56 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: (40 Yrs. - 120 Yrs.) Version 1.0 English Text: Does this pain include pain in {your/SP's} calf

or calves? English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Yes	498	5.2 %
2	No	394	4.2 %
9	Don't know	2	0.0 %
. (M)	-	8599	90.6 %

SDDSRVYR Data Release Number

Location: 57-59 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Data Release Number. English Instructions:

Value		Unweighted Frequency	%	
1	NHANES 1999-2000 Public Release	9493	100.0 %	

RIDSTATR Interview/Examination Status

Location: 60-62 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value		Unweighted Frequency	%	
1	Interviewed Only.	661	7.0 %	
2	Both Interviewed and MEC examined.	8832	93.0 %	

RIAGENDR Gender - Adjudicated

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	4638	48.9 %
2	Female	4855	51.1 %

RIDAGEYR

Age at Screening Adjudicated - Recode

Location: 66-68 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
1	-	263	2.8 %
2	-	261	2.7 %
3	-	190	2.0 %
4	-	198	2.1 %
5	-	173	1.8 %
6	-	181	1.9 %
7	-	190	2.0 %
8	-	198	2.1 %
9	-	172	1.8 %
10	-	182	1.9 %
11	-	190	2.0 %
12	-	328	3.5 %
13	-	329	3.5 %
14	-	311	3.3 %
15	-	283	3.0 %
16	-	311	3.3 %
17	-	285	3.0 %
18	-	287	3.0 %
19	-	281	3.0 %
20	-	85	0.9 %
21	-	82	0.9 %
22	-	100	1.1 %
23	-	97	1.0 %
24	-	86	0.9 %
25	-	78	0.8 %
26	-	90	0.9 %
27	-	81	0.9 %
28	-	80	0.8 %
29	-	92	1.0 %
30	-	83	0.9 %
31	-	87	0.9 %

Value	Label	Unweighted Frequency	%
32	-	94	1.0 %
33	-	69	0.7 %
34	-	86	0.9 %
35	-	80	0.8 %
36	-	77	0.8 %
37	-	87	0.9 %
38	-	73	0.8 %
39	-	88	0.9 %
40	-	92	1.0 %
41	-	81	0.9 %
42	-	90	0.9 %
43	-	73	0.8 %
44	-	79	0.8 %
45	-	89	0.9 %
46	-	70	0.7 %
47	-	70	0.7 %
48	-	61	0.6 %
49	-	60	0.6 %
50	-	57	0.6 %
51	-	75	0.8 %
52	-	71	0.7 %
53	-	64	0.7 %
54	-	77	0.8 %
55	-	48	0.5 %
56	-	62	0.7 %
57	-	50	0.5 %
58	-	38	0.4 %
59	-	44	0.5 %
60	-	110	1.2 %
61	-	86	0.9 %
62	-	90	0.9 %
63	-	68	0.7 %
64	-	88	0.9 %
65	-	89	0.9 %
66	-	79	0.8 %
67	-	78	0.8 %
68	-	69	0.7 %
69	-	61	0.6 %
70	-	81	0.9 %
71	-	73	0.8 %

Value	Label	Unweighted Frequency	%
72	-	60	0.6 %
73	-	69	0.7 %
74	-	54	0.6 %
75	-	57	0.6 %
76	-	50	0.5 %
77	-	55	0.6 %
78	-	49	0.5 %
79	-	46	0.5 %
80	-	64	0.7 %
81	-	63	0.7 %
82	-	49	0.5 %
83	-	31	0.3 %
84	-	42	0.4 %
85	>= 85 years of age	173	1.8 %

RIDAGEMN Age in Months - Recode

Location: 69-72 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 73-76 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	3176	33.5 %
2	Other Hispanic	552	5.8 %
3	Non-Hispanic White	3244	34.2 %
4	Non-Hispanic Black	2155	22.7 %
5	Other Race - Including Multi-Racial	366	3.9 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 80-82 (width: 3; decimal: 0)

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	3299	34.8 %
2	Non-Hispanic Black	2198	23.2 %
3	Mexican American	3176	33.5 %
4	Other Race - Including Multi-Racial	268	2.8 %
5	Other Hispanic	552	5.8 %

DMQMILIT Veteran/Military Status

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	717	7.6 %
2	No	5004	52.7 %
7	Refused	5	0.1 %
9	Don't know	5	0.1 %
. (M)	-	3762	39.6 %

DMDBORN Country of Birth - Recode

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	7600	80.1 %
2	Born in Mexico	1146	12.1 %
3	Born Elsewhere	735	7.7 %
7	Refused	1	0.0 %
9	Don't Know	1	0.0 %
. (M)	-	10	0.1 %

DMDCITZN Citizenship Status

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	8193	86.3 %
2	Not a citizen of the US	1239	13.1 %
7	Refused	30	0.3 %
9	Don't know	28	0.3 %
. (M)	-	3	0.0 %

DMDYRSUS

Length of time in US

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	114	1.2 %
2	1 yr., less than 5 yrs.	341	3.6 %
3	5 yrs., less than 10 yrs.	359	3.8 %
4	10 yrs., less than 15 yrs.	256	2.7 %
5	15 yrs., less than 20 yrs.	156	1.6 %
6	20 yrs., less than 30 yrs.	252	2.7 %
7	30 yrs., less than 40 yrs.	174	1.8 %
8	40 yrs., less than 50 yrs.	120	1.3 %
9	50 years or more	63	0.7 %
77	Refused	34	0.4 %
88	Could not determine	1	0.0 %
99	Don't know	25	0.3 %
. (M)	-	7598	80.0 %

DMDEDUC3

Education level - Children/Youth 6-19

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
0	Never Attended / Kindergarten	210	2.2 %
1	1st Grade	202	2.1 %
2	2nd Grade	186	2.0 %
3	3rd Grade	186	2.0 %
4	4th Grade	204	2.1 %
5	5th Grade	244	2.6 %
6	6th Grade	318	3.3 %

Value	Label	Unweighted Frequency	%
7	7th Grade	323	3.4 %
8	8th Grade	320	3.4 %
9	9th Grade	309	3.3 %
10	10th Grade	307	3.2 %
11	11th Grade	281	3.0 %
12	12th Grade, No Diploma	81	0.9 %
13	High School Graduate	177	1.9 %
14	GED or Equivalent	12	0.1 %
15	More than high school	108	1.1 %
55	Less Than 5th Grade	3	0.0 %
66	Less Than 9th Grade	53	0.6 %
77	Refused	2	0.0 %
99	Don't know	1	0.0 %
. (M)	-	5966	62.8 %

DMDEDUC2

Education level - Adults 20+

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	932	9.8 %
2	9-11th Grade (Includes 12th grade with no diploma)	964	10.2 %
3	High School Grad/GED or Equivalent	1097	11.6 %
4	Some College or AA degree	1070	11.3 %
5	College Graduate or above	793	8.4 %
7	Refused	8	0.1 %
9	Don't Know	14	0.1 %
. (M)	-	4615	48.6 %

DMDEDUC

Education - Recode (old version)

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	5124	54.0 %

Value	Label	Unweighted Frequency	%
2	High School Diploma (including GED)	1286	13.5 %
3	More Than High School	1971	20.8 %
7	Refused	10	0.1 %
9	Don't know	15	0.2 %
. (M)	-	1087	11.5 %

DMDSCHOL Now attending school?

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	2348	24.7 %
2	On vacation from school (between grades)	618	6.5 %
3	Neither in school or on vacation from school (between grades)	344	3.6 %
9	Don't know	1	0.0 %
. (M)	-	6182	65.1 %

DMDMARTL Marital Status

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2485	26.2 %
2	Widowed	475	5.0 %
3	Divorced	378	4.0 %
4	Separated	177	1.9 %
5	Never married	2316	24.4 %
6	Living with partner	232	2.4 %
77	Refused	7	0.1 %
99	Don't know	2	0.0 %
. (M)	-	3421	36.0 %

DMDHHSIZ Total number of people in the Household

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	752	7.9 %

Value	Label	Unweighted Frequency	%
2	-	1843	19.4 %
3	-	1612	17.0 %
4	-	1856	19.6 %
5	-	1499	15.8 %
6	-	858	9.0 %
7	7 or more people in the Household	1073	11.3 %

INDHHINC Annual Household Income

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	274	2.9 %
2	\$ 5,000 to \$ 9,999	617	6.5 %
3	\$10,000 to \$14,999	812	8.6 %
4	\$15,000 to \$19,999	721	7.6 %
5	\$20,000 to \$24,999	736	7.8 %
6	\$25,000 to \$34,999	1068	11.3 %
7	\$35,000 to \$44,999	763	8.0 %
8	\$45,000 to \$54,999	583	6.1 %
9	\$55,000 to \$64,999	481	5.1 %
10	\$65,000 to \$74,999	351	3.7 %
11	\$75,000 and Over	1210	12.7 %
12	Over \$20,000	305	3.2 %
13	Under \$20,000	45	0.5 %
77	Refused	38	0.4 %
99	Don't know	34	0.4 %
. (M)	-	1455	15.3 %

INDFMINC Annual Family Income

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	505	5.3 %
2	\$ 5,000 to \$ 9,999	821	8.6 %
3	\$10,000 to \$14,999	1009	10.6 %

Value	Label	Unweighted Frequency	%
4	\$15,000 to \$19,999	786	8.3 %
5	\$20,000 to \$24,999	810	8.5 %
6	\$25,000 to \$34,999	1040	11.0 %
7	\$35,000 to \$44,999	707	7.4 %
8	\$45,000 to \$54,999	590	6.2 %
9	\$55,000 to \$64,999	431	4.5 %
10	\$65,000 to \$74,999	332	3.5 %
11	\$75,000 and Over	1042	11.0 %
12	Over \$20,000	395	4.2 %
13	Under \$20,000	340	3.6 %
77	Refused	289	3.0 %
99	Don't know	220	2.3 %
. (M)	-	176	1.9 %

INDFMPIR Family PIR

Location: 119-123 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value Label
5 PIR value greater than or equal to 5.00

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 124-126 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab pregnancy test or self-reported pregnant at exam	311	3.3 %
2	SP not pregnant at exam	1443	15.2 %
3	Cannot ascertain if SP is pregnant at exam	208	2.2 %
. (M)	-	7531	79.3 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 127-129 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes based on pos lab preg test, self-report preg status, screener intview data or menstrual period hist	285	3.0 %
2	SP not pregnant	1544	16.3 %
. (M)	-	7664	80.7 %

DMDHRGND HH Ref Person Gender

Location: 130-132 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value Label Unweighted % Frequency Male 1 5326 56.1 % 2 Female 4155 43.8 % . (M) 12 0.1 %

DMDHRAGE HH Ref Person Age

Location: 133-135 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
18	-	61	0.6 %
19	-	71	0.7 %
20	-	85	0.9 %
21	-	76	0.8 %
22	-	109	1.1 %
23	-	123	1.3 %
24	-	102	1.1 %
25	-	121	1.3 %
26	-	147	1.5 %
27	-	151	1.6 %
28	-	195	2.1 %
29	-	226	2.4 %
30	-	216	2.3 %
31	-	258	2.7 %
32	-	245	2.6 %
33	-	224	2.4 %
34	-	239	2.5 %
35	-	301	3.2 %

Value	Label	Unweighted Frequency	%
36	-	238	2.5 %
37	-	281	3.0 %
38	-	291	3.1 %
39	-	246	2.6 %
40	-	356	3.8 %
41	-	274	2.9 %
42	-	267	2.8 %
43	-	236	2.5 %
44	-	221	2.3 %
45	-	233	2.5 %
46	-	219	2.3 %
47	-	152	1.6 %
48	-	151	1.6 %
49	-	164	1.7 %
50	-	165	1.7 %
51	-	185	1.9 %
52	-	149	1.6 %
53	-	120	1.3 %
54	-	118	1.2 %
55	-	88	0.9 %
56	-	104	1.1 %
57	-	105	1.1 %
58	-	91	1.0 %
59	-	82	0.9 %
60	-	127	1.3 %
61	-	93	1.0 %
62	-	100	1.1 %
63	-	91	1.0 %
64	-	98	1.0 %
65	-	91	1.0 %
66	-	85	0.9 %
67	-	98	1.0 %
68	-	81	0.9 %
69	-	61	0.6 %
70	-	101	1.1 %
71	-	77	0.8 %
72	-	68	0.7 %
73	-	85	0.9 %
74	-	58	0.6 %
75	-	64	0.7 %

Value	Label	Unweighted Frequency	%
76	-	50	0.5 %
77	-	50	0.5 %
78	-	62	0.7 %
79	-	45	0.5 %
80	-	65	0.7 %
81	-	61	0.6 %
82	-	45	0.5 %
83	-	31	0.3 %
84	-	36	0.4 %
85	>= 85 years of age	171	1.8 %
. (M)	-	12	0.1 %

DMDHRBRN

HH Ref Person Country of Birth

Location: 136-138 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	6272	66.1 %
2	Born in Mexico	1839	19.4 %
3	Born Elsewhere	1000	10.5 %
7	Refused	12	0.1 %
. (M)	-	370	3.9 %

DMDHREDU

HH Ref Person Education Level

Location: 139-141 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	1657	17.5 %
2	9-11th Grade (Includes 12th grade with no diploma)	1982	20.9 %
3	High School Grad/GED or equivalent	2097	22.1 %
4	Some College or AA degree	1934	20.4 %
5	College Graduate or above	1372	14.5 %
7	Refused	13	0.1 %
9	Don't know	60	0.6 %
. (M)	-	378	4.0 %

DMDHRMAR HH Ref Person Marital Status

Location: 142-144 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	4481	47.2 %
2	Widowed	567	6.0 %
3	Divorced	843	8.9 %
4	Separated	520	5.5 %
5	Never married	1060	11.2 %
6	Living with partner	259	2.7 %
77	Refused	16	0.2 %
99	Don't know	12	0.1 %
. (M)	-	1735	18.3 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 145-147 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	584	6.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	691	7.3 %
3	High School Grad/GED or	690	7.3 %
4	Some College or AA degree	637	6.7 %
5	College Graduate or above	456	4.8 %
7	Refused	3	0.0 %
9	Don't know	21	0.2 %
. (M)	-	6411	67.5 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 148-162 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 163-176 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 177-191 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 192-205 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

	Unweighted Frequency	%
1	4663	49.1 %
2	4520	47.6 %
3	310	3.3 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
1	1018	10.7 %
2	646	6.8 %
3	731	7.7 %
4	814	8.6 %
5	718	7.6 %
6	699	7.4 %
7	834	8.8 %
8	726	7.6 %
9	661	7.0 %
10	618	6.5 %
11	703	7.4 %
12	778	8.2 %
13	547	5.8 %

SDJ1REPN Jack Knife Replicate Number

Location: 212-214 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Jack Knife Replicate Number English Instructions:

Value	Unweighted Frequency	%
1	182	1.9 %
2	246	2.6 %
3	169	1.8 %
4	201	2.1 %
5	151	1.6 %
6	152	1.6 %
7	108	1.1 %
8	171	1.8 %
9	182	1.9 %
10	165	1.7 %
11	176	1.9 %
12	187	2.0 %
13	171	1.8 %
14	135	1.4 %
15	216	2.3 %
16	173	1.8 %
17	207	2.2 %
18	254	2.7 %
19	157	1.7 %
20	153	1.6 %
21	175	1.8 %
22	161	1.7 %
23	164	1.7 %
24	226	2.4 %
25	302	3.2 %
26	153	1.6 %
27	194	2.0 %
28	220	2.3 %
29	179	1.9 %
30	205	2.2 %
31	192	2.0 %
32	199	2.1 %
33	164	1.7 %
34	269	2.8 %
35	155	1.6 %
36	129	1.4 %
37	181	1.9 %
38	161	1.7 %

Value	Unweighted Frequency	%
39	149	1.6 %
40	154	1.6 %
41	208	2.2 %
42	155	1.6 %
43	184	1.9 %
44	145	1.5 %
45	170	1.8 %
46	183	1.9 %
47	195	2.1 %
48	278	2.9 %
49	150	1.6 %
50	133	1.4 %
51	162	1.7 %
52	242	2.5 %

DMAETHN Logical Imputation Flag for Ethnicity

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Ethnicity English Instructions:

Value	Label	Unweighted Frequency	%
1	Value Imputed	2	0.0 %
. (M)	-	9491	100.0 %

DMARACE Logical Imputation Flag for Race Recode

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Race Recode English

Instructions:

Value	Label	Unweighted Frequency	%
1	Value Imputed	2	0.0 %
. (M)	-	9491	100.0 %

WTMREP01 MEC Exam Weight Jack Knife Replicate 01

Location: 221-235 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 01 English

Instructions:

WTMREP02 MEC Exam Weight Jack Knife Replicate 02

Location: 236-250 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 02 English

Instructions:

WTMREP03 MEC Exam Weight Jack Knife Replicate 03

Location: 251-265 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 03 English

Instructions:

WTMREP04 MEC Exam Weight Jack Knife Replicate 04

Location: 266-280 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 04 English

Instructions:

WTMREP05 MEC Exam Weight Jack Knife Replicate 05

Location: 281-295 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 05 English

Instructions:

WTMREP06 MEC Exam Weight Jack Knife Replicate 06

Location: 296-310 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 06 English

Instructions:

WTMREP07 MEC Exam Weight Jack Knife Replicate 07

Location: 311-325 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 07 English

Instructions:

WTMREP08 MEC Exam Weight Jack Knife Replicate 08

Location: 326-340 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 08 English

Instructions:

WTMREP09 MEC Exam Weight Jack Knife Replicate 09

Location: 341-355 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 09 English

Instructions

WTMREP10 MEC Exam Weight Jack Knife Replicate 10

Location: 356-370 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 10 English

Instructions:

WTMREP11 MEC Exam Weight Jack Knife Replicate 11

Location: 371-385 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 11 English

Instructions:

WTMREP12 MEC Exam Weight Jack Knife Replicate 12

Location: 386-400 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 12 English

Instructions:

WTMREP13 MEC Exam Weight Jack Knife Replicate 13

Location: 401-415 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 13 English

Instructions:

WTMREP14 MEC Exam Weight Jack Knife Replicate 14

Location: 416-430 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 14 English

Instructions:

WTMREP15 MEC Exam Weight Jack Knife Replicate 15

Location: 431-445 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 15 English

Instructions:

WTMREP16 MEC Exam Weight Jack Knife Replicate 16

Location: 446-460 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 16 English

Instructions:

WTMREP17 MEC Exam Weight Jack Knife Replicate 17

Location: 461-475 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 17 English

Instructions:

WTMREP18 MEC Exam Weight Jack Knife Replicate 18

Location: 476-490 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 18 English

Instructions:

WTMREP19 MEC Exam Weight Jack Knife Replicate 19

Location: 491-505 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 19 English

Instructions:

WTMREP20 MEC Exam Weight Jack Knife Replicate 20

Location: 506-520 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 20 English

Instructions:

WTMREP21 MEC Exam Weight Jack Knife Replicate 21

Location: 521-535 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 21 English

Instructions:

WTMREP22 MEC Exam Weight Jack Knife Replicate 22

Location: 536-550 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 22 English

Instructions:

WTMREP23 MEC Exam Weight Jack Knife Replicate 23

Location: 551-565 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 23 English

Instructions:

WTMREP24 MEC Exam Weight Jack Knife Replicate 24

Location: 566-580 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 24 English

Instructions:

WTMREP25 MEC Exam Weight Jack Knife Replicate 25

Location: 581-595 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 25 English

Instructions:

WTMREP26 MEC Exam Weight Jack Knife Replicate 26

Location: 596-610 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 26 English

Instructions:

WTMREP27 MEC Exam Weight Jack Knife Replicate 27

Location: 611-625 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 27 English

Instructions:

WTMREP28 MEC Exam Weight Jack Knife Replicate 28

Location: 626-640 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 28 English

Instructions:

WTMREP29 MEC Exam Weight Jack Knife Replicate 29

Location: 641-655 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 29 English

Instructions:

WTMREP30 MEC Exam Weight Jack Knife Replicate 30

Location: 656-670 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 30 English

Instructions:

WTMREP31 MEC Exam Weight Jack Knife Replicate 31

Location: 671-685 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 31 English

Instructions:

WTMREP32 MEC Exam Weight Jack Knife Replicate 32

Location: 686-700 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 32 English

Instructions:

WTMREP33 MEC Exam Weight Jack Knife Replicate 33

Location: 701-715 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 33 English

Instructions:

WTMREP34 MEC Exam Weight Jack Knife Replicate 34

Location: 716-730 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 34 English

Instructions:

WTMREP35 MEC Exam Weight Jack Knife Replicate 35

Location: 731-745 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 35 English

Instructions:

WTMREP36 MEC Exam Weight Jack Knife Replicate 36

Location: 746-760 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 36 English

Instructions:

WTMREP37 MEC Exam Weight Jack Knife Replicate 37

Location: 761-775 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 37 English

Instructions:

WTMREP38 MEC Exam Weight Jack Knife Replicate 38

Location: 776-790 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 38 English

Instructions:

WTMREP39 MEC Exam Weight Jack Knife Replicate 39

Location: 791-805 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 39 English

Instructions:

WTMREP40 MEC Exam Weight Jack Knife Replicate 40

Location: 806-820 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 40 English

Instructions:

WTMREP41 MEC Exam Weight Jack Knife Replicate 41

Location: 821-835 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 41 English

Instructions:

WTMREP42 MEC Exam Weight Jack Knife Replicate 42

Location: 836-850 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 42 English

Instructions:

WTMREP43 MEC Exam Weight Jack Knife Replicate 43

Location: 851-865 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 43 English

Instructions:

WTMREP44 MEC Exam Weight Jack Knife Replicate 44

Location: 866-880 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 44 English

Instructions:

WTMREP45 MEC Exam Weight Jack Knife Replicate 45

Location: 881-895 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 45 English

Instructions:

WTMREP46 MEC Exam Weight Jack Knife Replicate 46

Location: 896-910 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 46 English

Instructions:

WTMREP47 MEC Exam Weight Jack Knife Replicate 47

Location: 911-925 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 47 English

Instructions:

WTMREP48 MEC Exam Weight Jack Knife Replicate 48

Location: 926-940 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 48 English

Instructions:

WTMREP49 MEC Exam Weight Jack Knife Replicate 49

Location: 941-955 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 49 English

Instructions:

WTMREP50 MEC Exam Weight Jack Knife Replicate 50

Location: 956-970 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 50 English

Instructions:

WTMREP51 MEC Exam Weight Jack Knife Replicate 51

Location: 971-985 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 51 English

Instructions:

WTMREP52 MEC Exam Weight Jack Knife Replicate 52

Location: 986-1000 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 52 English

Instructions:

WTIREP01 Interview Weight Jack Knife Replicate 01

Location: 1001-1015 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 01 English

Instructions:

WTIREP02 Interview Weight Jack Knife Replicate 02

Location: 1016-1030 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 02 English

Instructions:

WTIREP03 Interview Weight Jack Knife Replicate 03

Location: 1031-1045 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 03 English

Instructions:

WTIREP04 Interview Weight Jack Knife Replicate 04

Location: 1046-1060 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 04 English

Instructions:

WTIREP05 Interview Weight Jack Knife Replicate 05

Location: 1061-1075 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 05 English

Instructions:

WTIREP06 Interview Weight Jack Knife Replicate 06

Location: 1076-1090 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 06 English

Instructions:

WTIREP07 Interview Weight Jack Knife Replicate 07

Location: 1091-1105 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 07 English

Instructions:

WTIREP08 Interview Weight Jack Knife Replicate 08

Location: 1106-1120 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 08 English

Instructions:

WTIREP09 Interview Weight Jack Knife Replicate 09

Location: 1121-1135 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 09 English

Instructions:

WTIREP10 Interview Weight Jack Knife Replicate 10

Location: 1136-1150 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 10 English

Instructions:

WTIREP11 Interview Weight Jack Knife Replicate 11

Location: 1151-1165 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 11 English

Instructions:

WTIREP12 Interview Weight Jack Knife Replicate 12

Location: 1166-1180 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 12 English

Instructions:

WTIREP13 Interview Weight Jack Knife Replicate 13

Location: 1181-1195 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 13 English

Instructions:

WTIREP14 Interview Weight Jack Knife Replicate 14

Location: 1196-1210 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 14 English

Instructions:

WTIREP15 Interview Weight Jack Knife Replicate 15

Location: 1211-1225 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 15 English

Instructions:

WTIREP16 Interview Weight Jack Knife Replicate 16

Location: 1226-1240 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 16 English

Instructions:

WTIREP17 Interview Weight Jack Knife Replicate 17

Location: 1241-1255 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 17 English

Instructions:

WTIREP18 Interview Weight Jack Knife Replicate 18

Location: 1256-1270 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 18 English

Instructions:

WTIREP19 Interview Weight Jack Knife Replicate 19

Location: 1271-1285 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 19 English

Instructions:

WTIREP20 Interview Weight Jack Knife Replicate 20

Location: 1286-1300 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 20 English

Instructions:

WTIREP21 Interview Weight Jack Knife Replicate 21

Location: 1301-1315 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 21 English

Instructions:

WTIREP22 Interview Weight Jack Knife Replicate 22

Location: 1316-1330 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 22 English

Instructions:

WTIREP23 Interview Weight Jack Knife Replicate 23

Location: 1331-1345 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 23 English

Instructions:

WTIREP24 Interview Weight Jack Knife Replicate 24

Location: 1346-1360 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 24 English

Instructions:

WTIREP25 Interview Weight Jack Knife Replicate 25

Location: 1361-1375 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 25 English

Instructions:

WTIREP26 Interview Weight Jack Knife Replicate 26

Location: 1376-1390 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 26 English

Instructions:

WTIREP27 Interview Weight Jack Knife Replicate 27

Location: 1391-1405 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 27 English

Instructions:

WTIREP28 Interview Weight Jack Knife Replicate 28

Location: 1406-1420 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 28 English

Instructions:

WTIREP29 Interview Weight Jack Knife Replicate 29

Location: 1421-1435 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 29 English

Instructions:

WTIREP30 Interview Weight Jack Knife Replicate 30

Location: 1436-1450 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 30 English

Instructions:

WTIREP31 Interview Weight Jack Knife Replicate 31

Location: 1451-1465 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 31 English

Instructions:

WTIREP32 Interview Weight Jack Knife Replicate 32

Location: 1466-1480 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 32 English

Instructions:

WTIREP33 Interview Weight Jack Knife Replicate 33

Location: 1481-1495 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 33 English

Instructions:

WTIREP34 Interview Weight Jack Knife Replicate 34

Location: 1496-1510 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 34 English

Instructions:

WTIREP35 Interview Weight Jack Knife Replicate 35

Location: 1511-1525 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 35 English

Instructions:

WTIREP36 Interview Weight Jack Knife Replicate 36

Location: 1526-1540 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 36 English

Instructions:

WTIREP37 Interview Weight Jack Knife Replicate 37

Location: 1541-1555 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 37 English

Instructions:

WTIREP38 Interview Weight Jack Knife Replicate 38

Location: 1556-1570 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 38 English

Instructions:

WTIREP39 Interview Weight Jack Knife Replicate 39

Location: 1571-1585 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 39 English

Instructions:

WTIREP40 Interview Weight Jack Knife Replicate 40

Location: 1586-1600 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 40 English

Instructions:

WTIREP41 Interview Weight Jack Knife Replicate 41

Location: 1601-1615 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 41 English

Instructions:

WTIREP42 Interview Weight Jack Knife Replicate 42

Location: 1616-1630 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 42 English

Instructions:

WTIREP43 Interview Weight Jack Knife Replicate 43

Location: 1631-1645 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 43 English

Instructions:

WTIREP44 Interview Weight Jack Knife Replicate 44

Location: 1646-1660 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 44 English

Instructions:

WTIREP45 Interview Weight Jack Knife Replicate 45

Location: 1661-1675 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 45 English

Instructions:

WTIREP46 Interview Weight Jack Knife Replicate 46

Location: 1676-1690 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 46 English

Instructions:

WTIREP47 Interview Weight Jack Knife Replicate 47

Location: 1691-1705 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 47 English

Instructions:

WTIREP48 Interview Weight Jack Knife Replicate 48

Location: 1706-1720 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 48 English

Instructions:

WTIREP49 Interview Weight Jack Knife Replicate 49

Location: 1721-1735 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 49 English

Instructions:

WTIREP50 Interview Weight Jack Knife Replicate 50

Location: 1736-1750 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 50 English

Instructions:

WTIREP51 Interview Weight Jack Knife Replicate 51

Location: 1751-1765 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 51 English

Instructions:

WTIREP52 Interview Weight Jack Knife Replicate 52

Location: 1766-1780 (width: 15; decimal: 8)

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 52 English Instructions: