ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Medical Conditions

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25501.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Questionnaire: Medical Conditions

SEQN	Respond	ent sequence number		
Location:	1-4 (width	1-4 (width: 4; decimal: 0)		
Variable Type:	numeric	numeric		
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number.		
MCQ010	Ever bee	n told you have asthma		
Location:	5-7 (width	5-7 (width: 3; decimal: 0)		
Variable Type:	numeric			
Question:	that {you	1 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever tolo have/s/he/SP has} asthma? English Instructions: CAPI INSTRUCTION: IF SP AG SP NAME AND "S/HE": IF SP AGE < 12, DISPLAY "YOU" AND SP NAME.		
	Value	Label Unweighted Frequency	%	
	1	Yes 1170	12.3 %	
	2	No MCQ053 8314	87.6 %	

MCQ020 Age when first had asthma

Location: 8-12 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 19 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was} first

Don't know MCQ053

told {he/she} had asthma? English Instructions: IF LESS THAN 1 YEAR, ENTER 1. CAPI INSTRUCTION: IF SP AGE >= 16, DISPLAY "WERE YOU" AND "YOU WERE". IF SP AGE = 12-15, DISPLAY "WAS {SP}" AND "S/HE WAS". IF SP AGE < 12, DISPLAY "WAS {SP}" AND "YOU WERE".

0.1 %

9

ENTER AGE IN YEARS.

Value	Label	Unweighted Frequency	%
1	-	216	2.3 %
2	-	64	0.7 %
3	-	48	0.5 %
4	-	37	0.4 %
5	-	44	0.5 %
6	-	47	0.5 %
7	-	26	0.3 %
8	-	28	0.3 %
9	-	17	0.2 %
10	-	22	0.2 %
11	-	24	0.3 %
12	-	29	0.3 %
13	-	14	0.1 %
14	-	13	0.1 %

Value	Label	Unweighted Frequency	%
15	-	7	0.1 %
16	-	6	0.1 %
17	-	3	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
99999	Don't know	7	0.1 %
. (M)	-	8838	93.1 %

MCQ030 Still have asthma

Location: 13-15 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 19 Yrs.) English Text: {Do you/Does SP} still have asthma? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	415	4.4 %
2	No MCQ053	230	2.4 %
9	Don't know MCQ053	10	0.1 %
. (M)	-	8838	93.1 %

MCQ040 Had asthma attack in past year

Location: 16-18 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 120 Yrs.) English Text: During the past 12 months, {have you/has SP} had an

episode of asthma or an asthma attack? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	410	4.3 %
2	No MCQ053	520	5.5 %
. (M)	-	8563	90.2 %

MCQ050 Emergency care visit for asthma/past yr

Location: 19-21 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 120 Yrs.) English Text: [During the past 12 months], {have you/has SP} had to

visit an emergency room or urgent care center because of asthma? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	145	1.5 %
2	No	265	2.8 %
. (M)	-	9083	95.7 %

MCQ053 Taking treatment for anemia/past 3 mos

Location: 22-24 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 120 Yrs.) English Text: During the past 3 months, {have you/has SP} been on

treatment for anemia, sometimes called "tired blood" or "low blood"? [Include diet, iron pills, iron

shots, transfusions as treatment.] English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	277	2.9 %
2	No	9210	97.0 %
9	Don't know	6	0.1 %

MCQ060 Told have attention deficit disorder?

Location: 25-27 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. to 19 Yrs.) English Text: Has a doctor or health professional ever told {you/SP} that

{you/s/he/SP} had attention deficit disorder? English Instructions: CAPI INSTRUCTION: IF SP AGE >= 16, DISPLAY "YOU" AND "YOU". IF SP AGE = 12-15, DISPLAY SP NAME AND "S/HE". IF SP

AGE < 12, DISPLAY "YOU" AND SP NAME.

Value	Label	Unweighted Frequency	%
1	Yes	228	2.4 %
2	No	3664	38.6 %
7	Refused	2	0.0 %
9	Don't know	4	0.0 %
. (M)	-	5595	58.9 %

MCQ080 Doctor ever said you were overweight

Location: 28-30 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 19 Yrs.) English Text: Has a doctor or health professional ever told {you/SP} that

 $\{$ you were/s/he/SP was $\}$ overweight? English Instructions: CAPI INSTRUCTION: IF SP AGE >= 16, DISPLAY "YOU" AND "YOU WERE". IF SP AGE = 12-15, DISPLAY SP NAME AND "S/HE". IF SP

AGE < 12, DISPLAY "YOU" AND SP NAME.

Value	Label	Unweighted Frequency	%
1	Yes	440	4.6 %
2	No	3906	41.1 %
9	Don't know	3	0.0 %
. (M)	-	5144	54.2 %

MCQ083 Ever told you have learning disability

Location: 31-33 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. to 15 Yrs.) English Text: Has a representative from a school or a health professional

ever told {you/SP} that {s/he/SP} had a learning disability? English Instructions: CAPI INSTRUCTION:

IF SP AGE \geq 12, DISPLAY SP NAME AND "S/HE". IF SP AGE \leq 12, DISPLAY "YOU" AND SP NAME.

Value	Label	Unweighted Frequency	%
1	Yes	282	3.0 %
2	No	2447	25.8 %
9	Don't know	3	0.0 %
. (M)	-	6761	71.2 %

MCQ090 Ever had chickenpox

Location: 34-36 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Have you/Has SP} ever had chickenpox? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	2840	29.9 %
2	No	642	6.8 %
9	Don't know	44	0.5 %
. (M)	-	5967	62.9 %

MCQ092 Ever receive blood transfusion

Location: 37-39 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 120 Yrs.) English Text: {Have you/Has SP} ever received a blood transfusion?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	694	7.3 %
2	No MCQ100	7638	80.5 %
9	Don't know MCQ100	75	0.8 %
. (M)	-	1086	11.4 %

MCD093 Year receive blood transfusion

Location: 40-42 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 120 Yrs.) English Text: In what year did {you/SP} receive {your/his/her} first

transfusion? English Instructions: ENTER 4-DIGIT YEAR

Value	Label	Unweighted Frequency	%
1	Before 1972	217	2.3 %
2	1972 - 1991	259	2.7 %
3	1992 to present	199	2.1 %
9	Don't know	19	0.2 %

Value	Label	Unweighted Frequency	%
. (M)	-	8799	92.7 %

MCQ100 Told have high blood pressure

Location: 43-45 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 15 Yrs.) English Text: Has a doctor or health professional ever told {SP} that

{s/he} had hypertension, also called high blood pressure? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	6	0.1 %
2	No MCQ120A	1982	20.9 %
9	Don't know MCQ120A	1	0.0 %
. (M)	-	7504	79.0 %

MCQ110 Taking medicine for high blood pressure

Location: 46-48 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(8 Yrs. to 15 Yrs.) English Text: Because of {SP's} high blood pressure [hypertension], is

{he/she} currently taking medicine? English Instructions:

Value	Label	Unweighted Frequency	%
2	No	6	0.1 %
. (M)	-	9487	99.9 %

MCQ114 Ever tested for lead poisoning

Location: 49-51 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 5 Yrs.) English Text: Has {SP} ever been tested for lead poisoning? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	344	3.6 %
2	No MCQ120A	677	7.1 %
9	Don't know MCQ120A	63	0.7 %
. (M)	-	8409	88.6 %

MCQ117Q How long since lead poisoning test

Location: 52-56 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 5 Yrs.) English Text: How long has it been since {SP} was tested? English

Instructions: IF LESS THAN 1 MONTH, ENTER 1 MONTH. ENTER NUMBER (OF MONTHS OR

YEARS).

Value	Label	Unweighted Frequency	%
1	-	122	1.3 %
2	-	48	0.5 %
3	-	53	0.6 %
4	-	20	0.2 %
5	-	6	0.1 %
6	-	38	0.4 %
7	-	8	0.1 %
8	-	12	0.1 %
9	-	7	0.1 %
10	-	10	0.1 %
11	-	1	0.0 %
12	-	3	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
18	-	5	0.1 %
99999	Don't know MCQ120A	7	0.1 %
. (M)	-	9149	96.4 %

MCQ117U

Months or years

Location: 57-59 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 5 Yrs.) English Text: Unit of measure English Instructions: ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Months	187	2.0 %
2	Years	150	1.6 %
. (M)	-	9156	96.5 %

MCQ120A

Had hay fever in past year

Location: 60-62 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 19 Yrs.) English Text: During the past 12 months, {have you/has SP} had . . .hay

fever? English Instructions: CAPI INSTRUCTIONS: DISPLAY ITEMS A AND B IF SP AGE \leq 3. DISPLAY ALL ITEMS (A, B, C AND D) IF SP AGE = 4-15. DISPLAY ITEMS A AND C IF SP AGE

>= 16.

Value	Label	Unweighted Frequency	%
1	Yes	439	4.6 %
2	No	4140	43.6 %
9	Don't know	33	0.3 %

Value	Label	Unweighted Frequency	%
. (M)	-	4881	51.4 %

MCQ120B

Had 3 or more ear infections/past year

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(1 Yrs. to 15 Yrs.) English Text: During the past 12 months, {have you/has SP} had . . . 3

or more ear infections? English Instructions: CAPI INSTRUCTIONS: DISPLAY ITEMS A AND B IF SP AGE <= 3. DISPLAY ALL ITEMS (A, B, C AND D) IF SP AGE = 4-15. DISPLAY ITEMS A AND

C IF SP AGE >= 16.

Value	Label	Unweighted Frequency	%
1	Yes	306	3.2 %
2	No	3136	33.0 %
9	Don't know	4	0.0 %
. (M)	-	6047	63.7 %

MCQ120C

Had frequent/severe headaches/past yr

Location: 66-68 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. to 19 Yrs.) English Text: During the past 12 months, {have you/has SP} had . .

.frequent or severe headaches, including migraines? English Instructions: CAPI INSTRUCTIONS: DISPLAY ITEMS A AND B IF SP AGE <= 3. DISPLAY ALL ITEMS (A, B, C AND D) IF SP AGE =

4-15. DISPLAY ITEMS A AND C IF SP AGE >= 16.

Value	Label	Unweighted Frequency	%
1	Yes	745	7.8 %
2	No	3148	33.2 %
9	Don't know	5	0.1 %
. (M)	-	5595	58.9 %

MCQ120D

Stuttering/Stammering in past year

Location: 69-71 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(4 Yrs. to 15 Yrs.) English Text: During the past 12 months, {have you/has SP} had . .

.stuttering or stammering? English Instructions: CAPI INSTRUCTIONS: DISPLAY ITEMS A AND B IF SP AGE \leq 3. DISPLAY ALL ITEMS (A, B, C AND D) IF SP AGE \leq 4-15. DISPLAY ITEMS A AND

C IF SP AGE >= 16.

Value	Label	Unweighted Frequency	%
1	Yes	140	1.5 %
2	No	2588	27.3 %
9	Don't know	4	0.0 %
. (M)	-	6761	71.2 %

MCQ140 Trouble seeing even with glass/contacts

Location: 72-74 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(2 Yrs. to 120 Yrs.) English Text: {Do you/Does SP} have trouble seeing, even when wearing

glasses or contact lenses, if {you/he/she} wear{s} them? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	1489	15.7 %
2	No	7724	81.4 %
9	Don't know	17	0.2 %
. (M)	-	263	2.8 %

MCQ147 Menstrual periods started yet?

Location: 75-77 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 11 Yrs.) English Text: Have {SP's} periods or menstrual cycles started yet? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	33	0.3 %
2	No MCQ150G	336	3.5 %
9	Don't know MCQ150G	2	0.0 %
. (M)	-	9122	96.1 %

MCQ148 Age when menstrual periods started

Location: 78-80 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 11 Yrs.) English Text: How old was {SP} when her periods or menstrual cycles

started? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
9	-	2	0.0 %
10	-	11	0.1 %
11	-	19	0.2 %
. (M)	-	9461	99.7 %

MCQ150G School days missed from injury/illness

Location: 81-83 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: During the past 12 months, that is, since {DISPLAY

CURRENT MONTH) of {DISPLAY LAST YEAR}, about how many days did {you/SP} miss school

because of an illness or injury? English Instructions: GATE QUESTION

Value	Label	Unweighted Frequency	%
1	Enter number	3244	34.2 %
2	Did not go to school MCQ160A	275	2.9 %
9	Don't know MCQ160A	7	0.1 %
. (M)	-	5967	62.9 %

MCQ150Q

school days missed from injury/illness

Location:

84-88 (width: 5; decimal: 0)

Variable Type:

numeric

Question:

Target: B(6 Yrs. to 19 Yrs.) English Text: During the past 12 months, that is, since {DISPLAY CURRENT MONTH} of {DISPLAY LAST YEAR}, about how many days did {you/SP} miss school because of an illness or injury? English Instructions: IF NONE, ENTER 0. ENTER NUMBER OF DAYS.

Value	Label	Unweighted Frequency	%
0	-	1119	11.8 %
1	-	345	3.6 %
2	-	480	5.1 %
3	-	343	3.6 %
4	-	205	2.2 %
5	-	244	2.6 %
6	-	79	0.8 %
7	-	75	0.8 %
8	=	44	0.5 %
9	-	16	0.2 %
10	-	108	1.1 %
11	=	6	0.1 %
12	-	25	0.3 %
13	-	9	0.1 %
14	-	17	0.2 %
15	-	27	0.3 %
16	-	2	0.0 %
17	-	3	0.0 %
18	-	6	0.1 %
19	-	1	0.0 %
20	-	27	0.3 %
21	-	2	0.0 %
22	=	2	0.0 %
25	-	9	0.1 %
26	-	3	0.0 %
29	-	1	0.0 %
30	-	18	0.2 %

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
35	-	2	0.0 %
40	-	3	0.0 %
44	-	1	0.0 %
45	=	1	0.0 %
50	-	2	0.0 %
56	-	1	0.0 %
60	-	4	0.0 %
80	-	1	0.0 %
90	-	3	0.0 %
100	-	1	0.0 %
180	-	1	0.0 %
99999	Don't know	7	0.1 %
. (M)	-	6249	65.8 %

MCQ160A

Doctor ever said you had arthritis

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told

 $\label{thm:condition} \mbox{\{you/s/he\}} \ . \ . \ . \ . \ . \ had arthritis? \ English \ Instructions: \ CAPI \ INSTRUCTION: \ TEXT \ OF \ API \ API$

QUESTION SHOULD BE OPTIONAL AFTER FIRST ITEM IS READ.

Value	Label	Unweighted Frequency	%
1	Yes MCQ180A	1239	13.1 %
2	No	3634	38.3 %
9	Don't know	7	0.1 %
. (M)	-	4613	48.6 %

MCQ160B

Ever told had congestive heart failure

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told

{you/SP} that {you/s/he} . . .had congestive heart failure? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ180B	167	1.8 %
2	No	4689	49.4 %
7	Refused	1	0.0 %
9	Don't know	23	0.2 %
. (M)	-	4613	48.6 %

MCQ160C

Ever told you had coronary heart disease

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told

{you/SP} that {you/s/he} . . .had coronary heart disease? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ180C	203	2.1 %
2	No	4644	48.9 %
7	Refused	2	0.0 %
9	Don't know	31	0.3 %
. (M)	-	4613	48.6 %

MCQ160D Ever told you had angina/angina pectoris

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told

{you/SP} that {you/s/he} . . .had angina, also called angina pectoris? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ180D	180	1.9 %
2	No	4674	49.2 %
7	Refused	1	0.0 %
9	Don't know	25	0.3 %
. (M)	=	4613	48.6 %

MCQ160E Ever told you had heart attack

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told

{you/SP} that {you/s/he} . . .had a heart attack (also called myocardial infarction)? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ180E	221	2.3 %
2	No	4643	48.9 %
9	Don't know	16	0.2 %
. (M)	-	4613	48.6 %

MCQ160F Ever told you had a stroke

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeri

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told

{you/SP} that {you/s/he} . . .had a stroke? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ180F	190	2.0 %

Value	Label	Unweighted Frequency	%
2	No	4687	49.4 %
9	Don't know	3	0.0 %
. (M)	-	4613	48.6 %

MCQ160G Ever told you had emphysema

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told

{you/SP} that {you/s/he} . . .had emphysema? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ180G	95	1.0 %
2	No	4779	50.3 %
9	Don't know	6	0.1 %
. (M)	-	4613	48.6 %

MCQ160H Ever told you had a goiter

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told

{you/SP} that {you/s/he} . . .had a goiter? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ170H	61	0.6 %
2	No	4812	50.7 %
9	Don't know	7	0.1 %
. (M)	-	4613	48.6 %

MCQ160I Ever told you had thyroid disease

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told

{you/SP} that {you/s/he} . . .had another thyroid disease? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ170I	291	3.1 %
2	No	4576	48.2 %
9	Don't know	13	0.1 %
. (M)	-	4613	48.6 %

MCQ160J Doctor said you were overweight

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told {you/SP} that {you/s/he} . . .was overweight? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	1440	15.2 %
2	No	3436	36.2 %
9	Don't know	4	0.0 %
. (M)	=	4613	48.6 %

MCQ160K Ever told you had chronic bronchitis

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told

{you/SP} that {you/s/he} . . .had chronic bronchitis? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ170K	299	3.1 %
2	No	4573	48.2 %
9	Don't know	8	0.1 %
. (M)	-	4613	48.6 %

MCQ160L Ever told you had any liver condition

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Has a doctor or other health professional ever told

{you/SP} that {you/s/he} . . .had any kind of liver condition? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ170L	153	1.6 %
2	No	4715	49.7 %
9	Don't know	12	0.1 %
. (M)	-	4613	48.6 %

MCQ170H Do you still have a goiter

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeri

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: {Do you/Does SP} still . . . have a goiter? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ180H	15	0.2 %
2	No MCQ180H	44	0.5 %
9	Don't know MCQ180H	2	0.0 %
. (M)	-	9432	99.4 %

MCQ170I Do you still have thyroid disease

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: {Do you/Does SP} still . . . have another thyroid disease?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ180I	195	2.1 %
2	No MCQ180I	88	0.9 %
9	Don't know MCQ180I	8	0.1 %
. (M)	-	9202	96.9 %

MCQ170K Do you still have chronic bronchitis

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: {Do you/Does SP} still . . . have chronic bronchitis?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ180K	136	1.4 %
2	No MCQ180K	156	1.6 %
9	Don't know MCQ180K	7	0.1 %
. (M)	-	9194	96.9 %

MCQ170L Do you still have a liver condition

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: {Do you/Does SP} still . . . have any kind of liver condition?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ180L	60	0.6 %
2	No MCQ180L	80	0.8 %
9	Don't know MCQ180L	13	0.1 %
. (M)	-	9340	98.4 %

MCQ180A Age when told you had arthritis

Location: 137-141 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was}

first told {you/s/he} . . . had arthritis? English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ190.

Value	Label	Unweighted Frequency	%
1	-	6	0.1 %

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
4	-	1	0.0 %
5	-	3	0.0 %
6	-	3	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	3	0.0 %
11	-	1	0.0 %
12	-	6	0.1 %
14	-	3	0.0 %
15	-	6	0.1 %
16	-	10	0.1 %
17	-	4	0.0 %
18	-	6	0.1 %
19	-	5	0.1 %
20	-	7	0.1 %
21	-	2	0.0 %
22	-	7	0.1 %
23	-	5	0.1 %
24	-	6	0.1 %
25	-	12	0.1 %
26	-	6	0.1 %
27	-	8	0.1 %
28	-	5	0.1 %
29	-	5	0.1 %
30	-	23	0.2 %
31	-	4	0.0 %
32	-	18	0.2 %
33	-	8	0.1 %
34	-	16	0.2 %
35	-	32	0.3 %
36	-	8	0.1 %
37	-	17	0.2 %
38	-	17	0.2 %
39	-	13	0.1 %
40	-	46	0.5 %
41	-	10	0.1 %
42	-	15	0.2 %
43	-	10	0.1 %

Value	Label	Unweighted Frequency	%
44	-	12	0.1 %
45	-	40	0.4 %
46	-	14	0.1 %
47	-	10	0.1 %
48	-	26	0.3 %
49	-	13	0.1 %
50	-	76	0.8 %
51	-	20	0.2 %
52	-	23	0.2 %
53	-	12	0.1 %
54	-	14	0.1 %
55	-	52	0.5 %
56	-	16	0.2 %
57	-	12	0.1 %
58	-	29	0.3 %
59	-	27	0.3 %
60	-	53	0.6 %
61	-	16	0.2 %
62	-	29	0.3 %
63	-	27	0.3 %
64	-	14	0.1 %
65	-	41	0.4 %
66	-	13	0.1 %
67	-	18	0.2 %
68	-	21	0.2 %
69	-	10	0.1 %
70	-	39	0.4 %
71	-	9	0.1 %
72	-	20	0.2 %
73	-	12	0.1 %
74	-	16	0.2 %
75	-	19	0.2 %
76	-	12	0.1 %
77	-	8	0.1 %
78	-	13	0.1 %
79	-	7	0.1 %
80	-	19	0.2 %
81	-	4	0.0 %
82	-	6	0.1 %
83	-	4	0.0 %

Value	Label	Unweighted Frequency	%
84	-	6	0.1 %
85	85 years or older MCQ190	15	0.2 %
99999	Don't know MCQ190	28	0.3 %
. (M)	-	8257	87.0 %

MCQ180B

Age when told you had heart failure

Location:

142-146 (width: 5; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he} . . .had congestive heart failure? English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160C.

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
2	-	1	0.0 %
13	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
21	-	2	0.0 %
23	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
40	-	5	0.1 %
41	-	1	0.0 %
42	-	1	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
47	-	4	0.0 %
48	-	3	0.0 %
49	-	3	0.0 %
50	-	5	0.1 %
51	-	1	0.0 %
52	-	4	0.0 %
53	-	3	0.0 %
54	-	7	0.1 %
55	-	3	0.0 %
56	-	8	0.1 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
57	-	1	0.0 %
58	-	3	0.0 %
59	-	3	0.0 %
60	-	5	0.1 %
61	-	3	0.0 %
62	-	2	0.0 %
63	-	3	0.0 %
64	-	3	0.0 %
65	-	4	0.0 %
66	-	3	0.0 %
67	-	3	0.0 %
68	-	5	0.1 %
69	-	5	0.1 %
70	-	5	0.1 %
71	-	3	0.0 %
72	-	3	0.0 %
74	-	5	0.1 %
75	-	6	0.1 %
76	-	5	0.1 %
77	-	6	0.1 %
78	-	3	0.0 %
79	-	2	0.0 %
80	-	3	0.0 %
81	-	1	0.0 %
82	-	5	0.1 %
83	-	5	0.1 %
84	-	1	0.0 %
85	85 years or older MCQ160C	2	0.0 %
99999	Don't know MCQ160C	2	0.0 %
. (M)	-	9326	98.2 %

MCQ180C

Age when told had coronary heart disease

Location: 147-149 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he} . . .had coronary heart disease? English Instructions: ENTER AGE IN YEARS.

SKIP TO MCQ160D.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
6	-	1	0.0 %

Value		nweighted equency	%
18	-	1	0.0 %
21	-	1	0.0 %
25	-	1	0.0 %
28	-	1	0.0 %
30	-	3	0.0 %
31	-	1	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %
38	-	3	0.0 %
40	-	1	0.0 %
41	-	3	0.0 %
42	-	3	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	4	0.0 %
46	-	3	0.0 %
47	-	6	0.1 %
48	-	3	0.0 %
49	-	1	0.0 %
50	-	6	0.1 %
51	-	3	0.0 %
52	-	5	0.1 %
53	-	4	0.0 %
54	-	7	0.1 %
55	-	7	0.1 %
56	-	4	0.0 %
57	-	4	0.0 %
58	-	6	0.1 %
59	-	3	0.0 %
60	-	9	0.1 %
61	-	3	0.0 %
62	-	8	0.1 %
63	-	7	0.1 %
64	-	3	0.0 %
65	-	5	0.1 %
66	-	5	0.1 %
67	-	3	0.0 %
68	-	10	0.1 %
69	-	6	0.1 %
70	-	7	0.1 %

Value	Label	Unweighted Frequency	%
71	-	5	0.1 %
72	-	5	0.1 %
73	-	1	0.0 %
74	-	4	0.0 %
75	-	5	0.1 %
76	-	4	0.0 %
77	-	2	0.0 %
78	-	2	0.0 %
79	-	1	0.0 %
80	-	3	0.0 %
81	-	2	0.0 %
82	-	4	0.0 %
83	-	2	0.0 %
84	-	1	0.0 %
85	85 years or older MCQ160D	4	0.0 %
. (M)	-	9290	97.9 %

MCQ180D

Age when told you had angina pectoris

Location:

150-154 (width: 5; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he} . . .had angina, also called angina pectoris? English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160E.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
10	-	1	0.0 %
14	-	2	0.0 %
15	-	1	0.0 %
20	-	2	0.0 %
21	-	2	0.0 %
26	-	1	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
40	-	6	0.1 %
41	-	2	0.0 %

Value	Label	Unweighted Frequency	%
42	-	2	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	4	0.0 %
46	-	1	0.0 %
47	-	2	0.0 %
48	-	3	0.0 %
49	-	2	0.0 %
50	-	9	0.1 %
51	-	2	0.0 %
52	-	2	0.0 %
53	-	3	0.0 %
54	-	8	0.1 %
55	-	8	0.1 %
56	-	4	0.0 %
57	-	2	0.0 %
58	-	8	0.1 %
59	-	4	0.0 %
60	-	8	0.1 %
61	-	6	0.1 %
62	-	4	0.0 %
63	-	4	0.0 %
64	-	5	0.1 %
65	-	3	0.0 %
66	-	4	0.0 %
67	-	3	0.0 %
68	-	5	0.1 %
70	-	8	0.1 %
71	-	3	0.0 %
72	-	2	0.0 %
73	-	2	0.0 %
74	-	1	0.0 %
75	-	2	0.0 %
76	-	5	0.1 %
77	-	1	0.0 %
79	-	1	0.0 %
80	-	6	0.1 %
81	-	1	0.0 %
82	-	2	0.0 %
83	-	2	0.0 %

Value	Label	Unweighted Frequency	%
84	-	1	0.0 %
99999	Don't know MCQ160E	4	0.0 %
. (M)	-	9313	98.1 %

MCQ180E

Age when told you had heart attack

Location: 155-159 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he} . . .had a heart attack (also called myocardial infarction)? English Instructions:

ENTER AGE IN YEARS. SKIP TO MCQ160F.

Value	Label	Unweighted Frequency	%
2	-	2	0.0 %
15	-	1	0.0 %
18	-	1	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
38	-	3	0.0 %
40	-	4	0.0 %
41	-	3	0.0 %
42	-	4	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
47	-	8	0.1 %
48	-	2	0.0 %
49	-	5	0.1 %
50	-	6	0.1 %
51	-	3	0.0 %
52	-	4	0.0 %
53	-	5	0.1 %
54	-	11	0.1 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
55	-	11	0.1 %
56	-	8	0.1 %
57	-	4	0.0 %
58	-	5	0.1 %
59	-	4	0.0 %
60	-	5	0.1 %
61	-	5	0.1 %
62	-	4	0.0 %
63	-	4	0.0 %
64	-	7	0.1 %
65	-	7	0.1 %
66	-	5	0.1 %
67	-	3	0.0 %
68	-	10	0.1 %
69	-	3	0.0 %
70	-	3	0.0 %
71	-	6	0.1 %
73	-	2	0.0 %
74	-	4	0.0 %
75	-	6	0.1 %
76	-	2	0.0 %
77	-	2	0.0 %
78	-	5	0.1 %
79	-	3	0.0 %
80	-	4	0.0 %
81	-	2	0.0 %
82	-	2	0.0 %
83	-	3	0.0 %
85	85 years or older MCQ160F	5	0.1 %
99999	Don't know MCQ160F	7	0.1 %
. (M)	-	9272	97.7 %

Age when told you had a stroke MCQ180F

160-162 (width: 3; decimal: 0) Location:

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was}

first told {you/s/he} . . .had a stroke? English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160G.

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
7	-	1	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
20	-	1	0.0 %
21	-	2	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
32	-	3	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
48	-	4	0.0 %
49	-	5	0.1 %
50	-	2	0.0 %
51	-	6	0.1 %
52	-	8	0.1 %
53	-	1	0.0 %
54	-	5	0.1 %
55	-	3	0.0 %
56	-	2	0.0 %
57	-	3	0.0 %
58	-	3	0.0 %
59	-	3	0.0 %
60	-	7	0.1 %
61	-	3	0.0 %
62	-	6	0.1 %
63	-	4	0.0 %
64	_	4	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
65	-	6	0.1 %
66	-	5	0.1 %
67	-	3	0.0 %
68	-	1	0.0 %
69	-	7	0.1 %
70	-	4	0.0 %
71	-	3	0.0 %
72	-	4	0.0 %
73	-	5	0.1 %
74	-	4	0.0 %
75	-	8	0.1 %
76	-	6	0.1 %
77	-	3	0.0 %
78	-	2	0.0 %
79	-	1	0.0 %
80	-	8	0.1 %
81	-	2	0.0 %
82	-	7	0.1 %
83	-	3	0.0 %
84	-	2	0.0 %
85	85 years or older MCQ160G	4	0.0 %
. (M)	-	9303	98.0 %

MCQ180G

Age when told you had emphysema

Location:

163-167 (width: 5; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he} . . .had emphysema? English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160J.

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
19	-	1	0.0 %
30	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	3	0.0 %
42	-	2	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
47	-	1	0.0 %
48	-	2	0.0 %
50	-	4	0.0 %
52	-	1	0.0 %
55	-	5	0.1 %
56	-	1	0.0 %
57	-	2	0.0 %
58	-	3	0.0 %
59	-	2	0.0 %
60	-	6	0.1 %
62	-	2	0.0 %
63	-	2	0.0 %
64	-	1	0.0 %
65	-	5	0.1 %
66	-	2	0.0 %
67	-	2	0.0 %
68	-	5	0.1 %
69	-	6	0.1 %
70	-	5	0.1 %
71	-	2	0.0 %
72	-	1	0.0 %
74	-	1	0.0 %
75	-	3	0.0 %
76	-	2	0.0 %
77	-	1	0.0 %
78	-	3	0.0 %
79	-	2	0.0 %
80	-	1	0.0 %
81	-	1	0.0 %
83	-	2	0.0 %
85	85 years or older MCQ160H	1	0.0 %
99999	Don't know MCQ160H	3	0.0 %
. (M)	-	9398	99.0 %

MCQ180H Age when told you had a goiter

Location: 168-172 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was}

first told {you/s/he} . . .had a goiter? English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160i.

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
5	-	2	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
19	-	3	0.0 %
20	-	1	0.0 %
26	-	2	0.0 %
27	-	2	0.0 %
29	-	4	0.0 %
30	-	2	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	_	1	0.0 %
45	-	3	0.0 %
50	-	4	0.0 %
58	_	1	0.0 %
60	-	1	0.0 %
67	_	1	0.0 %
68	_	1	0.0 %
69		1	0.0 %
72		1	0.0 %
99999	Don't know MCQ160I	2	0.0 %
. (M)	-	9432	99.4 %

MCQ180I

Age when told you had thyroid disease

Location: 173-177 (width: 5; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he} . . .had another thyroid disease? English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160j.

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
12	-	4	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
16	-	5	0.1 %
17	-	3	0.0 %
18	-	4	0.0 %
19	-	4	0.0 %
20	-	6	0.1 %
21	-	3	0.0 %
22	-	4	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	7	0.1 %
26	-	3	0.0 %
27	-	5	0.1 %
28	-	4	0.0 %
29	-	5	0.1 %
30	-	4	0.0 %
31	-	4	0.0 %
32	-	3	0.0 %
33	-	2	0.0 %
34	-	3	0.0 %
35	-	9	0.1 %
36	-	9	0.1 %
37	-	6	0.1 %
38	-	5	0.1 %
39	-	4	0.0 %
40	-	17	0.2 %
42	-	2	0.0 %
43	-	4	0.0 %
44	-	7	0.1 %

Value	Label	Unweighted Frequency	%
45	-	8	0.1 %
46	-	2	0.0 %
47	-	3	0.0 %
48	-	9	0.1 %
49	-	7	0.1 %
50	-	9	0.1 %
51	-	4	0.0 %
52	-	6	0.1 %
53	-	1	0.0 %
54	-	2	0.0 %
55	-	6	0.1 %
56	-	5	0.1 %
57	-	3	0.0 %
58	-	3	0.0 %
60	-	10	0.1 %
62	-	2	0.0 %
63	-	2	0.0 %
64	-	4	0.0 %
65	-	5	0.1 %
66	-	2	0.0 %
67	-	1	0.0 %
68	-	6	0.1 %
69	-	3	0.0 %
70	-	5	0.1 %
71	-	1	0.0 %
72	-	3	0.0 %
73	-	2	0.0 %
74	-	7	0.1 %
75	-	5	0.1 %
76	-	2	0.0 %
78	-	2	0.0 %
79	-	2	0.0 %
80	-	1	0.0 %
81	-	1	0.0 %
84	-	2	0.0 %
85	85 years or older MCQ160J	3	0.0 %
99999	Don't know MCQ160J	5	0.1 %
. (M)	-	9202	96.9 %

MCQ180K

Age when told you had chronic bronchitis

Location: 178-182 (width: 5; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he} . . .had chronic bronchitis? English Instructions: ENTER AGE IN YEARS. SKIP TO MCQ160L.

Value	Label	Unweighted Frequency	%
1	-	7	0.1 %
2	-	3	0.0 %
3	-	1	0.0 %
4	-	2	0.0 %
5	-	5	0.1 %
6	-	5	0.1 %
7	-	2	0.0 %
8	-	7	0.1 %
9	-	1	0.0 %
10	-	7	0.1 %
11	-	1	0.0 %
12	-	6	0.1 %
13	-	4	0.0 %
14	-	4	0.0 %
15	-	5	0.1 %
16	-	5	0.1 %
17	-	3	0.0 %
18	-	4	0.0 %
19	-	5	0.1 %
20	-	4	0.0 %
21	-	4	0.0 %
22	-	3	0.0 %
23	-	4	0.0 %
24	-	5	0.1 %
25	-	10	0.1 %
26	-	5	0.1 %
27	-	7	0.1 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	12	0.1 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	12	0.1 %
36	-	4	0.0 %

Value	Label	Unweighted Frequency	%
38	-	4	0.0 %
39	-	3	0.0 %
40	-	10	0.1 %
41	-	2	0.0 %
42	-	6	0.1 %
43	-	3	0.0 %
44	-	1	0.0 %
45	-	10	0.1 %
46	-	1	0.0 %
47	-	4	0.0 %
49	-	5	0.1 %
50	-	6	0.1 %
51	-	4	0.0 %
52	-	4	0.0 %
53	-	3	0.0 %
54	-	3	0.0 %
55	-	6	0.1 %
57	-	2	0.0 %
58	-	4	0.0 %
59	-	3	0.0 %
60	-	6	0.1 %
61	-	3	0.0 %
62	-	4	0.0 %
63	-	3	0.0 %
64	-	4	0.0 %
65	-	4	0.0 %
66	-	1	0.0 %
67	-	1	0.0 %
68	-	2	0.0 %
70	-	5	0.1 %
72	-	1	0.0 %
74	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
77	-	1	0.0 %
78	-	2	0.0 %
79	-	1	0.0 %
80	-	3	0.0 %
81	-	2	0.0 %
83	_	1	0.0 %

Value	Label	Unweighted Frequency	%
85	85 years or older MCQ160L	1	0.0 %
99999	Don't know MCQ160L	9	0.1 %
. (M)	-	9194	96.9 %

MCQ180L

Age when told you had a liver condition

Location: 183-187 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when {you were/s/he was} first told {you/s/he} . . .had any kind of liver condition? English Instructions: ENTER AGE IN YEARS.

SKIP TO MCQ200160M

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	1	0.0 %
3	-	1	0.0 %
6	-	2	0.0 %
8	-	2	0.0 %
10	-	3	0.0 %
11	-	1	0.0 %
13	-	3	0.0 %
14	-	1	0.0 %
15	-	3	0.0 %
16	-	1	0.0 %
18	-	2	0.0 %
19	-	3	0.0 %
20	-	3	0.0 %
21	-	2	0.0 %
22	-	2	0.0 %
23	-	6	0.1 %
24	-	2	0.0 %
25	-	2	0.0 %
26	-	3	0.0 %
27	-	3	0.0 %
29	-	1	0.0 %
30	-	6	0.1 %
31	-	3	0.0 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	7	0.1 %
36	-	1	0.0 %
38	-	3	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
39	-	2	0.0 %
40	-	5	0.1 %
42	-	3	0.0 %
43	-	4	0.0 %
44	-	6	0.1 %
45	-	1	0.0 %
47	-	5	0.1 %
48	-	1	0.0 %
49	-	3	0.0 %
50	-	4	0.0 %
51	-	3	0.0 %
52	-	3	0.0 %
53	-	5	0.1 %
55	-	1	0.0 %
56	-	1	0.0 %
57	-	2	0.0 %
58	-	2	0.0 %
59	-	1	0.0 %
60	-	6	0.1 %
61	-	1	0.0 %
62	-	3	0.0 %
63	-	2	0.0 %
64	-	2	0.0 %
65	-	1	0.0 %
67	-	3	0.0 %
68	-	2	0.0 %
71	-	2	0.0 %
72	-	1	0.0 %
79	-	1	0.0 %
83	-	1	0.0 %
85	85 years or older MCQ200	1	0.0 %
99999	Don't know MCQ200	3	0.0 %
. (M)	-	9340	98.4 %

MCQ190 Which type of arthritis

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which type of arthritis was it English Instructions:

Value	Label	Unweighted Frequency	%
1	Rheumatoid arthritis MCQ160B	367	3.9 %
2	Osteoarthritis MCQ160B	322	3.4 %
3	Other MCQ160B	32	0.3 %
7	Refused MCQ160B	1	0.0 %
9	Don't know MCQ160B	517	5.4 %
. (M)	-	8254	86.9 %

MCQ200 Ever told had stomach/duod/peptic ulcer

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: {Have you/Has SP} ever been told by a doctor or other

health professional that {you/s/he} had an ulcer, this could be a stomach, duodenal or peptic ulcer?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	526	5.5 %
2	No MCQ220	4341	45.7 %
7	Refused MCQ220	1	0.0 %
9	Don't know MCQ220	12	0.1 %
. (M)	-	4613	48.6 %

MCQ210 Had ulcer in past year

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: During the past 12 months {have you/has SP} had an

ulcer? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	154	1.6 %
2	No	366	3.9 %
9	Don't know	6	0.1 %
. (M)	-	8967	94.5 %

MCQ220 Ever told you had cancer or malignancy

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: {Have you/Has SP} ever been told by a doctor or other

health professional that {you/s/he} had cancer or a malignancy of any kind? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	386	4.1 %
2	No MCQ245A	4489	47.3 %

Value	Label	Unweighted Frequency	%
9	Don't know MCQ245A	5	0.1 %
. (M)	-	4613	48.6 %

MCQ230A What kind of cancer

Location: 200-202 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: What kind of cancer was it? English Instructions: ENTER
UP TO 3 KINDS. IF RESPONDENT OFFERS MORE THAN 3, ENTER 66 AS THE 4TH RESPONSE.
CAPI INSTRUCTIONS: ALLOW UP TO 3 ENTRIES. ALLOW 'MORE THAN 3 KINDS' (CODE 66)

ONLY AS 4TH ENTRY.

Value	Label	Unweighted Frequency	%
10	Bladder	10	0.1 %
11	Blood	1	0.0 %
12	Bone	5	0.1 %
14	Breast	63	0.7 %
15	Cervix (cervical)	20	0.2 %
16	Colon	28	0.3 %
17	Esophagus (esophageal)	2	0.0 %
19	Kidney	6	0.1 %
20	Larynx/ windpipe	3	0.0 %
21	Leukemia	4	0.0 %
22	Liver	1	0.0 %
23	Lung	10	0.1 %
24	Lymphoma/Hodgkin's disease	4	0.0 %
25	Melanoma	25	0.3 %
26	Mouth/tongue/lip	5	0.1 %
28	Ovary (ovarian)	18	0.2 %
30	Prostate	73	0.8 %
31	Rectum (rectal)	3	0.0 %
32	Skin (non-melanoma)	35	0.4 %
33	Skin (don't know what kind)	25	0.3 %
34	Soft tissue (muscle or fat)	2	0.0 %
35	Stomach	5	0.1 %
36	Testis (testicular)	2	0.0 %
37	Thyroid	3	0.0 %
38	Uterus (uterine)	17	0.2 %
39	Other	13	0.1 %
99	Don't know	3	0.0 %
. (M)	-	9107	95.9 %

MCQ230B What kind of cancer

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

Question: Ta

Target: B(20 Yrs. to 120 Yrs.) English Text: What kind of cancer was it? English Instructions: ENTER UP TO 3 KINDS. IF RESPONDENT OFFERS MORE THAN 3, ENTER 66 AS THE 4TH RESPONSE. CAPI INSTRUCTIONS: ALLOW UP TO 3 ENTRIES. ALLOW 'MORE THAN 3 KINDS (CODE 66) ONLY AS 4TH ENTRY.

Value	Label	Unweighted Frequency	%
10	Bladder	1	0.0 %
12	Bone	2	0.0 %
14	Breast	1	0.0 %
15	Cervix (cervical)	2	0.0 %
16	Colon	4	0.0 %
20	Larynx/ windpipe	1	0.0 %
21	Leukemia	1	0.0 %
22	Liver	3	0.0 %
23	Lung	2	0.0 %
24	Lymphoma/Hodgkin's disease	2	0.0 %
25	Melanoma	2	0.0 %
26	Mouth/tongue/lip	1	0.0 %
28	Ovary (ovarian)	1	0.0 %
30	Prostate	3	0.0 %
31	Rectum (rectal)	3	0.0 %
32	Skin (non-melanoma)	4	0.0 %
33	Skin (don't know what kind)	1	0.0 %
35	Stomach	1	0.0 %
36	Testis (testicular)	1	0.0 %
37	Thyroid	2	0.0 %
38	Uterus (uterine)	6	0.1 %
39	Other	3	0.0 %
. (M)	-	9446	99.5 %

MCQ230C What kind of cancer

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeri

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: What kind of cancer was it? English Instructions: ENTER UP TO 3 KINDS. IF RESPONDENT OFFERS MORE THAN 3, ENTER 66 AS THE 4TH RESPONSE.

CAPI INSTRUCTIONS: ALLOW UP TO 3 ENTRIES. ALLOW 'MORE THAN 3 KINDS (CODE 66)

ONLY AS 4TH ENTRY.

Value	Label	Unweighted Frequency	%
22	Liver	2	0.0 %
23	Lung	1	0.0 %
38	Uterus (uterine)	1	0.0 %

Value	Label	Unweighted Frequency	%
. (M)	-	9489	100.0 %

MCQ230D

What kind of cancer

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: What kind of cancer was it? English Instructions: ENTER

UP TO 3 KINDS. IF RESPONDENT OFFERS MORE THAN 3, ENTER 66 AS THE 4TH RESPONSE. CAPI INSTRUCTIONS: ALLOW UP TO 3 ENTRIES. ALLOW 'MORE THAN 3 KINDS (CODE 66)

ONLY AS 4TH ENTRY.

Value	Label	Unweighted Frequency	%
66	More than 3 kinds	1	0.0 %
. (M)	-	9492	100.0 %

MCQ240A

Age when bladder cancer first diagnosed

Location: 212-214 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when {TYPE OF

CANCER/cancer} was first diagnosed? How old (were you/was SP) when bladder cancer was first

diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
36	-	1	0.0 %
50	-	1	0.0 %
56	-	1	0.0 %
63	-	2	0.0 %
68	-	1	0.0 %
70	-	1	0.0 %
72	-	1	0.0 %
75	-	1	0.0 %
80	-	1	0.0 %
. (M)	-	9482	99.9 %

MCQ240B

Age when blood cancer first diagnosed

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old {were you/was SP} when blood cancer was first

diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
. (M)	-	9492	100.0 %

MCQ240C Age when bone cancer first diagnosed

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when bone cancer was first

diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
30	-	2	0.0 %
35	-	1	0.0 %
54	-	1	0.0 %
60	-	1	0.0 %
67	-	1	0.0 %
76	-	1	0.0 %
. (M)	-	9486	99.9 %

MCQ240D Age when brain cancer first diagnosed

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when brain cancer was first

diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
. (M)	-	9493	100.0 %

MCQ240E Age when breast cancer first diagnosed

Location: 224-228 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when breast cancer was

first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
37	-	2	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	3	0.0 %
45	-	3	0.0 %
48	-	2	0.0 %
50	-	1	0.0 %
52	-	5	0.1 %
55	-	1	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
56	-	2	0.0 %
57	-	1	0.0 %
58	-	2	0.0 %
59	-	2	0.0 %
60	-	1	0.0 %
61	-	4	0.0 %
63	-	2	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
67	-	3	0.0 %
68	-	4	0.0 %
69	-	5	0.1 %
71	-	2	0.0 %
72	-	1	0.0 %
73	-	4	0.0 %
74	-	1	0.0 %
75	-	2	0.0 %
76	-	1	0.0 %
79	-	1	0.0 %
99999	Don't know	1	0.0 %
. (M)	-	9429	99.3 %

MCQ240F

Age when cervical cancer first diagnosed

Location: 229-231 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when cervical cancer was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
16	-	2	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
22	-	2	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
34	-	1	0.0 %

Value	Label	Unweighted Frequency	%
35	-	1	0.0 %
37	-	1	0.0 %
42	-	3	0.0 %
46	-	3	0.0 %
64	-	1	0.0 %
. (M)	-	9471	99.8 %

MCQ240G

Age when colon cancer first diagnosed

Location: 232-234 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when colon cancer was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
38	-	1	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
51	-	1	0.0 %
52	-	2	0.0 %
53	-	2	0.0 %
58	-	2	0.0 %
59	-	1	0.0 %
61	-	1	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
68	-	1	0.0 %
69	-	3	0.0 %
70	-	1	0.0 %
72	-	2	0.0 %
73	-	1	0.0 %
76	-	2	0.0 %
77	-	1	0.0 %
78	-	1	0.0 %
81	-	2	0.0 %
85	85 years or older	3	0.0 %
. (M)	-	9461	99.7 %

MCQ240H

Age esophageal cancer first diagnosed

Location: 235-237 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when esophageal cancer was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
43	-	1	0.0 %
59	-	1	0.0 %
. (M)	-	9491	100.0 %

MCQ240I Age gallbladder cancer first diagnosed

Location: 238-240 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when gallbladder cancer

was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
. (M)	-	9493	100.0 %

MCQ240J Age when kidney cancer first diagnosed

Location: 241-243 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when kidney cancer was

first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
37	-	1	0.0 %
51	-	1	0.0 %
55	-	1	0.0 %
66	-	1	0.0 %
72	-	1	0.0 %
78	-	1	0.0 %
. (M)	-	9487	99.9 %

MCQ240K Age larynx/windpipe cancer diagnosed

Location: 244-246 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when larynx or windpipe

cancer was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
50	-	1	0.0 %
67	-	1	0.0 %
70	-	1	0.0 %
74	-	1	0.0 %
. (M)	-	9489	100.0 %

MCQ240L Age when leukemia first diagnosed

Location: 247-249 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs.) to 120 Yrs.) English Text: How old (were you/was SP) when leukemia was first

diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
48	-	1	0.0 %
53	-	1	0.0 %
56	-	1	0.0 %
68	-	1	0.0 %
72	-	1	0.0 %
. (M)	-	9488	99.9 %

MCQ240M Age when liver cancer first diagnosed

Location: 250-252 (width: 3; decimal: 0)

Variable Type: numeric

Target: B(20 Yrs.) to 120 Yrs.) English Text: How old (were you/was SP) when liver cancer was first Question:

diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
42	-	1	0.0 %
51	-	1	0.0 %
61	-	1	0.0 %
67	-	1	0.0 %
71	-	1	0.0 %
85	85 years or older	1	0.0 %
. (M)	-	9487	99.9 %

MCQ240N Age when lung cancer first diagnosed

Location: 253-255 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs.) to 120 Yrs.) English Text: How old (were you/was SP) when lung cancer was first

diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
51	-	2	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
68	-	3	0.0 %

Value	Label	Unweighted Frequency	%
71	-	1	0.0 %
75	-	1	0.0 %
83	-	1	0.0 %
. (M)	-	9480	99.9 %

MCQ240O Age lymphoma/Hodgkin's diagnosed

Location: 256-258 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when lymphoma or Hodgkin's

Disease was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
9	-	1	0.0 %
33	-	1	0.0 %
47	-	1	0.0 %
50	-	1	0.0 %
54	-	1	0.0 %
77	-	1	0.0 %
. (M)	-	9487	99.9 %

MCQ240P Age when melanoma first diagnosed

Location: 259-261 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when melanoma was first

diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
19	-	1	0.0 %
24	-	1	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
50	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
58	-	2	0.0 %

Value	Label	Unweighted Frequency	%
62	-	1	0.0 %
64	-	1	0.0 %
65	-	3	0.0 %
66	-	1	0.0 %
69	-	1	0.0 %
70	-	1	0.0 %
74	-	1	0.0 %
76	-	1	0.0 %
83	-	1	0.0 %
85	85 years or older	1	0.0 %
. (M)	-	9466	99.7 %

MCQ240Q Age mouth\tongue\lip cancer diagnosed

Location: 262-264 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when mouth, tongue, or lip

cancer was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
42	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
53	-	1	0.0 %
61	-	1	0.0 %
67	-	1	0.0 %
. (M)	-	9487	99.9 %

MCQ240R Age nervous system cancer diagnosed

Location: 265-267 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when cancer of the nervous

system was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value		Unweighted Frequency	%	
. (M)	-	9493	100.0 %	

MCQ240S Age when ovarian cancer first diagnosed

Location: 268-270 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when ovarian cancer was

first diagnosed? English Instructions: ENTER AGE IN YEARS

- Study 25501 -

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
21	-	1	0.0 %
25	-	2	0.0 %
27	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
44	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
60	-	1	0.0 %
71	-	1	0.0 %
80	-	1	0.0 %
. (M)	-	9474	99.8 %

MCQ240T

Age pancreatic cancer first diagnosed

Location: 271-273 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when pancreatic cancer

was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value		Unweighted Frequency	%	
. (M)	-	9493	100.0 %	

MCQ240U

Age prostate cancer first diagnosed

Location: 274-276 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when prostate cancer was

first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
48	-	1	0.0 %
55	-	1	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
56	-	1	0.0 %
57	-	1	0.0 %
59	-	4	0.0 %
60	=	2	0.0 %
62	-	2	0.0 %
63	-	1	0.0 %
64	-	3	0.0 %
65	-	6	0.1 %
66	-	2	0.0 %
67	-	5	0.1 %
68	-	6	0.1 %
69	-	1	0.0 %
70	-	3	0.0 %
71	-	4	0.0 %
72	-	6	0.1 %
73	-	3	0.0 %
74	-	3	0.0 %
75	-	1	0.0 %
76	-	3	0.0 %
77	-	1	0.0 %
78	-	1	0.0 %
79	-	4	0.0 %
80	-	2	0.0 %
81	-	1	0.0 %
82	-	1	0.0 %
84	-	1	0.0 %
85	85 years or older	3	0.0 %
. (M)	-	9417	99.2 %

MCQ240V

Age when rectal cancer first diagnosed

Location: 277-279 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when rectal cancer was first

diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
65	-	1	0.0 %
67	-	1	0.0 %
69	-	1	0.0 %
73	-	1	0.0 %
74	-	1	0.0 %

Value	Label	Unweighted Frequency	%
85	85 years or older	1	0.0 %
. (M)	-	9487	99.9 %

MCQ240W

Age non-melanoma skin cancer diagnosed

Location: 280-282 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when non-melanoma skin cancer was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
20	-	2	0.0 %
33	-	1	0.0 %
38	-	1	0.0 %
43	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	2	0.0 %
51	-	1	0.0 %
52	-	2	0.0 %
55	-	1	0.0 %
56	-	2	0.0 %
57	-	2	0.0 %
58	-	3	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
64	-	1	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
70	-	1	0.0 %
72	-	2	0.0 %
73	-	2	0.0 %
74	-	1	0.0 %
75	-	4	0.0 %
76	-	1	0.0 %
78	-	1	0.0 %
82	-	1	0.0 %
. (M)	-	9454	99.6 %

MCQ240X

Age unknown skin cancer first diagnosed

Location: 283-285 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when the unknown kind of skin cancer was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
50	-	1	0.0 %
52	-	2	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
57	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
67	-	1	0.0 %
69	-	1	0.0 %
70	-	3	0.0 %
72	-	2	0.0 %
76	-	1	0.0 %
77	-	1	0.0 %
80	-	2	0.0 %
85	85 years or older	1	0.0 %
. (M)	-	9467	99.7 %

MCQ240Y

Age soft tissue cancer first diagnosed

Location:

286-288 (width: 3; decimal: 0)

Variable Type:

Question:

Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when soft tissue (muscle or fat) cancer was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
63	-	1	0.0 %
71	-	1	0.0 %
. (M)	-	9491	100.0 %

MCQ240Z

Age stomach cancer first diagnosed

Location:

289-291 (width: 3; decimal: 0)

Variable Type:

Question:

Target: B(20 Yrs.) to 120 Yrs.) English Text: How old (were you/was SP) when stomach cancer was

first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
29	-	1	0.0 %
32	-	1	0.0 %
42	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
. (M)	-	9487	99.9 %

MCQ240AA Age testicular cancer first diagnosed

Location: 292-294 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when testicular cancer was

first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
42	-	1	0.0 %
47	-	1	0.0 %
75	-	1	0.0 %
. (M)	-	9490	100.0 %

MCQ240BB Age when thyroid cancer first diagnosed

Location: 295-297 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when thyroid cancer was

first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
35	-	1	0.0 %
46	-	1	0.0 %
55	-	2	0.0 %
. (M)	-	9488	99.9 %

MCQ240CC Age when uterine cancer first diagnosed

Location: 298-302 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when uterine cancer was

first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
21	-	1	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
22	-	1	0.0 %
26	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
47	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
53	-	2	0.0 %
54	-	1	0.0 %
62	-	1	0.0 %
71	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
81	-	1	0.0 %
99999	Don't know	1	0.0 %
. (M)	-	9469	99.7 %

MCQ240DD

Age other type of cancer first diagnosed

Location: 303-305 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: How old (were you/was SP) when some other type of cancer was first diagnosed? English Instructions: ENTER AGE IN YEARS

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
7	-	1	0.0 %
18	-	1	0.0 %
40	-	1	0.0 %
55	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
65	-	1	0.0 %
68	-	1	0.0 %
70	-	1	0.0 %
71	-	2	0.0 %
73	-	1	0.0 %

Value	Label	Unweighted Frequency	%
80	-	1	0.0 %
82	-	1	0.0 %
85	85 years or older	1	0.0 %
. (M)	-	9477	99.8 %

MCQ245A

Work days missed for illness/maternity

Location: 306-308 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 120 Yrs.) English Text: During the past 12 months, that is since {DISPLAY

CURRENT MONTH} of last year, about how many days did {you/SP} miss work at a job or business because of an illness or injury {do not include maternity leave}? English Instructions: CAPI INSTRUCTION: DISPLAY "DO NOT INCLUDE MATERNITY LEAVE" ONLY IF SP IS FEMALE.

Value	Label	Unweighted Frequency	%
1	Enter number	3470	36.6 %
2	Does not work	2570	27.1 %
7	Refused	1	0.0 %
9	Don't know	2	0.0 %
. (M)	-	3450	36.3 %

MCQ245B

of workdays missed

Location: 309-313 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(16 Yrs. to 120 Yrs.) English Text: During the past 12 months, that is since {DISPLAY CURRENT MONTH} of last year, about how many days did {you/SP} miss work at a job or business

because of an illness or injury {do not include maternity leave}? English Instructions: ENTER NUMBER

OF DAYS

Value	Label	Unweighted Frequency	%
0	-	1851	19.5 %
1	-	361	3.8 %
2	-	358	3.8 %
3	-	244	2.6 %
4	-	96	1.0 %
5	-	159	1.7 %
6	-	36	0.4 %
7	-	42	0.4 %
8	-	26	0.3 %
9	-	8	0.1 %
10	-	75	0.8 %
11	-	5	0.1 %
12	-	10	0.1 %

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
14	-	23	0.2 %
15	-	17	0.2 %
16	-	3	0.0 %
20	-	8	0.1 %
21	-	7	0.1 %
25	-	3	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	33	0.3 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
38	-	2	0.0 %
40	-	10	0.1 %
42	-	2	0.0 %
45	-	6	0.1 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	6	0.1 %
55	-	1	0.0 %
56	-	1	0.0 %
60	-	15	0.2 %
67	-	1	0.0 %
71	-	1	0.0 %
75	-	2	0.0 %
80	-	3	0.0 %
85	-	1	0.0 %
90	-	12	0.1 %
100	-	2	0.0 %
105	-	1	0.0 %
120	-	8	0.1 %
134	-	1	0.0 %
135	-	1	0.0 %
150	-	2	0.0 %
180	-	4	0.0 %
210	-	1	0.0 %
220	-	1	0.0 %
224	-	1	0.0 %

Value	Label	Unweighted Frequency	%
230	-	1	0.0 %
240	-	1	0.0 %
300	-	2	0.0 %
360	-	1	0.0 %
365	-	4	0.0 %
99999	Don't know	1	0.0 %
. (M)	=	6023	63.4 %

MCQ250A Blood relatives have diabetes

Location: 314-316 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Including living and deceased, were any of {SP's/ your} biological that is, blood relatives including grandparents, parents, brothers, sisters ever told by a

 $health\ professional\ that\ they\ had\ \dots diabetes?\ English\ Instructions:\ CAPI\ INSTRUCTION:\ TEXT\ OF$

QUESTION SHOULD BE OPTIONAL, '[]'S, AFTER FIRST TIME.

Value	Label	Unweighted Frequency	%
1	Yes MCQ260AA	2269	23.9 %
2	No	2522	26.6 %
7	Refused	1	0.0 %
9	Don't know	88	0.9 %
. (M)	-	4613	48.6 %

MCQ250B Blood relatives have Alzheimer's

Location: 317-319 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Including living and deceased, were any of {SP's/ your}

biological that is, blood relatives including grandparents, parents, brothers, sisters ever told by a

health professional that they had . . . Alzheimer's disease? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ260BA	464	4.9 %
2	No	4323	45.5 %
7	Refused	1	0.0 %
9	Don't know	92	1.0 %
. (M)	-	4613	48.6 %

MCQ250C Blood relatives have asthma

Location: 320-322 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Including living and deceased, were any of {SP's/ your}

biological that is, blood relatives including grandparents, parents, brothers, sisters ever told by a

health professional that they had . . .asthma? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ260CA	1005	10.6 %
2	No	3788	39.9 %
9	Don't know	87	0.9 %
. (M)	-	4613	48.6 %

MCQ250D Blood relatives have arthritis

Location: 323-325 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Including living and deceased, were any of {SP's/ your}

biological that is, blood relatives including grandparents, parents, brothers, sisters ever told by a

health professional that they had . . .arthritis? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ260DA	2080	21.9 %
2	No	2587	27.3 %
7	Refused	1	0.0 %
9	Don't know	212	2.2 %
. (M)	-	4613	48.6 %

MCQ250E Blood relatives have osteoporosis

Location: 326-328 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Including living and deceased, were any of {SP's/ your}

biological that is, blood relatives including grandparents, parents, brothers, sisters ever told by a

health professional that they had . . .osteoporosis or brittle bones? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ260EA	478	5.0 %
2	No	4220	44.5 %
9	Don't know	182	1.9 %
. (M)	-	4613	48.6 %

MCQ250F Blood relatives w/hypertension/stroke

Location: 329-331 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Including living and deceased, were any of {SP's/ your}

biological that is, blood relatives including grandparents, parents, brothers, sisters ever told by a health professional that they had . . .high blood pressure or stroke before the age of 50? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ260FA	1249	13.2 %
2	No	3417	36.0 %

Value	Label	Unweighted Frequency	%
7	Refused	2	0.0 %
9	Don't know	212	2.2 %
. (M)	-	4613	48.6 %

MCQ250G Blood relatives have angina

Location: 332-334 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Including living and deceased, were any of {SP's/ your} biological that is, blood relatives including grandparents, parents, brothers, sisters ever told by a

health professional that they had . . . heart attack or angina before the age of 50? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes MCQ260GA	555	5.8 %
2	No	4159	43.8 %
7	Refused	2	0.0 %
9	Don't know	164	1.7 %
. (M)	-	4613	48.6 %

MCQ260AA Blood relative-diabetes-mother

Location: 335-337 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
1	Mother MCQ250B	783	8.2 %
99	Don't know MCQ250B	5	0.1 %
. (M)	-	8705	91.7 %

MCQ260AB Blood relative-diabetes-father

Location: 338-340 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
2	Father MCQ250B	457	4.8 %
. (M)	-	9036	95.2 %

MCQ260AC Blood relative-diabetes-mother's mother

Location: 341-343 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
3	Mother's mother MCQ250B	420	4.4 %
. (M)	-	9073	95.6 %

MCQ260AD Blood relative-diabetes-mother's father

Location: 344-346 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 4
 Mother's father MCQ250B
 186
 2.0 %

 . (M)
 9307
 98.0 %

MCQ260AE Blood relative-diabetes-father's mother

Location: 347-349 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
5	Father's mother MCQ250B	234	2.5 %
. (M)	-	9259	97.5 %

MCQ260AF Blood relative-diabetes-father's father

Location: 350-352 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
6	Father's father MCQ250B	124	1.3 %
. (M)	-	9369	98.7 %

MCQ260AG Blood relative-diabetes-brother

Location: 353-355 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Value	Label	Unweighted Frequency	%
7	Brother MCQ250B	372	3.9 %

Value	Label	Unweighted Frequency	%
. (M)	-	9121	96.1 %

MCQ260AH Blood relative-diabetes-sister

Location: 356-358 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
8	Sister MCQ250B	393	4.1 %
. (M)	-	9100	95.9 %

MCQ260Al Blood relative-diabetes-other

Location: 359-361 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
9	Other MCQ250B	495	5.2 %
. (M)	-	8998	94.8 %

MCQ260BA Blood relative-Alzheimer's-mother

Location: 362-364 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
1	Mother MCQ250C	107	1.1 %
99	Don't know MCQ250C	1	0.0 %
. (M)	-	9385	98.9 %

MCQ260BB Blood relative-Alzheimer's-father

Location: 365-367 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
2	Father MCQ250C	53	0.6 %
. (M)	-	9440	99.4 %

MCQ260BC Blood relative-Alzheimer's-mom's mother

Location: 368-370 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
3	Mother's mother MCQ250C	75	0.8 %
. (M)	-	9418	99.2 %

MCQ260BD Blood relative-Alzheimer's-mom's father

Location: 371-373 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 4
 Mother's father MCQ250C
 46
 0.5 %

 . (M)
 99.5 %

MCQ260BE Blood relative-Alzheimer's-dad's mother

Location: 374-376 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 5
 Father's mother MCQ250C
 47
 0.5 %

 . (M)
 9446
 99.5 %

MCQ260BF Blood relative-Alzheimer's-dad's father

Location: 377-379 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 6
 Father's father MCQ250C
 28
 0.3 %

 . (M)
 9465
 99.7 %

MCQ260BG Blood relative-Alzheimer's-brother

Location: 380-382 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Value	Label	Unweighted Frequency	%
7	Brother MCQ250C	18	0.2 %
. (M)	-	9475	99.8 %

MCQ260BH Blood relative-Alzheimer's-sister

Location: 383-385 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
8	Sister MCQ250C	27	0.3 %
. (M)	-	9466	99.7 %

MCQ260BI Blood relative-Alzheimer's-other

Location: 386-388 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
9	Other MCQ250C	115	1.2 %
. (M)	-	9378	98.8 %

MCQ260CA Blood relative-asthma-mother

Location: 389-391 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value		Unweighted Frequency	%
1	Mother MCQ250D	227	2.4 %
. (M)	-	9266	97.6 %

MCQ260CB Blood relative-asthma-father

Location: 392-394 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
2	Father MCQ250D	154	1.6 %
. (M)	-	9339	98.4 %

MCQ260CC Blood relative-asthma-mother's mother

Location: 395-397 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
3	Mother's mother MCQ250D	67	0.7 %
. (M)	-	9426	99.3 %

MCQ260CD Blood relative-asthma-mother's father

Location: 398-400 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 4
 Mother's father MCQ250D
 35
 0.4 %

 . (M)
 9458
 99.6 %

MCQ260CE Blood relative-asthma-father's mother

Location: 401-403 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 5
 Father's mother MCQ250D
 25
 0.3 %

 . (M)
 9468
 99.7 %

MCQ260CF Blood relative-asthma-father's father

Location: 404-406 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 6
 Father's father MCQ250D
 27
 0.3 %

 . (M)
 9466
 99.7 %

MCQ260CG Blood relative-asthma-brother

Location: 407-409 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Value	Label	Unweighted Frequency	%
7	Brother MCQ250E	192	2.0 %
. (M)	-	9301	98.0 %

MCQ260CH Blood relative-asthma-sister

Location: 410-412 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
8	Sister MCQ250D	204	2.1 %
. (M)	-	9289	97.9 %

MCQ260CI Blood relative-asthma-other

Location: 413-415 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
9	Other MCQ250D	321	3.4 %
. (M)	-	9172	96.6 %

MCQ260DA Blood relative-arthritis-mother

Location: 416-418 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
1	Mother MCQ250E	1055	11.1 %
99	Don't know MCQ250E	3	0.0 %
. (M)	-	8435	88.9 %

MCQ260DB Blood relative-arthritis-father

Location: 419-421 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Value	Label	Unweighted Frequency	%
2	Father MCQ250E	456	4.8 %
. (M)	-	9037	95.2 %

MCQ260DC Blood relative-arthritis-mother's mother

Location: 422-424 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 3
 Mother's mother MCQ250E
 426
 4.5 %

 . (M)
 9067
 95.5 %

MCQ260DD Blood relative-arthritis-mother's father

Location: 425-427 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 4
 Mother's father MCQ250E
 129
 1.4 %

 . (M)
 9364
 98.6 %

MCQ260DE Blood relative-arthritis-father's mother

Location: 428-430 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 5
 Father's mother MCQ250E
 200
 2.1 %

 . (M)
 9293
 97.9 %

MCQ260DF Blood relative-arthritis-father's father

Location: 431-433 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 6
 Father's father MCQ250E
 79
 0.8 %

 . (M)
 9414
 99.2 %

MCQ260DG Blood relative-arthritis-brother

Location: 434-436 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Value	Label	Unweighted Frequency	%
7	Brother MCQ250E	163	1.7 %
. (M)	-	9330	98.3 %

MCQ260DH Blood relative-arthritis-sister

Location: 437-439 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
8	Sister MCQ250E	305	3.2 %
. (M)	-	9188	96.8 %

MCQ260DI Blood relative-arthritis-other

Location: 440-442 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
9	Other MCQ250E	215	2.3 %
. (M)	-	9278	97.7 %

MCQ260EA Blood relative-osteoporosis-mother

Location: 443-445 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value		Unweighted Frequency	%
1	Mother MCQ250F	233	2.5 %
. (M)	-	9260	97.5 %

MCQ260EB Blood relative-osteoporosis-father

Location: 446-448 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
2	Father MCQ250F	17	0.2 %
. (M)	-	9476	99.8 %

MCQ260EC Blood relative-osteoporosis-mom's mother

Location: 449-451 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
3	Mother's mother MCQ250F	94	1.0 %
. (M)	-	9399	99.0 %

MCQ260ED Blood relative-osteoporosis-mom's father

Location: 452-454 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 4
 Mother's father MCQ250F
 7
 0.1 %

 . (M)
 9486
 99.9 %

MCQ260EE Blood relative-osteoporosis-dad's mother

Location: 455-457 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 5
 Father's mother MCQ250F
 50
 0.5 %

 . (M)
 9443
 99.5 %

MCQ260EF Blood relative-osteoporosis-dad's father

Location: 458-460 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 6
 Father's father MCQ250F
 4
 0.0 %

 . (M)
 9489
 100.0 %

MCQ260EG Blood relative-osteoporosis-brother

Location: 461-463 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Value	Label	Unweighted Frequency	%
7	Brother MCQ250F	11	0.1 %
. (M)	-	9482	99.9 %

MCQ260EH Blood relative-osteoporosis-sister

Location: 464-466 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
8	Sister MCQ250F	65	0.7 %
. (M)	-	9428	99.3 %

MCQ260El Blood relative-osteoporosis-other

Location: 467-469 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
9	Other MCQ250F	52	0.5 %
. (M)	-	9441	99.5 %

MCQ260FA Blood relative-hypertension-mother

Location: 470-472 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value		Unweighted Frequency	%
1	Mother MCQ250G	571	6.0 %
. (M)	-	8922	94.0 %

MCQ260FB Blood relative-hypertension-father

Location: 473-475 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
2	Father MCQ250G	394	4.2 %
. (M)	-	9099	95.8 %

MCQ260FC Blood relative-hypertension-mom's mother

Location: 476-478 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
3	Mother's mother MCQ250G	134	1.4 %
. (M)	-	9359	98.6 %

MCQ260FD Blood relative-hypertension-mom's father

Location: 479-481 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 4
 Mother's father MCQ250G
 56
 0.6 %

 . (M)
 9437
 99.4 %

MCQ260FE Blood relative-hypertension-dad's mother

Location: 482-484 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 5
 Father's mother MCQ250G
 62
 0.7 %

 . (M)
 9431
 99.3 %

MCQ260FF Blood relative-hypertension-dad's father

Location: 485-487 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

 Value
 Label
 Unweighted Frequency
 %

 6
 Father's father MCQ250G
 38
 0.4 %

 . (M)
 9455
 99.6 %

MCQ260FG Blood relative-hypertension-brother

Location: 488-490 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Value	Label	Unweighted Frequency	%
7	Brother MCQ250G	154	1.6 %
. (M)	-	9339	98.4 %

MCQ260FH Blood relative-hypertension-sister

Location: 491-493 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
8	Sister MCQ250G	163	1.7 %
. (M)	-	9330	98.3 %

MCQ260FI Blood relative-hypertension-other

Location: 494-496 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
9	Other MCQ250G	124	1.3 %
. (M)	-	9369	98.7 %

MCQ260GA Blood relative-heart attack-mother

Location: 497-499 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
1	Mother	102	1.1 %
99	Don't know	1	0.0 %
. (M)	-	9390	98.9 %

MCQ260GB Blood relative-heart attack-father

Location: 500-502 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Value	Label	Unweighted Frequency	%
2	Father	179	1.9 %
. (M)	-	9314	98.1 %

MCQ260GC Blood relative-heart attack-mom's mother

Location: 503-505 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
3	Mother's mother	37	0.4 %
. (M)	=	9456	99.6 %

MCQ260GD Blood relative-heart attack-mom's father

Location: 506-508 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
4	Mother's father	40	0.4 %
. (M)	-	9453	99.6 %

MCQ260GE Blood relative-heart attack-dad's mother

Location: 509-511 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
5	Father's mother	11	0.1 %
. (M)	-	9482	99.9 %

MCQ260GF Blood relative-heart attack-dad's father

Location: 512-514 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
6	Father's father	36	0.4 %
. (M)	-	9457	99.6 %

MCQ260GG Blood relative-heart attack-brother

Location: 515-517 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Value	Label	Unweighted Frequency	%
7	Brother	104	1.1 %
. (M)	-	9389	98.9 %

MCQ260GH Blood relative-heart attack-sister

Location: 518-520 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
8	Sister	32	0.3 %
. (M)	-	9461	99.7 %

MCQ260GI Blood relative-heart attack-other

Location: 521-523 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Which biological [blood] family member? English

Instructions: CODE ALL THAT APPLY

Value	Label	Unweighted Frequency	%
9	Other	87	0.9 %
. (M)	-	9406	99.1 %

MCQ270 Your mother ever fracture hip

Location: 524-526 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Did {your/SP's} biological mother ever fracture her hip?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	248	2.6 %
2	No End of Section	4492	47.3 %
9	Don't know End of Section	138	1.5 %
. (M)	-	4615	48.6 %

MCQ280 Mother's age when fractured hip

Location: 527-531 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: About how old was she when she fractured her hip (the

first time)? English Instructions: ENTER AGE IN YEARS. SKIP TO END OF SECTION.

١	/alue	Label	Unweighted Frequency	%
5	5	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18	-	1	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
26	-	1	0.0 %
30	-	4	0.0 %
32	-	1	0.0 %
35	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	7	0.1 %
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	5	0.1 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	2	0.0 %
60	-	6	0.1 %
61	-	3	0.0 %
62	-	2	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
65	-	12	0.1 %
66	-	1	0.0 %
67	-	4	0.0 %
68	-	7	0.1 %
69	-	1	0.0 %
70	-	16	0.2 %
71	-	3	0.0 %
72	-	6	0.1 %
73	-	5	0.1 %
74	-	3	0.0 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
75	-	19	0.2 %
76	-	4	0.0 %
77	-	5	0.1 %
78	-	8	0.1 %
79	-	5	0.1 %
80	-	16	0.2 %
81	-	1	0.0 %
82	-	8	0.1 %
83	-	5	0.1 %
84	-	8	0.1 %
85	-	10	0.1 %
86	-	4	0.0 %
87	-	4	0.0 %
88	-	3	0.0 %
89	-	6	0.1 %
90	-	4	0.0 %
91	-	1	0.0 %
93	-	3	0.0 %
94	-	4	0.0 %
95	-	2	0.0 %
97	-	1	0.0 %
98	-	1	0.0 %
100	-	1	0.0 %
101	-	1	0.0 %
99999	Don't know	9	0.1 %
. (M)	-	9245	97.4 %

MCQ290 Mother under/over 50 when fracture hip

Location: 532-534 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 120 Yrs.) English Text: Was she. . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	Under 50 years old, or	1	0.0 %
2	50 years old or older?	8	0.1 %
. (M)	-	9484	99.9 %

SDDSRVYR Data Release Number

Location: 535-537 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
1	NHANES 1999-2000 Public Release	9493	100.0 %

RIDSTATR Interview/Examination Status

Location: 538-540 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value Label Unweighted % Frequency 1 Interviewed Only. 661 7.0 % 2 Both Interviewed and MEC examined. 8832 93.0 %

RIAGENDR Gender - Adjudicated

541-543 (width: 3; decimal: 0) Location:

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

V	alue	Label	Unweighted Frequency	%
1		Male	4638	48.9 %
2		Female	4855	51.1 %

RIDAGEYR Age at Screening Adjudicated - Recode

544-546 (width: 3; decimal: 0) Location:

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH

screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
1	-	263	2.8 %
2	-	261	2.7 %
3	-	190	2.0 %
4	-	198	2.1 %
5	-	173	1.8 %
6	-	181	1.9 %
7	-	190	2.0 %
8	-	198	2.1 %
9	-	172	1.8 %
10	-	182	1.9 %
11	-	190	2.0 %
12	-	328	3.5 %
13	-	329	3.5 %
14	-	311	3.3 %

Value	Label	Unweighted Frequency	%
15	-	283	3.0 %
16	-	311	3.3 %
17	-	285	3.0 %
18	-	287	3.0 %
19	-	281	3.0 %
20	-	85	0.9 %
21	-	82	0.9 %
22	-	100	1.1 %
23	-	97	1.0 %
24	-	86	0.9 %
25	-	78	0.8 %
26	-	90	0.9 %
27	-	81	0.9 %
28	-	80	0.8 %
29	-	92	1.0 %
30	-	83	0.9 %
31	-	87	0.9 %
32	-	94	1.0 %
33	-	69	0.7 %
34	-	86	0.9 %
35	-	80	0.8 %
36	-	77	0.8 %
37	-	87	0.9 %
38	-	73	0.8 %
39	-	88	0.9 %
40	-	92	1.0 %
41	-	81	0.9 %
42	-	90	0.9 %
43	-	73	0.8 %
44	-	79	0.8 %
45	-	89	0.9 %
46	-	70	0.7 %
47	-	70	0.7 %
48	-	61	0.6 %
49	-	60	0.6 %
50	-	57	0.6 %
51	-	75	0.8 %
52	-	71	0.7 %
53	-	64	0.7 %
54	-	77	0.8 %

Value	Label	Unweighted Frequency	%
55	-	48	0.5 %
56	-	62	0.7 %
57	-	50	0.5 %
58	-	38	0.4 %
59	-	44	0.5 %
60	-	110	1.2 %
61	-	86	0.9 %
62	-	90	0.9 %
63	-	68	0.7 %
64	-	88	0.9 %
65	-	89	0.9 %
66	-	79	0.8 %
67	-	78	0.8 %
68	-	69	0.7 %
69	-	61	0.6 %
70	-	81	0.9 %
71	-	73	0.8 %
72	-	60	0.6 %
73	-	69	0.7 %
74	-	54	0.6 %
75	-	57	0.6 %
76	-	50	0.5 %
77	-	55	0.6 %
78	-	49	0.5 %
79	-	46	0.5 %
80	-	64	0.7 %
81	-	63	0.7 %
82	-	49	0.5 %
83	-	31	0.3 %
84	-	42	0.4 %
85	>= 85 years of age	173	1.8 %

RIDAGEMN Age in Months - Recode

Location: 547-550 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 551-554 (width: 4; decimal: 0)

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 555-557 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	3176	33.5 %
2	Other Hispanic	552	5.8 %
3	Non-Hispanic White	3244	34.2 %
4	Non-Hispanic Black	2155	22.7 %
5	Other Race - Including Multi-Racial	366	3.9 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 558-560 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	3299	34.8 %
2	Non-Hispanic Black	2198	23.2 %
3	Mexican American	3176	33.5 %
4	Other Race - Including Multi-Racial	268	2.8 %
5	Other Hispanic	552	5.8 %

DMQMILIT Veteran/Military Status

Location: 561-563 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	717	7.6 %
2	No	5004	52.7 %
7	Refused	5	0.1 %
9	Don't know	5	0.1 %
. (M)	-	3762	39.6 %

DMDBORN Country of Birth - Recode

Location: 564-566 (width: 3; decimal: 0)

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	7600	80.1 %
2	Born in Mexico	1146	12.1 %
3	Born Elsewhere	735	7.7 %
7	Refused	1	0.0 %
9	Don't Know	1	0.0 %
. (M)	-	10	0.1 %

DMDCITZN

Citizenship Status

Location:

567-569 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	8193	86.3 %
2	Not a citizen of the US	1239	13.1 %
7	Refused	30	0.3 %
9	Don't know	28	0.3 %
. (M)	-	3	0.0 %

DMDYRSUS

Length of time in US

Location:

570-572 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	114	1.2 %
2	1 yr., less than 5 yrs.	341	3.6 %
3	5 yrs., less than 10 yrs.	359	3.8 %
4	10 yrs., less than 15 yrs.	256	2.7 %
5	15 yrs., less than 20 yrs.	156	1.6 %
6	20 yrs., less than 30 yrs.	252	2.7 %
7	30 yrs., less than 40 yrs.	174	1.8 %
8	40 yrs., less than 50 yrs.	120	1.3 %
9	50 years or more	63	0.7 %
77	Refused	34	0.4 %
88	Could not determine	1	0.0 %

Value	Label	Unweighted Frequency	%
99	Don't know	25	0.3 %
. (M)	-	7598	80.0 %

DMDEDUC3

Education level - Children/Youth 6-19

Location: 573-575 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
0	Never Attended / Kindergarten	210	2.2 %
1	1st Grade	202	2.1 %
2	2nd Grade	186	2.0 %
3	3rd Grade	186	2.0 %
4	4th Grade	204	2.1 %
5	5th Grade	244	2.6 %
6	6th Grade	318	3.3 %
7	7th Grade	323	3.4 %
8	8th Grade	320	3.4 %
9	9th Grade	309	3.3 %
10	10th Grade	307	3.2 %
11	11th Grade	281	3.0 %
12	12th Grade, No Diploma	81	0.9 %
13	High School Graduate	177	1.9 %
14	GED or Equivalent	12	0.1 %
15	More than high school	108	1.1 %
55	Less Than 5th Grade	3	0.0 %
66	Less Than 9th Grade	53	0.6 %
77	Refused	2	0.0 %
99	Don't know	1	0.0 %
. (M)	-	5966	62.8 %

DMDEDUC2

Education level - Adults 20+

Location: 576-578 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	932	9.8 %
2	9-11th Grade (Includes 12th grade with no diploma)	964	10.2 %
3	High School Grad/GED or Equivalent	1097	11.6 %
4	Some College or AA degree	1070	11.3 %
5	College Graduate or above	793	8.4 %
7	Refused	8	0.1 %
9	Don't Know	14	0.1 %
. (M)	-	4615	48.6 %

DMDEDUC Education - Recode (old version)

Location: 579-581 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	5124	54.0 %
2	High School Diploma (including GED)	1286	13.5 %
3	More Than High School	1971	20.8 %
7	Refused	10	0.1 %
9	Don't know	15	0.2 %
. (M)	-	1087	11.5 %

DMDSCHOL Now attending school?

Location: 582-584 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	2348	24.7 %
2	On vacation from school (between grades)	618	6.5 %
3	Neither in school or on vacation from school (between grades)	344	3.6 %
9	Don't know	1	0.0 %
. (M)	-	6182	65.1 %

DMDMARTL Marital Status

Location: 585-587 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2485	26.2 %
2	Widowed	475	5.0 %
3	Divorced	378	4.0 %
4	Separated	177	1.9 %
5	Never married	2316	24.4 %
6	Living with partner	232	2.4 %
77	Refused	7	0.1 %
99	Don't know	2	0.0 %
. (M)	-	3421	36.0 %

DMDHHSIZ

Total number of people in the Household

Location: 588-590 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	752	7.9 %
2	-	1843	19.4 %
3	-	1612	17.0 %
4	-	1856	19.6 %
5	-	1499	15.8 %
6	-	858	9.0 %
7	7 or more people in the Household	1073	11.3 %

INDHHINC

Annual Household Income

Location: 591-593 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	274	2.9 %
2	\$ 5,000 to \$ 9,999	617	6.5 %
3	\$10,000 to \$14,999	812	8.6 %
4	\$15,000 to \$19,999	721	7.6 %
5	\$20,000 to \$24,999	736	7.8 %
6	\$25,000 to \$34,999	1068	11.3 %
7	\$35,000 to \$44,999	763	8.0 %
8	\$45,000 to \$54,999	583	6.1 %
9	\$55,000 to \$64,999	481	5.1 %

Value	Label	Unweighted Frequency	%
10	\$65,000 to \$74,999	351	3.7 %
11	\$75,000 and Over	1210	12.7 %
12	Over \$20,000	305	3.2 %
13	Under \$20,000	45	0.5 %
77	Refused	38	0.4 %
99	Don't know	34	0.4 %
. (M)	-	1455	15.3 %

INDFMINC Annual Family Income

Location: 594-596 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	505	5.3 %
2	\$ 5,000 to \$ 9,999	821	8.6 %
3	\$10,000 to \$14,999	1009	10.6 %
4	\$15,000 to \$19,999	786	8.3 %
5	\$20,000 to \$24,999	810	8.5 %
6	\$25,000 to \$34,999	1040	11.0 %
7	\$35,000 to \$44,999	707	7.4 %
8	\$45,000 to \$54,999	590	6.2 %
9	\$55,000 to \$64,999	431	4.5 %
10	\$65,000 to \$74,999	332	3.5 %
11	\$75,000 and Over	1042	11.0 %
12	Over \$20,000	395	4.2 %
13	Under \$20,000	340	3.6 %
77	Refused	289	3.0 %
99	Don't know	220	2.3 %
. (M)	-	176	1.9 %

INDFMPIR Family PIR

Location: 597-601 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value Label
5 PIR value greater than or equal to 5.00

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 602-604 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab pregnancy test or self-reported pregnant at exam	311	3.3 %
2	SP not pregnant at exam	1443	15.2 %
3	Cannot ascertain if SP is pregnant at exam	208	2.2 %
. (M)	-	7531	79.3 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 605-607 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes based on pos lab preg test, self-report preg status, screener intview data or menstrual period hist	285	3.0 %
2	SP not pregnant	1544	16.3 %
. (M)	-	7664	80.7 %

DMDHRGND HH Ref Person Gender

Location: 608-610 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	5326	56.1 %
2	Female	4155	43.8 %
. (M)	-	12	0.1 %

DMDHRAGE HH Ref Person Age

Location: 611-613 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the

time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
18	-	61	0.6 %
19	-	71	0.7 %

Value	Label	Unweighted Frequency	%
20	-	85	0.9 %
21	-	76	0.8 %
22	-	109	1.1 %
23	-	123	1.3 %
24	-	102	1.1 %
25	-	121	1.3 %
26	-	147	1.5 %
27	-	151	1.6 %
28	-	195	2.1 %
29	-	226	2.4 %
30	-	216	2.3 %
31	-	258	2.7 %
32	-	245	2.6 %
33	-	224	2.4 %
34	-	239	2.5 %
35	-	301	3.2 %
36	-	238	2.5 %
37	-	281	3.0 %
38	-	291	3.1 %
39	-	246	2.6 %
40	-	356	3.8 %
41	-	274	2.9 %
42	-	267	2.8 %
43	-	236	2.5 %
44	-	221	2.3 %
45	-	233	2.5 %
46	-	219	2.3 %
47	-	152	1.6 %
48	-	151	1.6 %
49	-	164	1.7 %
50	-	165	1.7 %
51	-	185	1.9 %
52	-	149	1.6 %
53	-	120	1.3 %
54	-	118	1.2 %
55	-	88	0.9 %
56	-	104	1.1 %
57	-	105	1.1 %
58	-	91	1.0 %
59	-	82	0.9 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
60	-	127	1.3 %
61	-	93	1.0 %
62	-	100	1.1 %
63	-	91	1.0 %
64	-	98	1.0 %
65	-	91	1.0 %
66	-	85	0.9 %
67	-	98	1.0 %
68	-	81	0.9 %
69	-	61	0.6 %
70	-	101	1.1 %
71	-	77	0.8 %
72	-	68	0.7 %
73	-	85	0.9 %
74	-	58	0.6 %
75	-	64	0.7 %
76	-	50	0.5 %
77	-	50	0.5 %
78	-	62	0.7 %
79	-	45	0.5 %
80	-	65	0.7 %
81	-	61	0.6 %
82	-	45	0.5 %
83	-	31	0.3 %
84	-	36	0.4 %
85	>= 85 years of age	171	1.8 %
. (M)	-	12	0.1 %

DMDHRBRN

HH Ref Person Country of Birth

614-616 (width: 3; decimal: 0)

Variable Type:

Question:

Location:

Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born? English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	6272	66.1 %
2	Born in Mexico	1839	19.4 %
3	Born Elsewhere	1000	10.5 %
7	Refused	12	0.1 %
. (M)	-	370	3.9 %

DMDHREDU HH Ref Person Education Level

Location: 617-619 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	1657	17.5 %
2	9-11th Grade (Includes 12th grade with no diploma)	1982	20.9 %
3	High School Grad/GED or equivalent	2097	22.1 %
4	Some College or AA degree	1934	20.4 %
5	College Graduate or above	1372	14.5 %
7	Refused	13	0.1 %
9	Don't know	60	0.6 %
. (M)	-	378	4.0 %

DMDHRMAR HH Ref Person Marital Status

Location: 620-622 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	4481	47.2 %
2	Widowed	567	6.0 %
3	Divorced	843	8.9 %
4	Separated	520	5.5 %
5	Never married	1060	11.2 %
6	Living with partner	259	2.7 %
77	Refused	16	0.2 %
99	Don't know	12	0.1 %
. (M)	-	1735	18.3 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 623-625 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

 $have/NON-SP\ SPOUSE\ has\ completed\ or\ the\ highest\ degree\ \{you\ have/he/she\ has\}\ received\ English$

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	584	6.2 %
2	9-11th Grade (Includes 12th grade with no diploma)	691	7.3 %

Value	Label	Unweighted Frequency	%
3	High School Grad/GED or	690	7.3 %
4	Some College or AA degree	637	6.7 %
5	College Graduate or above	456	4.8 %
7	Refused	3	0.0 %
9	Don't know	21	0.2 %
. (M)	-	6411	67.5 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 626-640 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 641-654 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 655-669 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 670-683 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 684-686 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
1	4663	49.1 %
2	4520	47.6 %
3	310	3.3 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 687-689 (width: 3; decimal: 0)

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

Value	Unweighted Frequency	%
1	1018	10.7 %
2	646	6.8 %
3	731	7.7 %
4	814	8.6 %
5	718	7.6 %
6	699	7.4 %
7	834	8.8 %
8	726	7.6 %
9	661	7.0 %
10	618	6.5 %
11	703	7.4 %
12	778	8.2 %
13	547	5.8 %

SDJ1REPN

Jack Knife Replicate Number

Location: 690-692 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Jack Knife Replicate Number English Instructions:

Value	Unweighted Frequency	%
1	182	1.9 %
2	246	2.6 %
3	169	1.8 %
4	201	2.1 %
5	151	1.6 %
6	152	1.6 %
7	108	1.1 %
8	171	1.8 %
9	182	1.9 %
10	165	1.7 %
11	176	1.9 %
12	187	2.0 %
13	171	1.8 %
14	135	1.4 %
15	216	2.3 %
16	173	1.8 %
17	207	2.2 %
18	254	2.7 %
19	157	1.7 %

- Study 25501 -

Value	Unweighted Frequency	%
20	153	1.6 %
21	175	1.8 %
22	161	1.7 %
23	164	1.7 %
24	226	2.4 %
25	302	3.2 %
26	153	1.6 %
27	194	2.0 %
28	220	2.3 %
29	179	1.9 %
30	205	2.2 %
31	192	2.0 %
32	199	2.1 %
33	164	1.7 %
34	269	2.8 %
35	155	1.6 %
36	129	1.4 %
37	181	1.9 %
38	161	1.7 %
39	149	1.6 %
40	154	1.6 %
41	208	2.2 %
42	155	1.6 %
43	184	1.9 %
44	145	1.5 %
45	170	1.8 %
46	183	1.9 %
47	195	2.1 %
48	278	2.9 %
49	150	1.6 %
50	133	1.4 %
51	162	1.7 %
52	242	2.5 %

DMAETHN Logical Imputation Flag for Ethnicity

Location: 693-695 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Ethnicity English Instructions:

Value	Label	Unweighted Frequency	%
1	Value Imputed	2	0.0 %
. (M)	-	9491	100.0 %

DMARACE Logical Imputation Flag for Race Recode

Location: 696-698 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Logical Imputation Flag for Race Recode English

Instructions:

 Value
 Label
 Unweighted Frequency
 %

 1
 Value Imputed
 2
 0.0 %

 . (M)
 9491
 100.0 %

WTMREP01 MEC Exam Weight Jack Knife Replicate 01

Location: 699-713 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 01 English

Instructions:

WTMREP02 MEC Exam Weight Jack Knife Replicate 02

Location: 714-728 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 02 English

Instructions:

WTMREP03 MEC Exam Weight Jack Knife Replicate 03

Location: 729-743 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 03 English

Instructions:

WTMREP04 MEC Exam Weight Jack Knife Replicate 04

Location: 744-758 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 04 English

Instructions:

WTMREP05 MEC Exam Weight Jack Knife Replicate 05

Location: 759-773 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 05 English

Instructions:

WTMREP06 MEC Exam Weight Jack Knife Replicate 06

Location: 774-788 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 06 English

Instructions:

WTMREP07 MEC Exam Weight Jack Knife Replicate 07

Location: 789-803 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 07 English

Instructions:

WTMREP08 MEC Exam Weight Jack Knife Replicate 08

Location: 804-818 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 08 English

Instructions:

WTMREP09 MEC Exam Weight Jack Knife Replicate 09

Location: 819-833 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 09 English

Instructions:

WTMREP10 MEC Exam Weight Jack Knife Replicate 10

Location: 834-848 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 10 English

Instructions:

WTMREP11 MEC Exam Weight Jack Knife Replicate 11

Location: 849-863 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 11 English

Instructions:

WTMREP12 MEC Exam Weight Jack Knife Replicate 12

Location: 864-878 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 12 English

Instructions:

WTMREP13 MEC Exam Weight Jack Knife Replicate 13

Location: 879-893 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 13 English

Instructions:

WTMREP14 MEC Exam Weight Jack Knife Replicate 14

Location: 894-908 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 14 English

Instructions:

WTMREP15 MEC Exam Weight Jack Knife Replicate 15

Location: 909-923 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 15 English

Instructions:

WTMREP16 MEC Exam Weight Jack Knife Replicate 16

Location: 924-938 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 16 English

Instructions:

WTMREP17 MEC Exam Weight Jack Knife Replicate 17

Location: 939-953 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 17 English

Instructions:

WTMREP18 MEC Exam Weight Jack Knife Replicate 18

Location: 954-968 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 18 English

Instructions:

WTMREP19 MEC Exam Weight Jack Knife Replicate 19

Location: 969-983 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 19 English

Instructions:

WTMREP20 MEC Exam Weight Jack Knife Replicate 20

Location: 984-998 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 20 English

Instructions:

WTMREP21 MEC Exam Weight Jack Knife Replicate 21

Location: 999-1013 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 21 English

Instructions:

WTMREP22 MEC Exam Weight Jack Knife Replicate 22

Location: 1014-1028 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 22 English

Instructions:

WTMREP23 MEC Exam Weight Jack Knife Replicate 23

Location: 1029-1043 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 23 English

Instructions:

WTMREP24 MEC Exam Weight Jack Knife Replicate 24

Location: 1044-1058 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 24 English

Instructions:

WTMREP25 MEC Exam Weight Jack Knife Replicate 25

Location: 1059-1073 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 25 English

Instructions:

WTMREP26 MEC Exam Weight Jack Knife Replicate 26

Location: 1074-1088 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 26 English

Instructions:

WTMREP27 MEC Exam Weight Jack Knife Replicate 27

Location: 1089-1103 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 27 English

Instructions:

WTMREP28 MEC Exam Weight Jack Knife Replicate 28

Location: 1104-1118 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 28 English

Instructions:

WTMREP29 MEC Exam Weight Jack Knife Replicate 29

Location: 1119-1133 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 29 English

Instructions:

WTMREP30 MEC Exam Weight Jack Knife Replicate 30

Location: 1134-1148 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 30 English

Instructions

WTMREP31 MEC Exam Weight Jack Knife Replicate 31

Location: 1149-1163 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 31 English

Instructions:

WTMREP32 MEC Exam Weight Jack Knife Replicate 32

Location: 1164-1178 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 32 English

Instructions:

WTMREP33 MEC Exam Weight Jack Knife Replicate 33

Location: 1179-1193 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 33 English

Instructions:

WTMREP34 MEC Exam Weight Jack Knife Replicate 34

Location: 1194-1208 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 34 English

Instructions:

WTMREP35 MEC Exam Weight Jack Knife Replicate 35

Location: 1209-1223 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 35 English

Instructions:

WTMREP36 MEC Exam Weight Jack Knife Replicate 36

Location: 1224-1238 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 36 English

Instructions:

WTMREP37 MEC Exam Weight Jack Knife Replicate 37

Location: 1239-1253 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 37 English

Instructions:

WTMREP38 MEC Exam Weight Jack Knife Replicate 38

Location: 1254-1268 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 38 English

Instructions:

WTMREP39 MEC Exam Weight Jack Knife Replicate 39

Location: 1269-1283 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 39 English

Instructions:

WTMREP40 MEC Exam Weight Jack Knife Replicate 40

Location: 1284-1298 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 40 English

Instructions:

WTMREP41 MEC Exam Weight Jack Knife Replicate 41

Location: 1299-1313 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 41 English

Instructions:

WTMREP42 MEC Exam Weight Jack Knife Replicate 42

Location: 1314-1328 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 42 English

Instructions:

WTMREP43 MEC Exam Weight Jack Knife Replicate 43

Location: 1329-1343 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 43 English

Instructions:

WTMREP44 MEC Exam Weight Jack Knife Replicate 44

Location: 1344-1358 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 44 English

Instructions:

WTMREP45 MEC Exam Weight Jack Knife Replicate 45

Location: 1359-1373 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 45 English

Instructions:

WTMREP46 MEC Exam Weight Jack Knife Replicate 46

Location: 1374-1388 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 46 English

Instructions:

WTMREP47 MEC Exam Weight Jack Knife Replicate 47

Location: 1389-1403 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 47 English

Instructions

WTMREP48 MEC Exam Weight Jack Knife Replicate 48

Location: 1404-1418 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 48 English

Instructions:

WTMREP49 MEC Exam Weight Jack Knife Replicate 49

Location: 1419-1433 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 49 English

Instructions:

WTMREP50 MEC Exam Weight Jack Knife Replicate 50

Location: 1434-1448 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 50 English

Instructions:

WTMREP51 MEC Exam Weight Jack Knife Replicate 51

Location: 1449-1463 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 51 English

Instructions:

WTMREP52 MEC Exam Weight Jack Knife Replicate 52

Location: 1464-1478 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 52 English

Instructions:

WTIREP01 Interview Weight Jack Knife Replicate 01

Location: 1479-1493 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 01 English

Instructions:

WTIREP02 Interview Weight Jack Knife Replicate 02

Location: 1494-1508 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 02 English

Instructions:

WTIREP03 Interview Weight Jack Knife Replicate 03

Location: 1509-1523 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 03 English

Instructions:

WTIREP04 Interview Weight Jack Knife Replicate 04

Location: 1524-1538 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 04 English

Instructions:

WTIREP05 Interview Weight Jack Knife Replicate 05

Location: 1539-1553 (width: 15; decimal: 8)

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 05 English

Instructions:

WTIREP06 Interview Weight Jack Knife Replicate 06

Location: 1554-1568 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 06 English

Instructions:

WTIREP07 Interview Weight Jack Knife Replicate 07

Location: 1569-1583 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 07 English

Instructions:

WTIREP08 Interview Weight Jack Knife Replicate 08

Location: 1584-1598 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 08 English

Instructions:

WTIREP09 Interview Weight Jack Knife Replicate 09

Location: 1599-1613 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 09 English

Instructions:

WTIREP10 Interview Weight Jack Knife Replicate 10

Location: 1614-1628 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 10 English

Instructions:

WTIREP11 Interview Weight Jack Knife Replicate 11

Location: 1629-1643 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 11 English

Instructions:

WTIREP12 Interview Weight Jack Knife Replicate 12

Location: 1644-1658 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 12 English

Instructions:

WTIREP13 Interview Weight Jack Knife Replicate 13

Location: 1659-1673 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 13 English

Instructions:

WTIREP14 Interview Weight Jack Knife Replicate 14

Location: 1674-1688 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 14 English

Instructions:

WTIREP15 Interview Weight Jack Knife Replicate 15

Location: 1689-1703 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 15 English

Instructions:

WTIREP16 Interview Weight Jack Knife Replicate 16

Location: 1704-1718 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 16 English

Instructions:

WTIREP17 Interview Weight Jack Knife Replicate 17

Location: 1719-1733 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 17 English

Instructions:

WTIREP18 Interview Weight Jack Knife Replicate 18

Location: 1734-1748 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 18 English

Instructions:

WTIREP19 Interview Weight Jack Knife Replicate 19

Location: 1749-1763 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 19 English

Instructions:

WTIREP20 Interview Weight Jack Knife Replicate 20

Location: 1764-1778 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 20 English

Instructions:

WTIREP21 Interview Weight Jack Knife Replicate 21

Location: 1779-1793 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 21 English

Instructions:

WTIREP22 Interview Weight Jack Knife Replicate 22

Location: 1794-1808 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 22 English

Instructions:

WTIREP23 Interview Weight Jack Knife Replicate 23

Location: 1809-1823 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 23 English

Instructions:

WTIREP24 Interview Weight Jack Knife Replicate 24

Location: 1824-1838 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 24 English

Instructions:

WTIREP25 Interview Weight Jack Knife Replicate 25

Location: 1839-1853 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 25 English

Instructions:

WTIREP26 Interview Weight Jack Knife Replicate 26

Location: 1854-1868 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 26 English

Instructions:

WTIREP27 Interview Weight Jack Knife Replicate 27

Location: 1869-1883 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 27 English

Instructions:

WTIREP28 Interview Weight Jack Knife Replicate 28

Location: 1884-1898 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 28 English

Instructions:

WTIREP29 Interview Weight Jack Knife Replicate 29

Location: 1899-1913 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 29 English

Instructions:

WTIREP30 Interview Weight Jack Knife Replicate 30

Location: 1914-1928 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 30 English

Instructions:

WTIREP31 Interview Weight Jack Knife Replicate 31

Location: 1929-1943 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 31 English

Instructions:

WTIREP32 Interview Weight Jack Knife Replicate 32

Location: 1944-1958 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 32 English

Instructions:

WTIREP33 Interview Weight Jack Knife Replicate 33

Location: 1959-1973 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 33 English

Instructions:

WTIREP34 Interview Weight Jack Knife Replicate 34

Location: 1974-1988 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 34 English

Instructions:

WTIREP35 Interview Weight Jack Knife Replicate 35

Location: 1989-2003 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 35 English

Instructions:

WTIREP36 Interview Weight Jack Knife Replicate 36

Location: 2004-2018 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 36 English

Instructions:

WTIREP37 Interview Weight Jack Knife Replicate 37

Location: 2019-2033 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 37 English

Instructions:

WTIREP38 Interview Weight Jack Knife Replicate 38

Location: 2034-2048 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 38 English

Instructions:

WTIREP39 Interview Weight Jack Knife Replicate 39

Location: 2049-2063 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 39 English

Instructions:

WTIREP40 Interview Weight Jack Knife Replicate 40

Location: 2064-2078 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 40 English

Instructions:

WTIREP41 Interview Weight Jack Knife Replicate 41

Location: 2079-2093 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 41 English

Instructions:

WTIREP42 Interview Weight Jack Knife Replicate 42

Location: 2094-2108 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 42 English

Instructions:

WTIREP43 Interview Weight Jack Knife Replicate 43

Location: 2109-2123 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 43 English

Instructions:

WTIREP44 Interview Weight Jack Knife Replicate 44

Location: 2124-2138 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 44 English

Instructions:

WTIREP45 Interview Weight Jack Knife Replicate 45

Location: 2139-2153 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 45 English

Instructions:

WTIREP46 Interview Weight Jack Knife Replicate 46

Location: 2154-2168 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 46 English

Instructions:

WTIREP47 Interview Weight Jack Knife Replicate 47

Location: 2169-2183 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 47 English

Instructions:

WTIREP48 Interview Weight Jack Knife Replicate 48

Location: 2184-2198 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 48 English

Instructions:

WTIREP49 Interview Weight Jack Knife Replicate 49

Location: 2199-2213 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 49 English

Instructions:

WTIREP50 Interview Weight Jack Knife Replicate 50

Location: 2214-2228 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 50 English

Instructions:

WTIREP51 Interview Weight Jack Knife Replicate 51

Location: 2229-2243 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 51 English

Instructions:

WTIREP52 Interview Weight Jack Knife Replicate 52

Location: 2244-2258 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 52 English

Instructions: