ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Laboratory: Lab 18 Biochemistry Profile and Hormones

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25501.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Laboratory: Lab 18 Biochemistry Profile and Hormones

SEQN	Respondent sequence number
Location:	1-4 (width: 4; decimal: 0)
Variable Type:	numeric
Question:	Target: B(0 Yrs. to 150 Yrs.) English Text: Respondent sequence number.
LBXSAL	Albumin (g/dL)
Location:	5-8 (width: 4; decimal: 1)
Variable Type:	numeric
Question:	Target: B(12 Yrs 150 Yrs.) Version 1.0 English Text: Albumin (g/dL) English Instructions: < blank >

Value	Unweighted Frequency	%
1.2	1	0.0 %
2.9	1	0.0 %
3.0	1	0.0 %
3.1	6	0.1 %
3.2	3	0.0 %
3.3	14	0.2 %
3.4	25	0.4 %
3.5	38	0.6 %
3.6	37	0.5 %
3.7	81	1.2 %
3.8	81	1.2 %
3.9	110	1.6 %
4.0	196	2.9 %
4.1	303	4.5 %
4.2	441	6.5 %
4.3	574	8.5 %
4.4	708	10.5 %
4.5	798	11.8 %
4.6	755	11.2 %
4.7	653	9.7 %
4.8	511	7.6 %
4.9	355	5.3 %
5.0	235	3.5 %
5.1	150	2.2 %
5.2	84	1.2 %
5.3	43	0.6 %
5.4	16	0.2 %

Value	Unweighted Frequency	%
5.5	4	0.1 %
5.6	3	0.0 %
5.7	3	0.0 %
. (M)	528	7.8 %

LBDSALSI

Albumin (g/L)

Location:

9-11 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Albumin (g/L) English Instructions: < blank >

Value	Unweighted Frequency	%
12	1	0.0 %
29	1	0.0 %
30	1	0.0 %
31	6	0.1 %
32	3	0.0 %
33	14	0.2 %
34	25	0.4 %
35	38	0.6 %
36	37	0.5 %
37	81	1.2 %
38	81	1.2 %
39	110	1.6 %
40	196	2.9 %
41	303	4.5 %
42	441	6.5 %
43	574	8.5 %
44	708	10.5 %
45	798	11.8 %
46	755	11.2 %
47	653	9.7 %
48	511	7.6 %
49	355	5.3 %
50	235	3.5 %
51	150	2.2 %
52	84	1.2 %
53	43	0.6 %
54	16	0.2 %
55	4	0.1 %
56	3	0.0 %

Value	Unweighted Frequency	%
57	3	0.0 %
. (M)	528	7.8 %

LBXSATSI ALT (U/L)

Location: 12-15 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Alanine aminotransferase (U/L) English

Instructions: < blank >

LBXSASSI AST (U/L)

Location: 16-18 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Alanine aminotransferase (U/L) English

Instructions: < blank >

LBXSAPSI Alkaline phosphotase (U/L)

Location: 19-21 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Alkaline phosphotase (U/L) English Instructions:

< blank >

LBXSBU Blood urea nitrogen (mg/dL)

Location: 22-24 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Blood urea nitrogen (mg/dL) English

Instructions: < blank >

Value	Unweighted Frequency	%
3	3	0.0 %
4	12	0.2 %
5	67	1.0 %
6	117	1.7 %
7	249	3.7 %
8	324	4.8 %
9	466	6.9 %
10	614	9.1 %
11	639	9.5 %
12	657	9.7 %
13	558	8.3 %
14	511	7.6 %
15	443	6.6 %
16	350	5.2 %
17	290	4.3 %
18	205	3.0 %

Value	Unweighted Frequency	%
19	155	2.3 %
20	126	1.9 %
21	118	1.7 %
22	57	0.8 %
23	59	0.9 %
24	42	0.6 %
25	26	0.4 %
26	15	0.2 %
27	11	0.2 %
28	22	0.3 %
29	6	0.1 %
30	13	0.2 %
31	7	0.1 %
32	6	0.1 %
33	8	0.1 %
34	8	0.1 %
35	2	0.0 %
36	7	0.1 %
37	2	0.0 %
38	5	0.1 %
40	3	0.0 %
41	2	0.0 %
42	2	0.0 %
44	1	0.0 %
45	3	0.0 %
46	1	0.0 %
47	2	0.0 %
48	1	0.0 %
51	1	0.0 %
52	3	0.0 %
53	1	0.0 %
55	2	0.0 %
58	2	0.0 %
62	1	0.0 %
64	2	0.0 %
65	1	0.0 %
71	1	0.0 %
76	1	0.0 %
. (M)	528	7.8 %

Location: 25-39 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Blood urea nitrogen (mmol/L) English Instructions: < blank >

Value	Unweighted Frequency	%
1.1	3	0.0 %
1.4	12	0.2 %
1.8	67	1.0 %
2.1	117	1.7 %
2.5	249	3.7 %
2.9	324	4.8 %
3.2	466	6.9 %
3.6	614	9.1 %
3.9	639	9.5 %
4.3	657	9.7 %
4.6	558	8.3 %
5.0	511	7.6 %
5.4	443	6.6 %
5.7	350	5.2 %
6.1	290	4.3 %
6.4	205	3.0 %
6.8	155	2.3 %
7.1	126	1.9 %
7.5	118	1.7 %
7.9	57	0.8 %
8.2	59	0.9 %
8.6	42	0.6 %
8.9	26	0.4 %
9.3	15	0.2 %
9.6	11	0.2 %
10.0	22	0.3 %
10.4	6	0.1 %
10.7	13	0.2 %
11.1	7	0.1 %
11.4	6	0.1 %
11.8	8	0.1 %
12.1	8	0.1 %
12.5	2	0.0 %
12.9	7	0.1 %
13.2	2	0.0 %
13.6	5	0.1 %

- Study 25501 -

Value	Unweighted Frequency	%
14.3	3	0.0 %
14.6	2	0.0 %
15.0	2	0.0 %
15.7	1	0.0 %
16.1	3	0.0 %
16.4	1	0.0 %
16.8	2	0.0 %
17.1	1	0.0 %
18.2	1	0.0 %
18.6	3	0.0 %
18.9	1	0.0 %
19.6	2	0.0 %
20.7	2	0.0 %
22.1	1	0.0 %
22.8	2	0.0 %
23.2	1	0.0 %
25.3	1	0.0 %
27.1	1	0.0 %
. (M)	528	7.8 %

LBXSCA

Calcium, total (mg/dL)

Location:

40-44 (width: 5; decimal: 1)

Variable Type:

numeric

Question:

Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Calcium, total (mg/dL) English Instructions: < blank >

Value	Unweighted Frequency	%
7.1	1	0.0 %
7.6	1	0.0 %
7.7	1	0.0 %
7.9	1	0.0 %
8.0	1	0.0 %
8.1	2	0.0 %
8.2	10	0.1 %
8.3	13	0.2 %
8.4	22	0.3 %
8.5	42	0.6 %
8.6	58	0.9 %
8.7	117	1.7 %
8.8	159	2.4 %
8.9	222	3.3 %

- Study 25501 -

Value	Unweighted Frequency	%
9.0	322	4.8 %
9.1	404	6.0 %
9.2	473	7.0 %
9.3	586	8.7 %
9.4	618	9.1 %
9.5	599	8.9 %
9.6	555	8.2 %
9.7	546	8.1 %
9.8	423	6.3 %
9.9	347	5.1 %
10.0	266	3.9 %
10.1	160	2.4 %
10.2	89	1.3 %
10.3	77	1.1 %
10.4	52	0.8 %
10.5	16	0.2 %
10.6	14	0.2 %
10.7	11	0.2 %
10.8	7	0.1 %
10.9	3	0.0 %
11.0	4	0.1 %
11.1	4	0.1 %
11.2	1	0.0 %
11.3	1	0.0 %
11.5	1	0.0 %
13.5	1	0.0 %
. (M)	528	7.8 %

LBDSCASI

Calcium, total (mmol/L)

Location:

45-50 (width: 6; decimal: 3)

Variable Type:

numeric

Question:

Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Calcium, total (mmol/L) English Instructions: < blank >

Value	Unweighted Frequency	%
1.775	1	0.0 %
1.900	1	0.0 %
1.925	1	0.0 %
1.975	1	0.0 %
2.000	1	0.0 %
2.025	2	0.0 %

Value	Unweighted Frequency	%
2.050	10	0.1 %
2.075	13	0.2 %
2.100	22	0.3 %
2.125	42	0.6 %
2.150	58	0.9 %
2.175	117	1.7 %
2.200	159	2.4 %
2.225	222	3.3 %
2.250	322	4.8 %
2.275	404	6.0 %
2.300	473	7.0 %
2.325	586	8.7 %
2.350	618	9.1 %
2.375	599	8.9 %
2.400	555	8.2 %
2.425	546	8.1 %
2.450	423	6.3 %
2.475	347	5.1 %
2.500	266	3.9 %
2.525	160	2.4 %
2.550	89	1.3 %
2.575	77	1.1 %
2.600	52	0.8 %
2.625	16	0.2 %
2.650	14	0.2 %
2.675	11	0.2 %
2.700	7	0.1 %
2.725	3	0.0 %
2.750	4	0.1 %
2.775	4	0.1 %
2.800	1	0.0 %
2.825	1	0.0 %
2.875	1	0.0 %
3.375	1	0.0 %
. (M)	528	7.8 %

LBXSCH Cholesterol, total (mg/dL)

Location: 51-53 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Cholesterol, total (mg/dL) English Instructions:

< blank >

LBDSCHSI Cholesterol, total (mmol/L)

Location: 54-68 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Cholesterol, total (mmol/L) English Instructions:

< blank >

LBXSC3SI Bicarbonate (mmol/L)

Location: 69-71 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Bicarbonate (mmol/L) English Instructions: <

blank >

Value	Unweighted Frequency	%
12	1	0.0 %
13	1	0.0 %
16	2	0.0 %
17	18	0.3 %
18	66	1.0 %
19	128	1.9 %
20	289	4.3 %
21	567	8.4 %
22	864	12.8 %
23	1035	15.3 %
24	1067	15.8 %
25	883	13.1 %
26	613	9.1 %
27	353	5.2 %
28	192	2.8 %
29	101	1.5 %
30	35	0.5 %
31	7	0.1 %
32	4	0.1 %
33	1	0.0 %
35	1	0.0 %
36	1	0.0 %
38	1	0.0 %
. (M)	528	7.8 %

LBXSGTSI GGT (U/L)

Location: 72-75 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Gamma Glutamyltransferase(U/L) English

Instructions: < blank >

LBXSGL Glucose (mg/dL)

Location: 76-78 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Glucose (mg/dL) English Instructions: < blank

>

LBDSGLSI Glucose (mmol/L)

Location: 79-93 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Glucose (mmol/L) English Instructions: <

blank >

LBXSIR Iron (ug/dL)

Location: 94-96 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Iron (ug/dL) English Instructions: < blank >

LBDSIRSI Iron (umol/L)

Location: 97-111 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Iron (umol/L) English Instructions: < blank >

LBXSLDSI LDH (U/L)

Location: 112-114 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Lactate dehydrogenase (U/L) English

Instructions: < blank >

LBXSPH Phosphorus (mg/dL)

Location: 115-118 (width: 4; decimal: 1)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Phosphorus (mg/dL) English Instructions: <

blank >

Value	Unweighted Frequency	%
1.7	1	0.0 %
1.8	1	0.0 %
1.9	2	0.0 %
2.0	4	0.1 %
2.1	14	0.2 %
2.2	13	0.2 %
2.3	17	0.3 %
2.4	44	0.7 %
2.5	63	0.9 %
2.6	101	1.5 %
2.7	119	1.8 %
2.8	145	2.1 %
2.9	211	3.1 %

Value	Unweighted Frequency	%
3.0	272	4.0 %
3.1	317	4.7 %
3.2	349	5.2 %
3.3	420	6.2 %
3.4	449	6.6 %
3.5	430	6.4 %
3.6	462	6.8 %
3.7	405	6.0 %
3.8	369	5.5 %
3.9	343	5.1 %
4.0	303	4.5 %
4.1	243	3.6 %
4.2	199	2.9 %
4.3	173	2.6 %
4.4	146	2.2 %
4.5	115	1.7 %
4.6	100	1.5 %
4.7	70	1.0 %
4.8	64	0.9 %
4.9	65	1.0 %
5.0	42	0.6 %
5.1	43	0.6 %
5.2	32	0.5 %
5.3	17	0.3 %
5.4	14	0.2 %
5.5	20	0.3 %
5.6	13	0.2 %
5.7	4	0.1 %
5.8	3	0.0 %
5.9	3	0.0 %
6.0	3	0.0 %
6.4	1	0.0 %
6.5	1	0.0 %
6.7	1	0.0 %
7.0	1	0.0 %
7.2	1	0.0 %
7.3	1	0.0 %
8.1	1	0.0 %
. (M)	528	7.8 %

LBDSPHSI

Location: 119-133 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Phosphorus (mmol/L) English Instructions: < blank >

Value	Unweighted Frequency	%
0.549	1	0.0 %
0.581	1	0.0 %
0.614	2	0.0 %
0.646	4	0.1 %
0.678	14	0.2 %
0.710	13	0.2 %
0.743	17	0.3 %
0.775	44	0.7 %
0.807	63	0.9 %
0.840	101	1.5 %
0.872	119	1.8 %
0.904	145	2.1 %
0.936	211	3.1 %
0.969	272	4.0 %
1.001	317	4.7 %
1.033	349	5.2 %
1.066	420	6.2 %
1.098	449	6.6 %
1.130	430	6.4 %
1.162	462	6.8 %
1.195	405	6.0 %
1.227	369	5.5 %
1.259	343	5.1 %
1.292	303	4.5 %
1.324	243	3.6 %
1.356	199	2.9 %
1.388	173	2.6 %
1.421	146	2.2 %
1.453	115	1.7 %
1.485	100	1.5 %
1.518	70	1.0 %
1.550	64	0.9 %
1.582	65	1.0 %
1.615	42	0.6 %
1.647	43	0.6 %
1.679	32	0.5 %

Value	Unweighted Frequency	%
1.711	17	0.3 %
1.744	14	0.2 %
1.776	20	0.3 %
1.808	13	0.2 %
1.841	4	0.1 %
1.873	3	0.0 %
1.905	3	0.0 %
1.937	3	0.0 %
2.067	1	0.0 %
2.099	1	0.0 %
2.163	1	0.0 %
2.260	1	0.0 %
2.325	1	0.0 %
2.357	1	0.0 %
2.615	1	0.0 %
. (M)	528	7.8 %

LBXSTB

Bilirubin, total (mg/dL)

Location:

134-137 (width: 4; decimal: 1)

Variable Type:

numeric

Question:

Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Bilirubin, total (mg/dL) English Instructions: < blank >

Value	Unweighted Frequency	%
0.1	4	0.1 %
0.2	213	3.2 %
0.3	933	13.8 %
0.4	1333	19.7 %
0.5	1244	18.4 %
0.6	832	12.3 %
0.7	566	8.4 %
0.8	379	5.6 %
0.9	214	3.2 %
1.0	145	2.1 %
1.1	96	1.4 %
1.2	61	0.9 %
1.3	44	0.7 %
1.4	40	0.6 %
1.5	25	0.4 %
1.6	21	0.3 %
1.7	17	0.3 %

- Study 25501 -

Value	Unweighted Frequency	%
1.8	16	0.2 %
1.9	8	0.1 %
2.0	8	0.1 %
2.1	4	0.1 %
2.2	5	0.1 %
2.3	5	0.1 %
2.4	1	0.0 %
2.5	2	0.0 %
2.6	2	0.0 %
2.7	3	0.0 %
2.8	2	0.0 %
3.0	1	0.0 %
3.2	1	0.0 %
3.3	2	0.0 %
3.7	2	0.0 %
4.2	1	0.0 %
. (M)	528	7.8 %

LBDSTBSI

Bilirubin, total (umol/L)

Location:

138-152 (width: 15; decimal: 8)

Variable Type:

numeric

Question:

Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Bilirubin, total (umol/L) English Instructions: < blank >

Value	Unweighted Frequency	%
1.7	4	0.1 %
3.4	213	3.2 %
5.1	933	13.8 %
6.8	1333	19.7 %
8.6	1244	18.4 %
10.3	832	12.3 %
12.0	566	8.4 %
13.7	379	5.6 %
15.4	214	3.2 %
17.1	145	2.1 %
18.8	96	1.4 %
20.5	61	0.9 %
22.2	44	0.7 %
23.9	40	0.6 %
25.7	25	0.4 %
27.4	21	0.3 %

- Study 25501 -

Value	Unweighted Frequency	%
29.1	17	0.3 %
30.8	16	0.2 %
32.5	8	0.1 %
34.2	8	0.1 %
35.9	4	0.1 %
37.6	5	0.1 %
39.3	5	0.1 %
41.0	1	0.0 %
42.8	2	0.0 %
44.5	2	0.0 %
46.2	3	0.0 %
47.9	2	0.0 %
51.3	1	0.0 %
54.7	1	0.0 %
56.4	2	0.0 %
63.3	2	0.0 %
71.8	1	0.0 %
. (M)	528	7.8 %

LBXSTP

Protein, total (g/dL)

Location:

153-156 (width: 4; decimal: 1)

Variable Type:

numeric

Question:

Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Protein, total (g/dL) English Instructions: < blank >

Value	Unweighted Frequency	%
3.6	1	0.0 %
5.7	1	0.0 %
5.9	3	0.0 %
6.0	5	0.1 %
6.1	8	0.1 %
6.2	4	0.1 %
6.3	24	0.4 %
6.4	28	0.4 %
6.5	36	0.5 %
6.6	63	0.9 %
6.7	80	1.2 %
6.8	107	1.6 %
6.9	150	2.2 %
7.0	201	3.0 %
7.1	303	4.5 %

- Study 25501 -

Value	Unweighted Frequency	%
7.2	360	5.3 %
7.3	475	7.0 %
7.4	499	7.4 %
7.5	546	8.1 %
7.6	578	8.6 %
7.7	532	7.9 %
7.8	493	7.3 %
7.9	426	6.3 %
8.0	338	5.0 %
8.1	291	4.3 %
8.2	233	3.4 %
8.3	132	2.0 %
8.4	100	1.5 %
8.5	75	1.1 %
8.6	48	0.7 %
8.7	35	0.5 %
8.8	18	0.3 %
8.9	9	0.1 %
9.0	10	0.1 %
9.1	5	0.1 %
9.2	3	0.0 %
9.3	1	0.0 %
9.4	2	0.0 %
9.5	3	0.0 %
9.6	2	0.0 %
10.0	1	0.0 %
11.0	1	0.0 %
. (M)	528	7.8 %

LBDSTPSI Protein, total (g/L)

Location: 157-159 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Protein, total (g/L) English Instructions: <

blank >

Value	Unweighted Frequency	%
36	1	0.0 %
57	1	0.0 %
59	3	0.0 %
60	5	0.1 %
61	8	0.1 %

Value	Unweighted Frequency	%
62	4	0.1 %
63	24	0.4 %
64	28	0.4 %
65	36	0.5 %
66	63	0.9 %
67	80	1.2 %
68	107	1.6 %
69	150	2.2 %
70	201	3.0 %
71	303	4.5 %
72	360	5.3 %
73	475	7.0 %
74	499	7.4 %
75	546	8.1 %
76	578	8.6 %
77	532	7.9 %
78	493	7.3 %
79	426	6.3 %
80	338	5.0 %
81	291	4.3 %
82	233	3.4 %
83	132	2.0 %
84	100	1.5 %
85	75	1.1 %
86	48	0.7 %
87	35	0.5 %
88	18	0.3 %
89	9	0.1 %
90	10	0.1 %
91	5	0.1 %
92	3	0.0 %
93	1	0.0 %
94	2	0.0 %
95	3	0.0 %
96	2	0.0 %
100	1	0.0 %
110	1	0.0 %
. (M)	528	7.8 %

LBXSTR Triglycerides (mg/dL)

Location: 160-163 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Triglycerides(mg/dL) English Instructions: <

blank >

LBDSTRSI Triglycerides (mmol/L)

Location: 164-178 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Triglycerides(mmol/L) English Instructions:

< blank >

LBXSUA Uric acid (mg/dL)

Location: 179-183 (width: 5; decimal: 1)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Uric acid (mg/dL) English Instructions: < blank

>

LBDSUASI Uric acid (umol/L)

Location: 184-198 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Uric acid (umol/L) English Instructions: < blank

>

LBXSCR Creatinine (mg/dL)

Location: 199-203 (width: 5; decimal: 1)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Creatinine (mg/dL) English Instructions: <

blank >

Value	Unweighted Frequency	%
0.2	21	0.3 %
0.3	228	3.4 %
0.4	669	9.9 %
0.5	1119	16.6 %
0.6	1187	17.6 %
0.7	1041	15.4 %
0.8	832	12.3 %
0.9	541	8.0 %
1.0	253	3.7 %
1.1	138	2.0 %
1.2	60	0.9 %
1.3	44	0.7 %
1.4	23	0.3 %
1.5	10	0.1 %
1.6	11	0.2 %
1.7	6	0.1 %
1.8	3	0.0 %

- Study 25501 -

Value	Unweighted Frequency	%
1.9	7	0.1 %
2.0	3	0.0 %
2.1	3	0.0 %
2.2	2	0.0 %
2.3	3	0.0 %
2.4	1	0.0 %
2.5	1	0.0 %
2.7	2	0.0 %
3.8	1	0.0 %
4.1	2	0.0 %
4.2	2	0.0 %
4.6	1	0.0 %
5.3	1	0.0 %
6.4	1	0.0 %
7.0	1	0.0 %
7.7	1	0.0 %
7.8	1	0.0 %
8.3	1	0.0 %
8.4	1	0.0 %
8.5	2	0.0 %
8.7	1	0.0 %
9.8	1	0.0 %
9.9	1	0.0 %
10.0	1	0.0 %
10.1	1	0.0 %
10.2	1	0.0 %
11.8	1	0.0 %
. (M)	528	7.8 %

LBDSCRSI Creatinine (umol/L)

Location: 204-218 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Creatinine (umol/L) English Instructions: <

blank >

Value	Unweighted Frequency	%
17.7	21	0.3 %
26.5	228	3.4 %
35.4	669	9.9 %
44.2	1119	16.6 %
53.0	1187	17.6 %

Value	Unweighted Frequency	%
61.9	1041	15.4 %
70.7	832	12.3 %
79.6	541	8.0 %
88.4	253	3.7 %
97.2	138	2.0 %
106.1	60	0.9 %
114.9	44	0.7 %
123.8	23	0.3 %
132.6	10	0.1 %
141.4	11	0.2 %
150.3	6	0.1 %
159.1	3	0.0 %
168.0	7	0.1 %
176.8	3	0.0 %
185.6	3	0.0 %
194.5	2	0.0 %
203.3	3	0.0 %
212.2	1	0.0 %
221.0	1	0.0 %
238.7	2	0.0 %
335.9	1	0.0 %
362.4	2	0.0 %
371.3	2	0.0 %
406.6	1	0.0 %
468.5	1	0.0 %
565.8	1	0.0 %
618.8	1	0.0 %
680.7	1	0.0 %
689.5	1	0.0 %
733.7	1	0.0 %
742.6	1	0.0 %
751.4	2	0.0 %
769.1	1	0.0 %
866.3	1	0.0 %
875.2	1	0.0 %
884.0	1	0.0 %
892.8	1	0.0 %
901.7	1	0.0 %
1043.1	1	0.0 %
. (M)	528	7.8 %

Sodium (mmol/L)

Location: 219-224 (width: 6; decimal: 1)

Variable Type: numeric

LBXSNASI

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Sodium (mmol/L) English Instructions: < blank

LBXSKSI Potassium (mmol/L)

Location: 225-229 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Potassium (mmol/L) English Instructions: <

blank >

LBXSCLSI Chloride (mmol/L)

Location: 230-235 (width: 6; decimal: 1)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Chloride (mmol/L) English Instructions: <

blank >

LBXSOSSI Osmolality (mOsml/L)

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Osmolality (mOsml/L) English Instructions: Question:

< blank >

Value	Unweighted Frequency	%
245	1	0.0 %
250	1	0.0 %
251	1	0.0 %
256	2	0.0 %
257	1	0.0 %
258	2	0.0 %
259	3	0.0 %
260	2	0.0 %
261	5	0.1 %
262	12	0.2 %
263	5	0.1 %
264	14	0.2 %
265	22	0.3 %
266	34	0.5 %
267	58	0.9 %
268	84	1.2 %
269	92	1.4 %
270	116	1.7 %
271	158	2.3 %
272	217	3.2 %

- Study 25501 -

Value	Unweighted Frequency	%
273	275	4.1 %
274	344	5.1 %
275	419	6.2 %
276	428	6.3 %
277	490	7.3 %
278	506	7.5 %
279	457	6.8 %
280	446	6.6 %
281	390	5.8 %
282	357	5.3 %
283	325	4.8 %
284	264	3.9 %
285	183	2.7 %
286	140	2.1 %
287	97	1.4 %
288	78	1.2 %
289	49	0.7 %
290	53	0.8 %
291	28	0.4 %
292	17	0.3 %
293	14	0.2 %
294	7	0.1 %
295	9	0.1 %
296	5	0.1 %
297	5	0.1 %
298	3	0.0 %
299	4	0.1 %
300	1	0.0 %
301	2	0.0 %
302	2	0.0 %
305	1	0.0 %
307	1	0.0 %
. (M)	528	7.8 %

LBXSGB Globulin (g/dL)

Location: 239-242 (width: 4; decimal: 1)

Variable Type: numeric

Question: Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Globulin (g/dL) English Instructions: < blank

>

Value	Unweighted Frequency	%
1.9	3	0.0 %
2.0	11	0.2 %
2.1	22	0.3 %
2.2	52	0.8 %
2.3	85	1.3 %
2.4	136	2.0 %
2.5	217	3.2 %
2.6	363	5.4 %
2.7	398	5.9 %
2.8	510	7.5 %
2.9	584	8.6 %
3.0	636	9.4 %
3.1	633	9.4 %
3.2	578	8.6 %
3.3	457	6.8 %
3.4	414	6.1 %
3.5	326	4.8 %
3.6	240	3.6 %
3.7	163	2.4 %
3.8	121	1.8 %
3.9	79	1.2 %
4.0	52	0.8 %
4.1	44	0.7 %
4.2	29	0.4 %
4.3	23	0.3 %
4.4	13	0.2 %
4.5	13	0.2 %
4.6	3	0.0 %
4.7	3	0.0 %
4.8	5	0.1 %
4.9	3	0.0 %
5.0	2	0.0 %
5.1	2	0.0 %
5.3	1	0.0 %
5.4	2	0.0 %
5.5	2	0.0 %
5.7	1	0.0 %
5.9	1	0.0 %
6.3	1	0.0 %
7.2	1	0.0 %

Value	Unweighted Frequency	%
7.9	1	0.0 %
. (M)	528	7.8 %

LBDSGBSI

Globulin (g/L)

Location:

243-245 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(12 Yrs. - 150 Yrs.) Version 1.0 English Text: Globulin (g/L) English Instructions: < blank >

Value	Unweighted Frequency	%
19	3	0.0 %
20	11	0.2 %
21	22	0.3 %
22	52	0.8 %
23	85	1.3 %
24	136	2.0 %
25	217	3.2 %
26	363	5.4 %
27	398	5.9 %
28	510	7.5 %
29	584	8.6 %
30	636	9.4 %
31	633	9.4 %
32	578	8.6 %
33	457	6.8 %
34	414	6.1 %
35	326	4.8 %
36	240	3.6 %
37	163	2.4 %
38	121	1.8 %
39	79	1.2 %
40	52	0.8 %
41	44	0.7 %
42	29	0.4 %
43	23	0.3 %
44	13	0.2 %
45	13	0.2 %
46	3	0.0 %
47	3	0.0 %
48	5	0.1 %
49	3	0.0 %

Value	Unweighted Frequency	%
50	2	0.0 %
51	2	0.0 %
53	1	0.0 %
54	2	0.0 %
55	2	0.0 %
57	1	0.0 %
59	1	0.0 %
63	1	0.0 %
72	1	0.0 %
79	1	0.0 %
. (M)	528	7.8 %

LBXFSH Follicle stimulating hormone (mIU/mL)
--

Location: 246-252 (width: 7; decimal: 2)

Variable Type: numeric

Question: Target: F(35 Yrs. - 60 Yrs.) Version 1.0 English Text: Follicle stimulating hormone (mIU/mL) English

Instructions: < blank >

LBDFSHSI Follicle stimulating hormone (IU/L)

Location: 253-259 (width: 7; decimal: 2)

Variable Type: numeric

Question: Target: F(35 Yrs. - 60 Yrs.) Version 1.0 English Text: Follicle stimulating hormone (IU/L) English

Instructions: < blank >

LBXLH Luteinizing hormone (mIU/mL)

Location: 260-266 (width: 7; decimal: 2)

Variable Type: numeric

Question: Target: F(35 Yrs. - 60 Yrs.) Version 1.0 English Text: Luteinizing hormone (mIU/mL) English

Instructions: < blank >

LBDLHSI Luteinizing hormone (IU/L)

Location: 267-273 (width: 7; decimal: 2)

Variable Type: numeric

Question: Target: F(35 Yrs. - 60 Yrs.) Version 1.0 English Text: Luteinizing hormone (IU/L) English Instructions:

< blank >

SDDSRVYR Data Release Number

Location: 274-276 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Data Release Number. English Instructions:

Value		Unweighted Frequency	%
1	NHANES 1999-2000 Public Release	6758	100.0 %

RIDSTATR Interview/Examination Status

Location: 277-279 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value	Label	Unweighted Frequency	%
2	Both Interviewed and MEC examined.	6758	100.0 %

RIAGENDR Gender - Adjudicated

Location: 280-282 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	3241	48.0 %
2	Female	3517	52.0 %

RIDAGEYR Age at Screening Adjudicated - Recode

Location: 283-285 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
12	-	321	4.7 %
13	-	320	4.7 %
14	-	297	4.4 %
15	-	271	4.0 %
16	-	298	4.4 %
17	-	275	4.1 %
18	-	270	4.0 %
19	-	262	3.9 %
20	-	81	1.2 %
21	-	80	1.2 %
22	-	87	1.3 %
23	-	89	1.3 %
24	-	76	1.1 %
25	-	71	1.1 %
26	-	80	1.2 %
27	-	79	1.2 %
28	-	70	1.0 %
29	-	85	1.3 %
30	-	77	1.1 %
31	-	82	1.2 %

Value	Label	Unweighted Frequency	%
32	-	91	1.3 %
33	-	66	1.0 %
34	-	82	1.2 %
35	-	72	1.1 %
36	-	68	1.0 %
37	=	82	1.2 %
38	=	69	1.0 %
39	=	82	1.2 %
40	=	87	1.3 %
41	-	75	1.1 %
42	-	87	1.3 %
43	-	68	1.0 %
44	-	77	1.1 %
45	-	84	1.2 %
46	-	64	0.9 %
47	-	68	1.0 %
48	-	55	0.8 %
49	-	54	0.8 %
50	-	53	0.8 %
51	-	71	1.1 %
52	-	67	1.0 %
53	-	60	0.9 %
54	-	68	1.0 %
55	-	45	0.7 %
56	-	58	0.9 %
57	-	50	0.7 %
58	-	36	0.5 %
59	-	42	0.6 %
60	-	103	1.5 %
61	-	72	1.1 %
62	-	88	1.3 %
63	-	66	1.0 %
64	-	81	1.2 %
65	-	83	1.2 %
66	-	75	1.1 %
67	-	72	1.1 %
68	-	62	0.9 %
69	-	56	0.8 %
70	-	79	1.2 %
71	-	62	0.9 %

Value	Label	Unweighted Frequency	%
72	-	55	0.8 %
73	-	63	0.9 %
74	-	50	0.7 %
75	-	46	0.7 %
76	-	46	0.7 %
77	-	41	0.6 %
78	-	43	0.6 %
79	-	41	0.6 %
80	-	51	0.8 %
81	-	57	0.8 %
82	-	44	0.7 %
83	-	24	0.4 %
84	-	29	0.4 %
85	>= 85 years of age	117	1.7 %

RIDAGEMN Age in Months - Recode

Location: 286-289 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 290-293 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 294-296 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	2208	32.7 %
2	Other Hispanic	391	5.8 %
3	Non-Hispanic White	2436	36.0 %
4	Non-Hispanic Black	1481	21.9 %
5	Other Race - Including Multi-Racial	242	3.6 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 297-299 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	2469	36.5 %
2	Non-Hispanic Black	1510	22.3 %
3	Mexican American	2208	32.7 %
4	Other Race - Including Multi-Racial	180	2.7 %
5	Other Hispanic	391	5.8 %

DMQMILIT

Veteran/Military Status

Location: 300-302 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	655	9.7 %
2	No	4591	67.9 %
7	Refused	1	0.0 %
9	Don't know	4	0.1 %
. (M)	-	1507	22.3 %

DMDBORN

Country of Birth - Recode

Location: 303-305 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	5121	75.8 %
2	Born in Mexico	1002	14.8 %
3	Born Elsewhere	630	9.3 %
7	Refused	1	0.0 %
9	Don't Know	1	0.0 %
. (M)	-	3	0.0 %

DMDCITZN

Citizenship Status

Location: 306-308 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	5655	83.7 %
2	Not a citizen of the US	1057	15.6 %
7	Refused	26	0.4 %
9	Don't know	20	0.3 %

DMDYRSUS

Length of time in US

Location: 309-311 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	88	1.3 %
2	1 yr., less than 5 yrs.	263	3.9 %
3	5 yrs., less than 10 yrs.	304	4.5 %
4	10 yrs., less than 15 yrs.	237	3.5 %
5	15 yrs., less than 20 yrs.	142	2.1 %
6	20 yrs., less than 30 yrs.	230	3.4 %
7	30 yrs., less than 40 yrs.	165	2.4 %
8	40 yrs., less than 50 yrs.	108	1.6 %
9	50 years or more	57	0.8 %
77	Refused	26	0.4 %
88	Could not determine	1	0.0 %
99	Don't know	20	0.3 %
. (M)	-	5117	75.7 %

DMDEDUC3

Education level - Children/Youth 6-19

Location: 312-314 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
4	4th Grade	14	0.2 %
5	5th Grade	124	1.8 %
6	6th Grade	293	4.3 %
7	7th Grade	308	4.6 %
8	8th Grade	305	4.5 %
9	9th Grade	296	4.4 %
10	10th Grade	298	4.4 %
11	11th Grade	265	3.9 %

Value	Label	Unweighted Frequency	%
12	12th Grade, No Diploma	73	1.1 %
13	High School Graduate	171	2.5 %
14	GED or Equivalent	10	0.1 %
15	More than high school	101	1.5 %
55	Less Than 5th Grade	3	0.0 %
66	Less Than 9th Grade	52	0.8 %
99	Don't know	1	0.0 %
. (M)	-	4444	65.8 %

DMDEDUC2

Education level - Adults 20+

Location: 315-317 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	837	12.4 %
2	9-11th Grade (Includes 12th grade with no diploma)	882	13.1 %
3	High School Grad/GED or Equivalent	1007	14.9 %
4	Some College or AA degree	989	14.6 %
5	College Graduate or above	714	10.6 %
7	Refused	4	0.1 %
9	Don't Know	11	0.2 %
. (M)	-	2314	34.2 %

DMDEDUC

Education - Recode (old version)

Location: 318-320 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level of school {you have/SP has} completed or the highest degree {you have/s/he has} received? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	3750	55.5 %
2	High School Diploma (including GED)	1188	17.6 %
3	More Than High School	1804	26.7 %
7	Refused	4	0.1 %
9	Don't know	12	0.2 %

DMDSCHOL

Now attending school?

Location: 321-323 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value	Label	Unweighted Frequency	%
1	In school	1618	23.9 %
2	On vacation from school (between grades)	373	5.5 %
3	Neither in school or on vacation from school (between grades)	318	4.7 %
9	Don't know	1	0.0 %
. (M)	-	4448	65.8 %

DMDMARTL Marital Status

Location: 324-326 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2301	34.0 %
2	Widowed	390	5.8 %
3	Divorced	344	5.1 %
4	Separated	170	2.5 %
5	Never married	2194	32.5 %
6	Living with partner	211	3.1 %
77	Refused	4	0.1 %
99	Don't know	1	0.0 %
. (M)	-	1143	16.9 %

DMDHHSIZ Total number of people in the Household

Location: 327-329 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	627	9.3 %
2	-	1595	23.6 %
3	-	1151	17.0 %
4	-	1221	18.1 %
5	-	929	13.7 %
6	-	546	8.1 %
7	7 or more people in the Household	689	10.2 %

INDHHINC Annual Household Income

Location: 330-332 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	171	2.5 %
2	\$ 5,000 to \$ 9,999	438	6.5 %
3	\$10,000 to \$14,999	597	8.8 %
4	\$15,000 to \$19,999	512	7.6 %
5	\$20,000 to \$24,999	513	7.6 %
6	\$25,000 to \$34,999	766	11.3 %
7	\$35,000 to \$44,999	567	8.4 %
8	\$45,000 to \$54,999	441	6.5 %
9	\$55,000 to \$64,999	351	5.2 %
10	\$65,000 to \$74,999	258	3.8 %
11	\$75,000 and Over	863	12.8 %
12	Over \$20,000	221	3.3 %
13	Under \$20,000	30	0.4 %
77	Refused	27	0.4 %
99	Don't know	27	0.4 %
. (M)	-	976	14.4 %

INDFMINC

Annual Family Income

Location:

333-335 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	322	4.8 %
2	\$ 5,000 to \$ 9,999	582	8.6 %
3	\$10,000 to \$14,999	746	11.0 %
4	\$15,000 to \$19,999	555	8.2 %
5	\$20,000 to \$24,999	584	8.6 %
6	\$25,000 to \$34,999	748	11.1 %
7	\$35,000 to \$44,999	521	7.7 %
8	\$45,000 to \$54,999	436	6.5 %
9	\$55,000 to \$64,999	304	4.5 %
10	\$65,000 to \$74,999	251	3.7 %
11	\$75,000 and Over	749	11.1 %
12	Over \$20,000	290	4.3 %
13	Under \$20,000	231	3.4 %
77	Refused	199	2.9 %
99	Don't know	149	2.2 %

Value	Label	Unweighted Frequency	%
. (M)	-	91	1.3 %

INDFMPIR Family PIR

Location: 336-340 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value Label
5 PIR value greater than or equal to 5.00

RIDEXPRG Pregnancy Status at Exam - Recode

Location: 341-343 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab pregnancy test or self-reported pregnant at exam	283	4.2 %
2	SP not pregnant at exam	1443	21.4 %
3	Cannot ascertain if SP is pregnant at exam	110	1.6 %
. (M)	-	4922	72.8 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 344-346 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE:

This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes based on pos lab preg test, self-report preg status, screener intview data or menstrual period hist	285	4.2 %
2	SP not pregnant	1544	22.8 %
. (M)	-	4929	72.9 %

DMDHRGND HH Ref Person Gender

Location: 347-349 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Male	3908	57.8 %
2	Female	2845	42.1 %
. (M)	-	5	0.1 %

DMDHRAGE

HH Ref Person Age

Location:

350-352 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
18	-	54	0.8 %
19	-	61	0.9 %
20	-	54	0.8 %
21	-	47	0.7 %
22	-	65	1.0 %
23	-	64	0.9 %
24	-	46	0.7 %
25	-	63	0.9 %
26	-	67	1.0 %
27	-	78	1.2 %
28	-	92	1.4 %
29	-	106	1.6 %
30	-	117	1.7 %
31	-	132	2.0 %
32	-	132	2.0 %
33	-	124	1.8 %
34	-	147	2.2 %
35	-	180	2.7 %
36	-	145	2.1 %
37	-	180	2.7 %
38	-	189	2.8 %
39	-	172	2.5 %
40	-	249	3.7 %
41	-	193	2.9 %
42	-	196	2.9 %
43	-	173	2.6 %
44	-	164	2.4 %
45	-	187	2.8 %
46	-	165	2.4 %

Value	Label	Unweighted Frequency	%
47	-	127	1.9 %
48	-	112	1.7 %
49	-	137	2.0 %
50	-	135	2.0 %
51	-	155	2.3 %
52	-	127	1.9 %
53	-	106	1.6 %
54	-	97	1.4 %
55	-	67	1.0 %
56	-	90	1.3 %
57	-	95	1.4 %
58	-	78	1.2 %
59	-	68	1.0 %
60	-	115	1.7 %
61	-	73	1.1 %
62	-	91	1.3 %
63	-	82	1.2 %
64	-	89	1.3 %
65	-	73	1.1 %
66	-	80	1.2 %
67	-	88	1.3 %
68	-	71	1.1 %
69	-	55	0.8 %
70	-	97	1.4 %
71	-	65	1.0 %
72	-	66	1.0 %
73	-	78	1.2 %
74	-	54	0.8 %
75	-	51	0.8 %
76	-	41	0.6 %
77	-	38	0.6 %
78	-	49	0.7 %
79	-	41	0.6 %
80	-	54	0.8 %
81	-	54	0.8 %
82	-	43	0.6 %
83	-	24	0.4 %
84	-	24	0.4 %
85	>= 85 years of age	120	1.8 %
. (M)	-	5	0.1 %

DMDHRBRN HH Ref Person Country of Birth

Location: 353-355 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	4488	66.4 %
2	Born in Mexico	1306	19.3 %
3	Born Elsewhere	734	10.9 %
7	Refused	8	0.1 %
. (M)	-	222	3.3 %

DMDHREDU HH Ref Person Education Level

Location: 356-358 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	1271	18.8 %
2	9-11th Grade (Includes 12th grade with no diploma)	1384	20.5 %
3	High School Grad/GED or equivalent	1477	21.9 %
4	Some College or AA degree	1389	20.6 %
5	College Graduate or above	955	14.1 %
7	Refused	6	0.1 %
9	Don't know	44	0.7 %
. (M)	-	232	3.4 %

DMDHRMAR HH Ref Person Marital Status

Location: 359-361 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	3272	48.4 %
2	Widowed	457	6.8 %
3	Divorced	614	9.1 %
4	Separated	365	5.4 %
5	Never married	714	10.6 %
6	Living with partner	185	2.7 %
77	Refused	10	0.1 %

Value	Label	Unweighted Frequency	%
99	Don't know	9	0.1 %
. (M)	-	1132	16.8 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 362-364 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	438	6.5 %
2	9-11th Grade (Includes 12th grade with no diploma)	482	7.1 %
3	High School Grad/GED or	509	7.5 %
4	Some College or AA degree	443	6.6 %
5	College Graduate or above	308	4.6 %
7	Refused	2	0.0 %
9	Don't know	10	0.1 %
. (M)	-	4566	67.6 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 365-379 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 380-393 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 394-408 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 409-422 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 423-425 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance estimation English Instructions:

Value	Unweighted Frequency	%
1	3301	48.8 %
2	3234	47.9 %
3	223	3.3 %

SDMVSTRA

Masked Variance Pseudo-Stratum

Location:

426-428 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance estimation English Instructions:

Value	Unweighted Frequency	%
1	762	11.3 %
2	416	6.2 %
3	550	8.1 %
4	575	8.5 %
5	503	7.4 %
6	498	7.4 %
7	618	9.1 %
8	497	7.4 %
9	465	6.9 %
10	412	6.1 %
11	533	7.9 %
12	561	8.3 %
13	368	5.4 %

SDJ1REPN

Jack Knife Replicate Number

Location:

429-431 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Jack Knife Replicate Number English Instructions:

Value	Unweighted Frequency	%
1	118	1.7 %
2	187	2.8 %
3	135	2.0 %
4	152	2.2 %
5	101	1.5 %
6	106	1.6 %
7	70	1.0 %

Value	Unweighted Frequency	%
8	116	1.7 %
9	126	1.9 %
10	125	1.8 %
11	114	1.7 %
12	132	2.0 %
13	119	1.8 %
14	89	1.3 %
15	173	2.6 %
16	133	2.0 %
17	149	2.2 %
18	160	2.4 %
19	103	1.5 %
20	104	1.5 %
21	124	1.8 %
22	120	1.8 %
23	103	1.5 %
24	182	2.7 %
25	223	3.3 %
26	97	1.4 %
27	144	2.1 %
28	157	2.3 %
29	107	1.6 %
30	153	2.3 %
31	134	2.0 %
32	154	2.3 %
33	108	1.6 %
34	193	2.9 %
35	86	1.3 %
36	98	1.5 %
37	142	2.1 %
38	125	1.8 %
39	106	1.6 %
40	116	1.7 %
41	150	2.2 %
42	115	1.7 %
43	137	2.0 %
44	106	1.6 %
45	133	2.0 %
46	127	1.9 %
47	141	2.1 %

Value	Unweighted Frequency	%
48	175	2.6 %
49	99	1.5 %
50	94	1.4 %
51	111	1.6 %
52	186	2.8 %

DMAETHN Logical Imputation Flag for Ethnicity

Location: 432-434 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Ethnicity English Instructions:

Value	Label	Unweighted	%
		Frequency	
. (M)	-	6758	100.0 %

DMARACE Logical Imputation Flag for Race Recode

Location: 435-437 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Race Recode English

Instructions:

Value	Label	Unweighted Frequency	%
. (M)	-	6758	100.0 %

WTMREP01 MEC Exam Weight Jack Knife Replicate 01

Location: 438-452 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 01 English

Instructions:

WTMREP02 MEC Exam Weight Jack Knife Replicate 02

Location: 453-467 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 02 English

Instructions:

WTMREP03 MEC Exam Weight Jack Knife Replicate 03

Location: 468-482 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 03 English

Instructions:

WTMREP04 MEC Exam Weight Jack Knife Replicate 04

Location: 483-497 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 04 English

Instructions:

WTMREP05 MEC Exam Weight Jack Knife Replicate 05

Location: 498-512 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 05 English

Instructions:

WTMREP06 MEC Exam Weight Jack Knife Replicate 06

Location: 513-527 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 06 English

Instructions:

WTMREP07 MEC Exam Weight Jack Knife Replicate 07

Location: 528-542 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 07 English

Instructions:

WTMREP08 MEC Exam Weight Jack Knife Replicate 08

Location: 543-557 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 08 English

Instructions:

WTMREP09 MEC Exam Weight Jack Knife Replicate 09

Location: 558-572 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 09 English

Instructions:

WTMREP10 MEC Exam Weight Jack Knife Replicate 10

Location: 573-587 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 10 English

Instructions:

WTMREP11 MEC Exam Weight Jack Knife Replicate 11

Location: 588-602 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 11 English

Instructions:

WTMREP12 MEC Exam Weight Jack Knife Replicate 12

Location: 603-617 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 12 English

Instructions:

WTMREP13 MEC Exam Weight Jack Knife Replicate 13

Location: 618-632 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 13 English

Instructions:

WTMREP14 MEC Exam Weight Jack Knife Replicate 14

Location: 633-647 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 14 English

Instructions:

WTMREP15 MEC Exam Weight Jack Knife Replicate 15

Location: 648-662 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 15 English

Instructions:

WTMREP16 MEC Exam Weight Jack Knife Replicate 16

Location: 663-677 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 16 English

Instructions:

WTMREP17 MEC Exam Weight Jack Knife Replicate 17

Location: 678-692 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 17 English

Instructions:

WTMREP18 MEC Exam Weight Jack Knife Replicate 18

Location: 693-707 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 18 English

Instructions:

WTMREP19 MEC Exam Weight Jack Knife Replicate 19

Location: 708-722 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 19 English

Instructions:

WTMREP20 MEC Exam Weight Jack Knife Replicate 20

Location: 723-737 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 20 English

Instructions:

WTMREP21 MEC Exam Weight Jack Knife Replicate 21

Location: 738-752 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 21 English

Instructions:

WTMREP22 MEC Exam Weight Jack Knife Replicate 22

Location: 753-767 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 22 English

Instructions:

WTMREP23 MEC Exam Weight Jack Knife Replicate 23

Location: 768-782 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 23 English

Instructions:

WTMREP24 MEC Exam Weight Jack Knife Replicate 24

Location: 783-797 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 24 English

Instructions:

WTMREP25 MEC Exam Weight Jack Knife Replicate 25

Location: 798-812 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 25 English

Instructions:

WTMREP26 MEC Exam Weight Jack Knife Replicate 26

Location: 813-827 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 26 English

Instructions:

WTMREP27 MEC Exam Weight Jack Knife Replicate 27

Location: 828-842 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 27 English

Instructions:

WTMREP28 MEC Exam Weight Jack Knife Replicate 28

Location: 843-857 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 28 English

Instructions:

WTMREP29 MEC Exam Weight Jack Knife Replicate 29

Location: 858-872 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 29 English

Instructions:

WTMREP30 MEC Exam Weight Jack Knife Replicate 30

Location: 873-887 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 30 English

Instructions:

WTMREP31 MEC Exam Weight Jack Knife Replicate 31

Location: 888-902 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 31 English

Instructions:

WTMREP32 MEC Exam Weight Jack Knife Replicate 32

Location: 903-917 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 32 English

Instructions:

WTMREP33 MEC Exam Weight Jack Knife Replicate 33

Location: 918-932 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 33 English

Instructions:

WTMREP34 MEC Exam Weight Jack Knife Replicate 34

Location: 933-947 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 34 English

Instructions:

WTMREP35 MEC Exam Weight Jack Knife Replicate 35

Location: 948-962 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 35 English

Instructions:

WTMREP36 MEC Exam Weight Jack Knife Replicate 36

Location: 963-977 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 36 English

Instructions:

WTMREP37 MEC Exam Weight Jack Knife Replicate 37

Location: 978-992 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 37 English

Instructions:

WTMREP38 MEC Exam Weight Jack Knife Replicate 38

Location: 993-1007 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 38 English

Instructions:

WTMREP39 MEC Exam Weight Jack Knife Replicate 39

Location: 1008-1022 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 39 English

Instructions:

WTMREP40 MEC Exam Weight Jack Knife Replicate 40

Location: 1023-1037 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 40 English

Instructions:

WTMREP41 MEC Exam Weight Jack Knife Replicate 41

Location: 1038-1052 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 41 English

Instructions:

WTMREP42 MEC Exam Weight Jack Knife Replicate 42

Location: 1053-1067 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 42 English

Instructions:

WTMREP43 MEC Exam Weight Jack Knife Replicate 43

Location: 1068-1082 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 43 English

Instructions:

WTMREP44 MEC Exam Weight Jack Knife Replicate 44

Location: 1083-1097 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 44 English

Instructions:

WTMREP45 MEC Exam Weight Jack Knife Replicate 45

Location: 1098-1112 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 45 English

Instructions

WTMREP46 MEC Exam Weight Jack Knife Replicate 46

Location: 1113-1127 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 46 English

Instructions:

WTMREP47 MEC Exam Weight Jack Knife Replicate 47

Location: 1128-1142 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 47 English

Instructions:

WTMREP48 MEC Exam Weight Jack Knife Replicate 48

Location: 1143-1157 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 48 English

Instructions:

WTMREP49 MEC Exam Weight Jack Knife Replicate 49

Location: 1158-1172 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 49 English

Instructions:

WTMREP50 MEC Exam Weight Jack Knife Replicate 50

Location: 1173-1187 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 50 English

Instructions:

WTMREP51 MEC Exam Weight Jack Knife Replicate 51

Location: 1188-1202 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 51 English

Instructions:

WTMREP52 MEC Exam Weight Jack Knife Replicate 52

Location: 1203-1217 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 52 English

Instructions:

WTIREP01 Interview Weight Jack Knife Replicate 01

Location: 1218-1232 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 01 English

Instructions:

WTIREP02 Interview Weight Jack Knife Replicate 02

Location: 1233-1247 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 02 English

Instructions:

WTIREP03 Interview Weight Jack Knife Replicate 03

Location: 1248-1262 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 03 English

Instructions:

WTIREP04 Interview Weight Jack Knife Replicate 04

Location: 1263-1277 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 04 English

Instructions:

WTIREP05 Interview Weight Jack Knife Replicate 05

Location: 1278-1292 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 05 English

Instructions:

WTIREP06 Interview Weight Jack Knife Replicate 06

Location: 1293-1307 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 06 English

Instructions:

WTIREP07 Interview Weight Jack Knife Replicate 07

Location: 1308-1322 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 07 English

Instructions:

WTIREP08 Interview Weight Jack Knife Replicate 08

Location: 1323-1337 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 08 English

Instructions:

WTIREP09 Interview Weight Jack Knife Replicate 09

Location: 1338-1352 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 09 English

Instructions:

WTIREP10 Interview Weight Jack Knife Replicate 10

Location: 1353-1367 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 10 English

Instructions:

WTIREP11 Interview Weight Jack Knife Replicate 11

Location: 1368-1382 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 11 English

Instructions:

WTIREP12 Interview Weight Jack Knife Replicate 12

Location: 1383-1397 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 12 English

Instructions:

WTIREP13 Interview Weight Jack Knife Replicate 13

Location: 1398-1412 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 13 English

Instructions:

WTIREP14 Interview Weight Jack Knife Replicate 14

Location: 1413-1427 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 14 English

Instructions:

WTIREP15 Interview Weight Jack Knife Replicate 15

Location: 1428-1442 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 15 English

Instructions:

WTIREP16 Interview Weight Jack Knife Replicate 16

Location: 1443-1457 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 16 English

Instructions:

WTIREP17 Interview Weight Jack Knife Replicate 17

Location: 1458-1472 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 17 English

Instructions:

WTIREP18 Interview Weight Jack Knife Replicate 18

Location: 1473-1487 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 18 English

Instructions:

WTIREP19 Interview Weight Jack Knife Replicate 19

Location: 1488-1502 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 19 English

Instructions:

WTIREP20 Interview Weight Jack Knife Replicate 20

Location: 1503-1517 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 20 English

Instructions:

WTIREP21 Interview Weight Jack Knife Replicate 21

Location: 1518-1532 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 21 English

Instructions:

WTIREP22 Interview Weight Jack Knife Replicate 22

Location: 1533-1547 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 22 English

Instructions:

WTIREP23 Interview Weight Jack Knife Replicate 23

Location: 1548-1562 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 23 English

Instructions:

WTIREP24 Interview Weight Jack Knife Replicate 24

Location: 1563-1577 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 24 English

Instructions:

WTIREP25 Interview Weight Jack Knife Replicate 25

Location: 1578-1592 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 25 English

Instructions:

WTIREP26 Interview Weight Jack Knife Replicate 26

Location: 1593-1607 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 26 English

Instructions:

WTIREP27 Interview Weight Jack Knife Replicate 27

Location: 1608-1622 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 27 English

Instructions:

WTIREP28 Interview Weight Jack Knife Replicate 28

Location: 1623-1637 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 28 English

Instructions:

WTIREP29 Interview Weight Jack Knife Replicate 29

Location: 1638-1652 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 29 English

Instructions:

WTIREP30 Interview Weight Jack Knife Replicate 30

Location: 1653-1667 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 30 English

Instructions:

WTIREP31 Interview Weight Jack Knife Replicate 31

Location: 1668-1682 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 31 English

Instructions:

WTIREP32 Interview Weight Jack Knife Replicate 32

Location: 1683-1697 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 32 English

Instructions:

WTIREP33 Interview Weight Jack Knife Replicate 33

Location: 1698-1712 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 33 English

Instructions:

WTIREP34 Interview Weight Jack Knife Replicate 34

Location: 1713-1727 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 34 English

Instructions:

WTIREP35 Interview Weight Jack Knife Replicate 35

Location: 1728-1742 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 35 English

Instructions:

WTIREP36 Interview Weight Jack Knife Replicate 36

Location: 1743-1757 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 36 English

Instructions:

WTIREP37 Interview Weight Jack Knife Replicate 37

Location: 1758-1772 (width: 15; decimal: 8)

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 37 English

Instructions:

WTIREP38 Interview Weight Jack Knife Replicate 38

Location: 1773-1787 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 38 English

Instructions:

WTIREP39 Interview Weight Jack Knife Replicate 39

Location: 1788-1802 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 39 English

Instructions:

WTIREP40 Interview Weight Jack Knife Replicate 40

Location: 1803-1817 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 40 English

Instructions:

WTIREP41 Interview Weight Jack Knife Replicate 41

Location: 1818-1832 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 41 English

Instructions:

WTIREP42 Interview Weight Jack Knife Replicate 42

Location: 1833-1847 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 42 English

Instructions:

WTIREP43 Interview Weight Jack Knife Replicate 43

Location: 1848-1862 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 43 English

Instructions:

WTIREP44 Interview Weight Jack Knife Replicate 44

Location: 1863-1877 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 44 English

Instructions:

WTIREP45 Interview Weight Jack Knife Replicate 45

Location: 1878-1892 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 45 English

Instructions:

WTIREP46 Interview Weight Jack Knife Replicate 46

Location: 1893-1907 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 46 English

Instructions:

WTIREP47 Interview Weight Jack Knife Replicate 47

Location: 1908-1922 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 47 English

Instructions:

WTIREP48 Interview Weight Jack Knife Replicate 48

Location: 1923-1937 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 48 English

Instructions:

WTIREP49 Interview Weight Jack Knife Replicate 49

Location: 1938-1952 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 49 English

Instructions:

WTIREP50 Interview Weight Jack Knife Replicate 50

Location: 1953-1967 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 50 English

Instructions:

WTIREP51 Interview Weight Jack Knife Replicate 51

Location: 1968-1982 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 51 English

Instructions:

WTIREP52 Interview Weight Jack Knife Replicate 52

Location: 1983-1997 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 52 English

Instructions: