ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

United States Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics

Codebook -- Questionnaire: Smoking and Tobacco Use

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at: http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25501.xml

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 25501

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

National Health and Nutrition Examination Survey (NHANES), 1999-2000

Questionnaire: Smoking and Tobacco Use

SEQN	Respond	lent sequence number				
Location:	1-4 (width	1-4 (width: 4; decimal: 0)				
Variable Type:	numeric					
Question:	•	Target: B(20 Yrs 150 Yrs.) Version 1.0 English Text: Respondent sequence number. English Instructions:< blank >				
SMQ020	Smoked	at least 100 cigarettes in life				
Location:	5-7 (width	5-7 (width: 3; decimal: 0)				
Variable Type:	numeric					
Question:	smoking a	(20 Yrs 150 Yrs.) Version 1.0 English Text: Thes and other tobacco use. {Have you/Has SP} smoked ? English Instructions:< blank >	· · · · · · · · · · · · · · · · · · ·			
	Value	Label	Unweighted Frequency	%		
	1	Yes	2299	47.1 %		
	2	No (Skip to: SMQ120)	2566	52.6 %		
	7	Refused (Skip to: SMQ120)	4	0.1 %		
	9	Don't know (Skip to: SMQ120)	8	0.2 %		

SMD030 Age started smoking cigarettes regularly

. (M)

Location: 8-10 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: How old {were you/was SP} when {you/s/he} first started to smoke cigarettes fairly regularly? English Instructions:ENTER AGE IN YEARS

Value Label Unweighted % Frequency 0 Never smoked cigarettes regularly (Skip to: SMQ120) 149 3.1 % 7 0.1 % 8 9 0.2 % 9 10 0.2 % 23 0.5 % 10 11 25 0.5 % 76 1.6 % 12 101 2.1 % 13 14 137 2.8 % 15 188 3.9 % 16 281 5.8 % 17 204 4.2 % 319 6.5 % 18

0.1 %

Value	Label	Unweighted Frequency	%
19	-	126	2.6 %
20	-	153	3.1 %
21	-	83	1.7 %
22	-	66	1.4 %
23	-	45	0.9 %
24	-	25	0.5 %
25	-	74	1.5 %
26	-	22	0.5 %
27	-	14	0.3 %
28	-	14	0.3 %
29	-	5	0.1 %
30	-	43	0.9 %
31	-	2	0.0 %
32	-	8	0.2 %
33	-	6	0.1 %
34	-	3	0.1 %
35	-	14	0.3 %
36	-	3	0.1 %
37	-	1	0.0 %
38	-	4	0.1 %
39	-	3	0.1 %
40	-	13	0.3 %
41	-	1	0.0 %
42	-	3	0.1 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	7	0.1 %
46	-	1	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
50	-	4	0.1 %
51	-	1	0.0 %
54	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
62	-	1	0.0 %
74	-	1	0.0 %
77	-	1	0.0 %
999	Don't know (Skip to: SMQ120)	8	0.2 %
. (M)	-	2588	53.0 %

SMQ040 Do you now smoke cigarettes...

Location: 11-13 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: {Do you/Does SP} now smoke cigarettes . .

English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Every day, (Skip to: SMQ070)	823	16.9 %
2	Some days, or (Skip to: SMQ080)	176	3.6 %
3	Not at all? (Skip to: SMQ050Q)	1300	26.6 %
. (M)	-	2581	52.9 %

SMQ050Q How long since quit smoking cigarettes

Location: 14-18 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: How long has it been since {you/SP} quit

smoking cigarettes? English Instructions:ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR

YEARS)

Value	Label	Unweighted Frequency	%
1	-	61	1.2 %
2	-	54	1.1 %
3	-	59	1.2 %
4	-	43	0.9 %
5	-	64	1.3 %
6	-	52	1.1 %
7	-	36	0.7 %
8	-	33	0.7 %
9	-	32	0.7 %
10	-	87	1.8 %
11	-	20	0.4 %
12	-	45	0.9 %
13	-	19	0.4 %
14	-	19	0.4 %
15	-	81	1.7 %
16	-	24	0.5 %
17	-	15	0.3 %
18	-	36	0.7 %
19	-	11	0.2 %
20	-	87	1.8 %
21	-	11	0.2 %
22	-	18	0.4 %
23	-	11	0.2 %

Value	Label	Unweighted Frequency	%
24	-	7	0.1 %
25	-	54	1.1 %
26	-	20	0.4 %
27	-	14	0.3 %
28	-	11	0.2 %
29	-	7	0.1 %
30	-	79	1.6 %
31	-	6	0.1 %
32	-	9	0.2 %
33	-	7	0.1 %
34	-	6	0.1 %
35	-	29	0.6 %
36	-	4	0.1 %
37	-	5	0.1 %
38	-	3	0.1 %
39	-	2	0.0 %
40	-	33	0.7 %
41	-	1	0.0 %
42	-	9	0.2 %
43	-	6	0.1 %
44	-	2	0.0 %
45	-	9	0.2 %
46	-	4	0.1 %
47	-	2	0.0 %
48	-	3	0.1 %
50	-	17	0.3 %
51	-	1	0.0 %
52	-	5	0.1 %
53	-	2	0.0 %
54	-	1	0.0 %
55	-	2	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	3	0.1 %
59	-	2	0.0 %
60	-	4	0.1 %
66	-	1	0.0 %
99999	Don't know	10	0.2 %
. (M)	-	3580	73.4 %

Location: 19-21 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: UNIT OF MEASURE English

Instructions:ENTER UNIT

Value	Label	Unweighted Frequency	%
1	Days	10	0.2 %
2	Weeks	9	0.2 %
3	Months	111	2.3 %
4	Years	1160	23.8 %
. (M)	-	3590	73.6 %

SMD055 Age last smoked cigarettes regularly

Location:

22-24 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: How old {were you/was SP} when {you/s/he} last smoked cigarettes {fairly regularly}? English Instructions:CAPI INSTRUCTION: DISPLAY "FAIRLY

REGULARLY" EXCEPT WHEN SMQ.030 = 666 (NEVER SMOKED CIGARETTES REGULARLY).

ENTER AGE IN YEARS.

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	7	0.1 %
17	-	8	0.2 %
18	-	19	0.4 %
19	-	16	0.3 %
20	-	32	0.7 %
21	-	28	0.6 %
22	-	33	0.7 %
23	-	19	0.4 %
24	-	25	0.5 %
25	-	29	0.6 %
26	-	20	0.4 %
27	-	22	0.5 %
28	-	30	0.6 %
29	-	15	0.3 %
30	-	50	1.0 %
31	-	16	0.3 %
32	-	21	0.4 %
33	-	16	0.3 %

Value	Label	Unweighted Frequency	%
34	-	17	0.3 %
35	-	43	0.9 %
36	-	18	0.4 %
37	-	19	0.4 %
38	-	24	0.5 %
39	-	24	0.5 %
40	-	48	1.0 %
41	-	12	0.2 %
42	-	23	0.5 %
43	-	19	0.4 %
44	-	18	0.4 %
45	-	31	0.6 %
46	-	19	0.4 %
47	-	21	0.4 %
48	-	19	0.4 %
49	-	19	0.4 %
50	-	37	0.8 %
51	-	15	0.3 %
52	-	22	0.5 %
53	-	16	0.3 %
54	-	14	0.3 %
55	-	39	0.8 %
56	-	20	0.4 %
57	-	18	0.4 %
58	-	22	0.5 %
59	-	19	0.4 %
60	-	20	0.4 %
61	-	10	0.2 %
62	-	13	0.3 %
63	-	9	0.2 %
64	-	12	0.2 %
65	-	17	0.3 %
66	-	5	0.1 %
67	-	9	0.2 %
68	-	10	0.2 %
69	-	4	0.1 %
70	-	13	0.3 %
71	-	1	0.0 %
72	-	5	0.1 %
73	-	2	0.0 %

Value	Label	Unweighted Frequency	%
74	-	5	0.1 %
75	-	8	0.2 %
76	-	1	0.0 %
77	-	5	0.1 %
78	-	4	0.1 %
79	-	1	0.0 %
80	-	2	0.0 %
81	-	1	0.0 %
82	-	2	0.0 %
84	-	1	0.0 %
86	-	1	0.0 %
777	Refused	2	0.0 %
999	Don't know	6	0.1 %
. (M)	-	3703	75.9 %

SMD057

cigarettes smoked per day when quit

Location: 25-27 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: At that time, about how many cigarettes did {you/SP} usually smoke per day? English Instructions:1 PACK EQUALS 20 CIGARETTES. IF LESS THAN 1 PER DAY, ENTER 1. IF 95 OR MORE PER DAY, ENTER 95. ENTER NUMBER (OF CIGARETTES).

Value	Label	Unweighted Frequency	%
1	-	103	2.1 %
2	-	64	1.3 %
3	-	60	1.2 %
4	-	38	0.8 %
5	-	74	1.5 %
6	-	31	0.6 %
7	-	13	0.3 %
8	-	8	0.2 %
9	-	3	0.1 %
10	-	141	2.9 %
11	-	3	0.1 %
12	-	10	0.2 %
14	-	2	0.0 %
15	-	51	1.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	6	0.1 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
20	-	293	6.0 %
22	-	1	0.0 %
24	-	2	0.0 %
25	-	11	0.2 %
30	-	58	1.2 %
35	-	2	0.0 %
36	-	1	0.0 %
39	-	1	0.0 %
40	-	101	2.1 %
45	-	2	0.0 %
49	-	1	0.0 %
50	-	19	0.4 %
55	-	1	0.0 %
60	-	51	1.0 %
75	-	2	0.0 %
80	-	3	0.1 %
90	-	1	0.0 %
95	-	3	0.1 %
777	Refused	1	0.0 %
999	Don't know	14	0.3 %
. (M)	-	3703	75.9 %

SMD070

cigarettes smoked per day now

Location: 28-30 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: On average, how many cigarettes {do you/does SP} now smoke per day? English Instructions:1 PACK EQUALS 20 CIGARETTES. IF LESS THAN 1 PER DAY, ENTER 1. IF 95 OR MORE PER DAY, ENTER 95. ENTER NUMBER (OF CIGARETTES)

(PER DAY).

Value	Label	Unweighted Frequency	%
1	-	31	0.6 %
2	-	14	0.3 %
3	-	21	0.4 %
4	-	26	0.5 %
5	-	41	0.8 %
6	-	22	0.5 %
7	-	29	0.6 %
8	-	18	0.4 %
9	-	4	0.1 %
10	-	158	3.2 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
11	-	5	0.1 %
12	-	13	0.3 %
13	-	2	0.0 %
14	-	3	0.1 %
15	-	52	1.1 %
16	-	3	0.1 %
17	-	2	0.0 %
18	-	7	0.1 %
20	-	231	4.7 %
22	-	2	0.0 %
25	-	14	0.3 %
30	-	57	1.2 %
34	-	1	0.0 %
35	-	2	0.0 %
40	-	47	1.0 %
45	-	2	0.0 %
50	-	6	0.1 %
60	-	6	0.1 %
80	-	1	0.0 %
90	-	1	0.0 %
999	Don't know	2	0.0 %
. (M)	-	4057	83.1 %

SMD075

How many years smoked this amount

Location:

31-33 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: For about how many years {have you/has SP} smoked this amount? English Instructions:IF LESS THAN 1 YEAR, ENTER 1. ENTER NUMBER (OF YEARS).

Value	Label	Unweighted Frequency	%
1	-	98	2.0 %
2	-	57	1.2 %
3	-	45	0.9 %
4	-	34	0.7 %
5	-	71	1.5 %
6	-	20	0.4 %
7	-	18	0.4 %
8	-	18	0.4 %
9	-	15	0.3 %
10	-	96	2.0 %

Value	Label	Unweighted Frequency	%
11	-	6	0.1 %
12	-	18	0.4 %
13	-	3	0.1 %
14	-	5	0.1 %
15	-	31	0.6 %
16	-	6	0.1 %
17	-	7	0.1 %
18	-	10	0.2 %
19	-	4	0.1 %
20	-	61	1.2 %
21	-	3	0.1 %
22	-	3	0.1 %
23	-	5	0.1 %
24	-	5	0.1 %
25	-	27	0.6 %
26	-	6	0.1 %
27	-	4	0.1 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	37	0.8 %
31	-	3	0.1 %
33	-	2	0.0 %
35	-	9	0.2 %
37	-	3	0.1 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	15	0.3 %
41	-	5	0.1 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	9	0.2 %
46	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	12	0.2 %
52	-	2	0.0 %
53	-	2	0.0 %
54	-	4	0.1 %
55	-	1	0.0 %

Value	Label	Unweighted Frequency	%
56	-	4	0.1 %
58	-	1	0.0 %
60	-	4	0.1 %
62	-	1	0.0 %
66	-	1	0.0 %
69	-	1	0.0 %
70	-	1	0.0 %
71	-	1	0.0 %
999	Don't know	14	0.3 %
. (M)	-	4057	83.1 %

SMD080

days smoked cigs during past 30 days

Location: 34-36 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: On how many of the past 30 days did {you/SP} smoke a cigarette? English Instructions:ENTER NUMBER (OF DAYS)

Value Unweighted % Label Frequency 0 0.0 % 2 1 23 0.5 % 2 0.3 % 13 3 0.2 % 10 4 7 0.1 % 5 0.4 % 19 6 4 0.1 % 7 6 0.1 % 8 3 0.1 % 28 0.6 % 10 11 0.0 % 12 3 0.1 % 14 3 0.1 % 15 27 0.6 % 0.0 % 16 2 0.9 % 20 42 2 0.0 % 22 23 3 0.1 % 1 24 0.0 % 25 18 0.4 % 26 1 0.0 % 27 1 0.0 % 28 5 0.1 %

Value	Label	Unweighted Frequency	%
29	-	2	0.0 %
30	-	772	15.8 %
77	Refused	1	0.0 %
. (M)	-	3881	79.5 %

SMD090

Avg # cigarettes/day during past 30 days

Location:

37-39 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: During the past 30 days, on the days that {you/SP} smoked, about how many cigarettes did {you/s/he} smoke per day? English Instructions:1 PACK EQUALS 20 CIGARETTES. IF LESS THAN 1 PER DAY, ENTER 1. IF 95 OR MORE PER DAY, ENTER 95. ENTER NUMBER (OF CIGARETTES) (PER DAY).

Value	Label	Unweighted Frequency	%
1	-	54	1.1 %
2	-	53	1.1 %
3	-	48	1.0 %
4	-	40	0.8 %
5	-	58	1.2 %
6	-	29	0.6 %
7	-	35	0.7 %
8	-	16	0.3 %
9	-	5	0.1 %
10	-	180	3.7 %
11	-	4	0.1 %
12	-	12	0.2 %
13	-	2	0.0 %
14	-	3	0.1 %
15	-	57	1.2 %
16	-	3	0.1 %
17	-	2	0.0 %
18	-	7	0.1 %
20	-	239	4.9 %
22	-	2	0.0 %
23	-	1	0.0 %
25	-	13	0.3 %
30	-	67	1.4 %
34	-	1	0.0 %
35	-	3	0.1 %
40	-	46	0.9 %
45	-	2	0.0 %

Value	Label	Unweighted Frequency	%
50	-	7	0.1 %
60	-	6	0.1 %
80	-	1	0.0 %
90	-	1	0.0 %
95	=	1	0.0 %
999	Don't know	1	0.0 %
. (M)	-	3881	79.5 %

SMD100BR Cigarette Brand/sub-brand

Location: 40-89 (width: 50; decimal: 0)

Variable Type: character

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

Target: B(20 Yrs. -

CIGARETTES SMOKED BY SP (SUB-BRAND INCLUDED IF APPLICABLE AND AVAILABLE)

SMD100FL Filter type

Location: 90-92 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

| Splink | English Instructions: CIGARETTE

PRODUCT FILTERED OR NON-FILTERED

Value	Label	Unweighted Frequency	%
0	Non-filtered	13	0.3 %
1	Filtered	907	18.6 %
. (M)	-	3960	81.1 %

SMD100MN Menthol indicator

Location: 93-95 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text:

| Version 1.0 English Text:

| Slank | English Instructions: CIGARETTE

PRODUCT MENTHOLATED OR NON-MENTHOLATED

Value	Label	Unweighted Frequency	%
0	Non-mentholated	667	13.7 %
1	Mentholated	253	5.2 %
. (M)	-	3960	81.1 %

SMD100LN Length

Location: 96-98 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: <blank> English Instructions: CIGARETTE

PRODUCT LENGTH IN MILLIMETERS

Value	Unweighted Frequency	%
70	15	0.3 %
80	25	0.5 %
85	465	9.5 %
100	400	8.2 %
120	15	0.3 %
. (M)	3960	81.1 %

SMD100TR

FTC Tar Content

Location: 99-101 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: < blank > English Instructions: CIGARETTE

TAR CONTENT

Value	Unweighted Frequency	%
1	1	0.0 %
2	3	0.1 %
3	1	0.0 %
4	8	0.2 %
5	60	1.2 %
6	16	0.3 %
7	1	0.0 %
8	28	0.6 %
9	18	0.4 %
10	210	4.3 %
11	42	0.9 %
12	20	0.4 %
13	27	0.6 %
14	29	0.6 %
15	97	2.0 %
16	202	4.1 %
17	86	1.8 %
18	24	0.5 %
19	1	0.0 %
20	9	0.2 %
23	10	0.2 %
24	2	0.0 %
. (M)	3985	81.7 %

SMD100NI

FTC Nicotine Content

Location: 102-105 (width: 4; decimal: 2)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: < blank > English Instructions: CIGARETTE NICOTINE CONTENT

Value	Unweighted Frequency	%
0.2	4	0.1 %
0.3	4	0.1 %
0.4	14	0.3 %
0.5	62	1.3 %
0.6	16	0.3 %
0.7	55	1.1 %
0.8	224	4.6 %
0.9	71	1.5 %
1.0	52	1.1 %
1.1	194	4.0 %
1.2	132	2.7 %
1.3	21	0.4 %
1.4	27	0.6 %
1.5	8	0.2 %
1.6	3	0.1 %
1.7	7	0.1 %
. (M)	3986	81.7 %

SMD100CO

FTC Carbon Monoxide Content

Location:

106-108 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: < blank > English Instructions: CIGARETTE NICOTINE CONTENT

Value	Unweighted Frequency	%
3	4	0.1 %
4	4	0.1 %
5	4	0.1 %
6	24	0.5 %
7	43	0.9 %
8	17	0.3 %
9	10	0.2 %
10	14	0.3 %
11	147	3.0 %
12	92	1.9 %
13	47	1.0 %
14	93	1.9 %
15	181	3.7 %
16	67	1.4 %

Value	Unweighted Frequency	%
17	78	1.6 %
18	28	0.6 %
19	30	0.6 %
20	4	0.1 %
. (M)	3993	81.8 %

SMQ120 Smoked a pipe at least 20 times in life

Location: 109-111 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: {Have you/Has SP} smoked a pipe at least

20 times in {your/his/her} entire life? English Instructions:< blank >

Value	Label	Unweighted Frequency	%
1	Yes	397	8.1 %
2	No (Skip to: SMQ150)	4471	91.6 %
7	Refused (Skip to: SMQ150)	4	0.1 %
9	Don't know (Skip to: SMQ150)	5	0.1 %
. (M)	=	3	0.1 %

SMD130 Age started smoking pipes regularly

Location: 112-114 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: How old {were you/was SP} when {you/s/he} first started to smoke a pipe fairly regularly? English Instructions:GATE QUESTION

Value Label Unweighted % Frequency 0 Never smoked a pipe regularly (Skip to: SMQ150) 145 3.0 % 10 2 0.0 % 12 1 0.0 % 3 14 0.1 % 3 15 0.1 % 16 8 0.2 % 17 8 0.2 % 18 15 0.3 % 19 16 0.3 % 20 17 0.3 % 14 0.3 % 21 22 11 0.2 % 23 9 0.2 % 24 3 0.1 % 25 25 0.5 %

- Study 25501 -

Value	Label	Unweighted Frequency	%
26	-	5	0.1 %
27	-	3	0.1 %
28	-	7	0.1 %
29	-	1	0.0 %
30	-	26	0.5 %
31	-	1	0.0 %
32	-	2	0.0 %
34	-	1	0.0 %
35	-	16	0.3 %
36	-	1	0.0 %
37	-	4	0.1 %
38	-	1	0.0 %
40	-	16	0.3 %
41	-	2	0.0 %
43	-	1	0.0 %
45	-	6	0.1 %
47	-	2	0.0 %
48	-	1	0.0 %
50	-	3	0.1 %
55	-	4	0.1 %
56	-	2	0.0 %
58	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
64	-	2	0.0 %
68	-	1	0.0 %
999	Don't know (Skip to: SMQ150)	4	0.1 %
. (M)	-	4485	91.9 %

SMQ140 Do you now smoke a pipe...

Location: 115-117 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: {Do you/Does SP} now smoke a pipe . . .

English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Every day	5	0.1 %
2	Some days, or (Skip to: SMQ150)	9	0.2 %
3	Not at all? (Skip to: SMQ150)	232	4.8 %
. (M)	-	4634	95.0 %

SMQ143 # pipefuls of tobacco smoked per day

Location: 118-121 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: How many pipefuls of tobacco {do you/does

SP} smoke per day? English Instructions:IF LESS THAN 1 PER DAY, ENTER 1. ENTER NUMBER

OF PIPEFULS.

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
. (M)	-	4875	99.9 %

SMQ145 # years smoked this amount of pipes

Location: 122-126 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: For about how many years {have you/has

SP} smoked this amount? English Instructions:IF LESS THAN 1 YEAR, ENTER 1. ENTER NUMBER

OF YEARS.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
6	-	1	0.0 %
10	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
. (M)	-	4875	99.9 %

SMQ150 Smoked cigars at least 20 times in life

Location: 127-129 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: {Have you/Has SP} smoked a cigar at least

20 times in {your/his/her} entire life? English Instructions:< blank >

Value	Label	Unweighted Frequency	%
1	Yes	582	11.9 %
2	No (Skip to: SMQ180)	4287	87.8 %
7	Refused (Skip to: SMQ180)	4	0.1 %
9	Don't know (Skip to: SMQ180)	4	0.1 %
. (M)	-	3	0.1 %

SMD160 Age started smoking cigars regularly

Location: 130-132 (width: 3; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 120 Yrs.) Version 1.0 English Text: How old {were you/was SP} when {you/s/he} first started to smoke a cigar fairly regularly? English Instructions:GATE QUESTION

Value	Label	Unweighted Frequency	%
0	Never smoked cigars regularly (Skip to: SMQ180)	305	6.2 %
10	-	2	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	5	0.1 %
15	-	3	0.1 %
16	-	9	0.2 %
17	-	9	0.2 %
18	-	21	0.4 %
19	-	7	0.1 %
20	-	20	0.4 %
21	-	10	0.2 %
22	-	8	0.2 %
23	-	4	0.1 %
24	-	5	0.1 %
25	-	34	0.7 %
26	-	5	0.1 %
27	-	8	0.2 %
28	-	5	0.1 %
29	-	3	0.1 %
30	-	20	0.4 %
32	-	2	0.0 %
33	-	2	0.0 %
35	-	15	0.3 %
36	-	2	0.0 %
38	-	5	0.1 %
39	-	3	0.1 %
40	-	15	0.3 %
41	-	1	0.0 %
42	-	5	0.1 %
44	-	2	0.0 %
45	-	10	0.2 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %

Value	Label	Unweighted Frequency	%
50	-	7	0.1 %
52	-	1	0.0 %
53	-	2	0.0 %
54	-	2	0.0 %
55	-	2	0.0 %
60	-	2	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
67	-	1	0.0 %
70	-	2	0.0 %
73	-	1	0.0 %
999	Don't know (Skip to: SMQ180)	3	0.1 %
. (M)	-	4300	88.1 %

SMQ170

Do you now smoke cigars...

Location:

133-135 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: {Do you/Does SP} now smoke a cigar . . . English Instructions:< blank >

Value	Label	Unweighted Frequency	%
1	Every day	33	0.7 %
2	Some days, or (Skip to: SMQ180)	63	1.3 %
3	Not at all? (Skip to: SMQ180)	175	3.6 %
9	Don't know (Skip to: SMQ180)	1	0.0 %
. (M)	-	4608	94.4 %

SMQ173

cigars smokes per day

Location:

136-140 (width: 5; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: How many cigars {do you/does SP} smoke per day? English Instructions:IF LESS THAN 1 PER DAY, ENTER 1. ENTER NUMBER (OF CIGARS).

Value	Label	Unweighted Frequency	%
1	-	4	0.1 %
2	-	10	0.2 %
3	-	6	0.1 %
4	-	3	0.1 %
5	-	4	0.1 %
6	-	2	0.0 %
7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20	-	2	0.0 %
30	-	1	0.0 %
. (M)	-	4847	99.3 %

SMQ175

years smoked this amount of cigars

Location: 141-145 (width: 5; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: For about how many years {have you/has SP} smoked this amount? English Instructions:IF LESS THAN 1 YEAR, ENTER 1. ENTER NUMBER

OF YEARS.

Value	Label	Unweighted Frequency	%
1	-	7	0.1 %
2	-	5	0.1 %
3	-	4	0.1 %
4	-	4	0.1 %
5	-	3	0.1 %
7	-	1	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
20	-	2	0.0 %
30	-	1	0.0 %
40	-	1	0.0 %
. (M)	-	4847	99.3 %

SMQ180

Used snuff at least 20 times in life

Location: 146-148 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: {Have you/Has SP} used snuff, such as Skoal,

Skoal Bandit, or Copenhagen at least 20 times in {your/his/her} entire life? English Instructions:<

blank >

Value	Label	Unweighted Frequency	%
1	Yes	171	3.5 %
2	No (Skip to: SMQ210)	4697	96.2 %
7	Refused (Skip to: SMQ210)	4	0.1 %
9	Don't know (Skip to: SMQ210)	5	0.1 %
. (M)	-	3	0.1 %

SMD190

Age started using snuff regularly

Location: 149-151 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: How old {were you/was SP} when {you/s/he} first started to use snuff fairly regularly? English Instructions:GATE QUESTION

Value	Label	Unweighted Frequency	%
0	Never used snuff regularly (Skip to: SMQ210)	26	0.5 %
7	-	3	0.1 %
8	-	1	0.0 %
9	-	3	0.1 %
10	-	5	0.1 %
12	-	8	0.2 %
13	-	4	0.1 %
14	-	6	0.1 %
15	-	9	0.2 %
16	-	20	0.4 %
17	-	7	0.1 %
18	-	8	0.2 %
19	-	5	0.1 %
20	-	7	0.1 %
21	-	3	0.1 %
22	-	1	0.0 %
23	-	2	0.0 %
24	-	1	0.0 %
25	-	8	0.2 %
27	-	3	0.1 %
28	-	3	0.1 %
30	-	2	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	8	0.2 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
41	-	2	0.0 %
43	-	2	0.0 %
47	-	1	0.0 %
50	-	4	0.1 %
55	-	1	0.0 %
59	-	1	0.0 %

Value	Label	Unweighted Frequency	%
60	-	1	0.0 %
62	-	1	0.0 %
65	-	1	0.0 %
67	-	1	0.0 %
70	-	1	0.0 %
999	Don't know (Skip to: SMQ210)	1	0.0 %
. (M)	=	4709	96.5 %

SMQ200 Do you now use snuff...

Location: 152-154 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: {Do you/Does SP} now use snuff . . . English

Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Every day	39	0.8 %
2	Some days, or (Skip to: SMQ210)	24	0.5 %
3	Not at all? (Skip to: SMQ210)	81	1.7 %
. (M)	-	4736	97.0 %

SMD203 # snuff pinches/dips/rubs per day

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: How many "pinches", "dips" or "rubs" of snuff {do you/does SP} use per day? English Instructions:IF LESS THAN 1 PER DAY, ENTER 1. ENTER

NUMBER OF PINCHES, DIPS OR RUBS.

Value	Label	Unweighted Frequency	%
2	-	4	0.1 %
3	-	5	0.1 %
4	-	3	0.1 %
5	-	6	0.1 %
6	-	7	0.1 %
7	-	1	0.0 %
10	-	6	0.1 %
12	-	2	0.0 %
20	-	3	0.1 %
30	-	1	0.0 %
999	Don't know	1	0.0 %
. (M)	-	4841	99.2 %

SMQ205

years used this amount of snuff

Location: 158-162 (width: 5; decimal: 0)

Variable Type: numeric

Question:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: For about how many years {have you/has SP} used this amount? English Instructions:IF LESS THAN 1 YEAR, ENTER 1. ENTER NUMBER OF YEARS.

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	3	0.1 %
10	-	3	0.1 %
12	-	2	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	5	0.1 %
17	-	2	0.0 %
20	-	3	0.1 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	3	0.1 %
30	-	1	0.0 %
35	-	1	0.0 %
49	-	1	0.0 %
56	-	1	0.0 %
65	-	1	0.0 %
68	-	1	0.0 %
. (M)	-	4841	99.2 %

SMQ210 Used chewing tobacco 20 times in life

Location: 163-165 (width: 3; decimal: 0)

Variable Type: numeri

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: {Have you/Has SP} used chewing tobacco, such as Redman, Levi Garrett or Beechnut at least 20 times in {your/his/her} entire life? English

Instructions:< blank >

Value	Label	Unweighted Frequency	%
1	Yes	223	4.6 %
2	No (End of Section)	4646	95.2 %
7	Refused (End of Section)	4	0.1 %
9	Don't know (End of Section)	4	0.1 %

Value	Label	Unweighted Frequency	%
. (M)	-	3	0.1 %

SMD220

Age started chewing tobacco regularly

Location:

166-168 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: How old {were you/was SP} when {you/s/he} first started to use chewing tobacco fairly regularly? English Instructions:GATE QUESTION

Value	Label	Unweighted Frequency	%
0	Never used chewing tobacco regularly (End of Section)	79	1.6 %
8	-	4	0.1 %
10	-	4	0.1 %
12	-	3	0.1 %
13	-	1	0.0 %
14	-	4	0.1 %
15	-	12	0.2 %
16	-	15	0.3 %
17	-	7	0.1 %
18	-	12	0.2 %
19	-	4	0.1 %
20	-	8	0.2 %
21	-	3	0.1 %
22	-	4	0.1 %
23	-	3	0.1 %
24	-	2	0.0 %
25	-	8	0.2 %
26	-	3	0.1 %
27	-	3	0.1 %
28	-	5	0.1 %
30	-	3	0.1 %
35	-	9	0.2 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	4	0.1 %
42	-	2	0.0 %
44	-	2	0.0 %
45	-	3	0.1 %
48	-	1	0.0 %
50	-	1	0.0 %
55	-	4	0.1 %
64	-	2	0.0 %

Value	Label	Unweighted Frequency	%
65	-	1	0.0 %
68	-	1	0.0 %
70	-	2	0.0 %
999	Don't know (End of Section)	1	0.0 %
. (M)	-	4658	95.5 %

SMQ230 Do you now use chewing tobacco...

Location: 169-171 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: {Do you/Does SP} now use chewing tobacco

... English Instructions: < blank >

Value	Label	Unweighted Frequency	%
1	Every day	21	0.4 %
2	Some days, or (End of Section)	13	0.3 %
3	Not at all? (End of Section)	108	2.2 %
. (M)	-	4738	97.1 %

SMD233 # chewing plugs/wads/chaws per day

Location: 172-174 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: How many "plugs", "wads" or "chaws" of

chewing tobacco (do you/does SP) use per day? English Instructions:IF LESS THAN 1 PER DAY,

ENTER 1. ENTER NUMBER OF PLUGS, WADS OR CHAWS.

Value	Label	Unweighted Frequency	%
1	-	4	0.1 %
2	-	7	0.1 %
3	-	2	0.0 %
4	-	2	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
15	-	1	0.0 %
999	Don't know	1	0.0 %
. (M)	-	4860	99.6 %

SMD235 # years used this chewing tobacco amount

Location: 175-177 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. - 150 Yrs.) Version 1.0 English Text: For about how many years {have you/has

SP} used this amount? English Instructions:IF LESS THAN 1 YEAR, ENTER 1. ENTER NUMBER

OF YEARS.

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
7	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
20	-	1	0.0 %
25	-	1	0.0 %
30	-	3	0.1 %
38	-	1	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
60	-	1	0.0 %
999	Don't know	3	0.1 %
. (M)	-	4860	99.6 %

ennept/vp	Data Balanca Number
SDDSRVYR	Data Release Number

Location: 178-180 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Data Release Number. English Instructions:

Value	Label	Unweighted Frequency	%
1	NHANES 1999-2000 Public Release	4880	100.0 %

RIDSTATR Interview/Examination Status

Location: 181-183 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview and Examination Status of the Sample Person.

English Instructions:

Value	Label	Unweighted Frequency	%
1	Interviewed Only.	436	8.9 %
2	Both Interviewed and MEC examined.	4444	91.1 %

RIAGENDR Gender - Adjudicated

Location: 184-186 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the sample person English Instructions:

Value	Label	Unweighted Frequency	%
1	Male	2269	46.5 %

Value	Label	Unweighted Frequency	%
2	Female	2611	53.5 %

RIDAGEYR

Age at Screening Adjudicated - Recode

Location:

187-189 (width: 3; decimal: 0)

Variable Type:

numeric

Question:

Target: B(0 Yrs. to 150 Yrs.) English Text: Best age in years of the sample person at time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
20	-	85	1.7 %
21	-	82	1.7 %
22	-	100	2.0 %
23	-	97	2.0 %
24	-	86	1.8 %
25	-	78	1.6 %
26	-	90	1.8 %
27	-	81	1.7 %
28	-	80	1.6 %
29	-	92	1.9 %
30	-	83	1.7 %
31	-	87	1.8 %
32	-	94	1.9 %
33	-	69	1.4 %
34	-	86	1.8 %
35	-	80	1.6 %
36	-	77	1.6 %
37	-	87	1.8 %
38	-	73	1.5 %
39	-	88	1.8 %
40	-	92	1.9 %
41	-	81	1.7 %
42	-	90	1.8 %
43	-	73	1.5 %
44	-	79	1.6 %
45	-	89	1.8 %
46	-	70	1.4 %
47	-	70	1.4 %
48	-	61	1.2 %
49	-	60	1.2 %
50	-	57	1.2 %
51	-	75	1.5 %

Value	Label	Unweighted Frequency	%
52	-	71	1.5 %
53	-	64	1.3 %
54	-	77	1.6 %
55	-	48	1.0 %
56	-	62	1.3 %
57	-	50	1.0 %
58	-	38	0.8 %
59	-	44	0.9 %
60	-	110	2.3 %
61	-	86	1.8 %
62	-	90	1.8 %
63	-	68	1.4 %
64	-	88	1.8 %
65	-	89	1.8 %
66	-	79	1.6 %
67	-	78	1.6 %
68	-	69	1.4 %
69	-	61	1.2 %
70	-	81	1.7 %
71	-	73	1.5 %
72	-	60	1.2 %
73	-	69	1.4 %
74	-	54	1.1 %
75	-	57	1.2 %
76	-	50	1.0 %
77	-	55	1.1 %
78	-	49	1.0 %
79	-	46	0.9 %
80	-	64	1.3 %
81	-	63	1.3 %
82	-	49	1.0 %
83	-	31	0.6 %
84	-	42	0.9 %
85	>= 85 years of age	173	3.5 %

RIDAGEMN Age in Months - Recode

Location: 190-193 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of screening for individuals

under 85 years of age. English Instructions:

RIDAGEEX Exam Age in Months - Recode

Location: 194-197 (width: 4; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 84 Yrs.) English Text: Best age in months at date of examination for individuals

under 85 years of age at screening. English Instructions:

RIDRETH1 Race/Ethnicity - Recode

Location: 198-200 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Recode of reported race and ethnicity information. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Mexican American	1282	26.3 %
2	Other Hispanic	310	6.4 %
3	Non-Hispanic White	2214	45.4 %
4	Non-Hispanic Black	910	18.6 %
5	Other Race - Including Multi-Racial	164	3.4 %

RIDRETH2 Linked NH3 Race/Ethnicity - Recode

Location: 201-203 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Linked NH3 Race and Ethnicity Recode. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Non-Hispanic White	2233	45.8 %
2	Non-Hispanic Black	923	18.9 %
3	Mexican American	1282	26.3 %
4	Other Race - Including Multi-Racial	132	2.7 %
5	Other Hispanic	310	6.4 %

DMQMILIT Veteran/Military Status

Location: 204-206 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(17 Yrs. to 150 Yrs.) English Text: Did {you/SP} ever serve in the Armed Forces of the

United States? English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes	711	14.6 %
2	No	4157	85.2 %
7	Refused	5	0.1 %
9	Don't know	5	0.1 %
. (M)	-	2	0.0 %

DMDBORN Country of Birth - Recode

Location: 207-209 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was SP} born? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	3541	72.6 %
2	Born in Mexico	750	15.4 %
3	Born Elsewhere	579	11.9 %
7	Refused	1	0.0 %
. (M)	-	9	0.2 %

DMDCITZN Citizenship Status

Location: 210-212 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: {Are you/Is SP} a citizen of the United States? [Information

about citizenship is being collected by the U.S. Public Health Service to perform health related research. Providing this information is voluntary and is collected under the authority of the Public Health Service Act. There will be no effect on pending immigration or citizenship petitions.] English

Instructions: HAND CARD DMQ2

Value	Label	Unweighted Frequency	%
1	Citizen by birth or naturalization	4069	83.4 %
2	Not a citizen of the US	776	15.9 %
7	Refused	19	0.4 %
9	Don't know	14	0.3 %
. (M)	-	2	0.0 %

DMDYRSUS Length of time in US

Location: 213-215 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Length of time SP has been in the US. English Instructions:

Value	Label	Unweighted Frequency	%
1	Less than 1 year	54	1.1 %
2	1 yr., less than 5 yrs.	150	3.1 %
3	5 yrs., less than 10 yrs.	193	4.0 %
4	10 yrs., less than 15 yrs.	158	3.2 %
5	15 yrs., less than 20 yrs.	133	2.7 %
6	20 yrs., less than 30 yrs.	252	5.2 %
7	30 yrs., less than 40 yrs.	174	3.6 %
8	40 yrs., less than 50 yrs.	120	2.5 %
9	50 years or more	63	1.3 %
77	Refused	23	0.5 %

Value	Label	Unweighted Frequency	%
88	Could not determine	1	0.0 %
99	Don't know	18	0.4 %
. (M)	-	3541	72.6 %

DMDEDUC3 Education level - Children/Youth 6-19

Location: 216-218 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

 Value
 Label
 Unweighted Frequency
 %

 . (M)
 4880
 100.0 %

DMDEDUC2 Education level - Adults 20+

Location: 219-221 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(20 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English Instructions: HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER

HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	932	19.1 %
2	9-11th Grade (Includes 12th grade with no diploma)	964	19.8 %
3	High School Grad/GED or Equivalent	1097	22.5 %
4	Some College or AA degree	1070	21.9 %
5	College Graduate or above	793	16.2 %
7	Refused	8	0.2 %
9	Don't Know	14	0.3 %
. (M)	-	2	0.0 %

DMDEDUC Education - Recode (old version)

Location: 222-224 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 150 Yrs.) English Text: (SP Interview Version) What is the highest grade or level

of school (you have/SP has) completed or the highest degree (you have/s/he has) received? English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than High School	1896	38.9 %
2	High School Diploma (including GED)	1097	22.5 %

Value	Label	Unweighted Frequency	%
3	More Than High School	1863	38.2 %
7	Refused	8	0.2 %
9	Don't know	14	0.3 %
. (M)	-	2	0.0 %

DMDSCHOL Now attending school?

Location: 225-227 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(6 Yrs. to 19 Yrs.) English Text: {Are you/Is SP} now . . . English Instructions:

Value		Unweighted Frequency	%	
. (M)	-	4880	100.0 %	

DMDMARTL Marital Status

Location: 228-230 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(14 Yrs. to 150 Yrs.) English Text: Marital Status English Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2442	50.0 %
2	Widowed	475	9.7 %
3	Divorced	375	7.7 %
4	Separated	175	3.6 %
5	Never married	675	13.8 %
6	Living with partner	193	4.0 %
77	Refused	7	0.1 %
99	Don't know	2	0.0 %
. (M)	-	536	11.0 %

DMDHHSIZ Total number of people in the Household

Location: 231-233 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total number of people in the Household English

Instructions:

Value	Label	Unweighted Frequency	%
1	-	735	15.1 %
2	-	1587	32.5 %
3	-	880	18.0 %
4	-	711	14.6 %
5	-	456	9.3 %
6	-	224	4.6 %

Value	Label	Unweighted Frequency	%
7	7 or more people in the Household	287	5.9 %

INDHHINC Annual Household Income

Location: 234-236 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total household income (reported as a range value in

dollars) English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	99	2.0 %
2	\$ 5,000 to \$ 9,999	346	7.1 %
3	\$10,000 to \$14,999	412	8.4 %
4	\$15,000 to \$19,999	334	6.8 %
5	\$20,000 to \$24,999	355	7.3 %
6	\$25,000 to \$34,999	548	11.2 %
7	\$35,000 to \$44,999	384	7.9 %
8	\$45,000 to \$54,999	339	6.9 %
9	\$55,000 to \$64,999	257	5.3 %
10	\$65,000 to \$74,999	183	3.8 %
11	\$75,000 and Over	657	13.5 %
12	Over \$20,000	154	3.2 %
13	Under \$20,000	13	0.3 %
77	Refused	21	0.4 %
99	Don't know	16	0.3 %
. (M)	-	762	15.6 %

INDFMINC Annual Family Income

Location: 237-239 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Total family income (reported as a range value in dollars)

English Instructions:

Value	Label	Unweighted Frequency	%
1	\$ 0 to \$ 4,999	180	3.7 %
2	\$ 5,000 to \$ 9,999	467	9.6 %
3	\$10,000 to \$14,999	506	10.4 %
4	\$15,000 to \$19,999	373	7.6 %
5	\$20,000 to \$24,999	421	8.6 %
6	\$25,000 to \$34,999	539	11.0 %
7	\$35,000 to \$44,999	358	7.3 %
8	\$45,000 to \$54,999	333	6.8 %

Value	Label	Unweighted Frequency	%
9	\$55,000 to \$64,999	215	4.4 %
10	\$65,000 to \$74,999	176	3.6 %
11	\$75,000 and Over	565	11.6 %
12	Over \$20,000	233	4.8 %
13	Under \$20,000	159	3.3 %
77	Refused	161	3.3 %
99	Don't know	102	2.1 %
. (M)	-	92	1.9 %

INDFMPIR Family PIR

Location: 240-244 (width: 5; decimal: 2)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Poverty income ratio (PIR) - a ratio of family income to

poverty threshold English Instructions:

Value Label 5 PIR value greater than or equal to 5.00

RIDEXPRG Pregnancy Status at Exam - Recode

245-247 (width: 3; decimal: 0) Location:

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status at the time of MEC exam. English

Instructions:

Value	Label	Unweighted Frequency	%
1	Yes, positive lab pregnancy test or self-reported pregnant at exam	283	5.8 %
2	SP not pregnant at exam	1210	24.8 %
3	Cannot ascertain if SP is pregnant at exam	182	3.7 %
. (M)	-	3205	65.7 %

RIDPREG Pregnancy Status - Recode (old version)

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: F(8 Yrs. to 59 Yrs.) English Text: Pregnancy status variable based on all source data. NOTE: This is the previous pregnancy status recode variable. RIDPREG is a more conservative pregnancy

status variable. Please review the file documentation. English Instructions:

Value	Label	Unweighted Frequency	%
1	Yes based on pos lab preg test, self-report preg status, screener intview data or menstrual period hist	259	5.3 %
2	SP not pregnant	1300	26.6 %
. (M)	-	3321	68.1 %

DMDHRGND HH Ref Person Gender

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Gender of the household reference person English

Instructions:

Value Label Unweighted % Frequency 1 Male 2935 60.1 % 2 Female 1943 39.8 % 2 0.0 % . (M)

DMDHRAGE HH Ref Person Age

Location: 254-256 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Age in years of the household reference person at the time of HH screening. Individuals 85 and over are topcoded at 85 years of age. English Instructions:

Value	Label	Unweighted Frequency	%
18	-	7	0.1 %
19	-	5	0.1 %
20	-	33	0.7 %
21	-	40	0.8 %
22	-	63	1.3 %
23	-	53	1.1 %
24	-	47	1.0 %
25	-	62	1.3 %
26	-	70	1.4 %
27	-	71	1.5 %
28	-	80	1.6 %
29	-	99	2.0 %
30	-	78	1.6 %
31	-	89	1.8 %
32	-	95	1.9 %
33	-	75	1.5 %
34	-	80	1.6 %
35	-	99	2.0 %
36	-	65	1.3 %
37	-	97	2.0 %
38	-	78	1.6 %
39	-	85	1.7 %
40	-	109	2.2 %
41	-	84	1.7 %
42	-	98	2.0 %

Value	Label	Unweighted Frequency	%
43	-	82	1.7 %
44	-	92	1.9 %
45	-	98	2.0 %
46	-	91	1.9 %
47	-	72	1.5 %
48	-	73	1.5 %
49	-	75	1.5 %
50	-	73	1.5 %
51	-	110	2.3 %
52	-	88	1.8 %
53	-	81	1.7 %
54	-	80	1.6 %
55	-	57	1.2 %
56	-	70	1.4 %
57	-	73	1.5 %
58	-	56	1.1 %
59	-	60	1.2 %
60	-	105	2.2 %
61	-	79	1.6 %
62	-	83	1.7 %
63	-	73	1.5 %
64	-	90	1.8 %
65	-	73	1.5 %
66	-	80	1.6 %
67	-	84	1.7 %
68	-	67	1.4 %
69	-	54	1.1 %
70	-	86	1.8 %
71	-	68	1.4 %
72	-	61	1.2 %
73	-	78	1.6 %
74	-	54	1.1 %
75	-	61	1.2 %
76	-	48	1.0 %
77	-	47	1.0 %
78	-	56	1.1 %
79	-	45	0.9 %
80	-	61	1.2 %
81	-	59	1.2 %
82	-	44	0.9 %

Value	Label	Unweighted Frequency	%
83	-	31	0.6 %
84	-	34	0.7 %
85	>= 85 years of age	164	3.4 %
. (M)	-	2	0.0 %

DMDHRBRN HH Ref Person Country of Birth

Location: 257-259 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: In what country {were you/was NON-SP Head} born?

English Instructions:

Value	Label	Unweighted Frequency	%
1	Born in 50 US States or Washington, DC	3423	70.1 %
2	Born in Mexico	729	14.9 %
3	Born Elsewhere	554	11.4 %
7	Refused	9	0.2 %
. (M)	-	165	3.4 %

DMDHREDU HH Ref Person Education Level

Location: 260-262 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school (you

have/NON_SP HEAD has} received? English Instructions: HAND CARD DMQ1 Read HAND CARD

CATEGORES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	901	18.5 %
2	9-11th Grade (Includes 12th grade with no diploma)	930	19.1 %
3	High School Grad/GED or equivalent	1027	21.0 %
4	Some College or AA degree	1022	20.9 %
5	College Graduate or above	807	16.5 %
7	Refused	8	0.2 %
9	Don't know	19	0.4 %
. (M)	-	166	3.4 %

DMDHRMAR HH Ref Person Marital Status

Location: 263-265 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Marital Status of household reference person English

Instructions:

Value	Label	Unweighted Frequency	%
1	Married	2504	51.3 %
2	Widowed	444	9.1 %
3	Divorced	390	8.0 %
4	Separated	185	3.8 %
5	Never married	484	9.9 %
6	Living with partner	166	3.4 %
77	Refused	9	0.2 %
99	Don't know	2	0.0 %
. (M)	-	696	14.3 %

DMDHSEDU HH Ref Person's Spouse Education Level

Location: 266-268 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: What is the highest grade or level of school {you

have/NON-SP SPOUSE has completed or the highest degree {you have/he/she has} received English

Instructions:

Value	Label	Unweighted Frequency	%
1	Less Than 9th Grade	279	5.7 %
2	9-11th Grade (Includes 12th grade with no diploma)	341	7.0 %
3	High School Grad/GED or	382	7.8 %
4	Some College or AA degree	338	6.9 %
5	College Graduate or above	242	5.0 %
7	Refused	3	0.1 %
9	Don't know	5	0.1 %
. (M)	-	3290	67.4 %

WTINT2YR Full Sample 2 Year Interview Weight

Location: 269-283 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. English Instructions:

WTINT4YR Full Sample 4 Year Interview Weight

Location: 284-297 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interviewed Sample Persons. Used for 1999-2002 data

collection years only. English Instructions:

WTMEC2YR Full Sample 2 Year MEC Exam Weight

Location: 298-312 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

English Instructions:

WTMEC4YR Full Sample 4 Year MEC Exam Weight

Location: 313-326 (width: 14; decimal: 6)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Both Interviewed and MEC Examined Sample Persons.

Used for 1999-2002 data collection years only. English Instructions:

SDMVPSU Masked Variance Pseudo-PSU

Location: 327-329 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-PSU variable for variance

estimation English Instructions:

 Value
 Unweighted Frequency
 %

 1
 2337
 47.9 %

 2
 2357
 48.3 %

 3
 186
 3.8 %

SDMVSTRA Masked Variance Pseudo-Stratum

Location: 330-332 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Masked Variance Unit Pseudo-Stratum variable for variance

estimation English Instructions:

Value	Unweighted Frequency	%
1	629	12.9 %
2	276	5.7 %
3	331	6.8 %
4	356	7.3 %
5	398	8.2 %
6	319	6.5 %
7	483	9.9 %
8	400	8.2 %
9	340	7.0 %
10	285	5.8 %
11	431	8.8 %
12	387	7.9 %
13	245	5.0 %

SDJ1REPN Jack Knife Replicate Number

Location: 333-335 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Jack Knife Replicate Number English Instructions:

Value	Unweighted Frequency	%
1	77	1.6 %

Value	Unweighted Frequency	%
2	142	2.9 %
3	81	1.7 %
4	83	1.7 %
5	80	1.6 %
6	74	1.5 %
7	53	1.1 %
8	76	1.6 %
9	87	1.8 %
10	83	1.7 %
11	97	2.0 %
12	101	2.1 %
13	79	1.6 %
14	79	1.6 %
15	146	3.0 %
16	111	2.3 %
17	106	2.2 %
18	88	1.8 %
19	73	1.5 %
20	61	1.2 %
21	105	2.2 %
22	74	1.5 %
23	75	1.5 %
24	114	2.3 %
25	139	2.8 %
26	68	1.4 %
27	122	2.5 %
28	118	2.4 %
29	74	1.5 %
30	115	2.4 %
31	79	1.6 %
32	115	2.4 %
33	89	1.8 %
34	133	2.7 %
35	64	1.3 %
36	90	1.8 %
37	85	1.7 %
38	91	1.9 %
39	85	1.7 %
40	60	1.2 %
41	116	2.4 %

Value	Unweighted Frequency	%
42	103	2.1 %
43	103	2.1 %
44	84	1.7 %
45	114	2.3 %
46	109	2.2 %
47	118	2.4 %
48	112	2.3 %
49	61	1.2 %
50	62	1.3 %
51	93	1.9 %
52	133	2.7 %

DMAETHN Logical Imputation Flag for Ethnicity

Location: 336-338 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Ethnicity English Instructions:

Value	Label	Unweighted Frequency	%
1	Value Imputed	2	0.0 %
. (M)	-	4878	100.0 %

DMARACE Logical Imputation Flag for Race Recode

Location: 339-341 (width: 3; decimal: 0)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Logical Imputation Flag for Race Recode English

Instructions:

Value	Label	Unweighted Frequency	%
1	Value Imputed	2	0.0 %
. (M)	-	4878	100.0 %

WTMREP01 MEC Exam Weight Jack Knife Replicate 01

Location: 342-356 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 01 English

Instructions:

WTMREP02 MEC Exam Weight Jack Knife Replicate 02

Location: 357-371 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 02 English

Instructions:

WTMREP03 MEC Exam Weight Jack Knife Replicate 03

Location: 372-386 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 03 English

Instructions:

WTMREP04 MEC Exam Weight Jack Knife Replicate 04

Location: 387-401 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 04 English

Instructions:

WTMREP05 MEC Exam Weight Jack Knife Replicate 05

Location: 402-416 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 05 English

Instructions:

WTMREP06 MEC Exam Weight Jack Knife Replicate 06

Location: 417-431 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 06 English

Instructions:

WTMREP07 MEC Exam Weight Jack Knife Replicate 07

Location: 432-446 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 07 English

Instructions:

WTMREP08 MEC Exam Weight Jack Knife Replicate 08

Location: 447-461 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 08 English

Instructions:

WTMREP09 MEC Exam Weight Jack Knife Replicate 09

Location: 462-476 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 09 English

Instructions:

WTMREP10 MEC Exam Weight Jack Knife Replicate 10

Location: 477-491 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 10 English

Instructions:

WTMREP11 MEC Exam Weight Jack Knife Replicate 11

Location: 492-506 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 11 English

Instructions:

WTMREP12 MEC Exam Weight Jack Knife Replicate 12

Location: 507-521 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 12 English

Instructions:

WTMREP13 MEC Exam Weight Jack Knife Replicate 13

Location: 522-536 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 13 English

Instructions:

WTMREP14 MEC Exam Weight Jack Knife Replicate 14

Location: 537-551 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 14 English

Instructions:

WTMREP15 MEC Exam Weight Jack Knife Replicate 15

Location: 552-566 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 15 English

Instructions:

WTMREP16 MEC Exam Weight Jack Knife Replicate 16

Location: 567-581 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 16 English

Instructions:

WTMREP17 MEC Exam Weight Jack Knife Replicate 17

Location: 582-596 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 17 English

Instructions:

WTMREP18 MEC Exam Weight Jack Knife Replicate 18

Location: 597-611 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 18 English

Instructions:

WTMREP19 MEC Exam Weight Jack Knife Replicate 19

Location: 612-626 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 19 English

Instructions:

WTMREP20 MEC Exam Weight Jack Knife Replicate 20

Location: 627-641 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 20 English

Instructions:

WTMREP21 MEC Exam Weight Jack Knife Replicate 21

Location: 642-656 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 21 English

Instructions:

WTMREP22 MEC Exam Weight Jack Knife Replicate 22

Location: 657-671 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 22 English

Instructions:

WTMREP23 MEC Exam Weight Jack Knife Replicate 23

Location: 672-686 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 23 English

Instructions:

WTMREP24 MEC Exam Weight Jack Knife Replicate 24

Location: 687-701 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 24 English

Instructions:

WTMREP25 MEC Exam Weight Jack Knife Replicate 25

Location: 702-716 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 25 English

Instructions:

WTMREP26 MEC Exam Weight Jack Knife Replicate 26

Location: 717-731 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 26 English

Instructions:

WTMREP27 MEC Exam Weight Jack Knife Replicate 27

Location: 732-746 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 27 English

Instructions:

WTMREP28 MEC Exam Weight Jack Knife Replicate 28

Location: 747-761 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 28 English

Instructions:

WTMREP29 MEC Exam Weight Jack Knife Replicate 29

Location: 762-776 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 29 English

Instructions:

WTMREP30 MEC Exam Weight Jack Knife Replicate 30

Location: 777-791 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 30 English

Instructions:

WTMREP31 MEC Exam Weight Jack Knife Replicate 31

Location: 792-806 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 31 English

Instructions:

WTMREP32 MEC Exam Weight Jack Knife Replicate 32

Location: 807-821 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 32 English

Instructions:

WTMREP33 MEC Exam Weight Jack Knife Replicate 33

Location: 822-836 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 33 English

Instructions:

WTMREP34 MEC Exam Weight Jack Knife Replicate 34

Location: 837-851 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 34 English

Instructions:

WTMREP35 MEC Exam Weight Jack Knife Replicate 35

Location: 852-866 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 35 English

Instructions

WTMREP36 MEC Exam Weight Jack Knife Replicate 36

Location: 867-881 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 36 English

Instructions:

WTMREP37 MEC Exam Weight Jack Knife Replicate 37

Location: 882-896 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 37 English

Instructions:

WTMREP38 MEC Exam Weight Jack Knife Replicate 38

Location: 897-911 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 38 English

Instructions:

WTMREP39 MEC Exam Weight Jack Knife Replicate 39

Location: 912-926 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 39 English

Instructions:

WTMREP40 MEC Exam Weight Jack Knife Replicate 40

Location: 927-941 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 40 English

Instructions:

WTMREP41 MEC Exam Weight Jack Knife Replicate 41

Location: 942-956 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 41 English

Instructions:

WTMREP42 MEC Exam Weight Jack Knife Replicate 42

Location: 957-971 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 42 English

Instructions:

WTMREP43 MEC Exam Weight Jack Knife Replicate 43

Location: 972-986 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 43 English

Instructions:

WTMREP44 MEC Exam Weight Jack Knife Replicate 44

Location: 987-1001 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 44 English

Instructions:

WTMREP45 MEC Exam Weight Jack Knife Replicate 45

Location: 1002-1016 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 45 English

Instructions:

WTMREP46 MEC Exam Weight Jack Knife Replicate 46

Location: 1017-1031 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 46 English

Instructions:

WTMREP47 MEC Exam Weight Jack Knife Replicate 47

Location: 1032-1046 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 47 English

Instructions:

WTMREP48 MEC Exam Weight Jack Knife Replicate 48

Location: 1047-1061 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 48 English

Instructions:

WTMREP49 MEC Exam Weight Jack Knife Replicate 49

Location: 1062-1076 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 49 English

Instructions:

WTMREP50 MEC Exam Weight Jack Knife Replicate 50

Location: 1077-1091 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 50 English

Instructions:

WTMREP51 MEC Exam Weight Jack Knife Replicate 51

Location: 1092-1106 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 51 English

Instructions:

WTMREP52 MEC Exam Weight Jack Knife Replicate 52

Location: 1107-1121 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: MEC Exam Weight Jack Knife Replicate 52 English

Instructions:

WTIREP01 Interview Weight Jack Knife Replicate 01

Location: 1122-1136 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 01 English

Instructions:

WTIREP02 Interview Weight Jack Knife Replicate 02

Location: 1137-1151 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 02 English

Instructions:

WTIREP03 Interview Weight Jack Knife Replicate 03

Location: 1152-1166 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 03 English

Instructions:

WTIREP04 Interview Weight Jack Knife Replicate 04

Location: 1167-1181 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 04 English

Instructions:

WTIREP05 Interview Weight Jack Knife Replicate 05

Location: 1182-1196 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 05 English

Instructions:

WTIREP06 Interview Weight Jack Knife Replicate 06

Location: 1197-1211 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 06 English

Instructions:

WTIREP07 Interview Weight Jack Knife Replicate 07

Location: 1212-1226 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 07 English

Instructions:

WTIREP08 Interview Weight Jack Knife Replicate 08

Location: 1227-1241 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 08 English

Instructions:

WTIREP09 Interview Weight Jack Knife Replicate 09

Location: 1242-1256 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 09 English

Instructions:

WTIREP10 Interview Weight Jack Knife Replicate 10

Location: 1257-1271 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 10 English

Instructions:

WTIREP11 Interview Weight Jack Knife Replicate 11

Location: 1272-1286 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 11 English

Instructions:

WTIREP12 Interview Weight Jack Knife Replicate 12

Location: 1287-1301 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 12 English

Instructions:

WTIREP13 Interview Weight Jack Knife Replicate 13

Location: 1302-1316 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 13 English

Instructions:

WTIREP14 Interview Weight Jack Knife Replicate 14

Location: 1317-1331 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 14 English

Instructions:

WTIREP15 Interview Weight Jack Knife Replicate 15

Location: 1332-1346 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 15 English

Instructions:

WTIREP16 Interview Weight Jack Knife Replicate 16

Location: 1347-1361 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 16 English

Instructions:

WTIREP17 Interview Weight Jack Knife Replicate 17

Location: 1362-1376 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 17 English

Instructions:

WTIREP18 Interview Weight Jack Knife Replicate 18

Location: 1377-1391 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 18 English

Instructions:

WTIREP19 Interview Weight Jack Knife Replicate 19

Location: 1392-1406 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 19 English

Instructions:

WTIREP20 Interview Weight Jack Knife Replicate 20

Location: 1407-1421 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 20 English

Instructions:

WTIREP21 Interview Weight Jack Knife Replicate 21

Location: 1422-1436 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 21 English

Instructions:

WTIREP22 Interview Weight Jack Knife Replicate 22

Location: 1437-1451 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 22 English

Instructions:

WTIREP23 Interview Weight Jack Knife Replicate 23

Location: 1452-1466 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 23 English

Instructions:

WTIREP24 Interview Weight Jack Knife Replicate 24

Location: 1467-1481 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 24 English

Instructions:

WTIREP25 Interview Weight Jack Knife Replicate 25

Location: 1482-1496 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 25 English

Instructions:

WTIREP26 Interview Weight Jack Knife Replicate 26

Location: 1497-1511 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 26 English

Instructions:

WTIREP27 Interview Weight Jack Knife Replicate 27

Location: 1512-1526 (width: 15; decimal: 8)

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 27 English

Instructions:

WTIREP28 Interview Weight Jack Knife Replicate 28

Location: 1527-1541 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 28 English

Instructions:

WTIREP29 Interview Weight Jack Knife Replicate 29

Location: 1542-1556 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 29 English

Instructions:

WTIREP30 Interview Weight Jack Knife Replicate 30

Location: 1557-1571 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 30 English

Instructions:

WTIREP31 Interview Weight Jack Knife Replicate 31

Location: 1572-1586 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 31 English

Instructions:

WTIREP32 Interview Weight Jack Knife Replicate 32

Location: 1587-1601 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 32 English

Instructions:

WTIREP33 Interview Weight Jack Knife Replicate 33

Location: 1602-1616 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 33 English

Instructions:

WTIREP34 Interview Weight Jack Knife Replicate 34

Location: 1617-1631 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 34 English

Instructions:

WTIREP35 Interview Weight Jack Knife Replicate 35

Location: 1632-1646 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 35 English

Instructions:

WTIREP36 Interview Weight Jack Knife Replicate 36

Location: 1647-1661 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 36 English

Instructions:

WTIREP37 Interview Weight Jack Knife Replicate 37

Location: 1662-1676 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 37 English

Instructions:

WTIREP38 Interview Weight Jack Knife Replicate 38

Location: 1677-1691 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 38 English

Instructions:

WTIREP39 Interview Weight Jack Knife Replicate 39

Location: 1692-1706 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 39 English

Instructions:

WTIREP40 Interview Weight Jack Knife Replicate 40

Location: 1707-1721 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 40 English

Instructions:

WTIREP41 Interview Weight Jack Knife Replicate 41

Location: 1722-1736 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 41 English

Instructions:

WTIREP42 Interview Weight Jack Knife Replicate 42

Location: 1737-1751 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 42 English

Instructions:

WTIREP43 Interview Weight Jack Knife Replicate 43

Location: 1752-1766 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 43 English

Instructions:

WTIREP44 Interview Weight Jack Knife Replicate 44

Location: 1767-1781 (width: 15; decimal: 8)

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 44 English

Instructions:

WTIREP45 Interview Weight Jack Knife Replicate 45

Location: 1782-1796 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 45 English

Instructions:

WTIREP46 Interview Weight Jack Knife Replicate 46

Location: 1797-1811 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 46 English

Instructions:

WTIREP47 Interview Weight Jack Knife Replicate 47

Location: 1812-1826 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 47 English

Instructions:

WTIREP48 Interview Weight Jack Knife Replicate 48

Location: 1827-1841 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 48 English

Instructions:

WTIREP49 Interview Weight Jack Knife Replicate 49

Location: 1842-1856 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 49 English

Instructions:

WTIREP50 Interview Weight Jack Knife Replicate 50

Location: 1857-1871 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 50 English

Instructions:

WTIREP51 Interview Weight Jack Knife Replicate 51

Location: 1872-1886 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs. to 150 Yrs.) English Text: Interview Weight Jack Knife Replicate 51 English

Instructions:

WTIREP52 Interview Weight Jack Knife Replicate 52

Location: 1887-1901 (width: 15; decimal: 8)

Variable Type: numeric

Question: Target: B(0 Yrs.) English Text: Interview Weight Jack Knife Replicate 52 English

Instructions: