Topic ideas

LAM-duh: Xuliang Deng, Leah Okamura, Megan Richards

Update date

Data Set 1 - XULIANG

Introduction and Data

The dataset we are using is from https://github.com/ayoubimaya/pokemon and is sourced from https://www.pokemon.com/us/pokedex/, which is the official Pokemon open database. In this dataset, every observation is a specfic pokemon from the pokedex. The general characteristics being measured in the data are the name, type, and characteristics of each Pokemon. More specifically, some variables that we are interested in are Attack, HP, Defense, Speed, and the Pokemon type.

Research questions

We would like to see if there are any differences in the means of attack, defense, HP, based on each type using an ANOVA test. We are the interested in seeing how these means might differ to each other through hypothesis testing. We are also interested in analyzing how variables such as attack, defense, and speed may affect the total points assigned to a specific pokemon.

Data Set 2 - MEGAN

Introduction and Data

This dataset contains information on the contribution of individual schools to the racial and ethnic segregation of US school districts, collected by the Urban Institute.The Segregation Contribution Index (SCI) measures the share of school district segregation attributable to a given school. The SCI is computed using public data on school enrollment by race and ethnicity from the US Department of Education's Common Core of Data and the Private School Survey for the 2017–18 school year. It was found at https://datacatalog.urban.org/dataset/index-school-contribution-racial-segregation-us-school-districts.

Research questions

We are interested in investigating how well the following factors predict the the SCI (Segregation Contribution Index), which is a measure of the share of a school district's segregation that is attributable to the school: - location (longitude and latitute), - school status (charter, private, magnet) - school population - demographic make-up - the neighborhood radius - the number of district schools with the same grading scores - the neighborhood population - the demographic make-up of the school district neighborhood - the region of the school (urban, suburban, rural)

We are also interested in comparing the mean SCI for the grouped variables (such as urban/suburban/rural), and conducting ANOVA tests to evaluate group variance.

Data Set 3 - LEAH

Introduction and Data

The source of the dataset is Tiny Tuesday, https://github.com/rfordatascience/tidytuesday/blob/master/data/2020/2020-02-11/readme.md. This data set comes from an open hotel booking demand dataset from Antonio, Almeida and Nunes, 2019. It is sourced from this study https://www.sciencedirect.com/science/article/pii/S2352340918315191#f0010. Due to the dataset being over 100,000 observations, we have limited the observations to be only hotels from the US. The general characteristics being measured in the data are the different aspects of booking and staying at a hotel. For example, out of the 32 variables, some of the ones we find great interest in are hotel type, reserved room type, assigned room type, company, meal, number of adults/children/babies, the average daily rate or daily cost, and the reservation status.

Research questions

A research question we are interested in is how do factors such as type of hotel and type of guest affect the average daily rate for a hotel. We would also be interested in seeing how stays in the weekend or the weekday may affect the average daily rate for a hotel, and if they differ between the two hotel types, City and Resort hotels.

Glimpse of data sets

Data set 1 - XULIANG

```
## Rows: 800
## Columns: 13
## $ `#`        <dbl> 1, 2, 3, 3, 4, 5, 6, 6, 6, 7, 8, 9, 9, 10, 11, 12, 13, 14, ~
## $ Name       <chr> "Bulbasaur", "Ivysaur", "Venusaur", "VenusaurMega Venusaur"~
## $ `Type 1`   <chr> "Grass", "Grass", "Grass", "Grass", "Fire", "Fire", "Fire",~
## $ `Type 2`   <chr> "Poison", "Poison", "Poison", "Poison", NA, NA, "Flying", "~
## $ Total      <dbl> 318, 405, 525, 625, 309, 405, 534, 634, 634, 314, 405, 530,~
## $ HP         <dbl> 45, 60, 80, 80, 39, 58, 78, 78, 78, 44, 59, 79, 79, 45, 50,~
## $ Attack     <dbl> 49, 62, 82, 100, 52, 64, 84, 130, 104, 48, 63, 83, 103, 30,~
## $ Defense    <dbl> 49, 63, 83, 123, 43, 58, 78, 111, 78, 65, 80, 100, 120, 35,~
## $ `Sp. Atk`  <dbl> 65, 80, 100, 122, 60, 80, 109, 130, 159, 50, 65, 85, 135, 2~
## $ `Sp. Def`  <dbl> 65, 80, 100, 120, 50, 65, 85, 85, 115, 64, 80, 105, 115, 20~
## $ Speed      <dbl> 45, 60, 80, 80, 65, 80, 100, 100, 100, 43, 58, 78, 78, 45, ~
## $ Generation <dbl> 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,~
## $ Legendary  <lgl> FALSE, FALSE, FALSE, FALSE, FALSE, FALSE, FALSE, FALSE, FAL~
```

Data set 2 - MEGAN

```
## Rows: 106,801
## Columns: 24
## $ schid       <chr> "010000600193", "010000600876", "010000600877", "010~
## $ school_name <chr> "Kate Duncan Smith Dar Middle", "Claysville School",~
## $ level       <dbl> 1, 1, 1, 1, 1, 1, 1, 1, 2, 2, 2, 2, 3, 3, 3, 3, 1, 1~
## $ gleaid      <chr> "0100006", "0100006", "0100006", "0100006", "0100006~
## $ gleaname    <chr> "Marshall County", "Marshall County", "Marshall Coun~
## $ maname      <chr> NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, NA, ~
## $ fips        <dbl> 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1~
## $ lon         <dbl> -86.25409, -86.27036, -86.32126, -86.44208, -86.4468~
## $ lat         <dbl> 34.53372, 34.40689, 34.17623, 34.34452, 34.39997, 34~
## $ charter     <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0~
```

```
## $ private           <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0~
## $ magnet            <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0~
## $ tps               <dbl> 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0, 1~
## $ population_school <dbl> 99, 79, 486, 222, 187, 456, 402, 519, 334, 264, 267,~
## $ minority_school   <dbl> 3, 7, 207, 19, 14, 182, 6, 225, 10, 117, 22, 163, 10~
## $ radius_nbrsch     <dbl> 1, 5, 1, 4, 4, 1, 1, 8, 7, 8, 8, 8, 8, 8, 7, 6, 2, 3~
## $ count_nbrsch      <dbl> 1, 1, 1, 3, 1, 1, 1, 2, 1, 2, 2, 1, 2, 1, 1, 1, 3, 4~
## $ population_nbrsch <dbl> 501, 493, 942, 1582, 409, 942, 501, 604, 437, 318, 1~
## $ minority_nbrsch   <dbl> 9, 98, 389, 70, 33, 389, 9, 228, 19, 118, 101, 172, ~
## $ SCI_sys           <dbl> 0.0544070, 0.0328820, 0.1726217, 0.0939370, 0.083711~
## $ glea_seg          <dbl> 0.4521148, 0.4521148, 0.4521148, 0.4521148, 0.452114~
## $ urban             <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1~
## $ suburban          <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0~
## $ townrural         <dbl> 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0, 0~
```

Data set 3 - LEAH

```
## Rows: 2,097
## Columns: 32
## $ hotel                          <chr> "Resort Hotel", "Resort Hotel", "Resort~
## $ is_canceled                    <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, ~
## $ lead_time                      <dbl> 68, 14, 10, 9, 51, 51, 98, 88, 10, 42, ~
## $ arrival_date_year              <dbl> 2015, 2015, 2015, 2015, 2015, 2015, 201~
## $ arrival_date_month             <chr> "July", "July", "July", "July", "July",~
## $ arrival_date_week_number       <dbl> 27, 27, 27, 27, 28, 28, 28, 28, 28, 29,~
## $ arrival_date_day_of_month      <dbl> 1, 2, 3, 3, 6, 6, 6, 7, 10, 13, 16, 28,~
## $ stays_in_weekend_nights        <dbl> 0, 0, 0, 0, 1, 1, 1, 0, 0, 1, 0, 0, 2, ~
## $ stays_in_week_nights           <dbl> 4, 2, 2, 1, 3, 3, 1, 4, 1, 2, 1, 1, 8, ~
## $ adults                         <dbl> 2, 2, 2, 2, 2, 3, 2, 3, 2, 2, 2, 2, 2, ~
## $ children                       <dbl> 0, 0, 2, 0, 0, 0, 0, 0, 0, 0, 2, 1, 0, ~
## $ babies                         <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, ~
## $ meal                           <chr> "BB", "BB", "BB", "BB", "BB", "BB", "BB~
## $ country                        <chr> "USA", "USA", "USA", "USA", "USA", "USA~
## $ market_segment                 <chr> "Online TA", "Online TA", "Online TA", ~
## $ distribution_channel           <chr> "TA/TO", "TA/TO", "TA/TO", "TA/TO", "TA~
## $ is_repeated_guest              <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, ~
## $ previous_cancellations         <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, ~
## $ previous_bookings_not_canceled <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, ~
## $ reserved_room_type             <chr> "D", "A", "G", "C", "G", "G", "D", "D",~
## $ assigned_room_type             <chr> "E", "C", "H", "C", "G", "G", "F", "E",~
## $ booking_changes                <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, ~
## $ deposit_type                   <chr> "No Deposit", "No Deposit", "No Deposit~
## $ agent                          <chr> "240", "242", "240", "241", "241", "241~
## $ company                        <chr> "NULL", "NULL", "NULL", "NULL", "NULL",~
## $ days_in_waiting_list           <dbl> 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, ~
## $ customer_type                  <chr> "Transient", "Transient", "Transient", ~
## $ adr                            <dbl> 97.00, 98.00, 153.00, 94.71, 117.81, 11~
## $ required_car_parking_spaces    <dbl> 0, 0, 1, 0, 1, 0, 1, 0, 0, 1, 1, 0, 0, ~
## $ total_of_special_requests      <dbl> 3, 1, 0, 0, 2, 2, 1, 1, 0, 0, 1, 1, 1, ~
## $ reservation_status             <chr> "Check-Out", "Check-Out", "Check-Out", ~
## $ reservation_status_date        <chr> "7/5/15", "7/4/15", "7/5/15", "7/4/15",~
```