

CHALLENGE PROBLEM 1

LEANDRO RIBEIRO

Axiom (\dagger). There exists a subset $\mathbb{N} \subseteq \mathbb{Z}$ with the following properties:

- (1) If $m, n \in \mathbb{N}$, then $m + n \in \mathbb{N}$.
- (2) If $m, n \in \mathbb{N}$, then $mn \in \mathbb{N}$.
- (3) $0 \notin \mathbb{N}$.
- (4) For every $m \in \mathbb{Z}$, we have $m \in \mathbb{N}$, $m = 0$, or $-m \in \mathbb{N}$.

Definition. The **successor function** on the integers is defined by $s(x) := x + 1$. For $m \geq 1$, we define $s^{m+1}(x)$ recursively by $s^{m+1}(x) := s(s^m(x))$.

Axiom (*). For all $m \geq 1$, $s^m(0) \neq 0$.

Axiom ().** For all $x \in \mathbb{Z}$, there is $m \geq 0$ such that $s^m(x) = 0$ or $s^m(0) = x$.

Definition. The set of **successors of zero** is defined to be

$$N := \{x \in \mathbb{Z} \mid \exists m \geq 1 s^m(0) = x\}$$

Prove the following proposition.

Proposition. Assume that the integers satisfy (*) and (**). Then, the set N satisfies axiom (\dagger). That is to say, N satisfies the four conditions of the axiom.

Proof. (1) Let $P(n)$ be the statement "if $m \in N$, then $m + n \in N$ ". Because $m \in N$, there exists some $y \geq 1$ such that $s^y(0) = m$. Let's first observe $P(1)$

Base. $n = 1$. $m + 1 = s^y(0) + 1 = s(s^y(0))$, because $m \in N$ and the definition of the successor function. Also by definition of the successor function, $s(s^y(0)) = s^{y+1}(0)$. Clearly, $y + 1 > y \geq 1$. Thus, for $m + 1$ there exists $y + 1 > 1$ such that $s^{y+1}(0) = m + 1$, $m + 1 \in N$, and the proposition holds.

Successor. Assume $P(n)$ holds. That is, $m + n \in N$. By definition, this means there exists some $y \geq 1$ such that $s^y(0) = m + n$. Consider $m + n + 1$. $m + n + 1 = s(m + n) = s(s^y(0))$ by definition of the successor function. By induction, we know $m + n = s^y(0) \in N$. Thus,

Date: March 24, 2017.

$s(s^y(0)) = s^{y+1}(0) \in N$ since for $m + n + 1$ there exists $y + 1 > y \geq 1$ such that $s^{y+1}(0) = m + n + 1$. By the principal of mathematical induction, the proposition holds.

(2) Let $P(n)$ be the statement "If $m \in N$, then $mn \in N$." Observe $P(1)$:

Base. $n = 1$. $m \cdot 1 = m \in N$.

Successor. Assume $P(n)$ holds. That is, $mn \in N$. Consider $m(n+1)$. By our axioms for the integers, we may rewrite this as $mn + m$. By induction, $mn \in N$, and we already know $m \in N$. Thus, by the first part of this proposition and induction, $mn + m \in N$.

(3) By our axiom (*), we know $0 \notin N$.

(4) Take $x \in \mathbb{Z}$. By axiom (**), there is $m \geq 0$ such that $s^m(x) = 0$ or $s^m(0) = x$. If x is such that $s^m(0) = x$, then by our definition of N , $x \in N$. If $x = 0$, then we are done. If $s^m(x) = 0$, we must prove two lemmas to show $-x \in N$.

Lemma. For all $x, y \in \mathbb{Z}$, $s^m(x + y) = s^m(x) + y$.

Proof. Take $P(m)$ to be the statement " $s^m(x + y) = s^m(x) + y$ " Let's first observe $m = 1$

Base. $m = 1$. $s^1(x + y) = (x + y) + 1 = (x + 1) + y = s^1(x) + y$.

Successor. Assume $P(m)$ holds. Consider $s^{m+1}(x + y)$. By definition of the successor function, we may rewrite this as $s(s^m(x + y))$. By induction, we have that $s(s^m(x) + y)$. By definition, it follows that $s(s^m(x) + y) = s^m(x) + y + 1 = (s^m(x) + 1) + y = s(s^m(x)) + y = s^{m+1}(x) + y$. Thus, by the Principal of Mathematical Induction the lemma holds. \square

Lemma. For all $x \in \mathbb{Z}$ If $s^m(x) = 0$, then $-x \in N$.

Proof. Take $P(m)$ to be the statement "If $s^m(x) = 0$, then $-x \in N$." Let's first observe $m = 1$.

Base. $s^1(x) = x + 1 = 0$. If $x + 1 = 0$, we may cancel to find that $x = -1$, and $-(-1) = 1 = s(0) \in N$.

Successor. Assume $P(m)$ holds. Observe $s^{m+1}(x) = 0$. $s^{m+1}(x) = s(s^m(x)) = s^m(x) + 1$. Applying the previous lemma, it follows that $s^m(x) + 1 = s^m(x + 1) = 0$. By induction, $-(x + 1) \in N$. Thus, the lemma and finally the proposition hold by the Principal of Mathematical Induction. \square

\square