# Sampling

#### Sampling

Description: Draw samples from the posterior distribution based on choice of aquisition function

#### **Class Details**

SuperclasseshandleSealedfalseConstruct on loadfalse

## **Constructor Summary**

**Sampling** 

## **Property Summary**

actions
global inds
rewards
visited inds

### **Method Summary**

	<u>addlistener</u>	Add listener for event.
	<u>delete</u>	Delete a handle object.
	<u>eq</u>	== (EQ) Test handle equality.
Static	eval ord prod	evaluate ordinal label probabilities
Static	eval pref prod	evaluate preference feedback probabilities
	<u>findobj</u>	Find objects matching specified conditions.
	<u>findprop</u>	Find property of MATLAB handle object.
	g <u>e</u>	>= (GE) Greater than or equal relation for handles.
Static	<u>getRandAction</u>	get non-unique random actions from action space
	g <u>t</u>	> (GT) Greater than relation for handles.
Sealed	<u>isvalid</u>	Test handle validity.
	<u>le</u>	<= (LE) Less than or equal relation for handles.
	<u>listener</u>	Add listener for event without binding the listener to the source object.
	<u>lt</u>	< (LT) Less than relation for handles.
	<u>ne</u>	~= (NE) Not equal relation for handles.
	<u>notify</u>	Notify listeners of event.

## **Event Summary**

ObjectBeingDestroyed Notifies listeners that a particular object has been destroyed.