tkz-euclide examples

This lowly sand that your trample underfoot, if you throw it in a furnace and let it melt and seethe, will become a sparkling crystal; and thanks to such as this a Galileo or Newton will discover the stars.

Victor Hugo, Les Misérables

Contents

1	Poin	Points 5					
	1.1	Fixed	Points	5			
		1.1.1	Cartesian Coordinates: (x, y)	5			
		1.1.2	Polar Coordinates: (degree:radius)	5			
		1.1.3	Multiple Points: \tkzDefPoints	6			
	1.2	Calcu	lations: xfp	6			
	1.3	Point I	Relative to Another: \tkzDefShiftPoint	6			
	1.4	Midpoint: \tkzDefMidPoint					
	1.5	Barycenter: \tkzDefBarycentricPoint 7					
	1.6	Point on a Line: \tkzDefPointOnLine					
	1.7	Point on a Circle: \tkzDefPointOnCircle					
	1.8	Transf	ormations: \tkzDefPointBy	8			
		1.8.1	Translation	8			
		1.8.2	Reflection	8			
		1.8.3	Projection	9			
		1.8.4	Symmetry	9			
		1.8.5	Rotation and Rotation in Rad	9			
	1.9 Defining Points Using a Vector: \tkzDefPointWith						
		1.9.1	Linear	lO			
		1.9.2	Colinear	lO			
	1.10	Triang	le Centers: \tkzDefTriangleCenter	11			
		1.10.1	Centroid	11			
		1.10.2	Incenter	11			
		1.10.3	Circumcenter	11			
		1.10.4	Orthocenter	12			
		1.10.5	Excenter	12			
2	Line	ıs	1	L3			
_	2.1			13			
		2.1.1		13			
				13			


		2.1.3	Orthogonal And Parallel	14				
	2.2	Tanger	nt to a Circle: \tkzDefTangent	14				
	2.3	Mediar	n, Altitude, and Bisector	14				
	2.4	Drawin	g:\tkzDrawSegment and \tkzDrawLine	15				
		2.4.1	Labeling: \tkzLabelLine	16				
		2.4.2	Marking: \tkzMarkSegment	17				
3	Tria	Triangles 18						
	3.1	\tkzDe	fTriangle	18				
	3.2	\tkzDe	fDefSpcTriangle	19				
4	Circles 20							
	4.1	\tkzDr	awCircle	20				
	4.2	\tkzDe	fCircle	20				
		4.2.1	diameter	20				
		4.2.2	Inscribed and Circumscribed	21				
		4.2.3	Escribed	21				
5	Arcs and Sectors 22							
	5.1	Δrc: \+	kzDrawArc	22				
		/11C. (C	KZDIAWAIC					
			Default behavior towards					
		5.1.1		22				
		5.1.1 5.1.2	Default behavior towards	22 22				
		5.1.15.1.25.1.3	Default behavior towards 2 Rotate 2	22 22 22				
		5.1.15.1.25.1.35.1.4	Default behavior towards 2 Rotate 2 Radius 2	22 22 22 23				
	5.2	5.1.1 5.1.2 5.1.3 5.1.4 5.1.5	Default behavior towards 2 Rotate 2 Radius 2 delta 2	22 22 23 23				
	5.2 5.3	5.1.1 5.1.2 5.1.3 5.1.4 5.1.5 Sector:	Default behavior towards 2 Rotate 2 Radius 2 delta 2 angles 2	22 22 23 23 24				
	5.3	5.1.1 5.1.2 5.1.3 5.1.4 5.1.5 Sector:	Default behavior towards 2 Rotate 2 Radius 2 delta 2 angles 2 \tkzDrawSector 2 ass: \tkzCompass 2	22 22 23 23 24				
6	5.3 5.4	5.1.1 5.1.2 5.1.3 5.1.4 5.1.5 Sector:	Default behavior towards 2 Rotate 2 Radius 2 delta 2 angles 2 \tkzDrawSector 2 ass: \tkzCompass 2 owLine 2	22 22 23 23 24 24 25				
6	5.3 5.4	5.1.1 5.1.2 5.1.3 5.1.4 5.1.5 Sector: Compa	Default behavior towards 2 Rotate 2 Radius 2 delta 2 angles 2 \tkzDrawSector 2 ass: \tkzCompass 2 owLine 2	22 22 23 23 24 24 25				
6	5.3 5.4 Inte	5.1.1 5.1.2 5.1.3 5.1.4 5.1.5 Sector: Compa \tkzSh	Default behavior towards 2 Rotate 2 Radius 2 delta 2 angles 2 \tkzDrawSector 2 ass: \tkzCompass 2 owLine 2	22 22 23 23 24 24 25 26				
6	5.3 5.4 Inte 6.1	5.1.1 5.1.2 5.1.3 5.1.4 5.1.5 Sector: Compatible Compat	Default behavior towards 2 Rotate 2 Radius 2 delta 2 angles 2 \tkzDrawSector 2 ass: \tkzCompass 2 owLine 2 terLL 2	22 22 23 23 24 24 25 26 26				

7 Miscellaneous 28


1 Points

1.1 Fixed Points

1.1.1 Cartesian Coordinates: (x, y)




```
\begin{tikzpicture}
  \tkzInit[xmax=4,ymax=4]
  \tkzGrid[color=gray!30]
  \tkzDefPoint(0,0){0}
  \tkzDrawPoint[red](0)
  \tkzDefPoint(2,3){P1}
  \tkzDrawPoint[blue](P1)
  \tkzLabelPoint[right](P1){$P_1(2,3)$}
  \tkzLabelPoints[below](0)
  \end{tikzpicture}
```




\begin{tikzpicture}
 \tkzDefPoint(0,0){A}
 \tkzDefPoint(4,0){B}
 \tkzDefPoint(0,3){C}
 \tkzDrawPolygon(A,B,C)
 \tkzDrawPoints(A,B,C)
 \tkzLabelPoints[below](A,B)
 \tkzLabelPoints[above](C)

1.1.2 Polar Coordinates: (degree:radius)




```
\begin{tikzpicture}
  \tkzDefPoint(0:0){0}
  \tkzDefPoint(60:2){A_1}  \tkzDefPoint(120:2){A_2}
  \tkzDefPoint(180:2){A_3}  \tkzDefPoint(240:2){A_4}
  \tkzDefPoint(300:2){A_5}  \tkzDefPoint(360:2){A_6}
  \tkzDrawPolygon(A_1,A_...,A_6)
  \tkzDrawPoints(A_1,A_...,A_6,0)
  \tkzLabelPoint[above right](A_1){\texttt{(60:2)}}
  \tkzLabelPoint[above left](A_2){\texttt{(120:2)}}
  \tkzLabelPoint[below](0){\texttt{(0:0)}}
  \end{tikzpicture}
```

1.1.3 Multiple Points: \tkzDefPoints




```
\begin{tikzpicture}[scale=1]
  \tkzDefPoints{0/0/A,2/0/B,2/1.5/C}
  \tkzDrawPolygon(A,B,C)
  \tkzDrawPoints(A,B,C)
  \tkzDefPoints{2.5/0/A,4/0/B,4/1.5/C,2.5/1.5/D}
  \tkzDrawPolygon(A,...,D)
  \tkzDrawPoints(A,B,C,D)
  \end{tikzpicture}
```

1.2 Calculations: xfp



```
\begin{tikzpicture}
  \tkzInit[xmax=4,ymax=4] \tkzGrid[color=gray!30]
  \tkzDefPoint(-1+2,sqrt(4)){0}
  \tkzDefPoint({3*ln(exp(1))},{exp(1)}){A}
  \tkzDefPoint({4*sin(pi/6)},{4*cos(pi/6)}){B}
  \tkzDrawPoints[color=blue](0,B,A)
  \tkzLabelPoint[below](0){$0(1,2)$}
  \tkzLabelPoint[below](A){$A(3,e)$}
  \tkzLabelPoint[left](B){$B(2,2\sqrt{3})$}
\end{tikzpicture}
```

1.3 Point Relative to Another: \tkzDefShiftPoint



```
\begin{tikzpicture}[scale=1]
  \tkzDefPoint(2,3){A}
  \tkzDefShiftPoint[A](30:3){B}
  \tkzDefShiftPoint[A]({3/2*sqrt(3)},-1.5){C}
  \tkzDrawPolygon(A,B,C)
  \tkzDrawPoints(A,B,C)
  \tkzLabelPoints[right](B,C)
  \tkzLabelPoints[left](A)
  \tkzMarkSegments[mark=||,color=red](A,B,A,C,B,C)
  \end{tikzpicture}
```


1.4 Midpoint: \tkzDefMidPoint




1.5 Barycenter: \tkzDefBarycentricPoint



1.6 Point on a Line: \tkzDefPointOnLine




1.7 Point on a Circle: \tkzDefPointOnCircle




1.8 Transformations: \tkzDefPointBy


1.8.1 Translation



1.8.2 Reflection




1.8.3 Projection




```
\begin{tikzpicture}
  \tkzDefPoints{0/0/A,4/1/B,3/2/C}
  \tkzDrawSegment(A,B)
  \tkzDefPointBy[projection=onto A--B](C)
  \tkzGetPoint{D}
  \tkzDrawPoints(A,B,C,D)
  \tkzDrawSegment[densely dashed](C,D)
  \tkzMarkRightAngle[size=.2](B,D,C)
  \tkzLabelPoints(A,B,D)
  \tkzLabelPoints[right](C)
\end{tikzpicture}
```

1.8.4 Symmetry



```
\begin{tikzpicture}[scale=1]
  \tkzDefPoint(0,0){0}
  \tkzDefPoint(1.5,-1){A}
  \tkzDefPoint(2,1){B}
  \tkzDefPointsBy[symmetry=center 0](B,A){}
  \tkzDrawSegments[densely dashed](A,A' B,B')
  \tkzDrawPoints(A,B,0,A',B')
  \tkzLabelPoints[below](A,B')
  \tkzLabelPoints[above](A',0,B)
\end{tikzpicture}
```


1.8.5 Rotation and Rotation in Rad



```
\begin{tikzpicture}
  \tkzDefPoint["$A$" left](0,0){A}
  \tkzDefPoint["$B$" right](3,0){B}
  \tkzDefPointBy[rotation=center A angle 60](B)
  \tkzGetPoint{C}
  \tkzDefPointBy[rotation in rad=center A angle -
pi/3](B)
  \tkzGetPoint{C'}
  \tkzLabelPoints[right](C,C')
  \tkzDrawPoints(A,B,C,C')
  \tkzDrawSegments(A,B A,C A,C')
  \tkzMarkAngles[mark=none, size=0.4cm](B,A,C C',A,B)
  \tkzLabelAngles[pos=0.75](B,A,C C',A,B){$60\degree$}
  \tkzMarkSegments[mark=||](A,B A,C A,C')
  \end{tikzpicture}
```

1.9 Defining Points Using a Vector: \tkzDefPointWith


1.9.1 Linear




```
\begin{tikzpicture}
  \tkzDefPoint(1,3){A}
  \tkzDefPoint(4,2){B}
  \tkzDefPointWith[linear,K=2/3](A,B)
  \tkzGetPoint{C}
  \tkzDrawPoints[color=red](A,B,C)
  \tkzDrawSegment(A,B)
  \tkzLabelPoints[above right=3pt](A,B,C)
\end{tikzpicture}
```

\begin{tikzpicture}[scale=1.2,

1.9.2 Colinear






```
vect/.style={->,shorten >=3pt,>=latex'}]
 \tkzDefPoint(2,3){A}
 \tkzDefPoint(4,2){B}
 \tkzDefPoint(1,2){C}
 \tkzDefPointWith[colinear=at C](A,B)
 \tkzGetPoint{D}
 \tkzDrawPoints[color=red](A,B,C,D)
 \tkzLabelPoints[above right=3pt](A,B,C,D)
 \tkzDrawSegments[vect](A,B C,D)
\end{tikzpicture}
\begin{tikzpicture}[scale=1.2,
    vect/.style={->,shorten >=3pt,>=latex'}]
 \tkzDefPoints{2/3/A, 4/2/B}
 \tkzDefPointWith[orthogonal,K=2/3](A,B)
 \tkzGetPoint{C}
 \tkzDefPointWith[orthogonal,normed,K=-1](B,A)
 \tkzGetPoint{D}
 \tkzDrawPoints[color=red](A,B,C,D)
 \tkzLabelPoints[right=3pt](B,C,D)
 \tkzLabelPoints[below=3pt](A)
 \tkzDrawSegments[vect](A,B A,C B,D)
 \tkzMarkRightAngle(B,A,C)
\end{tikzpicture}
```


1.10 Triangle Centers: \tkzDefTriangleCenter

1.10.1 Centroid




```
\begin{tikzpicture}
  \tkzDefPoints{0/0/A,4/0/B,1.5/3.5/C}
  \tkzDrawPolygon[color=brown](A,B,C)
  \tkzDefTriangleCenter[centroid](A,B,C) \tkzGetPoint{D}
  \tkzDrawPoints(A,B,C,D)
  \tkzDefMidPoint(A,B) \tkzGetPoint{E}
  \tkzDefMidPoint(B,C) \tkzGetPoint{F}
  \tkzDefMidPoint(C,A) \tkzGetPoint{G}
  \tkzDrawSegments(C,E A,F B,G)
  \tkzMarkSegments[mark=|,color=red](C,G A,G)
  \tkzMarkSegments[mark=||,color=red](A,E B,E)
  \tkzMarkSegments[mark=||,color=red](B,F C,F)
  \end{tikzpicture}
```

1.10.2 Incenter




```
\begin{tikzpicture}[scale=1.25]
  \tkzDefPoints{0/1/A,3/2/B,1/4/C}
  \tkzDefTriangleCenter[in](A,B,C) \tkzGetPoint{I}
  \tkzDefPointBy[projection=onto A--C](I)
  \tkzGetPoint{Ib}
  \tkzDrawPolygon[color=blue](A,B,C)
  \tkzDrawPoints(A,B,C,I)
  \tkzDrawLines[add = 0 and 2/3](A,I B,I C,I)
  \tkzDrawCircle(I,Ib)
\end{tikzpicture}
```

1.10.3 Circumcenter




```
\begin{tikzpicture}
  \tkzDefPoints{0/1/A,3/2/B,1/4/C}
  \tkzDefTriangleCenter[circum](A,B,C) \tkzGetPoint{G}
  \tkzDrawPolygon[color=brown](A,B,C)
  \tkzDrawCircle(G,A)
  \tkzDrawPoints(A,B,C,G)
  \end{tikzpicture}
```

1.10.4 Orthocenter



\begin{tikzpicture}
 \tkzDefPoint(0,0){A}
 \tkzDefPoint(5,1){B}
 \tkzDefPoint(1,4){C}
 \tkzClipPolygon(A,B,C)
 \tkzDefTriangleCenter[ortho](B,C,A) \tkzGetPoint{H}
 \tkzDefSpcTriangle[orthic,name=H](A,B,C){a,b,c}
 \tkzDrawPolygon[color=blue](A,B,C)
 \tkzDrawPoints(A,B,C,H)
 \tkzDrawLines[add=0 and 1](A,Ha B,Hb C,Hc)
 \tkzLabelPoint(H){\$H\$}
 \tkzAutoLabelPoints[center=H](A,B,C)
 \tkzMarkRightAngles(A,Ha,B B,Hb,C C,Hc,A)
 \end{tikzpicture}

1.10.5 Excenter



\begin{tikzpicture}[scale=0.5]
 \tkzDefPoints{0/1/A,3/2/B,1/4/C}
 \tkzDefTriangleCenter[ex](B,C,A) \tkzGetPoint{J_c}
 \tkzDefPointBy[projection=onto A--B](J_c)
 \tkzGetPoint{Tc}
 \tkzDrawPolygon[color=blue](A,B,C)
 \tkzDrawPoints(A,B,C,J_c)
 \tkzDrawCircle[red](J_c,Tc)
 \tkzDrawLines[add=1.5 and 0](A,C B,C)
 \tkzLabelPoints[left](A)
 \tkzLabelPoints[right](B)
 \tkzLabelPoints[above](C)
 \tkzLabelPoints(J_c)
 \end{tikzpicture}

2 Lines


2.1 Definition: \tkzDefLine

2.1.1 Mediator




\begin{tikzpicture}[scale=0.7]
 \tkzSetUpPoint[size=1.5pt]
 \tkzDefPoints{-2/0/A,1/2/B}
 \tkzDefLine[mediator](A,B)
 \tkzGetPoints{C}{D}
 \tkzInterLL(C,D)(A,B)
 \tkzDrawPoints(A,B)
 \tkzDrawSegments(A,B C,D)
 \tkzMarkRightAngle[size=.2](A,I,C)
 \tkzMarkSegments[mark=||](A,I B,I)
 \end{tikzpicture}

2.1.2 Bisector




\begin{tikzpicture}[rotate=25,scale=.7]
 \tkzDefPoints{0/0/C, 2/-3/A, 4/0/B}
 \tkzDefLine[bisector,K=.5](B,A,C)
 \tkzGetPoint{a}
 \tkzDrawLines[add= 0 and .5](A,B A,C)
 \tkzShowLine[bisector,gap=4,size=2,color=red](B,A,C)
 \tkzDrawLines[blue!50,dashed,add= 0 and .5](A,a)
 \tkzLabelPoints[below](A,C)
 \tkzLabelPoints[right](B)
 \tkzDrawPoints[size=1.5pt](A,B,C,a)
 \end{tikzpicture}

2.1.3 Orthogonal And Parallel




```
\begin{tikzpicture}
 \text{tkzDefPoints}\{-1.5/-0.25/A, 1/-0.75/B, -0.7/1/C\}
 \tkzDrawLine(A,B)
 \tkzDefLine[orthogonal=through C](B,A)
 \tkzGetPoint{c}
                     \tkzDrawLine(C,c)
 \tkzInterLL(A,B)(C,c)
                           \tkzGetPoint{I}
 \tkzDefLine[parallel=through C](A,B)
 \tkzGetPoint{D}
                     \tkzDrawLine(C,D)
 \tkzDrawPoints(A,B,C,c,D)
 \tkzLabelPoints[above right](A,B,C,c,D)
 \tkzLabelLine[pos=1.25,below left](A,B){$(1_1)$}
 \time [pos=1.2,right](C,D){\{(1_2)\}}
 \tkzLabelLine[pos=1.25,left](C,c){$\delta$}
 \tkzMarkRightAngle(C,I,B)\tkzMarkRightAngle(I,C,D)
\end{tikzpicture}
```

2.2 Tangent to a Circle: \tkzDefTangent



```
\begin{tikzpicture}[scale=.75]
  \tkzDefPoint(0,0){0}
  \tkzDefRandPointOn[circle=center 0 radius 2]
  \tkzGetPoint{A}
  \tkzDrawSegment(0,A)
  \tkzDrawCircle(0,A)
  \tkzDefTangent[at=A](0)   \tkzGetPoint{h}
  \tkzDrawPoints[size=1.5pt](A,0,h)
  \tkzDrawLine[add = 2 and 2.5](A,h)
  \tkzMarkRightAngle[fill=red!30](0,A,h)
  \tkzLabelPoints[above right](A)  \tkzLabelPoints[left](0)
\end{tikzpicture}
```


2.3 Median, Altitude, and Bisector




```
\begin{tikzpicture}[scale=1.2]
  \tkzDefPoint(0,0){A}
  \tkzDefPoint(4,0){B}
  \tkzDefPoint(1,3){C}
  \tkzDrawPolygon[densely dashed](A,B,C)
  \tkzSetUpLine[color=blue]
  \tkzDefSpcTriangle[medial,name=M](A,B,C){_A,_B,_C}
  \tkzDrawSegments(A,M_A B,M_B C,M_C)
  \tkzDrawPolygon(M_A, M_B, M_C)
  \end{tikzpicture}
```

```
\begin{tikzpicture}[scale=1.2]
 \tkzDefPoint(0,0){A}
 \tkzDefPoint(4,0){B}
 \tkzDefPoint(1,3){C}
 \tkzDrawPolygon[densely dashed](A,B,C)
 \tkzSetUpLine[color=magenta]
 \tkzDrawSegments(A,H_A B,H_B C,H_C)
 \tkzDrawPolygon(H_A, H_B, H_C)
\end{tikzpicture}
\begin{tikzpicture}[scale=1.2]
 \tkzDefPoint(0,0){A}
 \tkzDefPoint(4,0){B}
 \tkzDefPoint(1,3){C}
 \tkzDrawPolygon[densely dashed](A,B,C)
 \tkzSetUpLine[color=orange]
 \tkzDefSpcTriangle[in,name=I](A,B,C){_A,_B,_C}
 \tkzDrawSegments(A,I_A B,I_B C,I_C)
 \tkzDrawPolygon(I_A, I_B, I_C)
\end{tikzpicture}
```


2.4 Drawing: \tkzDrawSegment and \tkzDrawLine






```
\begin{tikzpicture}
  \tkzDefPoint(0,0){A}
  \tkzDefPoint(2,0){B}
  \tkzDefPoint(1,2){C}
  \tkzDefPoint(3,2){D}
  \tkzDrawLines(A,B C,D A,C B,D)
  \tkzLabelPoints[below right](A,B,C,D)
\end{tikzpicture}
```

2.4.1 Labeling: \tkzLabelLine




```
\begin{tikzpicture}[scale=0.8]
  \tkzDefPoints{0/0/A,3/0/B,1/1/C}
  \tkzDefLine[perpendicular=through C,K=-1](A,B)
  \tkzGetPoint{c}
  \tkzDrawLines(A,B C,c)
  \tkzLabelLine[pos=1.25,blue,right](C,c){$1_1$}
  \tkzLabelLine[pos=-0.25,red,above](A,B){$1_2$}
\end{tikzpicture}
```



```
\begin{tikzpicture}
  \tkzDefPoint(0,0){A}
  \tkzDefPoint(4,0){B}
  \tkzDefTriangle[pythagore](A,B) \tkzGetPoint{C}
  \tkzDrawPoints[size=1.5pt](A,B,C)
  \tkzDrawSegment[dim={$3$, 6pt, transform shape},
    dim style/.append style={blue}](B,C)
  \tkzDrawSegment[dim={$4$, 6pt, transform shape},
    dim style/.append style={densely dashed, red}](A,B)
  \tkzDrawSegment[dim={$5$, 1cm, transform shape},
    dim fence style/.style={red,densely dashed}](C,A)
  \tkzLabelPoints[left](A) \tkzLabelPoints[above right](B)
  \tkzLabelPoints[below](C)
  \end{tikzpicture}
```


2.4.2 Marking: \tkzMarkSegment




\begin{tikzpicture}
 \tkzDefPoint(2,1){A}
 \tkzDefPoint(6,4){B}
 \tkzDrawSegment(A,B)
 \tkzMarkSegment[thick,color=gray,pos=0.2,mark=s|](A,B)
 \tkzMarkSegment[thick,color=gray,pos=0.4,mark=s|](A,B)
 \tkzMarkSegment[thick,color=brown,pos=0.6,mark=||](A,B)
 \tkzMarkSegment[thick,color=red,pos=0.8,mark=||](A,B)
 \tkzMarkSegment[thick,color=red,pos=0.8,mark=||](A,B)
 \end{tikzpicture}

3 Triangles


3.1 \tkzDefTriangle




```
\begin{tikzpicture}[scale=.8]
  \tkzDefPoint(0,0){A}
  \tkzDefPoint(4,0){B}
  \tkzDefTriangle[equilateral](A,B)
  \tkzGetPoint{C}
  \tkzDrawPolygon(A,B,C)
  \tkzDrawPoints[size=1.5pt, fill=black](A,B,C)
  \tkzLabelPoints[below](A,B) \tkzLabelPoints[above](C)
\end{tikzpicture}
```



```
\begin{tikzpicture}[scale=.8]
  \tkzInit[xmax=5,ymax=3]
  \tkzDefPoints{0/0/A,4/0/B}
  \tkzDefTriangle[pythagore](A,B) \tkzGetPoint{C}
  \tkzDrawPolygon(A,B,C)
  \tkzDrawPoints[size=1.5pt](A,B,C)
  \tkzLabelPoints[above](A,B) \tkzLabelPoints[below](C)
  \tkzLabelSegment[right](B,C){$3$}
  \tkzLabelSegment[above](A,B){$4$}
  \tkzLabelSegment[below left](A,C){$5$}
\end{tikzpicture}
```



```
\begin{tikzpicture}[scale=.8]
  \tkzInit[xmax=5,ymax=3]
  \tkzDefPoints{0/0/A,4/0/B}
  \tkzDefTriangle[school](A,B) \tkzGetPoint{C}
  \tkzDrawPolygon(A,B,C)
  \tkzDrawPoints[size=1.5pt](A,B,C)
  \tkzLabelPoints[below](A,B) \tkzLabelPoints[above](C)
  \tkzMarkRightAngle[size=.2](C,B,A)
  \tkzMarkAngles[mark=none, size=0.4cm](B,A,C)
  \tkzLabelAngles[pos=1.2](B,A,C){$30\degree$}
\end{tikzpicture}
```




```
\begin{tikzpicture} [scale=.8]
  \tkzInit[xmax=5,ymax=3]
  \tkzDefPoints{0/0/A,3/0/B}
  \tkzDefTriangle[golden](A,B) \tkzGetPoint{C}
  \tkzDrawPolygon(A,B,C)
  \tkzDrawPoints[size=1.5pt](A,B,C)
  \tkzLabelPoints[below](A,B) \tkzLabelPoints[above](C)
  \tkzMarkSegments[mark=||](C,A C,B)
  \tkzMarkAngles[mark=none, size=0.4cm](B,A,C)
  \tkzLabelAngles[pos=.8](B,A,C){$72\degree$}
  \end{tikzpicture}
```

3.2 \tkzDefDefSpcTriangle

See section 2.3.

4 Circles


4.1 \tkzDrawCircle



\begin{tikzpicture}[scale=.6]
 \tkzSetUpPoint[size=1.5pt]
 \tkzDefPoint(0,0){0}
 \tkzDefCircle[R](0, 2) \tkzGetPoint{x}
 \tkzDrawCircle(0,x)
 \tkzDrawPoints[size=1.5pt](0)
 \tkzLabelPoints(0)
\end{tikzpicture}


4.2 \tkzDefCircle

4.2.1 diameter




\begin{tikzpicture}[scale=1.25]
 \tkzDefPoint(0,0){A}
 \tkzDefPoint(2,2){B}
 \tkzDefCircle[diameter](A,B)
 \tkzGetPoint{0}
 \tkzDrawCircle[blue,fill=blue!20](0,B)
 \tkzDrawSegment(A,B)
 \tkzDrawPoints[size=1.5pt](A,B,0)
 \tkzLabelPoints[right](B,0)
 \tkzLabelPoints[left](A)
\end{tikzpicture}

4.2.2 Inscribed and Circumscribed



```
\begin{tikzpicture}[scale=1]
 \tkzDefPoint(2,2){A}
 \tkzDefPoint(5,-2){B}
 \tkzDefPoint(1,-2){C}
 \tkzDefCircle[in](A,B,C)
 \tkzGetLength{rIN}
 \tkzGetFirstPoint{I}
 \tkzGetSecondPoint{P}
 \tkzDefCircle[circum](A,B,C)
 \tkzGetPoint{K}
 \tkzGetLength{rCI}
 \tkzDrawPoints[size=1.5pt](A,B,C,I,K,P)
 \tkzDefCircle[R](I,\rIN pt) \tkzGetPoint{x}
 \tkzDrawCircle[blue](I,x)
 \tkzDefCircle[R](K,\rCI pt) \tkzGetPoint{x}
 \tkzDrawCircle[red](K,x)
 \tkzLabelPoints[below](B,C)
 \tkzLabelPoints[above left](A,I,K,P)
 \tkzDrawPolygon(A,B,C)
\end{tikzpicture}
```

4.2.3 Escribed




```
\begin{tikzpicture}[scale=.5]
  \tkzDefPoint(0,0){A}
  \tkzDefPoint(3,0){B}
  \tkzDefPoint(1,2.5){C}
  \tkzDefCircle[ex](A,B,C) \tkzGetPoint{I}
  \tkzGetLength{rI}
  \tkzDefCircle[ex](C,A,B) \tkzGetPoint{J}
  \tkzGetLength{rJ}
  \tkzDefCircle[ex](B,C,A) \tkzGetPoint{K}
  \tkzGetLength{rK}
  \tkzDrawLines[add=1.25 and 1.25](A,B A,C B,C)
  \tkzDrawPolygon(A,B,C)
  \tkzDefCircle[R](I,\rI) \tkzGetPoint{i}
  \tkzDefCircle[R](J,\rJ) \tkzGetPoint{j}
  \tkzDefCircle[R](K,\rK) \tkzGetPoint{k}
  \tkzDrawCircles(I,i J,j K,k)
  \tkzDrawPoints[size=1.5pt](A,B,C,I,J,K)
  \tkzLabelPoints[below left=2pt](A,I,J)
  \tkzLabelPoints[below right, xshift=8pt](B)
  \tkzLabelPoints[below](K)
  \tkzLabelPoints[above=6pt](C)
\end{tikzpicture}
```

5 Arcs and Sectors


5.1 Arc: \tkzDrawArc

5.1.1 Default behavior towards




\begin{tikzpicture} [scale=1,>=Latex]
 \tkzDefPoints{0/0/0,2/-1/A,1/1/B}
 \tkzDrawArc[color=blue,->](0,A)(B)
 \tkzDrawArc[color=red,->](0,B)(A)
 \tkzDrawLines[add = 0 and .5](0,A 0,B)
 \tkzDrawPoints[size=1.5pt](0,A,B)
 \tkzLabelPoints[below](0,A,B)
 \end{tikzpicture}

5.1.2 Rotate




\begin{tikzpicture} [scale=0.7]
 \tkzDefPoints{0/0/0,2/-2/A,3/0/C}
 \tkzDefPoint(60:2){B}
 \tkzDrawLines[add = 0 and .5](0,A 0,B 0,C)
 \tkzDrawArc[rotate,color=red](0,A)(180)
 \tkzDrawPoints[size=1.5pt](0,A,B)
 \tkzLabelPoints[below](0,A,B)
 \tkzLabelPoints[below](0,A,B)
 \tkzLabelAngle[mark=none,size=0.5cm](C,0,B)
 \tkzLabelAngle[pos=1](C,0,B){\$60\degree\$}
 \tkzMarkAngle[mark=none,size=0.75cm](A,0,C)
 \tkzLabelAngle[pos=1.25](A,0,C){\$45\degree\$}
 \end{tikzpicture}

5.1.3 Radius




\begin{tikzpicture}[scale=.8]
 \tkzDefPoints{0/0/0,0/-3/x,3/0/y}
 \tkzDrawArc[R,color=orange,double](0,3cm)(270,360)
 \tkzDrawArc[R,color=blue,double](0,2cm)(0,270)
 \tkzDrawPoint(0)
 \tkzLabelPoint[above](0){\$0\$}
 \tkzDrawSegment[densely dotted](0,x)
 \tkzDrawSegment[densely dotted](0,y)
\end{tikzpicture}

5.1.4 delta




```
\begin{tikzpicture}[scale=0.8]
  \tkzDefPoints{0/0/A,5/0/B}
  \tkzDefPointBy[rotation= center A angle 60](B)
  \tkzGetPointEy[rotation= center A angle -10](B)
  \tkzDefPointBy[rotation= center A angle -10](B)
  \tkzDefPointEy[rotation= center A angle -10](B)
  \tkzDrawArc[orange,delta=10](A,B)(C)
  \tkzDrawArc[orange,delta=10](B,C)(A)
  \tkzDrawPoints(A,B,C,D)
  \tkzLabelPoints(A,B,C,D)
  \tkzDrawSegments[color=gray,dashed](A,B A,D)
  \tkzMarkAngle[mark=none,size=1.5cm](D,A,B)
  \tkzLabelAngle[pos=2.5](D,A,B){$10\degree$}
  \end{tikzpicture}
```

5.1.5 angles




```
\begin{tikzpicture} [scale=.75]
  \tkzDefPoint(0,0){A}
  \tkzDefPoint(5,0){B}
  \tkzDefPoint(2.5,0){0}
  \tkzDefPointBy[rotation=center 0 angle 60](B)
  \tkzGetPoint{D}
  \tkzSetUpLine[color=Maroon]
  \tkzDrawArc[angles,color=orange](0,B)(30,120)
  \tkzDrawArc[angles,color=blue](B,0)(100,150)
  \tkzDrawLines(A,B 0,D B,D)
  \tkzDrawPoints(A,B,0,D)
  \tkzLabelPoints(A,B,0,D)
  \end{tikzpicture}
```


5.2 Sector: \tkzDrawSector



5.3 Compass: \tkzCompass




5.4 \tkzShowLine




6 Intersections


6.1 \tkzInterLL




6.2 \tkzInterLC



6.3 \tkzInterCC




6.3.1 \tkzGetFirstPoint and \tkzGetSecondPoint




7 Miscellaneous

2022 AMC12B P24




2022 AMC12B P25



```
\begin{tikzpicture}
 \tkzDefPoints{-1/-1/P_1,1/-1/P_2,0/0/0}
 \tkzDefRegPolygon[side, sides=4, name=P_](P_1,P_2)
 \tkzDrawPolygon(P_1,P_...,P_4)
 foreach \in [evaluate=\  i as \  j using { int(mod(\i,4) + 1) }]
             in \{1, ..., 4\} {
   \tkzDefRegPolygon[side, sides=6, name=Q_\i_](P_\i,P_\j)
   \t \DrawPolygon[blue](Q_{i_1,Q_{i_...},Q_{i_6})
 \begin{pgfinterruptboundingbox}
 \t = 2*sqrt(3), 2.1){A}
 \t C
 \tkzDefRectangle(A,C) \tkzGetPoints{B}{D}
 \foreach \i in \{1, ..., 4\} {
   \begin{scope}
     \tkzDefPointsBy[rotation=center 0 angle 90](A,B,C,D)
                    \{A,B,C,D\}
     \tkzClipPolygon(A,B,C,D)
     \tkzDrawPolygon[ultra thick, red](Q_\i_1,Q_\i_...,Q_\i_6)
   \end{scope}
 \end{pgfinterruptboundingbox}
\end{tikzpicture}
```

1991 AIME P14



```
\begin{tikzpicture}
 \tkzSetUpPoint[size=1.5pt] \tkzDefPoint(0,0){0}
 \t = 180/pi * acos(475/486):4){A}
 \t = 180/pi * acos(475/486):4){B}
 \t \ acos(475/486) + 180/pi * acos(7/18)}:4){C}
 \t = 180/pi * acos(475/486) + 3 * 180/pi * acos(7/18):4){E}
 \t \ acos(475/486) - 180/pi * acos(7/18)}:4){F}
 \tkzDrawPoints(A,B,C,D,E,F) \tkzDrawPolygon[thin](A,B,C,D,E,F)
 \tkzDrawSegments[thin](A,E A,D A,C) \tkzDrawCircle[thin](0,A)
 \tkzLabelPoints[below left](A) \tkzLabelPoints[below right](B)
 \tkzLabelPoints[right](C) \tkzLabelPoints[above right](D)
 \tkzLabelPoints[above left](E) \tkzLabelPoints[left](F)
 \label{large, below, yshift=-0.1cm} $$ \text{A,B}_{s31}$$
 \label{large, right, yshift=-0.1cm} $$ \text{(B,C)} $$
 \tkzLabelSegment[font=\large, left](C,D){$81$}
 \tkzLabelSegment[font=\large, right](E,F){$81$}
 \tkzLabelSegment[font=\large, right, xshift=0.1cm](F,A){$81$}
 \tkzLabelSegment[font=\large, below](E,D){$81$}
 \label{large} $$ \text{LabelSegment[font=\lceil above](A,C)} $$
 \tkzLabelSegment[font=\large, left](A,D){$y$}
 \tkzLabelSegment[font=\large, left](A,E){$z$}
\end{tikzpicture}
```

