

Exercise 1 Let the function B be defined as $B(k) = 2(k + 3)^2 - 5$ with a domain of $(-\infty, \infty)$. Which of the following are pairs in B ?

Select All Correct Answers:

- (a) $(-1, 3)$ ✓
 - (b) $(-3, -5)$ ✓
 - (c) $(-2, -3)$ ✓
 - (d) $(0, 13)$ ✓
-

Exercise 2 Let the function B be defined as $B(k) = 2(k + 3)^2 - 5$ with a domain of $[-3, \infty)$. Which of the following are pairs in B ?

Select All Correct Answers:

- (a) $(-1, 3)$ ✓
 - (b) $(-3, -5)$ ✓
 - (c) $(-2, -3)$ ✓
 - (d) $(0, 13)$ ✓
-

Exercise 3 Let the function B be defined as $B(k) = 2(k + 3)^2 - 5$ with a domain of $(-3, \infty)$. Which of the following are pairs in B ?

Select All Correct Answers:

- (a) $(-1, 3)$ ✓
 - (b) $(-3, -5)$
 - (c) $(-2, -3)$ ✓
 - (d) $(0, 13)$ ✓
-

Exercise 4 Let the function B be defined as $B(k) = 2(k + 3)^2 - 5$ with a domain of $[0, \infty)$. Which of the following are pairs in B ?

Select All Correct Answers:

- (a) $(-1, 3)$
 - (b) $(-3, -5)$
 - (c) $(-2, -3)$
 - (d) $(0, 13)$
-

Exercise 5 Let the function B be defined as $B(k) = 2(k + 3)^2 - 5$ with a domain of $(-\infty, \infty)$. Let A be any real number. Then $B(A) > -5$.

Multiple Choice:

- (a) *True*
 - (b) *False* ✓
-

Exercise 6 Let the function B be defined as $B(k) = 2(k + 3)^2 - 5$ with a domain of $(-\infty, \infty)$. Let A be any real number. Then $B(A) \geq -5$.

Multiple Choice:

- (a) *True* ✓
 - (b) *False*
-