

Task-Oriented Hand Motion Retargeting for Dexterous Manipulation Imitation

Dafni Antotsiou, Guillermo Garcia-Hernando, and Tae-Kyun Kim

Imperial College London

Fd.antotsiou17, g.garcia-hernando, tk.kimG@imperial.ac.uk

Abstract. Human hand actions are quite complex, especially when they involve object manipulation, mainly due to the high dimensionality of the hand and the vast action space that entails. Imitating those actions with dexterous hand models involves different important and challenging steps: acquiring human hand information, retargeting it to a hand model, and learning a policy from acquired data. In this work, we capture the hand information by using a state-of-the-art hand pose estimator. We tackle the retargeting problem from the hand pose to a 29 DoF hand model by combining inverse kinematics and PSO with a task objective optimisation. This objective encourages the virtual hand to accomplish the manipulation task, relieving the effect of the estimator's noise and the domain gap. Our approach leads to a better success rate in the grasping task compared to our inverse kinematics baseline, allowing us to record successful human demonstrations. Furthermore, we used these demonstrations to learn a policy network using generative adversarial imitation learning (GAIL) that is able to autonomously grasp an object in the virtual space.

Keywords: hand pose estimation, motion retargeting, PSO, anthropomorphic hand model, imitation learning, GAIL.

1 Introduction

Learning to perform human-like tasks is an important goal of artificial intelligence. Achieving this goal though presents many challenges, predominantly adjusting the tasks to the agent's (i.e. robots) architecture and inferring intention about the task's desired outcome. This work is interested in the imitation of tasks performed by the human hand - such as grasping - using a dexterous anthropomorphic hand model.

There are two main difficulties when tackling this problem. First is the interpretation of the human motion to the agent's environment, which is called retargeting. Second is the inference of the tasks' objective and the ability to perform them in the agent's environment. One way of achieving this goal is through imitation learning, which involves using human demonstrations that the agent attempts to imitate [12]. That can become difficult, though, when the agent is a physical robot. That is why more and more studies use synthetic data to train imitation learning methods in a virtual environment [6,34,16,41].

Project webpage: <https://daphneantotsiou.github.io/task-oriented-retargeting.html>

