phi> The Applied π -calculus Interpreter

Will de Renzy-Martin

June 23, 2014

Handshake Protocol

Handshake Protocol

Process Calculi

phi

Processes

```
eval env (Conc procs) = do
                 var <- liftIO newEmptyMVar</pre>
                 mapM_ (forkProcess var) procs
                 res <- liftIO (takeMVar var)
                 case res of
                     Left err -> throwE err
                     Right _ -> return ()
        where
            forkProcess var proc = liftIO $ forkIO $ do
                         res <- runExceptT (eval env proc)
                         _ <- tryPutMVar var res</pre>
                         return ()
```

Channels

Primitives

```
primitives :: [(Name
                                 , TermFun)]
primitives = [ ("fst"
                                 , first)
              , ("snd"
                                 , secnd)
              . ("hash"
                                 . hash)
              , ("getmsg"
                                 , getmsg)
              . ("sdec"
                                 . sdec)
              . ("senc"
                                 , binaryId "senc")
              . ("adec"
                                 . adec)
              , ("aenc"
                                 , binaryId "aenc")
              , ("sign"
                                 , binaryId "sign")
                                 , checksign)
              , ("checksign"
              , ("mac"
                                 , mac) ..]
```

Pattern Matching

```
let ls = list(1,pair(2,list(3,4,5)),6) in
  let list(_1,pair(_2,list(_3,x,_5)),_6) = ls in
    out(stdout,x)
```

Pattern Matching

???



Installing

The source is available on Hackage, and can be installed using cabal:

```
cabal update cabal install pi-calculus
```

Alternatively you can clone the source and build using cabal:

```
git clone git@github:renzyq19/pi-calculus
cd pi-calculus/pi
cabal install
```

Wrap Up

