MATH 3100 SPRING 2022. LECTURE SUMMARIES

LEONID PETROV

1. Lecture 1. January 19

Introductory lecture, just saying hello to the students.

2. Lecture 2. No deadline

Section 1.1

A recording of an in-class piece, explaining the definition of the probability space Ω , events \mathcal{F} , and probability measure P(A).

3. Lecture 3. January 21

Sections 1.1-1.2.

- Recalling (Ω, \mathcal{F}, P) .
- Finite sample spaces, when it is enough to specify $P(\{\omega\})$ for each singleton $\omega \in \Omega$. We only need to have $P(\{\omega\}) \geq 0$ and $\sum_{\omega \in \Omega} P(\{\omega\}) = 1$
- \bullet Biased coin, 2 flips example
- Equally likely outcomes, $P(A) = \frac{\#A}{\#\Omega}$.
- Example with urns.

4. Lecture 4. January 24

Section 1.2. Discussing 3 settings, when we sample k times from n objects. This is an instance of equally likely outcomes. Recall the factorial:

$$\begin{cases} n! = 1 \cdot 2 \cdot 3 \cdot \dots \cdot n, & n \ge 1 \\ 0! = 1. \end{cases}$$

So, 0! = 1, 1! = 1, 2! = 2, 3! = 6, 4! = 24, and so on.

- Sampling with replacement, order matters: $\#\Omega_k = n^k$.
- Sampling without replacement, order matters: $\#\Omega_k = n(n-1)\dots(n-k+1) = \frac{n!}{(n-k)!}$.
- Sampling without replacement, order does not matter:

$$\#\Omega_k = \frac{n(n-1)\dots(n-k+1)}{k!} = \frac{n!}{k!(n-k!)} = \binom{n}{k}.$$

The quantity $\binom{n}{k}$ has a special name, "binomial coefficient".

5. Lecture 5. January 26

Section 1.3.

- Probability space for rolling a die until you see a "6"
- How to sum the geometric progression
- Continuous sample spaces, [0, 1] with length measure
- How to draw a random line in the plane (one example)

6. Lecture 6. January 28

Section 1.4. Rules of probability (theory only).

- Venn diagrams. Probability "behaves like the area of a Venn diagram"
- Decomposing an event
- Complements, also $P(A) = P(AB) + P(AB^c)$
- Monotonicity of probability
- Inclusion-exclusion

7. Lecture 7. January 31

Section 1.4. Examples on rules of probability — inclusion/exclusion principle; helpful passing to the complement event A^c .

A first look on random variables: if we flip a fair coin 5 times, and let Y be the number of Heads, what is the probability distribution of Y? This is described in terms of the probability mass function, which in this case takes the form

$$P(Y=0) = \frac{1}{32}, \quad P(Y=1) = \frac{5}{32}, \quad P(Y=2) = \frac{10}{32}, \quad P(Y=3) = \frac{10}{32}, \quad P(Y=4) = \frac{5}{32}, \quad P(Y=5) = \frac{1}{32}.$$

8. Lecture 8. Feb 2

Section 1.5. Random variables.

- Definition of a random variable
- Splitting of Ω into level sets
- Discrete, continuous, and other random variables
- Examples of discrete random variables
- Probability mass function (pmf)
- Distribution of a random variable, example of two random variables with the same distribution which are not the same.

9. Lecture 9. February 4

Sections 2.1, 2.2. Conditional probabilities, Bayes rule.

- Conditional probability motivating example
- Definition of $P(A \mid B)$
- Chain product of conditional probabilities
- Total probability formula (averaged conditional probabilities)
- Bayes rule
- An example, testing for rare diseases

10. Lecture 10. February 7

(TBD) Section 2.3. Independence.