PhysRevD.62.044034 equation (18)

```
from shared import *
    import cdblib
    jsonfile = 'eqtn18.json'
    cdblib.create (jsonfile)
    # -----
    # RBar pt.1 = split into two terms
    defGammaBar := GammaBar^{a}_{b c} ->
10
                   (1/2) gBar^{a e} ( \partial_{b}{gBar_{e c}})
11
                                     + \partial_{c}{gBar_{b e}}
12
                                     - \partial_{e}{gBar_{b c}}).
13
14
    defRiemBar := RBar^{a}_{b c d} ->
15
                 \partial_{c}{GammaBar^{a}_{b d}} + GammaBar^{a}_{e c} GammaBar^{e}_{b d}
16
               - \partial_{d}{GammaBar^{a}_{b c}} - GammaBar^{a}_{e d} GammaBar^{e}_{b c}.
17
18
    defRBar := RBar_{a b} -> RBar^{c}_{a c b}.
19
20
    RBar := RBar_{a b}.
                                                                      # cdb(eq18.000, RBar)
21
                                                                      # cdb(eq18.001, RBar)
    substitute (RBar, defRBar)
23
    substitute (RBar, defRiemBar)
                                                                      # cdb(eq18.002, RBar)
^{24}
    substitute (RBar, $GammaBar^{a}_{b a} -> 0$)
                                                                      \# cdb(eq18.003,RBar) \# follows from det g = 1
25
    canonicalise (RBar)
```

$$\begin{split} \bar{R}_{ab} &= \bar{R}^c{}_{acb} \\ &= \partial_c \bar{\Gamma}^c{}_{ab} + \bar{\Gamma}^c{}_{ec} \bar{\Gamma}^e{}_{ab} - \partial_b \bar{\Gamma}^c{}_{ac} - \bar{\Gamma}^c{}_{eb} \bar{\Gamma}^e{}_{ac} \\ &= \partial_c \bar{\Gamma}^c{}_{ab} - \bar{\Gamma}^c{}_{eb} \bar{\Gamma}^e{}_{ac} \end{aligned} \tag{eq18.002}$$

$$= \partial_c \bar{\Gamma}^c{}_{ab} - \bar{\Gamma}^c{}_{eb} \bar{\Gamma}^e{}_{ac} \tag{eq18.003}$$

From here the computations will be splt into two threads, one for each of the two terms in the above result.

$$\begin{split} & \text{tmp18.101} := \partial_c \bar{\Gamma}^c{}_{ab} - \bar{\Gamma}^c{}_{ae} \bar{\Gamma}^e{}_{bc} \\ & \text{tmp18.102} := \partial_c \bar{\Gamma}^c{}_{ab} \\ & \text{tmp18.103} := -\bar{\Gamma}^c{}_{ae} \bar{\Gamma}^e{}_{bc} \end{split}$$

$$\begin{split} \partial_c \bar{\Gamma}^c{}_{ab} &= \frac{1}{2} \partial_c \left(\bar{g}^{ce} \left(\partial_a \bar{g}_{eb} + \partial_b \bar{g}_{ae} - \partial_e \bar{g}_{ab} \right) \right) \\ &= \frac{1}{2} \partial_c \left(\bar{g}^{ce} \partial_a \bar{g}_{eb} \right) + \frac{1}{2} \partial_c \left(\bar{g}^{ce} \partial_b \bar{g}_{ae} \right) - \frac{1}{2} \partial_c \left(\bar{g}^{ce} \partial_e \bar{g}_{ab} \right) \\ &= \frac{1}{2} \partial_c \bar{g}^{ce} \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ca} \bar{g}_{eb} + \frac{1}{2} \partial_c \bar{g}^{ce} \partial_b \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{cb} \bar{g}_{ae} - \frac{1}{2} \partial_c \bar{g}^{ce} \partial_e \bar{g}_{ab} - \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{ab} \\ &= -\frac{1}{2} \bar{\Gamma}^e \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ca} \bar{g}_{eb} - \frac{1}{2} \bar{\Gamma}^e \partial_b \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{cb} \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{ab} \\ &= -\frac{1}{2} \bar{\Gamma}^e \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ca} \bar{g}_{eb} - \frac{1}{2} \bar{\Gamma}^e \partial_b \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{cb} \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{ab} \\ &= -\frac{1}{2} \bar{\Gamma}^e \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ca} \bar{g}_{eb} - \frac{1}{2} \bar{\Gamma}^e \partial_b \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{cb} \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{ab} \\ &= -\frac{1}{2} \bar{\Gamma}^e \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ca} \bar{g}_{eb} - \frac{1}{2} \bar{\Gamma}^e \partial_b \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{cb} \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{ab} \\ &= -\frac{1}{2} \bar{\Gamma}^e \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ca} \bar{g}_{eb} - \frac{1}{2} \bar{\Gamma}^e \partial_b \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{cb} \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{ab} \\ &= -\frac{1}{2} \bar{\Gamma}^e \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ca} \bar{g}_{eb} - \frac{1}{2} \bar{\Gamma}^e \partial_b \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{cb} \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{ab} \\ &= -\frac{1}{2} \bar{\Gamma}^e \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ca} \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_b \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{cb} \bar{g}_{ae} + \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{ab} \\ &= -\frac{1}{2} \bar{\Gamma}^e \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ca} \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{eb} + \frac{1}{2} \bar{g}^{ce} \partial_{ce} \bar{g}_{eb} \\ &= -\frac{1}{2} \bar{g}^{ce} \partial_a \bar{g}_{eb} + \frac{1}{2} \bar{g}^{$$

Notice that this result contains two terms contains second derivatives of \bar{g}_{ij} . This pair of terms will now be replaced with an expression built from the first derivatives of Γ^i .

```
# tmpC
     defGi := GammaBar^{i} -> - \partial_{j}{gBar^{i j}}.
     # lower the indices on gBar^{b c}
     defLowerIndices := \partial_{a}{gBar^{b c}} -> - gBar^{i b} gBar^{j c} \partial_{a}{gBar_{i j}}.
     substitute (defGi, defLowerIndices)
10
11
     tmpC := gBar_{a i} \partial_{b}{GammaBar^{i}}
           + gBar_{b i} \partial_{a}{GammaBar^{i}}.
                                                                             # cdb(tmp18.301,tmpC)
13
     saveC := @(tmpC).
15
16
                  (tmpC, defGi)
                                                                             # cdb(tmp18.302,tmpC)
     substitute
17
     product_rule (tmpC)
                                                                             # cdb(tmp18.303,tmpC)
                                                                             # cdb(tmp18.304,tmpC)
     distribute
                  (tmpC)
     canonicalise (tmpC)
                                                                             # cdb(tmp18.305,tmpC)
                  (tmpC, $gBar_{a b} gBar^{b c} -> gBar_{a}^{c}$)
                                                                             # cdb(tmp18.306,tmpC)
     substitute
21
                                                                             # cdb(tmp18.307,tmpC)
     eliminate_kronecker (tmpC)
22
23
     # foo is the target expression to be moved to the lhs
24
     foo := gBar^{i j} \partial_{a i}{gBar_{b j}}
26
          + gBar^{i j} \partial_{b i}{gBar_{a j}} -> X_{a b}.
27
28
     # bah helps when rebuilding the equation
29
30
     bah := X_{a} b \rightarrow
31
            gBar^{i j} \partial_{a i}{gBar_{b j}}
32
          + gBar^{i j} \partial_{b i}{gBar_{a j}}.
33
34
     substitute (tmpC, foo)
                                                                             # cdb(tmp18.308,tmpC)
35
37
```

```
# rearrange to move the target to the lhs
39
     tmpE := @(tmpC).
     tmpF := @(tmpC).
41
42
    X_{a b}::Weight(label=numX).
43
44
     # get the two pieces of the equation
45
     keep_weight (tmpE, $numX=0$)
                                                                            # cdb(tmp18.309,tmpE)
     keep_weight (tmpF, $numX=1$)
                                                                            # cdb(tmp18.310,tmpF)
47
48
     substitute (tmpF, bah)
                                                                            # cdb(tmp18.311,tmpF)
49
50
     # now rebuild with terms reorderd
     tmpG := @(saveC) - @(tmpE).
                                                                            # cdb(tmp18.312,tmpG)
53
     defTmpSub := @(tmpF) -> @(tmpG).
                                                                            # cdb(tmp18.313,defTmpSub)
54
```

$$\begin{split} \bar{g}_{ai}\partial_{b}\bar{\Gamma}^{i} + \bar{g}_{bi}\partial_{a}\bar{\Gamma}^{i} &= \bar{g}_{ai}\partial_{b}\left(\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd}\right) + \bar{g}_{bi}\partial_{a}\left(\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd}\right) \\ &= \bar{g}_{ai}\left(\partial_{b}\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}^{ci}\partial_{b}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}^{ci}\bar{g}^{dj}\partial_{bj}\bar{g}_{cd}\right) + \bar{g}_{bi}\left(\partial_{a}\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}^{ci}\partial_{a}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}^{ci}\bar{g}^{dj}\partial_{aj}\bar{g}_{cd}\right) \\ &= \bar{g}_{ai}\partial_{b}\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}^{ci}\partial_{b}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{ai}\bar{g}^{ci}\partial_{b}\bar{g}^{dj}\partial_{bj}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\partial_{a}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\bar{g}^{dj}\partial_{aj}\bar{g}_{cd} \\ &= \bar{g}_{ai}\partial_{b}\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{ai}\bar{g}^{ci}\partial_{b}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{ai}\bar{g}^{ci}\bar{g}^{dj}\partial_{bj}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\partial_{a}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\partial_{a}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\partial_{a}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} + \bar{g}_{bi}\bar{g}^{ci}\partial_{a}\bar{g}^{dj}\partial_{j}\bar{g}_{cd} \\ &= \bar{g}_{ac}\partial_{b}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{ac}\bar{g}^{cd}\partial_{b}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{ac}\bar{g}^{cd}\bar{g}^{ij}\partial_{bi}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g}_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} + \bar{g$$

$$\bar{g}^{ij}\partial_{bi}\bar{g}_{aj} + \bar{g}^{ij}\partial_{ai}\bar{g}_{bj} = X_{ba} \tag{tmp18.310}$$

$$= \bar{g}_{ai}\partial_{b}\bar{\Gamma}^{i} + \bar{g}_{bi}\partial_{a}\bar{\Gamma}^{i} - \bar{g}_{ac}\partial_{b}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} - \partial_{b}\bar{g}^{ij}\partial_{i}\bar{g}_{aj} - \bar{g}_{bc}\partial_{a}\bar{g}^{cd}\bar{g}^{ij}\partial_{i}\bar{g}_{dj} - \partial_{a}\bar{g}^{ij}\partial_{i}\bar{g}_{bj} \tag{tmp18.312}$$

This result will now be applied to the earlier equation (tmp18.204).

```
# tmpA pt.2 eliminate second partial derivatives of gBar
     canonicalise (tmpA)
                                                                             # cdb(tmp18.401,tmpA)
                     (tmpA, defTmpSub)
     substitute
                                                                             # cdb(tmp18.402,tmpA)
     tmpA = product_sort (tmpA)
     rename_dummies (tmpA)
     canonicalise (tmpA)
                                                                             # cdb(tmp18.403,tmpA)
10
     foo := gBar^{d e} \partial_{c}{gBar_{e f}} -> - gBar_{e f} \partial_{c}{gBar^{d e}}.
11
     bah := \partial_{d}{gBar^{d f}} -> - GammaBar^{f}.
                     (tmpA, foo)
                                                                             # cdb(tmp18.404,tmpA)
     substitute
14
     substitute
                    (tmpA, bah)
                                                                             # cdb(tmp18.405,tmpA)
15
16
     foo := gBar_{e f} \operatorname{gBar}_{a}_{gBar_{c f}} -> - \operatorname{gBar}_{a}_{gBar_{e f}} gBar_{c f}.
17
18
                    (tmpA, foo)
                                                                             # cdb(tmp18.406,tmpA)
     substitute
19
20
     foo := gBar_{b} d gBar^{d} = -> gBar_{b}^{e}.
21
                     (tmpA, foo)
     substitute
                                                                             # cdb(tmp18.407,tmpA)
     eliminate_kronecker (tmpA)
                                                                             # cdb(tmp18.408,tmpA)
     tmpA = product_sort (tmpA)
     rename_dummies (tmpA)
26
                                                                             # cdb(tmp18.409,tmpA)
     canonicalise (tmpA)
```

$$\begin{split} \partial_c \bar{\Gamma}^c{}_{ab} &= -\frac{1}{2} \bar{\Gamma}^c \partial_a g_{bc} + \frac{1}{2} g^{ac} \partial_{ac} g_{bc} - \frac{1}{2} \bar{\Gamma}^c \partial_b g_{ac} + \frac{1}{2} g^{ac} \partial_{bc} g_{bc} + \frac{1}{2} \bar{\Gamma}^c \partial_b g_{ac} - \frac{1}{2} g^{ac} \partial_{cc} g_{ab} \\ &= -\frac{1}{2} \bar{\Gamma}^c \partial_a \bar{g}_{bc} + \frac{1}{2} g_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} g_{ac} \partial_b \bar{\Gamma}^c - \frac{1}{2} \bar{g}_{bf} \partial_a \bar{g}^{fd} g^{cc} \partial_c g_{bc} - \frac{1}{2} \partial_a \bar{g}^{ac} \partial_c g_{bc} - \frac{1}{2} \bar{g}_{af} \partial_b \bar{g}^{fd} g^{cc} \partial_c g_{bc} - \frac{1}{2} \partial_b g^{ac} \partial_c g_{bc} - \frac{1}{2} \partial_{ac} g^{ac} \partial_c g^{cc} - \frac{1}{2} \partial_{ac} g^{ac} \partial_c g$$

```
# -----
# tmpB

substitute (tmpB, defGammaBar) # cdb(tmp18.501,tmpB)

distribute (tmpB) # cdb(tmp18.502,tmpB)

tmpB = product_sort (tmpB) # cdb(tmp18.503,tmpB)

rename_dummies (tmpB) # cdb(tmp18.504,tmpB)

canonicalise (tmpB) # cdb(tmp18.504,tmpB)

# cdb(tmp18.505,tmpB)
```

$$\begin{split} -\bar{\Gamma}^c{}_{ae}\bar{\Gamma}^e{}_{bc} &= -\frac{1}{4}\bar{g}^{cd}\left(\partial_a\bar{g}_{de} + \partial_e\bar{g}_{ad} - \partial_d\bar{g}_{ae}\right)\bar{g}^{ef}\left(\partial_b\bar{g}_{fc} + \partial_c\bar{g}_{bf} - \partial_f\bar{g}_{bc}\right) \\ &= -\frac{1}{4}\bar{g}^{cd}\partial_a\bar{g}_{de}\bar{g}^{ef}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{cd}\partial_a\bar{g}_{de}\bar{g}^{ef}\partial_c\bar{g}_{bf} + \frac{1}{4}\bar{g}^{cd}\partial_a\bar{g}_{de}\bar{g}^{ef}\partial_f\bar{g}_{bc} - \frac{1}{4}\bar{g}^{cd}\partial_e\bar{g}_{ad}\bar{g}^{ef}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{cd}\partial_e\bar{g}_{ad}\bar{g}^{ef}\partial_c\bar{g}_{bf} + \frac{1}{4}\bar{g}^{cd}\partial_a\bar{g}_{de}\bar{g}^{ef}\partial_f\bar{g}_{bc} \\ &+ \frac{1}{4}\bar{g}^{cd}\partial_d\bar{g}_{ae}\bar{g}^{ef}\partial_b\bar{g}_{fc} + \frac{1}{4}\bar{g}^{cd}\partial_d\bar{g}_{ae}\bar{g}^{ef}\partial_c\bar{g}_{bf} - \frac{1}{4}\bar{g}^{cd}\partial_d\bar{g}_{ae}\bar{g}^{ef}\partial_f\bar{g}_{bc} \\ &= -\frac{1}{4}\bar{g}^{fc}\bar{g}^{de}\partial_a\bar{g}_{cd}\partial_b\bar{g}_{ef} - \frac{1}{4}\bar{g}^{fc}\bar{g}^{de}\partial_a\bar{g}_{cd}\partial_f\bar{g}_{be} + \frac{1}{4}\bar{g}^{ec}\bar{g}^{df}\partial_a\bar{g}_{cd}\partial_f\bar{g}_{be} - \frac{1}{4}\bar{g}^{de}\bar{g}^{fc}\partial_b\bar{g}_{cd}\partial_f\bar{g}_{ae} - \frac{1}{4}\bar{g}^{ed}\bar{g}^{fc}\partial_e\bar{g}_{bc}\partial_f\bar{g}_{ad} + \frac{1}{4}\bar{g}^{dc}\bar{g}^{ef}\partial_e\bar{g}_{ac}\partial_f\bar{g}_{bd} \\ &+ \frac{1}{4}\bar{g}^{df}\bar{g}^{ec}\partial_b\bar{g}_{cd}\partial_f\bar{g}_{ae} + \frac{1}{4}\bar{g}^{ef}\bar{g}^{dc}\partial_e\bar{g}_{bc}\partial_f\bar{g}_{ad} - \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_e\bar{g}_{ac}\partial_f\bar{g}_{bd} \\ &= -\frac{1}{4}\bar{g}^{cd}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{cd}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_c\bar{g}_{bf} + \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_e\bar{g}_{ac}\partial_f\bar{g}_{bd} \\ &= -\frac{1}{4}\bar{g}^{cd}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{cd}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_e\bar{g}_{bf} + \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_e\bar{g}_{ac}\partial_f\bar{g}_{bd} \\ &= -\frac{1}{4}\bar{g}^{cd}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_b\bar{g}_{fc} - \frac{1}{4}\bar{g}^{cd}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_e\bar{g}_{bf} + \frac{1}{4}\bar{g}^{de}\bar{g}^{ef}\partial_e\bar{g}_{ae}\partial_f\bar{g}_{bd} \\ &= -\frac{1}{4}\bar{g}^{cd}\bar{g}^{ef}\partial_a\bar{g}_{de}\partial_b\bar{g}_{fd} - \frac{1}{2}\bar{g}^{cd}\bar{g}^{ef}\partial_e\bar{g}_{bf}\partial_d\bar{g}_{ae} - \frac{1}{4}\bar{g}^{ee}\bar{g}^{ef}\partial_e\bar{g}_{ae}\partial_f\bar{g}_{bf} \\ &= -\frac{1}{4}\bar{g}^{cd}\bar{g}^{ef}\partial_a\bar{g}_{fd}\partial_e\bar{g}_{fd} - \frac{1}{2}\bar{g}^{ed}\bar{g}^{ef}\partial_e\bar{g}_{fd}\partial_e\bar{g}_{fd} \\ &= -\frac{1}{4}\bar{g}^{cd}\bar{g}^{ef}\partial_a\bar{g}_{fd}\partial_e\bar{g}_{fd} - \frac{1}{2}\bar{g}^{ed}\bar{g}^{ef}\partial_e\bar{g}_{fd}\partial_e\bar{g}_{fd}\partial_e\bar{g}_{fd} \\ &= -\frac{1}{4}\bar{g}^{ee}\bar{g}^{ef}\partial_a\bar{g}_{fd}\partial_e\bar{g}_{fd} - \frac{1}{4}\bar{g}^{ee}$$

```
# RBar pt.2 = Rebuild Rab from tmpA and tmpB
     RBar := @(tmpA) + @(tmpB).
     canonicalise
                    (RBar)
                                                                           # cdb(eq18.601,RBar)
     foo := \frac{a}{gBar^{c d}} -> - gBar^{c i} gBar^{d j} \operatorname{gBar_{i j}}.
     substitute
                    (RBar, foo)
10
                    (RBar)
     distribute
11
     RBar = product_sort (RBar)
     rename_dummies (RBar)
                    (RBar)
                                                                          # cdb(eq18.602,RBar)
     canonicalise
15
     foo := \partial_{a}{gBar_{b c}} -> GammaBar_{b c a} + GammaBar_{c b a}.
16
17
                                                                          # cdb(eq18.603,RBar)
     substitute
                    (RBar, foo)
     distribute
                    (RBar)
     RBar = product_sort (RBar)
     rename_dummies (RBar)
21
                                                                          # cdb(eq18.604,RBar)
                    (RBar)
     canonicalise
     foo := GammaBar_{d e f} gBar^{d e} -> 0.
24
                    (RBar, foo)
                                                                          # cdb(eq18.605, RBar)
     substitute
26
27
     defRab := RBar_{a b} -> @(RBar).
```

$$\begin{split} \bar{R}_{ab} &= \partial_c \bar{\Gamma}^c{}_{ab} - \bar{\Gamma}^c{}_{eb} \bar{\Gamma}^c{}_{ac} & \text{(eq18.003)} \\ &= \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c - \frac{1}{2} \partial_c \bar{g}_{bd} \partial_a \bar{g}^{cd} - \frac{1}{2} \partial_c \bar{g}_{ad} \partial_b \bar{g}^{ed} + \frac{1}{2} \bar{\Gamma}^c \partial_c \bar{g}_{ab} - \frac{1}{2} \bar{g}^{cd} \partial_{cd} \bar{g}_{ab} - \frac{1}{4} \bar{g}^{cd} \bar{g}^{ef} \partial_a \bar{g}_{ce} \partial_b \bar{g}_{df} - \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_c \bar{g}_{ae} \partial_f \bar{g}_{bd} \\ &+ \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_c \bar{g}_{ae} \partial_d \bar{g}_{bf} & \text{(eq18.601)} \\ &= \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_a \bar{g}_{ce} \partial_d \bar{g}_{bf} + \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_b \bar{g}_{ce} \partial_d \bar{g}_{af} + \frac{1}{2} \bar{\Gamma}^c \partial_c \bar{g}_{ab} - \frac{1}{2} \bar{g}^{cd} \partial_c \bar{g}_{ab} - \frac{1}{4} \bar{g}^{cd} \bar{g}^{ef} \partial_a \bar{g}_{ce} \partial_b \bar{g}_{df} - \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_c \bar{g}_{ae} \partial_f \bar{g}_{bd} \\ &+ \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_c \bar{g}_{ae} \partial_d \bar{g}_{bf} & \text{(eq18.602)} \\ &= \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \left(\bar{\Gamma}_{cea} + \bar{\Gamma}_{eca} \right) \left(\bar{\Gamma}_{bfd} + \bar{\Gamma}_{fbd} \right) + \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \left(\bar{\Gamma}_{aec} + \bar{\Gamma}_{eac} \right) \left(\bar{\Gamma}_{afb} + \bar{\Gamma}_{fbd} \right) - \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \partial_c \bar{g}_{ae} \partial_f \bar{g}^{ef} \right) \\ &= \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \frac{1}{2} \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{bec} \bar{\Gamma}_{daf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{cae} \bar{\Gamma}_{bff} + \bar{\Gamma}_{dbf} \right) \\ &= \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{bec} \bar{\Gamma}_{daf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{cae} \bar{\Gamma}_{dbf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{aec} \bar{\Gamma}_{dbf} + \frac{1}{2} \bar{\Gamma}^c \bar{\Gamma}_{abc} - \frac{1}{2} \bar{g}^{cd} \partial_{cd} \bar{g}_{ab} \end{aligned}$$

```
# Check against prd62.
    foo := @(RBar).
                                                           # cdb(eq18.1cb,foo)
     bah = cdblib.get('prd62.eq18.rhs', 'prd62.json')
                                                           # cdb(eq18.prd,bah)
    diff := @(foo) - @(bah).
     distribute
                    (diff)
    diff = product_sort (diff)
    rename_dummies (diff)
11
                    (diff, "simplify")
     map_sympy
                                                           # cdb(eq18.chk,diff)
     canonicalise
                    (diff)
```

$$\begin{split} & \text{eq18.lcb} := \frac{1}{2} \bar{g}_{bc} \partial_a \bar{\Gamma}^c + \frac{1}{2} \bar{g}_{ac} \partial_b \bar{\Gamma}^c + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{bce} \bar{\Gamma}_{daf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{cae} \bar{\Gamma}_{dbf} + \bar{g}^{cd} \bar{g}^{ef} \bar{\Gamma}_{ace} \bar{\Gamma}_{dbf} + \frac{1}{2} \bar{\Gamma}^c \bar{\Gamma}_{abc} + \frac{1}{2} \bar{\Gamma}^c \bar{\Gamma}_{bac} - \frac{1}{2} \bar{g}^{cd} \partial_{cd} \bar{g}_{ab} \\ & \text{eq18.prd} := -\frac{1}{2} \bar{g}^{lm} \partial_{lm} \bar{g}_{ab} + \frac{1}{2} \bar{g}_{ka} \partial_b \bar{\Gamma}^k + \frac{1}{2} \bar{g}_{kb} \partial_a \bar{\Gamma}^k + \frac{1}{2} \bar{\Gamma}^k \bar{\Gamma}_{abk} + \frac{1}{2} \bar{\Gamma}^k \bar{\Gamma}_{bak} + \bar{g}^{lm} \bar{g}^{ke} \left(\bar{\Gamma}_{ela} \bar{\Gamma}_{bkm} + \bar{\Gamma}_{elb} \bar{\Gamma}_{akm} + \bar{\Gamma}_{kam} \bar{\Gamma}_{elb} \right) \\ & \text{eq18.chk} := 0 \end{split}$$