Exercise 1.1 Verify symmetry of $\Gamma^a{}_{bc}$

```
{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices.
     g_{a b}::Metric.
     \partial{#}::PartialDerivative.
     Gamma := Gamma^{a}_{b c} -> (1/2) g^{a d} ( partial_{b}_{g_{d c}})
                                                   + \partial_{c}{g_{b d}}
                                                   - \partial_{d}{g_{b c}} ).
10
     diff := \Gamma_{a}^{a} = \Gamma_{a}(b c) - \Gamma_{a}(a) = Cb (ex-0101.101, diff)
11
12
                    (diff, Gamma)
                                                      # cdb (ex-0101.102, diff)
     substitute
13
                    (diff)
                                                      # cdb (ex-0101.103,diff)
     distribute
14
     canonicalise (diff)
                                                      # cdb (ex-0101.104,diff)
```

$$\Gamma^{a}_{bc} - \Gamma^{a}_{cb} = \frac{1}{2} g^{ad} \left(\partial_{t} g_{dc} + \partial_{t} g_{bd} - \partial_{d} g_{bc} \right) - \frac{1}{2} g^{ad} \left(\partial_{t} g_{db} + \partial_{t} g_{cd} - \partial_{d} g_{cb} \right)$$

$$= \frac{1}{2} g^{ad} \partial_{t} g_{dc} + \frac{1}{2} g^{ad} \partial_{t} g_{bd} - \frac{1}{2} g^{ad} \partial_{d} g_{bc} - \frac{1}{2} g^{ad} \partial_{t} g_{db} - \frac{1}{2} g^{ad} \partial_{t} g_{cd} + \frac{1}{2} g^{ad} \partial_{d} g_{cb}$$

$$= 0$$

Exercise 1.2 Christoffel symbol and dg

```
{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices.
                            g_{a b}::Metric.
                            g_{a}^{b}::KroneckerDelta.
                            \partial{#}::PartialDerivative.
                            + \partial_{c}{g_{b d}}
                                                                                                                                                                                                                                                                                           - \partial_{d}{g_{b c}} ).
 10
11
                            GammaD := Gamma_{a b c} -> g_{a d} Gamma^{d}_{b c}.
 12
 13
                            expr := \Gamma_{ab} = \Gamma_{c} = \Gamma_{
                                                                                                                                                                                                                                                                                                                                                                                                                       # cdb (ex-0102.101,expr)
14
 15
                                                                                                                                               (expr, GammaD)
                                                                                                                                                                                                                                                                                                                                                                                                                        # cdb (ex-0102.102,expr)
                             substitute
16
                                                                                                                                               (expr, GammaU)
                                                                                                                                                                                                                                                                                                                                                                                                                         # cdb (ex-0102.103,expr)
                             substitute
17
                                                                                                                                                                                                                                                                                                                                                                                                                         # cdb (ex-0102.104,expr)
                             distribute
                                                                                                                                               (expr)
                             eliminate_metric
                                                                                                                                               (expr)
                                                                                                                                                                                                                                                                                                                                                                                                                         # cdb (ex-0102.105,expr)
19
                            eliminate_kronecker (expr)
                                                                                                                                                                                                                                                                                                                                                                                                                        # cdb (ex-0102.106,expr)
 20
                                                                                                                                               (expr)
                                                                                                                                                                                                                                                                                                                                                                                                                        # cdb (ex-0102.107,expr)
                             canonicalise
 21
```

$$\begin{split} \Gamma_{abc} + \Gamma_{bac} - \, \partial g_{ab} &= g_{ad} \Gamma^d_{bc} + g_{bd} \Gamma^d_{ac} - \, \partial g_{ab} \\ &= \frac{1}{2} \, g_{ad} g^{de} \, (\partial_t g_{ec} + \partial_t g_{be} - \, \partial_t g_{bc}) \, + \frac{1}{2} \, g_{bd} g^{de} \, (\partial_a g_{ec} + \partial_t g_{ae} - \, \partial_t g_{ac}) \, - \, \partial_t g_{ab} \\ &= \frac{1}{2} \, g_{ad} g^{de} \, \partial_t g_{ec} + \frac{1}{2} \, g_{ad} g^{de} \, \partial_t g_{be} - \frac{1}{2} \, g_{ad} g^{de} \, \partial_t g_{bc} + \frac{1}{2} \, g_{bd} g^{de} \, \partial_t g_{ec} + \frac{1}{2} \, g_{bd} g^{de} \, \partial_t g_{ae} - \frac{1}{2} \, g_{bd} g^{de} \, \partial_t g_{ae} - \frac{1}{2} \, g_{bd} g^{de} \, \partial_t g_{ae} - \, \partial_t g_{ab} \\ &= \frac{1}{2} \, g_a^e \, \partial_t g_{ec} + \frac{1}{2} \, g_a^e \, \partial_t g_{be} - \frac{1}{2} \, g_a^e \, \partial_t g_{bc} + \frac{1}{2} \, g_b^e \, \partial_t g_{ec} + \frac{1}{2} \, g_b^e \, \partial_t g_{ae} - \, \partial_t g_{ab} \\ &= \frac{1}{2} \, \partial_t g_{ba} - \frac{1}{2} \, \partial_t g_{ab} \\ &= 0 \end{split}$$

Exercise 1.3 Christoffel symbol and dg with a single rule

```
\{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
    g_{a b}::Metric.
    g_{a}^{b}::KroneckerDelta.
    \partial{#}::PartialDerivative.
    + \partial_{c}{g_{b d}}
                                           - \partial_{d}{g_{b c}} ).
10
11
    # cdb (ex-0103.101, GammaD)
13
                      (GammaD, GammaU)
                                                               # cdb (ex-0103.102, GammaD) # requires Indices(position=independent)
    substitute
    distribute
                                                               # cdb (ex-0103.103, GammaD)
                      (GammaD)
15
    eliminate_metric
                      (GammaD)
                                                               # cdb (ex-0103.104, GammaD)
16
    eliminate_kronecker (GammaD)
                                                               # cdb (ex-0103.105, GammaD)
17
18
    expr := \Gamma_{a b c} + \Gamma_{b a c} - \Gamma_{c}\{g_{a b}\}.
                                                               # cdb (ex-0103.201,expr)
19
                      (expr, GammaD)
                                                               # cdb (ex-0103.202,expr)
    substitute
21
                                                               # cdb (ex-0103.203,expr)
                      (expr)
    canonicalise
```

$$\Gamma_{abc} \to g_{ad} \Gamma^d_{bc} \tag{ex-0103.101}$$

$$\Gamma_{abc} \rightarrow \frac{1}{2} g_{ad} g^{de} \left(\partial_t g_{ec} + \partial_c g_{be} - \partial_c g_{bc} \right)$$
 (ex-0103.102)

$$\Gamma_{abc} \to \frac{1}{2} g_{ad} g^{de} \partial_t g_{ec} + \frac{1}{2} g_{ad} g^{de} \partial_t g_{be} - \frac{1}{2} g_{ad} g^{de} \partial_t g_{bc}$$
 (ex-0103.103)

$$\Gamma_{abc} \to \frac{1}{2} g_a^e \partial_t g_{ec} + \frac{1}{2} g_a^e \partial_t g_{be} - \frac{1}{2} g_a^e \partial_t g_{bc}$$
 (ex-0103.104)

$$\Gamma_{abc} \to \frac{1}{2} \partial_t g_{ac} + \frac{1}{2} \partial_t g_{ba} - \frac{1}{2} \partial_a g_{bc}$$
 (ex-0103.105)

$$\Gamma_{abc} + \Gamma_{bac} - \partial_{gab} = \frac{1}{2} \partial_{gba} - \frac{1}{2} \partial_{gab}$$

$$= 0$$
(ex-0103.202)
$$= 0$$

Exercise 1.3 Repeat but without position=independent

```
{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices.
    g_{a b}::Metric.
    g_{a}^{b}::KroneckerDelta.
    \partial{#}::PartialDerivative.
    + \partial_{c}{g_{b d}}
                                           - \partial_{d}{g_{b c}} ).
10
11
    # cdb (ex-0103.301, GammaD)
13
                     (GammaD, GammaU)
                                                              # cdb (ex-0103.302, GammaD)
    substitute
    distribute
                     (GammaD)
                                                              # cdb (ex-0103.303, GammaD)
15
    eliminate_metric
                     (GammaD)
                                                              # cdb (ex-0103.304, GammaD)
16
    eliminate_kronecker (GammaD)
                                                              # cdb (ex-0103.305, GammaD)
17
18
    expr := \Gamma_{a b c} + \Gamma_{b a c} - \Gamma_{c}\{g_{a b}\}.
                                                              # cdb (ex-0103.401,expr)
19
    substitute
                     (expr, GammaD)
                                                              # cdb (ex-0103.402,expr)
21
                     (expr)
                                                              # cdb (ex-0103.403,expr)
    canonicalise
```

$$\Gamma_{abc} \to g_{ad} \Gamma^d_{bc} \qquad (ex-0103.301)$$

$$\frac{1}{2} g_a^d \left(\partial_t g_{dc} + \partial_s g_{bd} - \partial_d g_{bc} \right) \to \frac{1}{2} g_{ad} g^{de} \left(\partial_t g_{ec} + \partial_s g_{be} - \partial_s g_{bc} \right) \qquad (ex-0103.302)$$

$$\frac{1}{2}g_a^d\partial_t g_{dc} + \frac{1}{2}g_a^d\partial_t g_{bd} - \frac{1}{2}g_a^d\partial_t g_{bc} \rightarrow \frac{1}{2}g_{ad}g^{de}\partial_t g_{ec} + \frac{1}{2}g_{ad}g^{de}\partial_t g_{be} - \frac{1}{2}g_{ad}g^{de}\partial_t g_{bc}$$
 (ex-0103.303)

$$\frac{1}{2}\partial_{t}g_{ac} + \frac{1}{2}\partial_{c}g_{ba} - \frac{1}{2}\partial_{c}g_{bc} \rightarrow \frac{1}{2}g_{a}^{e}\partial_{t}g_{ec} + \frac{1}{2}g_{a}^{e}\partial_{c}g_{be} - \frac{1}{2}g_{a}^{e}\partial_{c}g_{bc}$$

$$(ex-0103.304)$$

$$\frac{1}{2}\partial_t g_{ac} + \frac{1}{2}\partial_c g_{ba} - \frac{1}{2}\partial_a g_{bc} \rightarrow \frac{1}{2}\partial_t g_{ac} + \frac{1}{2}\partial_c g_{ba} - \frac{1}{2}\partial_a g_{bc}$$
 (ex-0103.305)

$$\Gamma_{abc} + \Gamma_{bac} - \partial_{c}g_{ab} = \Gamma_{abc} + \Gamma_{bac} - \partial_{c}g_{ab}$$

$$= \Gamma_{abc} + \Gamma_{bac} - \partial_{c}g_{ab}$$

$$= (ex-0103.402)$$

$$= (ex-0103.403)$$

Exercise 1.4 Experiments with sorting

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w,x,y,z\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative.
     expr := C^{f}
             w^{e}
             B^{d}
             v^{c}
             A^{b}
             u^{a}.
                                             # cdb (ex-0104.100,expr)
10
11
     sort_product (expr)
                                             # cdb (ex-0104.101,expr)
12
13
     expr := \Omega_{f}
14
             \gamma_{e}
15
             \Pi_{d}
16
             \beta_{c}
17
             \Gamma_{b}
18
             \alpha_{a}.
                                             # cdb (ex-0104.200,expr)
19
20
     sort_product (expr)
                                             # cdb (ex-0104.201,expr)
21
22
     expr := C^{f}
23
             w^{e}
24
             B^{d}
             v^{c}
26
             A^{b}
27
             u^{a}
28
             \Omega_{f}
29
             \gamma_{e}
30
             \Pi_{d}
31
             \beta_{c}
32
             \Gamma_{b}
33
             \alpha_{a}.
                                             # cdb (ex-0104.300,expr)
34
35
                                             # cdb (ex-0104.301,expr)
     sort_product (expr)
```

```
37
     expr := \partial_{f}{C^{f}}
38
             w^{1}
39
             \partial_{d}{B^{d}}
40
             v^{k}
41
             \partial_{b}{A^{b}}
42
             u^{j}
43
             \Omega_{i}
44
             \partial^{e}{ \gamma_{e}}}
45
             \Pi_{h}
46
             \partial^{c}{\beta_{c}}
47
             \Gamma_{g}
48
             \partial^{a}{\alpha_{a}}.
                                              # cdb (ex-0104.400,expr)
49
50
     sort_product (expr)
                                              # cdb (ex-0104.401,expr)
51
52
     expr := \partial{C}
53
54
             \partial{B}
55
56
             \partial{A}
             u
58
             \Omega
59
             \partial{ \gamma}
60
              \Pi
61
             \partial{\beta}
62
             \Gamma
63
             \partial{\alpha}.
                                              # cdb (ex-0104.500,expr)
64
65
     sort_product (expr)
                                              # cdb (ex-0104.501,expr)
66
67
     expr := A_{b}
68
             A_{a}
69
             A_{cde}
70
             A_{f} g}.
                                              # cdb (ex-0104.600,expr)
71
72
     sort_product (expr)
                                              # cdb (ex-0104.601,expr)
73
74
```

```
expr := A_{a} A^{a} 

+ A^{a} A_{a}.  # cdb (ex-0104.700,expr)

sort_product (expr)  # cdb (ex-0104.701,expr)

ex-0104.100 := C^f w^e B^d v^c A^b u^a
```

$$\begin{split} &\operatorname{ex-0104.100} := C^f w^e B^d v^c A^b u^a \\ &\operatorname{ex-0104.101} := A^b B^d C^f u^a v^c w^e \\ &\operatorname{ex-0104.200} := \Omega_f \gamma_e \Pi_d \beta_c \Gamma_b \alpha_a \\ &\operatorname{ex-0104.201} := \Gamma_b \Omega_f \Pi_d \alpha_a \beta_c \gamma_e \\ &\operatorname{ex-0104.300} := C^f w^e B^d v^c A^b u^a \Omega_f \gamma_e \Pi_d \beta_c \Gamma_b \alpha_a \\ &\operatorname{ex-0104.301} := A^b B^d C^f \Gamma_b \Omega_f \Pi_d \alpha_a \beta_c \gamma_e u^a v^c w^e \\ &\operatorname{ex-0104.400} := \partial_f C^f w^l \partial_d B^d v^k \partial_b A^b u^j \Omega_i \partial^e \gamma_e \Pi_h \partial^c \beta_c \Gamma_g \partial^a \alpha_a \\ &\operatorname{ex-0104.401} := \Gamma_g \Omega_i \Pi_h \partial_b A^b \partial_d B^d \partial_f C^f \partial^a \alpha_a \partial^c \beta_c \partial^e \gamma_e u^j v^k w^l \\ &\operatorname{ex-0104.500} := \partial C w \partial B v \partial A u \Omega \partial \gamma \Pi \partial \beta \Gamma \partial \alpha \\ &\operatorname{ex-0104.501} := \Gamma \Omega \Pi \partial A \partial B \partial C \partial \alpha \partial \beta \partial \gamma u v w \\ &\operatorname{ex-0104.501} := A_a A_b A_{fg} A_{cde} \\ &\operatorname{ex-0104.601} := A_a A_b A_{fg} A_{cde} \\ &\operatorname{ex-0104.700} := A_a A^a + A^a A_a \\ &\operatorname{ex-0104.701} := 2 A_a A^a \end{split}$$

Exercise 1.5 A sort hack

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w,x,y,z#}::Indices(position=independent).

foo := A_{a} A^{a} + A^{a} A_{a}.  # cdb (ex-0105.100,foo)

sort_product (foo)  # cdb (ex-0105.101,foo)

substitute (foo, $A^{a} -> Z^{a}$)  # cdb (ex-0105.102,foo)

sort_product (foo)  # cdb (ex-0105.103,foo)

substitute (foo, $Z^{a} -> A^{a}$)  # cdb (ex-0105.104,foo)
```

```
\begin{array}{l} \mathtt{ex-0105.100} := A_a A^a + A^a A_a \\ \mathtt{ex-0105.101} := 2\,A_a A^a \\ \mathtt{ex-0105.102} := 2\,A_a Z^a \\ \mathtt{ex-0105.103} := 2\,A_a Z^a \\ \mathtt{ex-0105.104} := 2\,A_a A^a \end{array}
```

Exercise 1.6 Multiple SortOrder lists

```
{D,C,B,A}::SortOrder. # first SortOrder list
                           # cdb(ex-0106.101,foo)
    foo := A B C D.
     sort_product (foo)
                           # cdb(ex-0106.102,foo)
                           # second SortOrder list, all entries distinct from first list
     {V,U}::SortOrder.
    foo := U V A B C D.
                           # cdb(ex-0106.201,foo)
10
     sort_product (foo)
                           # cdb(ex-0106.202,foo)
11
12
     {A,B,C,D}::SortOrder. # all entries in this list appear in the
13
                           # first SortOrder so they will be effectively ignored
14
15
    foo := U V D C B A.
                           # cdb(ex-0106.301,foo)
16
17
     sort_product (foo)
                           # cdb(ex-0106.302,foo)
```

```
ex-0106.101 := ABCD
ex-0106.102 := DCBA
ex-0106.201 := UVABCD
ex-0106.202 := DCBAVU
ex-0106.301 := UVDCBA
```

ex-0106.302 := DCBAVU

Exercise 1.7 Subtleties of foo = bah and foo := @(bah)

```
{a,b,c,d,e,f,h#}::Indices.
    foo := B_{b} A_{a}.
     bah := A_{a} C_{c}.
     # cdbBeg(print.0107)
     print("foo = "+str(foo))
     print("bah = "+str(bah)+"\n")
     print("type foo = "+str(type(foo)))
10
     print("type bah = "+str(type(bah))+"\n")
     print("id foo = "+str(id(foo)))
     print("id bah = "+str(id(bah))+"\n")
14
15
     bah = foo
16
17
     print("foo = "+str(foo))
     print("bah = "+str(bah)+"\n")
20
     sort_product (foo)
21
22
     print("bah = "+str(bah)+"\n")
23
24
     print("id foo = "+str(id(foo)))
     print("id bah = "+str(id(bah))+"\n")
26
27
     bah := @(foo).
28
29
     print("id foo = "+str(id(foo)))
     print("id bah = "+str(id(bah))+"\n")
31
     # cdbEnd(print.0107)
```

```
foo = B_{b} A_{a}
bah = A_{a} C_{c}

type foo = <class 'cadabra2.Ex'>
type bah = <class 'cadabra2.Ex'>

id foo = 4364312368
 id bah = 4309854384

foo = B_{b} A_{a}

bah = B_{b} A_{a}

bah = A_{a} B_{b}

id foo = 4364312368

id foo = 4364312368

id bah = 4364312368

id bah = 4364312368

id foo = 4364312368

id foo = 4364312368

id foo = 4364312368

id bah = 4369006256
```

Note that the line numbers referenced in the following are those of the output above not those of the Cadabra source.

- Lines 7 and 8 show that the objects foo and bah point to distinct areas of memeory (i.e., they point to different objects).
- Lines 10 and 11 show the result of the statement bah = foo.
- Line 13 shows that bah has changed after the statement sort_product (foo).
- Lines 15 and 16 verifies that foo and bah point to the same object (so changes in foo will be seen by bah, as just noted).
- Lines 18 and 19 shows that after bah := @(foo) the symbols bah and foo no longer point to the same object.

Exercise 1.8 Syntax errors – original code

```
{a,b,c,d,e,f#}::Indices.
     C{#}::Symmetric.
    foo := A_{a} B_{b} + C_{ab}.
                                                         # C_{ab} should be C_{ab}
     bah := B_{b} A_{a} + C_{ba}.
                                                         # C_{ba} should be C_{ba}
     meh := @(foo) - @(bah)
                                                         # missing dot or semi-colon terminator
     if meh == 0:
        print ("meh is zero, and all is good")
                                                         # indentation error, drop the dot
           success = True.
10
     else:
11
        print ("meh is not zero, oops")
12
                                                         # indentation error, drop the dot
           success = False.
13
14
     canonicalise (meh).
                                                         # terminate with ; or nothing
15
     sort_product (meh);
16
17
     {\alpha\beta\gamma}::Indices.
                                                         # separate list elements with commas
19
     foo := Ex ("A_{ab} - A_{ab}");
                                                         # use = for assignment, A_{ab} should be A_{a b}
20
     bah := Ex ("A_{\alpha\beta} - A_{\alpha\beta}"); # use = for assignment, need raw string in Ex
```

Exercise 1.8 Syntax errors – corrected code

```
{a,b,c,d,e,f#}::Indices.
    C{#}::Symmetric.
    foo := A_{a} B_{b} + C_{a}
                                                        # cdb (ex-0108.101,foo)
     bah := B_{b} A_{a} + C_{b}
                                                        # cdb (ex-0108.102,bah)
    meh := @(foo) - @(bah).
                                                        # cdb (ex-0108.103,meh)
     if meh == 0:
       print ("meh is zero, and all is good")
        success = True
10
     else:
11
       print ("meh is not zero, oops")
12
        success = False
13
14
     canonicalise (meh)
                                                        # cdb (ex-0108.104,meh)
15
     sort_product (meh);
                                                        # cdb (ex-0108.105,meh)
16
17
     {\alpha,\beta,\gamma}::Indices.
18
19
    foo = Ex ("A_{a b} - A_{a b}");
                                                       # cdb (ex-0108.106,foo)
20
     bah = Ex (r"A_{\alpha} - A_{\alpha}); # cdb (ex-0108.107, bah)
```

```
\begin{split} & \text{ex-0108.101} := A_a B_b + C_{ab} \\ & \text{ex-0108.102} := B_b A_a + C_{ba} \\ & \text{ex-0108.103} := A_a B_b + C_{ab} - B_b A_a - C_{ba} \\ & \text{ex-0108.104} := A_a B_b - B_b A_a \\ & \text{ex-0108.105} := 0 \\ & \text{ex-0108.106} := 0 \\ & \text{ex-0108.107} := 0 \end{split}
```

Exercise 1.9 No index clashes

```
{a,b,c,d,e,f,u,v,w}::Indices.

foo := A_{a c} C^{c}.  # cdb (ex-0109.101,foo)

bah := B_{b c} C^{c}.  # cdb (ex-0109.102,bah)

foobah := Q(foo) Q(bah).  # cdb (ex-0109.103,foobah)
```

$$A_{ac}C^c$$
 (ex-0109.101)
 $B_{bc}C^c$ (ex-0109.102)
 $A_{ac}C^cB_{bd}C^d$ (ex-0109.103)

Exercise 1.10 Relabel free indices

```
{a,b,c,d,e,f,u,v,w}::Indices.

delta{#}::KroneckerDelta.

expr := A_{a b c}.  # cdb (ex-0110.101,expr)

expr := \delta^{a}_{u} \delta^{b}_{v} \delta^{c}_{w} @(expr). # cdb (ex-0110.102,expr)

eliminate_kronecker (expr)  # cdb (ex-0110.103,expr)
```

$$A_{abc}$$
 (ex-0110.101)
 $\delta^{a}_{\ u}\delta^{b}_{\ v}\delta^{c}_{\ w}A_{abc}$ (ex-0110.102)
 A_{uvw} (ex-0110.103)

Exercise 1.11 Cycling free indices – preferred solution

```
{a,b,c,d,e,f,u,v,w}::Indices.

expr := A_{a b c}.  # cdb (ex-0111.101,expr)

rule := T_{a b c} -> @(expr).
expr := T_{b c a}.  # cdb (ex-0111.102,expr)

substitute (expr, rule)  # cdb (ex-0111.103,expr)
```

```
A_{abc} (ex-0111.101) T_{bca} (ex-0111.102) A_{bca} (ex-0111.103)
```

Exercise 1.11 Cycling free indices – alternative solution

This alternative solution uses two rounds of Kroncker deltas. It does the job but is not as simple as the previous solution.

$$\begin{array}{lll} A_{abc} & & & & & & \\ \delta^a_{\ u} \delta^b_{\ v} \delta^c_{\ w} A_{abc} & & & & & \\ A_{uvw} & & & & & \\ \delta^u_{\ b} \delta^v_{\ c} \delta^w_{\ a} A_{uvw} & & & & \\ & & & & & \\ A_{bca} & & & & \\ \end{array} \qquad \qquad \begin{array}{ll} (\text{ex-0111.201}) \\ (\text{ex-0111.203}) \\ (\text{ex-0111.204}) \\ (\text{ex-0111.205}) \end{array}$$

Exercise 2.1 Using Cadabra's own product rule

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
    \nabla{#}::Derivative.
    \partial{#}::PartialDerivative.
    # templates for covariant derivatives
    + \Gamma^{b}_{c a} A?^{c}.
10
    11
                               - \Gamma^{c}_{b a} A?_{c}.
12
13
    # create an object
14
15
    uv := \nabla_{a}{v_{b} u^{b}}
16
       - \partial_{a}{v_{b} u^{b}}.
                                   # cdb (ex-0201.101,uv)
17
18
    # apply the rules, then simplify
19
20
    product_rule
                 (uv)
                                      # cdb (ex-0201.102,uv)
21
                 (uv,deriv1)
                                     # cdb (ex-0201.103,uv)
    substitute
22
                 (uv,deriv2)
                                     # cdb (ex-0201.104,uv)
    substitute
                                     # cdb (ex-0201.105,uv)
    distribute
                 (uv)
                 (uv)
    sort_product
                                     # cdb (ex-0201.106,uv)
25
    rename_dummies (uv)
                                      # cdb (ex-0201.107,uv)
```

$$\nabla_{a}(v_{b}u^{b}) - \partial_{a}(v_{b}u^{b}) = \nabla_{a}v_{b}u^{b} + v_{b}\nabla_{a}u^{b} - \partial_{a}v_{b}u^{b} - v_{b}\partial_{a}u^{b} \qquad (ex-0201.102)$$

$$= \nabla_{a}v_{b}u^{b} + v_{b} \left(\partial_{a}u^{b} + \Gamma_{ca}^{b}u^{c}\right) - \partial_{a}v_{b}u^{b} - v_{b}\partial_{a}u^{b} \qquad (ex-0201.103)$$

$$= (\partial_{a}v_{b} - \Gamma_{ba}^{c}v_{c}) u^{b} + v_{b} \left(\partial_{a}u^{b} + \Gamma_{ca}^{b}u^{c}\right) - \partial_{a}v_{b}u^{b} - v_{b}\partial_{a}u^{b} \qquad (ex-0201.104)$$

$$= -\Gamma_{ba}^{c}v_{c}u^{b} + v_{b}\Gamma_{ca}^{b}u^{c} \qquad (ex-0201.105)$$

$$= -\Gamma_{ba}^{c}u^{b}v_{c} + \Gamma_{ca}^{b}u^{c}v_{b} \qquad (ex-0201.106)$$

$$= 0 \qquad (ex-0201.107)$$

Exercise 2.1 Using hand crafted product rules

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # templates for covariant derivatives
     + \Gamma^{b}_{c a} A?^{c}.
10
     deriv2 := \nabla_{a}{A?_{b}} \rightarrow \partial_{a}{A?_{b}}
11
                                  - \Gamma^{c}_{b a} A?_{c}.
12
13
     # tempaltes for product rules
14
15
     deriv3 := \frac{a}{A?_{b} B?^{c}} -> B?^{c} \ln_{a}{A?_{b}}
16
                                         + A?_{b} \nabla_{a}{B?^{c}}.
17
18
    deriv4 := \frac{a}{A?_{b} B?^{c}} -> B?^{c} \operatorname{a}_{a}^{A?_{b}}
19
                                           + A?_{b} \partial_{a}{B?^{c}}.
20
21
     # create an object
22
23
     uv := \nabla_{a}{v_{b} u^{b}}
24
        - \partial_{a}{v_{b} u^{b}}.
                                        # cdb (ex-0201.201,uv)
25
26
     # apply the rules, then simplify
27
28
                    (uv,deriv3)
                                          # cdb (ex-0201.202,uv)
     substitute
29
                    (uv,deriv4)
                                          # cdb (ex-0201.203,uv)
     substitute
                    (uv,deriv1)
                                          # cdb (ex-0201.204,uv)
     substitute
31
                                          # cdb (ex-0201.205,uv)
                    (uv,deriv2)
     substitute
32
                                          # cdb (ex-0201.206,uv)
     distribute
                    (uv)
33
     sort_product
                                          # cdb (ex-0201.207,uv)
                    (uv)
34
    rename_dummies (uv)
                                          # cdb (ex-0201.208,uv)
```

$$\nabla_{a}(v_{b}u^{b}) - \partial_{a}(v_{b}u^{b}) = u^{b}\nabla_{a}v_{b} + v_{b}\nabla_{a}u^{b} - \partial_{a}(v_{b}u^{b})$$

$$= u^{b}\nabla_{a}v_{b} + v_{b}\nabla_{a}u^{b} - u^{b}\partial_{a}v_{b} - v_{b}\partial_{a}u^{b}$$

$$= u^{b}\nabla_{a}v_{b} + v_{b}\left(\partial_{a}u^{b} + \Gamma^{b}_{ca}u^{c}\right) - u^{b}\partial_{a}v_{b} - v_{b}\partial_{a}u^{b}$$

$$= u^{b}\left(\partial_{a}v_{b} - \Gamma^{c}_{ba}v_{c}\right) + v_{b}\left(\partial_{a}u^{b} + \Gamma^{b}_{ca}u^{c}\right) - u^{b}\partial_{a}v_{b} - v_{b}\partial_{a}u^{b}$$

$$= u^{b}\Gamma^{c}_{ba}v_{c} + v_{b}\Gamma^{b}_{ca}u^{c}$$

$$= -u^{b}\Gamma^{c}_{ba}v_{c} + v_{b}\Gamma^{b}_{ca}u^{c}$$

$$= -\Gamma^{c}_{ba}u^{b}v_{c} + \Gamma^{b}_{ca}u^{c}v_{b}$$

$$= 0$$

$$(ex-0201.202)$$

$$(ex-0201.205)$$

$$= -\Gamma^{c}_{ba}u^{b}v_{c} + \Gamma^{b}_{ca}u^{c}v_{b}$$

$$= 0$$

Exercise 2.2 Covariant derivative of v_{ab}

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # template for covariant derivative of a vector
     derivU := \nabla_{a}^{A?^{b}} -> \partial_{a}^{A?^{b}} + \Gamma^{b}_{c} a A?^{c}.
     derivD := \nabla_{a}{A?_{b}} -> \partial_{a}{A?_{b}} - \Gamma^{c}_{b} A?_{c}.
10
     vab := v_{a b} -> A_{a} B_{b}.
     iab := A_{a} B_{b} -> v_{a}
13
     pab := \hat{A}_{a}_{a} = \hat{A}_{a}_{a} - A_{b} B_{c} - A_{b} \beta_{a}_{a}.
14
15
     # create an object
16
17
     Dvab := \lambda_{a}\{v_{b c}\}.
                                     # cdb (ex-0202.101,Dvab)
19
     # apply the rule, then simplify
20
21
                    (Dvab, vab)
     substitute
                                      # cdb (ex-0202.102, Dvab)
22
                    (Dvab)
     product_rule
                                      # cdb (ex-0202.103, Dvab)
     substitute
                    (Dvab,derivD)
                                      # cdb (ex-0202.104, Dvab)
                    (Dvab,derivU)
                                      # cdb (ex-0202.105, Dvab)
     substitute
                    (Dvab)
                                      # cdb (ex-0202.106, Dvab)
     distribute
26
                    (Dvab,pab)
                                      # cdb (ex-0202.107, Dvab)
     substitute
27
                    (Dvab)
                                      # cdb (ex-0202.108,Dvab)
     canonicalise
28
     substitute
                    (Dvab, iab)
                                      # cdb (ex-0202.109,Dvab)
29
                                      # cdb (ex-0202.110,Dvab)
     sort_product
                    (Dvab)
```

$\nabla_a v_{bc} = \nabla_a (A_b B_c)$	(ex-0202.102)
$= \nabla_a A_b B_c + A_b \nabla_a B_c$	(ex-0202.103)
$= \left(\partial_a A_b - \Gamma^d_{ba} A_d\right) B_c + A_b \left(\partial_a B_c - \Gamma^d_{ca} B_d\right)$	(ex-0202.104)
$= \left(\partial_a A_b - \Gamma^d_{ba} A_d\right) B_c + A_b \left(\partial_a B_c - \Gamma^d_{ca} B_d\right)$	(ex-0202.105)
$= \partial_a A_b B_c - \Gamma^d_{ba} A_d B_c + A_b \partial_a B_c - A_b \Gamma^d_{ca} B_d$	(ex-0202.106)
$= \partial_a (A_b B_c) - \Gamma^d_{ba} A_d B_c - A_b \Gamma^d_{ca} B_d$	(ex-0202.107)
$= \partial_a (A_b B_c) - \Gamma^d_{ba} A_d B_c - A_b \Gamma^d_{ca} B_d$	(ex-0202.108)
$= \partial_a v_{bc} - \Gamma^d_{ba} v_{dc} - v_{bd} \Gamma^d_{ca}$	(ex-0202.109)
$= \partial_a v_{bc} - \Gamma^d_{ba} v_{dc} - \Gamma^d_{ca} v_{bd}$	(ex-0202.110)

Exercise 2.3 Covariant derivative of v^{a}_{b}

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # template for covariant derivative of a vector
     derivU := \nabla_{a}^{A?^{b}} -> \partial_{a}^{A?^{b}} + \Gamma^{b}_{c} a A?^{c}.
     derivD := \nabla_{a}{A?_{b}} -> \partial_{a}{A?_{b}} - \Gamma^{c}_{b} \ A?_{c}.
10
     vab := v^{a}_{b} -> A^{a}_{b}.
     iab := A^{a} B_{b} -> v^{a}_{b}.
13
     pab := \hat{A}^{b} B_{c} -> \hat{A}^{b} B_{c} -> \hat{A}^{b} B_{c}.
14
15
     # create an object
16
17
     Dvab := \frac{a}{v^{b}_{c}}. # cdb (ex-0203.101,Dvab)
19
     # apply the rule, then simplify
20
21
                    (Dvab, vab)
     substitute
                                      # cdb (ex-0203.102, Dvab)
22
                    (Dvab)
     product_rule
                                      # cdb (ex-0203.103, Dvab)
     substitute
                    (Dvab,derivD)
                                      # cdb (ex-0203.104, Dvab)
                    (Dvab,derivU)
     substitute
                                      # cdb (ex-0203.105, Dvab)
                    (Dvab)
                                      # cdb (ex-0203.106,Dvab)
     distribute
26
                    (Dvab,pab)
                                      # cdb (ex-0203.107, Dvab)
     substitute
27
                    (Dvab)
                                      # cdb (ex-0203.108,Dvab)
     canonicalise
28
     substitute
                    (Dvab, iab)
                                      # cdb (ex-0203.109,Dvab)
29
                                      # cdb (ex-0203.110,Dvab)
     sort_product
                    (Dvab)
```

$ abla_a v^b_{\ c} = abla_a (A^b B_c)$	(ex-0203.102)
$= \nabla_a A^b B_c + A^b \nabla_a B_c$	(ex-0203.103)
$= \nabla_a A^b B_c + A^b \left(\partial_a B_c - \Gamma^d_{ca} B_d \right)$	(ex-0203.104)
$= \left(\partial_a A^b + \Gamma^b_{da} A^d\right) B_c + A^b \left(\partial_a B_c - \Gamma^d_{ca} B_d\right)$	(ex-0203.105)
$= \partial_a A^b B_c + \Gamma^b_{da} A^d B_c + A^b \partial_a B_c - A^b \Gamma^d_{ca} B_d$	(ex-0203.106)
$= \partial_a (A^b B_c) + \Gamma^b_{da} A^d B_c - A^b \Gamma^d_{ca} B_d$	(ex-0203.107)
$= \partial_a (A^b B_c) + \Gamma^b_{da} A^d B_c - A^b \Gamma^d_{ca} B_d$	(ex-0203.108)
$= \partial_a v^b_c + \Gamma^b_{da} v^d_c - v^b_{d} \Gamma^d_{ca}$	(ex-0203.109)
$=\partial_a v_c^b + \Gamma_{da}^b v_c^d - \Gamma_{ca}^d v_d^b$	(ex-0203.110)

Exercise 2.4 Combining rules – a problem

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # rules for covariant derivatives of v
     deriv1 := \\ a}{v^{b}} \rightarrow \\ partial_{a}{v^{b}}
                                   + \Gamma^{b}_{d a} v^{d}.
10
     deriv2 := \\ a_{a}{\alpha_{b}}(v^{c}) -> \\ a_{a}{\alpha_{b}}(v^{c})
11
                                               + \Gamma^{c}_{d a} \nabla_{b}{v^{d}}
12
                                               - \Gamma^{d}_{b a} \nabla_{d}{v^{c}}.
13
14
     \# attempt to combine both rules for second covariant derivative of v
15
16
     substitute (deriv2,deriv1)
                                      # cdb (ex-0204.101,deriv2)
17
```

Note that the call to substitute has made changes to both sides of the rule for deriv2. This is not ideal and a better method is developed in the following exercise.

$$\nabla_a \left(\partial_t y^c + \Gamma^c_{db} v^d \right) \to \partial_a \left(\partial_t y^c + \Gamma^c_{db} v^d \right) + \Gamma^c_{da} \left(\partial_t y^d + \Gamma^d_{eb} v^e \right) - \Gamma^d_{ba} \left(\partial_d v^c + \Gamma^c_{ed} v^e \right) \tag{ex-0204.101}$$

Exercise 2.5 Combining rules – a solution

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # rules for covariant derivatives of v
     deriv1 := \nabla_{a}{v^{b}} \rightarrow \partial_{a}{v^{b}}
                                   + \Gamma^{b}_{d a} v^{d}.
10
     deriv2 := \\ a_{a}{\alpha_{b}}(v^{c}) -> \\ a_{a}{\alpha_{b}}(v^{c})
11
                                               + \Gamma^{c}_{d a} \nabla_{b}{v^{d}}
12
                                               - \Gamma^{d}_{b a} \nabla_{d}{v^{c}}.
13
14
     # second covariant derivative of v
15
16
     expr := v^{c}_{b a} -> \lambda_{a}{\lambda_{b}^{c}}. # cdb (ex-0205.101, expr)
17
     save := @(expr).
18
19
     # apply the rules, then simplify
20
21
                    (expr,deriv2)
     substitute
                                         # cdb (ex-0205.102,expr)
22
                    (expr,deriv1)
                                         # cdb (ex-0205.103,expr)
     substitute
     distribute
                    (expr)
                                         # cdb (ex-0205.104,expr)
                    (expr)
                                         # cdb (ex-0205.105,expr)
     product_rule
25
                    (expr)
                                         # cdb (ex-0205.107,expr)
     canonicalise
26
                    (expr,save)
                                         # cdb (ex-0205.108,expr)
     substitute
27
```

The trick here is to introduce in line 17 a dummy left hand side, v^{c}{}_{b a}, that is invisible with respect to the substitution rules of lines 8 and 11. Thus lines 22 and 23 will only target the right hand side of expr.

Notice how a copy of the initial expression is made in 18. This is used later in line 27 to replace the dummy object v^{c}_{ba} with $\align*_{a}_{b}_{v^{c}}$ but this time acting on the left hand side of the rule. The result is a rule for second covariant deriavtives.

$$v_{ba}^{c} \rightarrow \nabla_{a}(\nabla_{b}v^{c}) \qquad (ex-0205.101)$$

$$v_{ba}^{c} \rightarrow \partial_{a}(\nabla_{b}v^{c}) + \Gamma_{da}^{c}\nabla_{b}v^{d} - \Gamma_{ba}^{d}\nabla_{d}v^{c} \qquad (ex-0205.102)$$

$$v_{ba}^{c} \rightarrow \partial_{a}(\partial_{b}v^{c} + \Gamma_{db}^{c}v^{d}) + \Gamma_{da}^{c}(\partial_{b}v^{d} + \Gamma_{eb}^{d}v^{e}) - \Gamma_{ba}^{d}(\partial_{d}v^{c} + \Gamma_{ed}^{c}v^{e}) \qquad (ex-0205.103)$$

$$v_{ba}^{c} \rightarrow \partial_{a}b^{c} + \partial_{a}(\Gamma_{db}^{c}v^{d}) + \Gamma_{da}^{c}\partial_{b}v^{d} + \Gamma_{da}^{c}\Gamma_{eb}^{d}v^{e} - \Gamma_{ba}^{d}\partial_{d}v^{c} - \Gamma_{ba}^{d}\Gamma_{ed}^{c}v^{e} \qquad (ex-0205.104)$$

$$v_{ba}^{c} \rightarrow \partial_{a}b^{c} + \partial_{a}\Gamma_{db}^{c}v^{d} + \Gamma_{db}^{c}\partial_{a}v^{d} + \Gamma_{da}^{c}\partial_{b}v^{d} + \Gamma_{da}^{c}\partial_{b}v^{e} - \Gamma_{ba}^{d}\partial_{d}v^{c} - \Gamma_{ba}^{d}\Gamma_{ed}^{c}v^{e} \qquad (ex-0205.105)$$

$$v_{ba}^{c} \rightarrow \partial_{a}b^{c} + \partial_{a}\Gamma_{db}^{c}v^{d} + \Gamma_{db}^{c}\partial_{a}v^{d} + \Gamma_{da}^{c}\partial_{b}v^{d} + \Gamma_{da}^{c}\partial_{b}v^{d} + \Gamma_{da}^{c}\partial_{b}v^{e} - \Gamma_{ba}^{d}\partial_{d}v^{c} - \Gamma_{de}^{c}\Gamma_{ba}^{e}v^{d} \qquad (ex-0205.107)$$

$$\nabla_{a}(\nabla_{b}v^{c}) \rightarrow \partial_{a}b^{c} + \partial_{a}\Gamma_{db}^{c}v^{d} + \Gamma_{db}^{c}\partial_{a}v^{d} + \Gamma_{da}^{c}\partial_{b}v^{d} + \Gamma_{da}^{c}\partial_{b}v^{d} + \Gamma_{da}^{c}\partial_{b}v^{d} + \Gamma_{da}^{c}\partial_{b}v^{d} - \Gamma_{da}^{d}\nabla_{eb}v^{e} - \Gamma_{ba}^{d}\partial_{d}v^{c} - \Gamma_{de}^{c}\Gamma_{ba}^{e}v^{d} \qquad (ex-0205.108)$$

Exercise 2.6 Cummutation of ∇ on a scalar

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # covariant derivative of \phi
     dphi := \frac{a}{\phi} -> \frac{a}{\phi}.
     # rules to hide and reveal \partial\phi
10
11
            := \partial_{a}{\phi} -> w_{a}.
     reveal := w_{a} \rightarrow \beta_{a}.
14
     # template for covariant derivative of a dual-vector
15
16
     deriv := \nabla_{a}_{A?_{b}} - \nabla_{a}_{A?_{b}} - \nabla_{a}_{A?_{b}} - \nabla_{a}_{A?_{c}}.
17
18
     # create an object
19
     expr := \nabla_{a}{\nabla_{b}{\phi}}
21
             - \nabla_{b}{\nabla_{a}{\phi}}.
                                                # cdb (ex-0206.101,expr)
22
23
     # apply the rules, then simplify
25
                     (expr,dphi)
                                                 # cdb (ex-0206.102,expr)
     substitute
26
                     (expr,hide)
                                                # cdb (ex-0206.103,expr)
     substitute
27
                     (expr,deriv)
                                                 # cdb (ex-0206.104,expr)
     substitute
28
     substitute
                     (expr,reveal)
                                                 # cdb (ex-0206.105,expr)
29
                     (expr)
                                                 # cdb (ex-0206.106,expr)
     canonicalise
```

$$\nabla_{a}(\nabla_{b}\phi) - \nabla_{b}(\nabla_{c}\phi) = \nabla_{a}(\partial_{b}\phi) - \nabla_{b}(\partial_{c}\phi)$$

$$= \nabla_{a}w_{b} - \nabla_{b}w_{a}$$

$$= \partial_{a}w_{b} - \Gamma^{c}_{ba}w_{c} - \partial_{b}w_{a} + \Gamma^{c}_{ab}w_{c}$$

$$= \partial_{a}b\phi - \Gamma^{c}_{ba}\partial_{c}\phi - \partial_{b}\phi + \Gamma^{c}_{ab}\partial_{c}\phi$$

$$= -\Gamma^{c}_{ba}\partial_{c}\phi + \Gamma^{c}_{ab}\partial_{c}\phi$$

$$= -\Gamma^{c}_{ba}\partial_{c}\phi + \Gamma^{c}_{ab}\partial_{c}\phi$$

$$= (ex-0206.104)$$

$$(ex-0206.105)$$

$$= -\Gamma^{c}_{ba}\partial_{c}\phi + \Gamma^{c}_{ab}\partial_{c}\phi$$

$$(ex-0206.106)$$

Exercise 2.7 Selective kill

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative.
            := \frac{d}{\sigma^{a}_{b c}} -> Z_{d a b c}.
     reveal := Z_{d a b c} \rightarrow \beta_{d}(Gamma^{a}_{b c}).
     kill := \Gamma_a \{a\}_{b c} \rightarrow 0.
     Gamma := \Gamma^{a}_{b c}
10
            + x^{d} \partial_{d}{\Gamma^{a}_{b} c}}.
                                                             # cdb (ex-0207.101, Gamma)
11
12
     substitute (Gamma, hide)
                                                              # cdb (ex-0207.102, Gamma)
13
                                                              # cdb (ex-0207.103, Gamma)
     substitute (Gamma, kill)
14
     substitute (Gamma,reveal)
                                                              # cdb (ex-0207.104, Gamma)
15
```

$$\Gamma^{a}{}_{bc}(x) = \Gamma^{a}{}_{bc} + x^{d} \partial_{d} \Gamma^{a}{}_{bc}$$

$$= \Gamma^{a}{}_{bc} + x^{d} Z_{dabc}$$

$$= x^{d} Z_{dabc}$$

$$= x^{d} \partial_{d} \Gamma^{a}{}_{bc}$$

$$(ex-0207.101)$$

$$= (ex-0207.103)$$

$$= (ex-0207.104)$$

Exercise 2.7 Naive kill

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices(position=independent).

partial{#}::Derivative.

kill := \Gamma^{a}_{b c} -> 0.

Gamma := \Gamma^{a}_{b c} c}

+ x^{d} \partial_{d}^{Gamma^{a}_{a}_{b c}}. # cdb (ex-0207.201,Gamma)

substitute (Gamma,kill) # cdb (ex-0207.202,Gamma)
```

$$\Gamma^{a}{}_{bc}(x) = \Gamma^{a}{}_{bc} + x^{d} \partial_{d} \Gamma^{a}{}_{bc}$$

$$= 0$$
(ex-0207.201)
$$= 0$$

Exercise 2.7 No problem killing partial derivatives

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices(position=independent).

\text{partial}{#}::PartialDerivative.

kill := \partial_{c}{A_{a b}} -> 0.

Aab := A_{a b} + x^{c} \partial_{c}{A_{a b}}

+ x^{c} x^{d} \partial_{c}{A_{a b}}. # cdb (ex-0207.301,Aab)

substitute (Aab,kill) # cdb (ex-0207.302,Aab)
```

$$A_{ab}(x) = A_{ab} + x^c \partial_c A_{ab} + x^c x^d \partial_{dc} A_{ab}$$

$$= A_{ab} + x^c x^d \partial_{dc} A_{ab}$$
(ex-0207.301)
$$= (ex-0207.302)$$

Exercise 2.8 Position keyword in ::Indices

```
{a,b,c}::Indices(position=free).
    foo := A_{a b} + A^{a b}.
                                                     # cdb (ex-0208.101,foo)
     substitute (foo, $A_{a b} -> B_{a b}$)
                                                     # cdb (ex-0208.102,foo)
     {p,q,r}::Indices(position=fixed).
    foo := A_{p q} B^{p q} + A^{p q} B_{p q}.
                                                    # cdb (ex-0208.201,foo)
10
     canonicalise (foo)
                                                     # cdb (ex-0208.202,foo)
11
12
     {u,v,w}::Indices(position=independent).
13
    foo := A_{u v} B^{u v} + A^{u v} B_{u v}.
                                                     # cdb (ex-0208.301,foo)
15
16
     canonicalise (foo)
                                                     # cdb (ex-0208.302,foo)
```

$$A_{ab} + A^{ab} = B_{ab} + B^{ab}$$
 (ex-0208.102)

$$A_{pq}B^{pq} + A^{pq}B_{pq} = 2 A^{pq}B_{pq}$$
 (ex-0208.202)

$$A_{uv}B^{uv} + A^{uv}B_{uv} = A_{uv}B^{uv} + A^{uv}B_{uv}$$
 (ex-0208.302)

Exercise 3.1 Some symmetries of Riemann

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     ;::Symbol;
     \partial{#}::PartialDerivative.
     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
     Rabcd := R^{a}_{b c d} \rightarrow \operatorname{partial}_{c}{\operatorname{Gamma}_{a}_{b d}}
                                 - \partial_{d}{\Gamma^{a}_{b c}}
10
                                 + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
11
                                 - \Gamma^{e}_{b c} \Gamma^{a}_{d e}.
                                                                                # cdb(Rabcd.000,Rabcd)
12
13
     dRabcd := R^{a}_{b c d ; e} \rightarrow \beta_{R^{a}_{b c d}}
14
                                    + Gamma^{a}_{f} e R^{f}_{b c d}
15
                                    - Gamma^{f}_{b e} R^{a}_{f c d}
16
                                    - Gamma^{f}_{c e} R^{a}_{b f d}
17
                                    - Gamma^{f}_{d} e R^{a}_{b} c f.
                                                                               # cdb(dRabcd.000,dRabcd)
18
```

Exercise 3.1 Antisymmetry on last pair of indices

```
expr := R^{a}_{b c d} + R^{a}_{b d c}. # cdb(ex-0301.101,expr)

substitute (expr, Rabcd) # cdb(ex-0301.102,expr)
```

$$R^{a}_{bcd} + R^{a}_{bdc} = 0 (ex-0301.102)$$

Exercise 3.1 First Bianchi identity

```
expr := R^{a}_{b c d} + R^{a}_{d b c} + R^{a}_{c d b}. # cdb(ex-0301.201,expr)

substitute (expr, Rabcd) # cdb(ex-0301.202,expr)

canonicalise (expr) # cdb(ex-0301.203,expr)
```

$$R^{a}_{\ bcd} + R^{a}_{\ dbc} + R^{a}_{\ cdb} = \partial_{c}\Gamma^{a}_{\ bd} - \partial_{d}\Gamma^{a}_{\ bc} + \Gamma^{e}_{\ bd}\Gamma^{a}_{\ ce} - \Gamma^{e}_{\ bc}\Gamma^{a}_{\ de} + \partial_{b}\Gamma^{a}_{\ dc} - \partial_{c}\Gamma^{a}_{\ db} + \Gamma^{e}_{\ dc}\Gamma^{a}_{\ be} - \Gamma^{e}_{\ db}\Gamma^{a}_{\ ce} + \partial_{d}\Gamma^{a}_{\ ce} - \partial_{b}\Gamma^{a}_{\ cd} + \Gamma^{e}_{\ cb}\Gamma^{a}_{\ de} - \Gamma^{e}_{\ cd}\Gamma^{a}_{\ be} (\text{ex-0301.202})$$

$$= 0 \qquad \qquad (\text{ex-0301.203})$$

Exercise 3.1 Second Bianchi identity

```
expr := R^{a}_{b} c d ; e + R^{a}_{b} e c ; d + R^{a}_{b} d e ; c + cdb(ex-0301.301,expr)
               (expr, dRabcd)
                                                                       # cdb(ex-0301.302,expr)
substitute
                       Rabcd)
                                                                       # cdb(ex-0301.303,expr)
substitute
               (expr.
                                                                       # cdb(ex-0301.304,expr)
distribute
               (expr)
product_rule
               (expr)
                                                                       # cdb(ex-0301.305,expr)
                                                                       # cdb(ex-0301.306,expr)
sort_product
               (expr)
                                                                       # cdb(ex-0301.307,expr)
rename_dummies (expr)
                                                                       # cdb(ex-0301.308,expr)
canonicalise
               (expr)
```

$$\begin{split} R^b_{bcd;e} + R^a_{bbc;d} + R^a_{bde;c} &= \partial_e R^a_{bcd} + \Gamma^a_{fe} R^f_{bcd} - \Gamma^f_{bc} R^a_{ffd} - \Gamma^f_{dc} R^a_{bfe} - \Gamma^f_{dc} R^a_{bce} + \Gamma^a_{fd} R^f_{bec} - \Gamma^f_{bd} R^a_{fec} - \Gamma^f_{ed} R^a_{bfe} - \Gamma^f_{cd} R^a_{bfe} - \Gamma^f_{cd}$$

 $R^{a}_{bcde} + R^{a}_{becd} + R^{a}_{becd} + R^{a}_{becd} = \partial_{e}\Gamma^{a}_{bd} - \partial_{e}\Gamma^{a}_{bc} + \partial_{e}\Gamma^{a}_{bd}\Gamma^{c}_{cf} + \Gamma^{f}_{bd}\partial_{e}\Gamma^{c}_{cf} - \partial_{e}\Gamma^{f}_{dc}\Gamma^{d}_{df} - \Gamma^{f}_{bc}\partial_{e}\Gamma^{d}_{df} + \Gamma^{a}_{fe}\partial_{e}\Gamma^{f}_{bd} - \Gamma^{a}_{fe}\partial_{e}\Gamma^{f}_{bc}\Gamma^{f}_{cd} - \Gamma^{a}_{fe}\Gamma^{g}_{bd}\Gamma^{f}_{cd} - \Gamma^{a}_{fe}\Gamma^{g}_{cd}\Gamma^{f}_{cd} - \Gamma^{a}_{fe}\Gamma^{g}_{cd}\Gamma$ $-\Gamma^{f}_{be}\partial_{L}\Gamma^{a}_{fd}+\Gamma^{f}_{be}\partial_{d}\Gamma^{a}_{fc}-\Gamma^{f}_{be}\Gamma^{g}_{fd}\Gamma^{a}_{cg}+\Gamma^{f}_{be}\Gamma^{g}_{fc}\Gamma^{a}_{dg}-\Gamma^{f}_{ce}\partial_{d}\Gamma^{a}_{bd}+\Gamma^{f}_{ce}\partial_{d}\Gamma^{a}_{bf}-\Gamma^{f}_{ce}\Gamma^{g}_{bd}\Gamma^{a}_{fg}+\Gamma^{f}_{ce}\Gamma^{g}_{bf}\Gamma^{a}_{dg}-\Gamma^{f}_{de}\partial_{c}\Gamma^{a}_{bf}$ $+\Gamma^{f}_{de}\partial_{t}\Gamma^{a}_{bc}-\Gamma^{f}_{de}\Gamma^{g}_{bf}\Gamma^{a}_{ca}+\Gamma^{f}_{de}\Gamma^{g}_{bc}\Gamma^{a}_{fa}+\partial_{d}\Gamma^{a}_{bc}-\partial_{d}\Gamma^{a}_{be}+\partial_{d}\Gamma^{f}_{bc}\Gamma^{a}_{ef}+\Gamma^{f}_{bc}\partial_{d}\Gamma^{a}_{ef}-\partial_{d}\Gamma^{f}_{be}\Gamma^{c}_{cf}-\Gamma^{f}_{be}\partial_{d}\Gamma^{a}_{cf}$ $+\Gamma^{a}_{fd}\partial_{c}\Gamma^{f}_{bc}-\Gamma^{a}_{fd}\partial_{c}\Gamma^{f}_{be}+\Gamma^{a}_{fd}\Gamma^{g}_{bc}\Gamma^{f}_{ea}-\Gamma^{a}_{fd}\Gamma^{g}_{be}\Gamma^{f}_{ca}-\Gamma^{f}_{bd}\partial_{c}\Gamma^{a}_{fc}+\Gamma^{f}_{bd}\partial_{c}\Gamma^{a}_{fe}-\Gamma^{f}_{bd}\Gamma^{g}_{fc}\Gamma^{a}_{ea}+\Gamma^{f}_{bd}\Gamma^{g}_{fe}\Gamma^{a}_{ca}-\Gamma^{f}_{ed}\partial_{c}\Gamma^{a}_{bc}$ $+\Gamma^f_{ed}\partial_{\Gamma}\Gamma^a_{bf} - \Gamma^f_{ed}\Gamma^g_{bc}\Gamma^a_{fa} + \Gamma^f_{ed}\Gamma^g_{bf}\Gamma^a_{ca} - \Gamma^f_{cd}\partial_{\epsilon}\Gamma^a_{bf} + \Gamma^f_{cd}\partial_{\epsilon}\Gamma^a_{be} - \Gamma^f_{cd}\Gamma^g_{bf}\Gamma^a_{ea} + \Gamma^f_{cd}\Gamma^g_{be}\Gamma^a_{fa} + \partial_{cd}\Gamma^a_{be} - \partial_{ce}\Gamma^a_{bd}$ $+\partial_{\Gamma}^{f}{}_{be}\Gamma^{a}{}_{df}+\Gamma^{f}{}_{be}\partial_{\Gamma}^{a}{}_{df}-\partial_{c}\Gamma^{f}{}_{bd}\Gamma^{a}{}_{ef}-\Gamma^{f}{}_{bd}\partial_{c}\Gamma^{a}{}_{ef}+\Gamma^{a}{}_{fc}\partial_{d}\Gamma^{f}{}_{be}-\Gamma^{a}{}_{fc}\partial_{c}\Gamma^{f}{}_{bd}+\Gamma^{a}{}_{fc}\Gamma^{g}{}_{be}\Gamma^{f}{}_{dg}-\Gamma^{a}{}_{fc}\Gamma^{g}{}_{bd}\Gamma^{f}{}_{eg}-\Gamma^{f}{}_{bc}\partial_{d}\Gamma^{a}{}_{fe}$ $+\Gamma^{f}_{bc}\partial_{e}\Gamma^{a}_{fd}-\Gamma^{f}_{bc}\Gamma^{g}_{fe}\Gamma^{a}_{da}+\Gamma^{f}_{bc}\Gamma^{g}_{fd}\Gamma^{a}_{ea}-\Gamma^{f}_{dc}\partial_{f}\Gamma^{a}_{be}+\Gamma^{f}_{dc}\partial_{e}\Gamma^{a}_{bf}-\Gamma^{f}_{dc}\Gamma^{g}_{be}\Gamma^{a}_{fa}+\Gamma^{f}_{dc}\Gamma^{g}_{bf}\Gamma^{a}_{ea}-\Gamma^{f}_{ec}\partial_{d}\Gamma^{a}_{bf}+\Gamma^{f}_{ec}\partial_{f}\Gamma^{a}_{bd}$ $-\Gamma^{f}_{ec}\Gamma^{g}_{hf}\Gamma^{a}_{da}+\Gamma^{f}_{ec}\Gamma^{g}_{hd}\Gamma^{a}_{fa}$ (ex-0301.305) $=\partial_{e}\Gamma^{a}_{bd}-\partial_{e}\Gamma^{a}_{bc}+\Gamma^{a}_{cf}\partial_{c}\Gamma^{f}_{bd}+\Gamma^{f}_{bd}\partial_{c}\Gamma^{a}_{cf}-\Gamma^{a}_{df}\partial_{c}\Gamma^{f}_{bc}-\Gamma^{f}_{bc}\partial_{c}\Gamma^{a}_{df}+\Gamma^{a}_{fe}\partial_{c}\Gamma^{f}_{bd}-\Gamma^{a}_{fe}\partial_{c}\Gamma^{f}_{bc}+\Gamma^{a}_{fe}\Gamma^{f}_{cd}\Gamma^{g}_{bc}$ $-\Gamma^{f}_{be}\partial\Gamma^{a}_{fd}+\Gamma^{f}_{be}\partial_{d}\Gamma^{a}_{fc}-\Gamma^{a}_{ca}\Gamma^{f}_{be}\Gamma^{g}_{fd}+\Gamma^{a}_{da}\Gamma^{f}_{be}\Gamma^{g}_{fc}-\Gamma^{f}_{ce}\partial_{d}\Gamma^{a}_{bd}+\Gamma^{f}_{ce}\partial_{d}\Gamma^{a}_{bf}-\Gamma^{a}_{fa}\Gamma^{f}_{ce}\Gamma^{g}_{bd}+\Gamma^{a}_{da}\Gamma^{f}_{ce}\Gamma^{g}_{bf}-\Gamma^{f}_{de}\partial\Gamma^{a}_{bf}$ $+\Gamma^{f}_{de}\partial_{t}\Gamma^{a}_{bc}-\Gamma^{a}_{ca}\Gamma^{f}_{de}\Gamma^{g}_{bf}+\Gamma^{a}_{fa}\Gamma^{f}_{de}\Gamma^{g}_{bc}+\partial_{d}\Gamma^{a}_{bc}-\partial_{d}\Gamma^{a}_{be}+\Gamma^{a}_{ef}\partial_{d}\Gamma^{f}_{bc}+\Gamma^{f}_{bc}\partial_{d}\Gamma^{a}_{ef}-\Gamma^{a}_{cf}\partial_{d}\Gamma^{f}_{be}-\Gamma^{f}_{be}\partial_{d}\Gamma^{a}_{cf}$ $+\Gamma^a_{fd}\partial_c\Gamma^f_{bc} - \Gamma^a_{fd}\partial_c\Gamma^f_{be} + \Gamma^a_{fd}\Gamma^f_{eq}\Gamma^g_{bc} - \Gamma^a_{fd}\Gamma^f_{cq}\Gamma^g_{be} - \Gamma^f_{bd}\partial_c\Gamma^a_{fc} + \Gamma^f_{bd}\partial_c\Gamma^a_{fe} - \Gamma^a_{ea}\Gamma^f_{bd}\Gamma^g_{fc} + \Gamma^a_{ca}\Gamma^f_{bd}\Gamma^g_{fe} - \Gamma^f_{ed}\partial_f\Gamma^a_{bc}$ $+\Gamma^f_{ed}\partial_{\Gamma}\Gamma^a_{bf} - \Gamma^a_{fa}\Gamma^f_{ed}\Gamma^g_{bc} + \Gamma^a_{ca}\Gamma^f_{ed}\Gamma^g_{bf} - \Gamma^f_{cd}\partial_{\Gamma}\Gamma^a_{bf} + \Gamma^f_{cd}\partial_{f}\Gamma^a_{be} - \Gamma^a_{ea}\Gamma^f_{cd}\Gamma^g_{bf} + \Gamma^a_{fa}\Gamma^f_{cd}\Gamma^g_{be} + \partial_{ca}\Gamma^a_{be} - \partial_{ca}\Gamma^a_{bd}$ $+\Gamma^{a}_{df}\partial_{c}\Gamma^{f}_{be}+\Gamma^{f}_{be}\partial_{c}\Gamma^{a}_{df}-\Gamma^{a}_{ef}\partial_{c}\Gamma^{f}_{bd}-\Gamma^{f}_{bd}\partial_{c}\Gamma^{a}_{ef}+\Gamma^{a}_{fc}\partial_{d}\Gamma^{f}_{be}-\Gamma^{a}_{fc}\partial_{c}\Gamma^{f}_{bd}+\Gamma^{a}_{fc}\Gamma^{f}_{da}\Gamma^{g}_{be}-\Gamma^{a}_{fc}\Gamma^{f}_{ea}\Gamma^{g}_{bd}-\Gamma^{f}_{bc}\partial_{d}\Gamma^{a}_{fe}$ $+\Gamma^{f}_{bc}\partial_{e}\Gamma^{a}_{fd}-\Gamma^{a}_{da}\Gamma^{f}_{bc}\Gamma^{g}_{fe}+\Gamma^{a}_{ea}\Gamma^{f}_{bc}\Gamma^{g}_{fd}-\Gamma^{f}_{dc}\partial_{f}\Gamma^{a}_{be}+\Gamma^{f}_{dc}\partial_{e}\Gamma^{a}_{bf}-\Gamma^{a}_{fa}\Gamma^{f}_{dc}\Gamma^{g}_{be}+\Gamma^{a}_{ea}\Gamma^{f}_{dc}\Gamma^{g}_{bf}-\Gamma^{f}_{ec}\partial_{d}\Gamma^{a}_{bf}+\Gamma^{f}_{ec}\partial_{f}\Gamma^{a}_{bd}$ $-\Gamma^a_{da}\Gamma^f_{ec}\Gamma^g_{bf} + \Gamma^a_{fa}\Gamma^f_{ec}\Gamma^g_{bd}$ (ex-0301.306)

$$\begin{split} R^a_{bcd;e} + R^a_{bec;d} + R^a_{bec;d} + R^a_{bec;d} + R^a_{bde;c} &= \partial_e \Gamma^a_{bd} - \partial_e \Gamma^a_{bc} + \Gamma^a_{cf} \partial_e \Gamma^f_{bd} + \Gamma^f_{bd} \partial_e \Gamma^a_{cf} - \Gamma^a_{df} \partial_e \Gamma^f_{bc} - \Gamma^f_{bc} \partial_e \Gamma^a_{df} + \Gamma^a_{fe} \partial_e \Gamma^f_{bd} - \Gamma^a_{fe} \partial_d \Gamma^f_{bc} + \Gamma^a_{fe} \Gamma^f_{cg} \Gamma^g_{bd} - \Gamma^a_{fe} \Gamma^f_{dg} \Gamma^g_{bc} \\ &- \Gamma^f_{be} \partial_e \Gamma^a_{fd} + \Gamma^f_{be} \partial_d \Gamma^a_{fc} - \Gamma^a_{cf} \Gamma^g_{be} \Gamma^f_{gd} + \Gamma^a_{df} \Gamma^g_{be} \Gamma^f_{gc} - \Gamma^f_{ce} \partial_f \Gamma^a_{bd} + \Gamma^f_{ce} \partial_d \Gamma^a_{bf} - \Gamma^a_{fg} \Gamma^f_{bc} \Gamma^f_{bg} \\ &- \Gamma^f_{de} \partial_e \Gamma^a_{bf} + \Gamma^f_{de} \partial_f \Gamma^a_{bc} - \Gamma^a_{cf} \Gamma^g_{de} \Gamma^f_{bg} + \Gamma^a_{fg} \Gamma^f_{de} \Gamma^g_{bc} + \partial_d \Gamma^a_{bc} - \partial_d \Gamma^a_{be} + \Gamma^a_{ef} \partial_e \Gamma^f_{bc} + \Gamma^f_{bc} \partial_e \Gamma^a_{ef} - \Gamma^a_{cf} \partial_d \Gamma^f_{be} \\ &- \Gamma^f_{be} \partial_d \Gamma^a_{cf} + \Gamma^a_{fd} \partial_e \Gamma^f_{bc} - \Gamma^a_{fd} \partial_e \Gamma^f_{be} + \Gamma^a_{fd} \Gamma^f_{eg} \Gamma^g_{bc} - \Gamma^a_{fd} \Gamma^f_{eg} \Gamma^g_{bc} - \Gamma^f_{bd} \partial_e \Gamma^a_{fc} - \Gamma^a_{ef} \Gamma^g_{bd} \Gamma^f_{gc} \\ &+ \Gamma^a_{cf} \Gamma^g_{bd} \Gamma^f_{ge} - \Gamma^f_{ed} \partial_f \Gamma^a_{bc} + \Gamma^f_{ed} \partial_e \Gamma^a_{bf} - \Gamma^a_{ef} \Gamma^f_{ed} \Gamma^g_{bc} + \Gamma^a_{cf} \Gamma^g_{ed} \Gamma^f_{bg} - \Gamma^f_{cd} \partial_e \Gamma^a_{bf} - \Gamma^a_{ef} \Gamma^g_{cd} \Gamma^f_{bg} \\ &+ \Gamma^a_{fg} \Gamma^f_{cd} \Gamma^g_{be} + \partial_{cd} \Gamma^a_{bc} - \partial_{cc} \Gamma^a_{bd} + \Gamma^a_{df} \partial_e \Gamma^f_{bc} + \Gamma^f_{be} \partial_e \Gamma^a_{ff} - \Gamma^a_{ef} \partial_e \Gamma^f_{bd} - \Gamma^f_{bd} \partial_e \Gamma^a_{ef} - \Gamma^a_{ef} \Gamma^g_{cd} \Gamma^f_{bg} \\ &+ \Gamma^a_{fg} \Gamma^f_{cd} \Gamma^g_{be} - \Gamma^a_{fc} \Gamma^f_{eg} \Gamma^g_{bd} - \Gamma^f_{bc} \partial_e \Gamma^a_{ff} - \Gamma^a_{ef} \partial_e \Gamma^f_{bc} - \Gamma^a_{ef} \Gamma^g_{bc} \Gamma^f_{bc} - \Gamma^a_{ef} \Gamma^g_{bc} \Gamma^f_{bc} \\ &+ \Gamma^a_{fc} \Gamma^f_{dg} \Gamma^g_{be} - \Gamma^a_{fc} \Gamma^f_{eg} \Gamma^g_{bd} - \Gamma^f_{bc} \partial_e \Gamma^a_{ff} - \Gamma^a_{ef} \Gamma^g_{bc} \Gamma^f_{bc} - \Gamma^a_{ef} \Gamma^g_{bc} \Gamma^f_{bc} - \Gamma^a_{de} \Gamma^f_{bc} - \Gamma^a_{fe} \Gamma^g_{bc} \Gamma^f_{bc} \\ &+ \Gamma^a_{fc} \Gamma^f_{de} \Gamma^g_{be} - \Gamma^a_{fc} \Gamma^f_{eg} \Gamma^g_{bd} - \Gamma^f_{bc} \partial_e \Gamma^a_{ff} - \Gamma^a_{ef} \Gamma^g_{bc} \Gamma^f_{ge} + \Gamma^a_{ef} \Gamma^g_{bc} \Gamma^f_{ge} - \Gamma^f_{dc} \partial_f \Gamma^a_{be} + \Gamma^f_{dc} \partial_e \Gamma^a_{bf} \\ &+ \Gamma^a_{fc} \Gamma^f_{de} \Gamma^g_{bc} - \Gamma^a_{fe} \Gamma^g_{dc} \Gamma^f_{bg} - \Gamma^f_{bc} \partial_e \Gamma^a_{ff} - \Gamma^a_{ef} \Gamma^g_{bc} \Gamma^g_{be} + \Gamma^a_{ef} \Gamma^g_{bc} \Gamma^g_{be} - \Gamma^f_{dc} \partial_e \Gamma^a_{be} - \Gamma^f_{dc} \partial_e \Gamma^a_{be} - \Gamma^f_{dc} \partial_e \Gamma^a_{be} - \Gamma^f_{de$$

Exercise 3.2 Riemann tensor from commutation of ∇

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2});
     # rules for the first two covariant derivs of V^a
9
     deriv1 := \nabla_{a}{V^{b}} \rightarrow \partial_{a}{V^{b}}
10
                                   + \Gamma^{b}_{d a} V^{d}.
                                                                         # cdb (ex-0302.101,deriv1)
11
12
     deriv2 := \\ a}{\nabla_{b}{V^{c}}} \rightarrow \\ partial_{a}{\nabla_{b}{V^{c}}}
13
                                                + \Gamma^{c}_{d a} \nabla_{b}{V^{d}}
14
                                                - \operatorname{Gamma}_{d}_{b a}   \log_{d}{V^{c}}.
15
                                                                         # cdb (ex-0302.102,deriv2)
16
17
     Vabc := \\  \nabla_{c}{\nabla_{b}{V^{a}}}
             - \nabla_{b}{\nabla_{c}_{V^{a}}}.
                                                                         # cdb (ex-0302.103, Vabc)
19
20
     substitute (Vabc,deriv2)
                                                                         # cdb (ex-0302.104, Vabc)
21
                                                                         # cdb (ex-0302.105, Vabc)
     substitute (Vabc,deriv1)
22
23
     distribute
                     (Vabc)
                                                                         # cdb (ex-0302.106, Vabc)
24
     product_rule
                     (Vabc)
                                                                         # cdb (ex-0302.107, Vabc)
26
                                                                         # cdb (ex-0302.108, Vabc)
     sort_product
                     (Vabc)
27
     rename_dummies (Vabc)
                                                                         # cdb (ex-0302.109, Vabc)
28
                                                                         # cdb (ex-0302.110, Vabc)
                     (Vabc)
     canonicalise
29
                     (Vabc, $V^{a?}$)
                                                                         # cdb (ex-0302.111, Vabc)
     factor_out
```

$$\begin{split} \nabla_c(\nabla_b V^a) &- \nabla_b(\nabla_c V^a) = \partial_c(\nabla_b V^a) + \Gamma^a_{dc} \nabla_b V^d - \Gamma^d_{bc} \nabla_d V^a - \partial_b(\nabla_c V^a) - \Gamma^a_{db} \nabla_c V^d + \Gamma^d_{cb} \nabla_d V^a \\ &= \partial_c \left(\partial_b V^a + \Gamma^a_{db} V^d\right) + \Gamma^a_{dc} \left(\partial_b V^d + \Gamma^d_{eb} V^e\right) - \Gamma^d_{bc} \left(\partial_d V^a + \Gamma^a_{ed} V^e\right) - \partial_b \left(\partial_c V^a + \Gamma^a_{dc} V^d\right) - \Gamma^a_{db} \left(\partial_c V^d + \Gamma^d_{ec} V^e\right) \\ &+ \Gamma^d_{cb} \left(\partial_d V^a + \Gamma^a_{ed} V^e\right) \\ &= \partial_{cb} V^a + \partial_c \left(\Gamma^a_{db} V^d\right) + \Gamma^a_{dc} \partial_b V^d + \Gamma^a_{dc} \Gamma^d_{eb} V^e - \Gamma^d_{bc} \partial_d V^a - \Gamma^d_{bc} \Gamma^a_{ed} V^e - \partial_b V^a - \partial_b \left(\Gamma^a_{dc} V^d\right) - \Gamma^a_{db} \partial_c V^d - \Gamma^a_{db} \Gamma^d_{ec} V^e \\ &+ \Gamma^d_{cb} \partial_d V^a + \Gamma^d_{cb} \Gamma^a_{ed} V^e \\ &= \partial_{cb} V^a + \partial_c \Gamma^a_{db} V^d + \Gamma^a_{dc} \Gamma^d_{eb} V^e - \Gamma^d_{bc} \partial_d V^a - \Gamma^d_{bc} \Gamma^a_{ed} V^e - \partial_{bc} V^a - \partial_b \Gamma^a_{dc} V^d + \Gamma^d_{cb} \partial_d V^a + \Gamma^d_{cb} \Gamma^a_{ed} V^e \\ &= \partial_{cb} V^a + \partial_b \Gamma^a_{db} V^d + \Gamma^a_{dc} \Gamma^d_{eb} V^e - \Gamma^d_{bc} \partial_d V^a - \Gamma^d_{bc} \Gamma^a_{ed} V^e - \partial_{bc} V^a - \partial_b \Gamma^a_{dc} V^d - \Gamma^a_{db} \Gamma^d_{ec} V^e + \Gamma^d_{cb} \partial_d V^a + \Gamma^d_{cb} \Gamma^a_{ed} V^e - \partial_{bc} V^a - \partial_b \Gamma^a_{dc} V^d - \Gamma^a_{db} \Gamma^d_{ec} V^e + \Gamma^d_{cb} \partial_d V^a + \Gamma^d_{cb} \Gamma^a_{ed} V^e - \partial_{bc} V^a - \partial_b \Gamma^a_{dc} V^d - \Gamma^a_{db} \Gamma^d_{ec} V^e + \Gamma^d_{cb} \partial_d V^a + \Gamma^d_{cb} \Gamma^a_{ed} V^e - \partial_{bc} V^a - \partial_b \Gamma^a_{dc} V^d - \Gamma^a_{db} \Gamma^d_{ec} V^e + \Gamma^d_{cb} \partial_d V^a + \Gamma^d_{cb} \Gamma^a_{ed} \nabla^e_{ec} - \partial_{bc} V^a - \partial_b \Gamma^a_{dc} V^d - \Gamma^a_{db} \Gamma^d_{ec} V^e + \Gamma^d_{cb} \partial_d V^a + \Gamma^d_{cb} \Gamma^a_{ed} \nabla^e_{ec} - \partial_{bc} V^a - \partial_b \Gamma^a_{dc} V^d - \Gamma^a_{db} \Gamma^d_{ec} V^e + \Gamma^d_{cb} \partial_d V^a + \Gamma^d_{cb} \Gamma^a_{ed} \nabla^e_{ec} - \partial_{bc} V^a - \partial_b \Gamma^a_{dc} V^d - \Gamma^a_{db} \Gamma^d_{ec} V^e + \Gamma^d_{cb} \partial_d V^a + V^a \Gamma^a_{ed} \Gamma^e_{ed} \nabla^e_{ec} - V^a_{dc} \Gamma^a_{ed} \nabla^e_{ec} - \partial_{bc} V^a - V^a_{dc} \Gamma^a_{dc} \nabla^e_{ec} - V^a_{cb} \Gamma^a_{ed} \nabla^e_{ec} - V^a_{cb} \Gamma^a_{ed} \nabla^e_{ec} - V^a_{cb} \Gamma^a_{ed} \nabla^e_{ec} - V^a_{cb} \Gamma^a_{ec} \nabla^e_{ed} \nabla^e_{ec} - V^a_{cb} \Gamma^a_{ec} \nabla^e_{ec} - V^a_{cb} \Gamma$$

This result agrees with Misner, Thorne and Wheeler. pg. 266.

Exercise 3.3 Computing R_{abcd}

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative.
     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
     \Gamma_{a b c}::TableauSymmetry(shape={2}, indices={1,2}).
     dgab := \frac{c}{g_{a b}} \rightarrow \frac{d}_{a c} g_{d b}
                                         + \Gamma^{d}_{b c} g_{a d}.
                                                                             # cdb(dgab.000,dgab)
10
     RabcdU := R^{a}_{b c d} \rightarrow partial_{c}{Gamma^{a}_{b d}}
11
                                  - \partial_{d}{\Gamma^{a}_{b c}}
12
                                  + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
13
                                  - \Gamma^{e}_{b c} \Gamma^{a}_{d e}.
                                                                             # cdb(Rabcd.000,RabcdU)
14
15
     GammaD := \{g_{a e} \backslash Gamma^{e}_{b c} \rightarrow \backslash Gamma_{a b c},
16
                 g_{e a} \Gamma_{e c} -> \Gamma_{a b c}.
                                                                             # cdb(Gamma.010,GammaD)
17
18
     RabcdD := R_{a b c d} -> g_{a e} R^{e}_{b c d}.
                                                                             # cdb(Rabcd.010,RabcdD)
19
20
     gabDGamma := g_{a e} \beta_{c}{Gamma^{e}_{b d}} ->
21
                        \displaystyle \frac{c}{g_{a e} \operatorname{Gamma}^{e}_{b d}}
22
                      - \Gamma^{e}_{b d} \partial_{c}{g_{a e}}.
                                                                             # cdb(gabDGamma.000,gabDGamma)
23
24
     # this pair of rules needed to sort \Gamma_{a b c} to the very left
     # this helps canonicalise spot the terms that cancel
26
     bah := \mathbb{G}amma_{a} b c \rightarrow A_{a} b c.
     foo := A_{a b c} \rightarrow Gamma_{a b c}.
28
29
     expr := R_{a} b c d.
                                                                             # cdb(ex-0303.101,expr)
31
     substitute
                      (expr, RabcdD)
                                                                             # cdb(ex-0303.102,expr)
                                                                             # cdb(ex-0303.103,expr)
                     (expr, RabcdU)
     substitute
33
                      (expr)
     distribute
                                                                             # cdb(ex-0303.104,expr)
                      (expr, gabDGamma)
                                                                             \# cdb(ex-0303.105,expr)
     substitute
                     (expr, dgab)
                                                                             # cdb(ex-0303.106,expr)
     substitute
```

```
substitute
                     (expr, GammaD)
                                                                            # cdb(ex-0303.107,expr)
                     (expr)
     distribute
                                                                            # cdb(ex-0303.109,expr)
                     (expr, bah)
                                                                            # cdb(ex-0303.110,expr)
     substitute
39
                                                                            # cdb(ex-0303.111,expr)
     sort_product
                     (expr)
40
                                                                            # cdb(ex-0303.112,expr)
     rename_dummies (expr)
41
                     (expr, foo)
                                                                            # cdb(ex-0303.113,expr)
     substitute
42
                                                                            # cdb(ex-0303.114,expr)
     canonicalise
                     (expr)
```

$$R_{abcd} = g_{ae}R_{bcd}^{e} \qquad (ex-0303.102)$$

$$= g_{ae} \left(\partial_{r} \Gamma_{bd}^{e} - \partial_{d} \Gamma_{bc}^{e} + \Gamma_{bd}^{f} \Gamma_{cf}^{e} - \Gamma_{bc}^{f} \Gamma_{df}^{e} \right) \qquad (ex-0303.103)$$

$$= g_{ae} \partial_{r} \Gamma_{bd}^{e} - g_{ae} \Gamma_{bd}^{f} \Gamma_{cf}^{e} - g_{ae} \Gamma_{bc}^{f} \Gamma_{cf}^{e} \qquad (ex-0303.104)$$

$$= \partial_{c} (g_{ae} \Gamma_{bd}^{e}) - \Gamma_{bd}^{e} \partial_{d} g_{ae} - \partial_{d} (g_{ae} \Gamma_{bc}^{e}) + \Gamma_{bc}^{e} \partial_{d} g_{ae} + g_{ae} \Gamma_{bd}^{f} \Gamma_{cf}^{e} - g_{ae} \Gamma_{bc}^{f} \Gamma_{df}^{e} \qquad (ex-0303.105)$$

$$= \partial_{c} (g_{ae} \Gamma_{bd}^{e}) - \Gamma_{bd}^{e} \left(\Gamma_{ac}^{f} g_{fe} + \Gamma_{ec}^{f} g_{af} \right) - \partial_{d} (g_{ae} \Gamma_{bc}^{e}) + \Gamma_{bc}^{e} \left(\Gamma_{ad}^{f} g_{fe} + \Gamma_{ed}^{f} g_{af} \right) + g_{ae} \Gamma_{bd}^{f} \Gamma_{cf}^{e} - g_{ae} \Gamma_{bc}^{f} \Gamma_{df}^{e} \qquad (ex-0303.105)$$

$$= \partial_{c} G_{abc} - \Gamma_{bd}^{e} \left(\Gamma_{eac} + \Gamma_{aec} \right) - \partial_{d} \Gamma_{abc} + \Gamma_{bc}^{e} \left(\Gamma_{ead} + \Gamma_{aed} \right) + \Gamma_{acf} \Gamma_{bd}^{f} - \Gamma_{adf} \Gamma_{bc}^{f} \qquad (ex-0303.106)$$

$$= \partial_{c} \Gamma_{abd} - \Gamma_{bd}^{e} \Gamma_{eac} - \Gamma_{bd}^{e} \Gamma_{aec} - \partial_{d} \Gamma_{abc} + \Gamma_{bc}^{e} \Gamma_{ead} + \Gamma_{acf} \Gamma_{bd}^{f} - \Gamma_{adf} \Gamma_{bc}^{f} \qquad (ex-0303.107)$$

$$= \partial_{c} \Gamma_{abd} - \Gamma_{bd}^{e} \Gamma_{eac} - \Gamma_{bd}^{e} \Gamma_{aec} - \partial_{d} \Gamma_{abc} + \Gamma_{bc}^{e} \Gamma_{ead} + \Gamma_{bc}^{e} \Gamma_{aed} + \Gamma_{acf} \Gamma_{bd}^{f} - \Gamma_{adf} \Gamma_{bc}^{f} \qquad (ex-0303.110)$$

$$= \partial_{c} \Lambda_{abd} - \Gamma_{bd}^{e} \Lambda_{eac} - \Gamma_{bd}^{e} \Lambda_{aec} - \partial_{d} \Lambda_{abc} + \Gamma_{bc}^{e} \Lambda_{ead} + \Gamma_{bc}^{e} \Lambda_{aed} + \Lambda_{acf} \Gamma_{bd}^{f} - \Lambda_{adf} \Gamma_{bc}^{f} \qquad (ex-0303.110)$$

$$= \partial_{c} \Lambda_{abd} - \Gamma_{bd}^{e} \Gamma_{ae} - \Gamma_{bd}^{e} \Gamma_{ae} - \partial_{d} \Lambda_{abc} + \Gamma_{bc}^{e} \Gamma_{ae} \Gamma_{bc}^{e} + \Lambda_{aed} \Gamma_{bc}^{e} + \Lambda_{acf} \Gamma_{bd}^{f} - \Lambda_{adf} \Gamma_{bc}^{f} \qquad (ex-0303.111)$$

$$= \partial_{c} \Lambda_{abd} - \Gamma_{eac} \Gamma_{bd}^{e} - \Lambda_{aec} \Gamma_{bd}^{e} - \partial_{d} \Lambda_{abc} + \Lambda_{ead} \Gamma_{bc}^{e} + \Lambda_{aed} \Gamma_{bc}^{e} + \Lambda_{aed} \Gamma_{bc}^{e} - \Lambda_{ade} \Gamma_{bc}^{e} \qquad (ex-0303.112)$$

$$= \partial_{c} \Gamma_{abd} - \Gamma_{eac} \Gamma_{bd}^{e} - \Gamma_{aec} \Gamma_{bd}^{e} - \partial_{d} \Gamma_{abc} + \Gamma_{ead} \Gamma_{bc}^{e} + \Gamma_{aed} \Gamma_{bc}^{e} + \Gamma_{aec} \Gamma_{bd}^{e} - \Gamma_{ade} \Gamma_{bc}^{e} \qquad (ex-0303.113)$$

$$= \partial_{c} \Gamma_{abd} - \Gamma_{eac} \Gamma_{bd}^{e} - \partial_{d} \Gamma_{abc} + \Gamma_{ead} \Gamma_{bc}^{e} + \Gamma_{aed} \Gamma_{bc}^{e} + \Gamma_{aec} \Gamma_{bd}^{e} - \Gamma_{ade} \Gamma$$

Exercise 3.4 More symmetries of Riemann

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative.
     g_{a b}::Symmetric.
     g^{a b}::Symmetric.
     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
     \Gamma_{a b c}::TableauSymmetry(shape={2}, indices={1,2}).
10
     GammaU := Gamma^{a}_{b c} \rightarrow 1/2 g^{a d} ( partial_{b}_{g_{d c}})
11
                                                   + \partial_{c}{g_{b d}}
12
                                                   - \partial_{d}{g_{b c}}). # cdb(Gamma.000,GammaU)
13
14
     GammaD := \Gamma_{a b c} -> 1/2 ( \partial_{b}_{g_{a c}})
15
                                        + \partial_{c}{g_{b a}}
16
                                        - \partial_{a}{g_{b c}}).
                                                                             # cdb(Gamma.010,GammaD)
17
18
     Rabcd := R_{a b c d} \rightarrow \beta_{c d} 
19
                             - \partial_{d}{\Gamma_{a b c}}
20
                             + \Gamma_{e a d} \Gamma^{e}_{b c}
21
                             - \Gamma_{e a c} \Gamma^{e}_{b d}.
                                                                              # cdb(Rabcd.000,Rabcd)
22
```

Exercise 3.4 Antisymmetry on first pair of indices

```
expr := R_{a b c d} + R_{b a c d}.
                                         # cdb(ex-0304.101,expr)
                    (expr, Rabcd)
                                         # cdb(ex-0304.102,expr)
    substitute
                   (expr, GammaU)
                                         # cdb(ex-0304.103,expr)
    substitute
                   (expr, GammaD)
    substitute
                                         # cdb(ex-0304.104,expr)
                   (expr)
                                         # cdb(ex-0304.105,expr)
    distribute
                                         # cdb(ex-0304.106,expr)
                   (expr)
    product_rule
                                         # cdb(ex-0304.107,expr)
    sort_product
                    (expr)
                                         # cdb(ex-0304.108,expr)
    rename_dummies (expr)
    canonicalise
                    (expr)
                                         # cdb(ex-0304.109,expr)
10
```

$$\begin{split} R_{abcd} + R_{bacd} &= \partial \Gamma_{abd} - \partial_b \Gamma_{abc} + \Gamma_{ead} \Gamma_{bc}^c - \Gamma_{eac} \Gamma_{bd}^c + \partial_b \Gamma_{bac} - \partial_b \Gamma_{bac} - \Gamma_{ebc} \Gamma_{ad}^c - \Gamma_{ebc} \Gamma_{ad}^c - \Gamma_{ebc} \Gamma_{ad}^c \\ &= \partial \Gamma_{abd} - \partial_b \Gamma_{abc} + \frac{1}{2} \Gamma_{cad} g^{ef} \left(\partial_b g_{fc} + \partial_g g_{bf} - \partial_g g_{bc} \right) - \frac{1}{2} \Gamma_{cac} g^{ef} \left(\partial_b g_{fd} + \partial_g g_{bf} - \partial_g g_{bd} \right) + \partial_b \Gamma_{bad} - \partial_b \Gamma_{bac} \\ &+ \frac{1}{2} \Gamma_{ebd} g^{ef} \left(\partial_d g_{fc} + \partial_g g_{af} - \partial_g g_{ac} \right) - \frac{1}{2} \Gamma_{ebc} g^{ef} \left(\partial_d g_{fd} + \partial_d g_{af} - \partial_g g_{ad} \right) \\ &= \partial_c \left(\frac{1}{2} \partial_b g_{ad} + \frac{1}{2} \partial_d g_{bc} - \frac{1}{2} \partial_d g_{bc} \right) - \partial_d \left(\frac{1}{2} \partial_b g_{ac} + \frac{1}{2} \partial_g g_{ba} - \frac{1}{2} \partial_d g_{bc} \right) + \frac{1}{2} \left(\frac{1}{2} \partial_d g_{cd} + \frac{1}{2} \partial_d g_{ac} - \frac{1}{2} \partial_g g_{ad} \right) g^{ef} \left(\partial_b g_{fc} + \partial_g g_{bf} - \partial_g g_{bc} \right) \\ &- \frac{1}{2} \left(\frac{1}{2} \partial_d g_{bc} + \frac{1}{2} \partial_g g_{ac} - \frac{1}{2} \partial_g g_{ac} \right) g^{ef} \left(\partial_b g_{fd} + \partial_g g_{bf} - \partial_g g_{bd} \right) + \partial_c \left(\frac{1}{2} \partial_d g_{bd} + \frac{1}{2} \partial_g g_{ad} \right) g^{ef} \left(\partial_d g_{fc} + \partial_g g_{af} - \partial_g g_{ad} \right) \\ &- \partial_d \left(\frac{1}{2} \partial_d g_{bc} + \frac{1}{2} \partial_g g_{ac} \right) g^{ef} \left(\partial_d g_{fd} + \partial_g g_{af} - \partial_g g_{ad} \right) g^{ef} \left(\partial_d g_{fc} + \partial_g g_{af} - \partial_g g_{ac} \right) \\ &- \frac{1}{2} \left(\frac{1}{2} \partial_g g_{bc} + \frac{1}{2} \partial_g g_{bc} \right) g^{ef} \left(\partial_g g_{fd} + \partial_g g_{af} - \partial_g g_{ad} \right) g^{ef} \left(\partial_g g_{fc} + \partial_g g_{af} - \partial_g g_{ad} \right) \\ &- \frac{1}{2} \left(\frac{1}{2} \partial_g g_{bc} + \frac{1}{2} \partial_g g_{bc} \right) g^{ef} \left(\partial_g g_{fd} + \partial_g g_{af} - \partial_g g_{ad} \right) g^{ef} \left(\partial_g g_{fc} + \partial_g g_{af} - \partial_g g_{ad} \right) \\ &- \frac{1}{2} \left(\frac{1}{2} \partial_g g_{bc} + \frac{1}{2} \partial_g g_{bc} \right) g^{ef} \left(\partial_g g_{fd} + \partial_g g_{af} - \partial_g g_{ad} \right) g^{ef} \left(\partial_g g_{fc} + \partial_g g_{af} - \partial_g g_{ad} \right) \\ &- \frac{1}{2} \left(\frac{1}{2} \partial_g g_{bc} + \frac{1}{2} \partial_g g_{bc} \right) g^{ef} \left(\partial_g g_{fd} + \partial_g g_{af} - \partial_g g_{ad} \right) g^{ef} \left(\partial_g g_{fc} + \partial_g g_{af} - \partial_g g_{ad} \right) g^{ef} \left(\partial_g g_{fc} + \partial_g g_{af} - \partial_g g_{af} \right) g^{ef} \left(\partial_g g_{fc} + \partial_g g_{af} - \partial_g g_{af} \right) g^{ef} \left(\partial_g g_{fc} + \partial_g g_{af} - \partial_g g_{af} \right) g^{ef} \left(\partial_g g_{fc} + \partial_g g_{af} - \partial_g g_{af} \right) g^{ef} \left(\partial_g g_{fc} + \partial_g g_{af} - \partial_g g$$

$$R_{abcd} + R_{bacd} = \frac{1}{2} \partial_{c}g_{ba} - \frac{1}{2} \partial_{d}g_{ba} + \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial g_{fc} + \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial g_{bc} - \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial g_{bc} - \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial_{g}g_{bc} + \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial_{g}g_{bc} - \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial_{g}g_{bc} - \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial_{g}g_{bc} - \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial_{g}g_{bc} - \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial_{g}g_{bc} + \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial_{g}g_{bc} - \frac{1}{4} \partial_{g}e_{d}g^{ef} \partial_{g}g_{ef} - \frac{1}{4} \partial_{g}e_{d}g^{ef} \partial_{g}g_{ef} - \frac{1}{4} \partial_{g}e_{d}g^{ef} \partial_{g}g_{ef} - \frac{1}{4} \partial_{g}e_{e}g^{ef} \partial_{g}g_{ef}$$

$$R_{abcd} + R_{bacd} = \frac{1}{2} \partial_{cd}g_{ba} - \frac{1}{2} \partial_{d}g_{ba} + \frac{1}{4} \partial_{d}g_{ed} \partial_{d}g_{fc}g^{ef} + \frac{1}{4} \partial_{d}g_{ed} \partial_{g}g_{f}g^{ef} - \frac{1}{4} \partial_{d}g_{fd} \partial_{g}g_{c}g^{fe} + \frac{1}{4} \partial_{d}g_{ec} \partial_{d}g_{f}g^{fe} - \frac{1}{4} \partial_{d}g_{ec} \partial_{d}g$$

Exercise 3.4 Symmetric on swapping first and second pair of indices

```
expr := R_{a b c d} - R_{c d a b}.
                                         # cdb(ex-0304.201,expr)
                    (expr, Rabcd)
                                          # cdb(ex-0304.202,expr)
    substitute
                   (expr, GammaU)
                                          # cdb(ex-0304.203,expr)
    substitute
                   (expr, GammaD)
                                          # cdb(ex-0304.204,expr)
    substitute
                   (expr)
                                          # cdb(ex-0304.205,expr)
    distribute
                                          # cdb(ex-0304.206,expr)
                   (expr)
    product_rule
                                          # cdb(ex-0304.207,expr)
    sort_product
                    (expr)
                                          # cdb(ex-0304.208,expr)
    rename_dummies (expr)
    canonicalise
                    (expr)
                                          # cdb(ex-0304.209,expr)
10
```

$$\begin{split} R_{abcd} - R_{cdab} &= \partial_t \Gamma_{abd} - \partial_t \Gamma_{bc} + \Gamma_{cca} \Gamma^{c}_{bc} - \Gamma_{ccc} \Gamma^{c}_{bd} - \partial_t \Gamma_{cdb} - \partial_t \Gamma_{cdb} - \Gamma_{ccb} \Gamma^{c}_{bd} - \Gamma_{ccb} \Gamma^{c}_{bd} \\ &= \partial_t \Gamma_{abd} - \partial_t \Gamma_{abc} + \frac{1}{2} \Gamma_{cad} g^{cf} \left(\partial_t g_{fc} + \partial_t g_{bf} - \partial_t g_{bc} \right) - \frac{1}{2} \Gamma_{cac} g^{cf} \left(\partial_t g_{fd} + \partial_t g_{bf} - \partial_t g_{bd} \right) - \partial_t \Gamma_{cdb} + \partial_t \Gamma_{cda} \\ &- \frac{1}{2} \Gamma_{ccb} g^{cf} \left(\partial_t g_{fa} + \partial_t g_{bf} - \partial_t g_{bc} \right) + \frac{1}{2} \Gamma_{cca} g^{cf} \left(\partial_t g_{fb} + \partial_t g_{bf} - \partial_t g_{bb} \right) \\ &= \partial_c \left(\frac{1}{2} \partial_t g_{bd} + \frac{1}{2} \partial_t g_{ba} - \frac{1}{2} \partial_t g_{bd} \right) - \partial_t \left(\frac{1}{2} \partial_t g_{ba} + \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} \right) + \frac{1}{2} \left(\frac{1}{2} \partial_t g_{cc} + \frac{1}{2} \partial_t g_{ac} - \frac{1}{2} \partial_t g_{bf} \right) - \partial_t \left(\frac{1}{2} \partial_t g_{bc} + \frac{1}{2} \partial_t g_{bc} \right) \\ &- \frac{1}{2} \left(\frac{1}{2} \partial_t g_{cc} + \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bd} \right) - \partial_t \left(\frac{1}{2} \partial_t g_{bc} + \frac{1}{2} \partial_t g_{bc} \right) + \frac{1}{2} \partial_t g_{bc} + \frac{1}{2} \partial_t g_{ac} - \frac{1}{2} \partial_t g_{ab} \right) \\ &+ \partial_b \left(\frac{1}{2} \partial_t g_{cc} + \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bd} \right) - \frac{1}{2} \left(\frac{1}{2} \partial_t g_{bc} + \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} \right) \\ &+ \frac{1}{2} \left(\frac{1}{2} \partial_t g_{cc} + \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} \right) - \frac{1}{2} \left(\frac{1}{2} \partial_t g_{bc} + \frac{1}{2} \partial_t g_{bc} \right) \\ &+ \frac{1}{2} \left(\frac{1}{2} \partial_t g_{cc} + \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} \right) - \frac{1}{2} \partial_t g_{bc} \\ &+ \frac{1}{2} \partial_t g_{bc} + \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} \right) \\ &+ \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} \right) \\ &+ \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} - \frac{1}{2} \partial_t g_{bc} \right) \\ &+ \frac{1}{4} \partial_t g_{cc} g^{cf} \partial_t g_{bf} - \frac{1}{4} \partial_t g_{cc} g^{cf} \partial_t g_{bc} - \frac{1}{4} \partial_t g_{cc} g^{cf} \partial_t g_{bf} + \frac{1}{4} \partial_t g_{cc} g^{cf} \partial_t g_{bf} - \frac{1}{4} \partial_t g_{cc$$

$$\begin{split} R_{abcd} - R_{cdab} &= \frac{1}{2} \partial_{c}g_{ad} + \frac{1}{2} \partial_{c}g_{ba} - \frac{1}{2} \partial_{c}g_{ba} - \frac{1}{2} \partial_{d}g_{ac} - \frac{1}{2} \partial_{d}g_{bc} + \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial_{g}g_{f} - \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial_{g}g_{bc} + \frac{1}{4} \partial_{d}e_{d}g^{ef} \partial_{g}g_{bc} \\ + \frac{1}{4} \partial_{d}g_{ac}g^{ef} \partial_{g}g_{bd} - \frac{1}{4} \partial_{d}g_{ac}g^{ef} \partial_{g}g_{bc} - \frac{1}{4} \partial_{d}g_{d}g^{ef} \partial_{g}g_{bf} - \frac{1}{4} \partial_{d}g_{ad}g^{ef} \partial_{g}g_{bf} - \frac{1}{4} \partial_{d}g_{ad}g^{ef} \partial_{g}g_{bf} - \frac{1}{4} \partial_{d}g_{ac}g^{ef} \partial_{g}g_{bf} \\ + \frac{1}{4} \partial_{d}g_{ac}g^{ef} \partial_{g}g_{bd} - \frac{1}{4} \partial_{d}g_{ac}g^{ef} \partial_{g}g_{fd} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{bf} + \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{bf} + \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{bf} \\ - \frac{1}{2} \partial_{a}g_{cb} - \frac{1}{2} \partial_{a}g_{bc} + \frac{1}{2} \partial_{a}g_{bc}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{bf} \\ - \frac{1}{2} \partial_{a}g_{cb} - \frac{1}{2} \partial_{a}g_{bc} + \frac{1}{2} \partial_{a}g_{bc}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{2} \partial_{a}g_{cb}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g}g_{ff} \\ - \frac{1}{4} \partial_{g}g_{ac}g^{ef} \partial_{g$$

$$R_{abcd} - R_{cdab} = \frac{1}{2} \partial_{ct}g_{ad} + \frac{1}{2} \partial_{ct}g_{ba} - \frac{1}{2} \partial_{ct}g_{bd} - \frac{1}{2} \partial_{dt}g_{ac} - \frac{1}{2} \partial_{dt}g_{bc} + \frac{1}{4} \partial_{dt}g_{ed}\partial_{t}g_{fc}g^{ef} + \frac{1}{4} \partial_{dt}g_{ed}\partial_{t}g_{bf}g^{ef} - \frac{1}{4} \partial_{t}g_{fd}\partial_{t}g_{bc}g^{fe} + \frac{1}{4} \partial_{t}g_{ec}\partial_{t}g_{ff}g^{fe}$$

$$+ \frac{1}{4} \partial_{t}g_{be}\partial_{t}g_{af}g^{fe} - \frac{1}{4} \partial_{t}g_{af}\partial_{t}g_{bc}g^{fe} - \frac{1}{4} \partial_{t}g_{fc}\partial_{t}g_{ad}g^{ef} - \frac{1}{4} \partial_{t}g_{fc}\partial_{t}g_{ad}g^{ef} - \frac{1}{4} \partial_{t}g_{fc}\partial_{t}g_{ad}g^{ef} - \frac{1}{4} \partial_{t}g_{fc}\partial_{t}g_{d}g^{ef} - \frac{1}{4} \partial_{t}g_{ec}\partial_{t}g_{fg}g^{ef}$$

$$+ \frac{1}{4} \partial_{t}g_{fc}\partial_{t}g_{bd}g^{fe} - \frac{1}{4} \partial_{t}g_{ed}\partial_{t}g_{af}g^{fe} - \frac{1}{4} \partial_{t}g_{ac}\partial_{t}g_{bf}g^{ef} + \frac{1}{4} \partial_{t}g_{fd}\partial_{t}g_{ad}g^{ef} + \frac{1}{4} \partial_{t}g_{fd}\partial_{t}g_{ac}g^{ef} - \frac{1}{4} \partial_{t}g_{fd}\partial_{t}g_{ac}g^{ef} - \frac{1}{4} \partial_{t}g_{ec}\partial_{t}g_{bf}g^{ef}$$

$$- \frac{1}{2} \partial_{ad}g_{cb} - \frac{1}{2} \partial_{at}g_{dc} + \frac{1}{2} \partial_{at}g_{db} + \frac{1}{2} \partial_{bt}g_{ca} + \frac{1}{2} \partial_{bt}g_{dc} - \frac{1}{2} \partial_{bt}g_{dc} - \frac{1}{2} \partial_{bt}g_{da}g^{ef} - \frac{1}{4} \partial_{t}g_{de}\partial_{t}g_{fg}g^{ef} + \frac{1}{4} \partial_{t}g_{fb}\partial_{t}g_{dg}g^{ef}$$

$$- \frac{1}{4} \partial_{t}g_{ce}\partial_{t}g_{fa}g^{ef} - \frac{1}{4} \partial_{t}g_{de}\partial_{t}g_{ef}g^{fe} + \frac{1}{4} \partial_{t}g_{ef}\partial_{t}g_{dg}g^{ef} + \frac{1}{4} \partial_{t}g_{eb}\partial_{t}g_{ef}g^{ef} + \frac{1}{4} \partial_{t}g_{de}\partial_{t}g_{ef}g^{ef}$$

$$- \frac{1}{4} \partial_{t}g_{ce}\partial_{t}g_{fa}g^{ef} - \frac{1}{4} \partial_{t}g_{de}\partial_{t}g_{ef}g^{ef} + \frac{1}{4} \partial_{t}g_{ef}\partial_{t}g_{ef}g^{ef} + \frac{1}{4} \partial_{t}g_{ef}\partial_{t}g_{ef}g^{ef} + \frac{1}{4} \partial_{t}g_{ef}\partial_{t}g_{ef}g^{ef}$$

$$- \frac{1}{4} \partial_{t}g_{ee}\partial_{t}g_{fa}g^{ef} - \frac{1}{4} \partial_{t}g_{ef}\partial_{t}g_{ef}g^{ef} + \frac{1}{4} \partial_{t}g_{ee}\partial_{t}g_{fg}g^{ef} - \frac{1}{4} \partial_{t}g_{ef}\partial_{t}g_{ef}g^{ef} - \frac{1}{4} \partial_{t}g_{ef}\partial_{t}g_{ef}g^{ef} - \frac{1}{4} \partial_{t}g_{ef}\partial_{t}g_{ef}g^{ef}$$

$$+ \frac{1}{4} \partial_{t}g_{ee}\partial_{t}g_{fg}g^{ef} - \frac{1}{4} \partial_{t}g_{ef}\partial_{t}g_{ef}g^{ef} - \frac{1}{4} \partial$$

Exercise 3.5 Commutation of covariant derivatives

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w#}::Indices(position=independent).

// Nabla{#}::Derivative.

expr := \nabla_{d}{\nabla_{c}{A_{a} B_{b}}}

- \nabla_{c}{A_{a} B_{b}}. # cdb(ex-0305.100,expr)

product_rule (expr) # cdb(ex-0305.101,expr)

distribute (expr) # cdb(ex-0305.102,expr)

product_rule (expr) # cdb(ex-0305.103,expr)

product_rule (expr) # cdb(ex-0305.103,expr)

factor_out (expr,$A_{a?},B_{b?}) # cdb(ex-0305.104,expr)
```

$$\nabla_{d}(\nabla_{c}(A_{a}B_{b})) - \nabla_{c}(\nabla_{d}(A_{a}B_{b})) = \nabla_{d}(\nabla_{c}A_{a}B_{b} + A_{a}\nabla_{c}B_{b}) - \nabla_{c}(\nabla_{d}A_{a}B_{b} + A_{a}\nabla_{d}B_{b})$$

$$= \nabla_{d}(\nabla_{c}A_{a}B_{b}) + \nabla_{d}(A_{a}\nabla_{c}B_{b}) - \nabla_{c}(\nabla_{d}A_{a}B_{b}) - \nabla_{c}(A_{a}\nabla_{d}B_{b})$$

$$= \nabla_{d}(\nabla_{c}A_{a})B_{b} + A_{a}\nabla_{d}(\nabla_{c}B_{b}) - \nabla_{c}(\nabla_{d}A_{a})B_{b} - A_{a}\nabla_{c}(\nabla_{d}B_{b})$$

$$= B_{b}(\nabla_{d}(\nabla_{c}A_{a}) - \nabla_{c}(\nabla_{d}A_{a})) + A_{a}(\nabla_{d}(\nabla_{c}B_{b}) - \nabla_{c}(\nabla_{d}B_{b}))$$

$$= B_{b}(\nabla_{d}(\nabla_{c}A_{a}) - \nabla_{c}(\nabla_{d}A_{a})) + A_{a}(\nabla_{d}(\nabla_{c}B_{b}) - \nabla_{c}(\nabla_{d}B_{b}))$$

$$= (ex-0305.101)$$

$$= (ex-0305.102)$$

$$= (ex-0305.102)$$

$$= (ex-0305.102)$$

$$= (ex-0305.103)$$

$$= (ex-0305.104)$$

Exercise 3.6 Commutation of ∇ on the Riemann tensor – simple computation

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
             DD{#}::Derivative.
             \nabla{#}::Derivative.
             RabcdF := R_{a b c d} -> A_{a} B_{b} C_{c} D_{d}.
                                                                                                                                                                 # cdb(RabcdF.000,RabcdF)
             RabcdB := A_{a} B_{b} C_{c} D_{d} -> R_{a} b c d.
                                                                                                                                                                 # cdb(RabcdB.000, RabcdB)
             derivDD := DD_{b c}{V?_{a}} \rightarrow R^{d}_{a b c} V?_{d}. \# cdb(derivDD.000, derivDD)
10
             nablaDD := \\nabla_{f}{\nabla_{e}_{R_{a} b c d}}
11
                                     - \ndering - \nderin
12
13
             # product rule for DD acting on A_{a} B_{b} C_{c} D_{d}
14
             pruleDD := DD_{e f}{A_{a} B_{b} C_{c} D_{d}} -> DD_{e f}{A_{a}} B_{b} C_{c} D_{d}
15
                                                                                                                                        + A_{a} DD_{e f}{B_{b}} C_{c} D_{d}
16
                                                                                                                                        + A_{a} B_{b} DD_{e f}{C_{c}} D_{d}
17
                                                                                                                                        + A_{a} B_{b} C_{c} DD_{e f}{D_{d}}.
18
                                                                                                                                                                 # cdb(pruleDD.000,pruleDD)
19
20
             21
                                  - \ne {c} {\nabla_{f}}{R_{a} b c d}}.
                                                                                                                                                                 # cdb (ex-0306.100, expr)
22
              substitute
                                                (expr,nablaDD)
                                                                                                                                                                 # cdb (ex-0306.101, expr)
                                                (expr,RabcdF)
                                                                                                                                                                 # cdb (ex-0306.102, expr)
              substitute
                                           (expr,pruleDD)
                                                                                                                                                                 # cdb (ex-0306.103, expr)
             substitute
26
                                                                                                                                                                 # cdb (ex-0306.104, expr)
             substitute
                                                (expr,derivDD)
27
             sort_product (expr)
                                                                                                                                                                 # cdb (ex-0306.105, expr)
28
                                                 (expr,RabcdB)
                                                                                                                                                                 # cdb (ex-0306.106, expr)
              substitute
```

$$\begin{split} \nabla_{f}(\nabla_{e}R_{abcd}) &- \nabla_{e}(\nabla_{f}R_{abcd}) = DD_{ef}R_{abcd} \\ &= DD_{ef}(A_{a}B_{b}C_{c}D_{d}) \\ &= DD_{ef}A_{a}B_{b}C_{c}D_{d} + A_{a}DD_{ef}B_{b}C_{c}D_{d} + A_{a}B_{b}DD_{ef}C_{c}D_{d} + A_{a}B_{b}C_{c}DD_{ef}D_{d} \\ &= R^{g}_{aef}A_{g}B_{b}C_{c}D_{d} + A_{a}R^{g}_{bef}B_{g}C_{c}D_{d} + A_{a}B_{b}R^{g}_{cef}C_{g}D_{d} + A_{a}B_{b}C_{c}R^{g}_{def}D_{g} \\ &= A_{g}B_{b}C_{c}D_{d}R^{g}_{aef} + A_{a}B_{g}C_{c}D_{d}R^{g}_{bef} + A_{a}B_{b}C_{g}D_{d}R^{g}_{cef} + A_{a}B_{b}C_{c}D_{g}R^{g}_{def} \\ &= R_{gbcd}R^{g}_{aef} + R_{agcd}R^{g}_{bef} + R_{abgd}R^{g}_{cef} + R_{abcg}R^{g}_{def} \end{aligned} \tag{ex-0306.101}$$

Exercise 3.7 Commutation of ∇ on the Riemann tensor – direct computation

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
               ;::Symbol;
               \partial{#}::PartialDerivative.
               \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
               RabcdD := \partial_{c}{\Gamma_{a b d}}
                                           - \partial_{d}{\Gamma_{a b c}}
10
                                           + \Gamma_{e a d} \Gamma^{e}_{b c}
11
                                           - \Gamma_{e a c} \Gamma^{e}_{b d} -> R_{a b c d}.
                                                                                                                                                                                                                             # cdb(Rabcd.010,RabcdD)
12
13
               RabcdU := \partial_{c}{\Gamma^{a}_{b d}}
14
                                           - \partial_{d}{\Gamma^{a}_{b c}}
15
                                           + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
16
                                           - \Gamma_{e} = \Gamma_{e} \ Camma^{e} - \Gamma_{e} \ Camma^
                                                                                                                                                                                                                               # cdb(Rabcd.000,RabcdU)
17
18
               d1Rabcd := R_{a b c d ; e} \rightarrow partial_{e}_{R_{a b c d}}
                                                                                                      - Gamma^{f}_{a e} R_{f b c d}
20
                                                                                                       - Gamma^{f}_{b} = R_{a} f c d
21
                                                                                                       - Gamma^{f}_{c e} R_{a b f d}
22
                                                                                                       - Gamma^{f}_{d}e R_{a} b c f.
                                                                                                                                                                                                                               # cdb(d1Rabcd.000,d1Rabcd)
23
24
               25
                                                                                                                  - Gamma^{g}_{a f} R_{g b c d ; e}
26
                                                                                                                  - \Gamma^{g}_{b f} R_{a g c d ; e}
27
                                                                                                                  - \Gamma^{g}_{c f} R_{a b g d ; e}
28
                                                                                                                   - Gamma^{g}_{d} f R_{a b c g ; e}
29
                                                                                                                  - Gamma^{g}_{e f} R_{a b c d ; g}. # cdb(d2Rabcd.000, d2Rabcd)
30
31
               substitute (d2Rabcd,d1Rabcd)
                                                                                                                                                                                                                                # cdb (d2Rabcd.001, d2Rabcd)
32
33
               expr := R_{a} b c d ; e ; f - R_{a} b c d ; f ; e.
                                                                                                                                                                                                                               # cdb (ex-0307.100, expr)
34
35
                                                          (expr,d2Rabcd)
                                                                                                                                                                                                                                # cdb (ex-0307.101, expr)
               substitute
```

```
37
                    (expr)
     distribute
                                                                             # cdb (ex-0307.102, expr)
38
     product_rule
                    (expr)
                                                                             # cdb (ex-0307.103, expr)
39
40
     sort_product
                    (expr)
                                                                             # cdb (ex-0307.104, expr)
41
     rename_dummies (expr)
                                                                             # cdb (ex-0307.105, expr)
42
                                                                             # cdb (ex-0307.106, expr)
     canonicalise
                    (expr)
43
     factor_out
                    (expr,$R_{a? b? c? d?}$)
                                                                             # cdb (ex-0307.107, expr)
45
                    (expr,RabcdU)
                                                                             # cdb (ex-0307.108, expr)
     substitute
46
                    (expr, R^{a}_{b c d} -> -R^{a}_{b d c})
                                                                             # cdb (ex-0307.109, expr)
     substitute
47
```

```
R_{abcd;e;f} - R_{abcd;f;e} = \partial_f (\partial_e R_{abcd} - \Gamma^g_{ae} R_{gbcd} - \Gamma^g_{be} R_{agcd} - \Gamma^g_{ce} R_{abgd} - \Gamma^g_{de} R_{abcg}) - \Gamma^g_{af} \left(\partial_e R_{abcd} - \Gamma^h_{ae} R_{hbcd} - \Gamma^h_{be} R_{qhcd} - \Gamma^h_{ce} R_{qbbd} - \Gamma^h_{de} R_{qbch}\right)
                                                                     -\Gamma^g_{bf}\left(\partial_e R_{aacd} - \Gamma^h_{ae} R_{hacd} - \Gamma^h_{ae} R_{ahcd} - \Gamma^h_{ce} R_{aahd} - \Gamma^h_{de} R_{aach}\right)
                                                                      -\Gamma_{cf}^{g}\left(\partial_{e}R_{abad}-\Gamma_{ae}^{h}R_{bbad}-\Gamma_{be}^{h}R_{abad}-\Gamma_{ae}^{h}R_{abbd}-\Gamma_{de}^{h}R_{abab}\right)
                                                                      -\Gamma^g_{df}\left(\partial_e R_{abcg} - \Gamma^h_{ae} R_{bbcg} - \Gamma^h_{be} R_{abcg} - \Gamma^h_{ce} R_{abhg} - \Gamma^h_{ae} R_{abch}\right)
                                                                      -\Gamma_{ef}^{g}\left(\partial_{a}R_{abcd}-\Gamma_{aa}^{h}R_{hbcd}-\Gamma_{ba}^{h}R_{abcd}-\Gamma_{ca}^{h}R_{abbd}-\Gamma_{da}^{h}R_{abch}\right)
                                                                      -\partial_e(\partial_f R_{abcd} - \Gamma^g_{af} R_{abcd} - \Gamma^g_{bf} R_{aacd} - \Gamma^g_{cf} R_{abad} - \Gamma^g_{df} R_{abca}) + \Gamma^g_{ae} \left(\partial_f R_{abcd} - \Gamma^h_{af} R_{bbcd} - \Gamma^h_{bf} R_{abcd} - \Gamma^h_{cf} R_{abbd} - \Gamma^h_{df} R_{abch}\right)
                                                                     +\Gamma^g_{bc}\left(\partial_f R_{aacd} - \Gamma^h_{af} R_{bacd} - \Gamma^h_{af} R_{abcd} - \Gamma^h_{cf} R_{aabd} - \Gamma^h_{df} R_{aacb}\right)
                                                                     +\Gamma_{ce}^{g}\left(\partial_{f}R_{abad}-\Gamma_{af}^{h}R_{bbad}-\Gamma_{bf}^{h}R_{abad}-\Gamma_{af}^{h}R_{abad}-\Gamma_{af}^{h}R_{abad}\right)
                                                                     +\Gamma^g_{de}\left(\partial_f R_{abca} - \Gamma^h_{af} R_{hbca} - \Gamma^h_{bf} R_{ahca} - \Gamma^h_{cf} R_{abhq} - \Gamma^h_{af} R_{abch}\right)
                                                                     +\Gamma^{g}_{fe}\left(\partial_{a}R_{abcd}-\Gamma^{h}_{aa}R_{hbcd}-\Gamma^{h}_{ba}R_{ahcd}-\Gamma^{h}_{cg}R_{abhd}-\Gamma^{h}_{dg}R_{abch}\right)
                                                                                                                                                                                                                                                                                                                                                                                                                               (ex-0307.101)
R_{abcd:e;f} - R_{abcd:f;e} = \partial_{fe}R_{abcd} - \partial_{f}(\Gamma^{g}_{ae}R_{abcd}) - \partial_{f}(\Gamma^{g}_{be}R_{aacd}) - \partial_{f}(\Gamma^{g}_{ce}R_{abad}) - \partial_{f}(\Gamma^{g}_{de}R_{abca}) - \Gamma^{g}_{af}\partial_{e}R_{abcd} + \Gamma^{g}_{af}\Gamma^{h}_{ae}R_{hbcd} + \Gamma^{g}_{af}\Gamma^{h}_{be}R_{abcd}
                                                                     +\Gamma^g_{af}\Gamma^h_{ce}R_{abbd}+\Gamma^g_{af}\Gamma^h_{de}R_{abch}-\Gamma^g_{bf}\partial_e R_{aacd}+\Gamma^g_{bf}\Gamma^h_{ae}R_{bacd}+\Gamma^g_{bf}\Gamma^h_{ae}R_{abcd}+\Gamma^g_{bf}\Gamma^h_{ce}R_{aabd}+\Gamma^g_{bf}\Gamma^h_{de}R_{aach}-\Gamma^g_{cf}\partial_e R_{abcd}
                                                                     +\Gamma^g_{cf}\Gamma^h_{ae}R_{bbad}+\Gamma^g_{cf}\Gamma^h_{be}R_{abad}+\Gamma^g_{cf}\Gamma^h_{ae}R_{abbd}+\Gamma^g_{cf}\Gamma^h_{de}R_{abab}-\Gamma^g_{df}\partial_e R_{abca}+\Gamma^g_{df}\Gamma^h_{ae}R_{bbca}+\Gamma^g_{df}\Gamma^h_{be}R_{abca}+\Gamma^g_{df}\Gamma^h_{ce}R_{abba}
                                                                     +\Gamma^g_{df}\Gamma^h_{ae}R_{abch}-\Gamma^g_{ef}\partial_aR_{abcd}+\Gamma^g_{ef}\Gamma^h_{ag}R_{bbcd}+\Gamma^g_{ef}\Gamma^h_{bg}R_{abcd}+\Gamma^g_{ef}\Gamma^h_{cg}R_{abbd}+\Gamma^g_{ef}\Gamma^h_{dg}R_{abch}-\partial_{ef}R_{abcd}+\partial_{e}(\Gamma^g_{af}R_{abcd})
                                                                     +\partial_e(\Gamma^g_{bf}R_{aacd}) + \partial_e(\Gamma^g_{cf}R_{abad}) + \partial_e(\Gamma^g_{df}R_{abcg}) + \Gamma^g_{ae}\partial_f R_{abcd} - \Gamma^g_{ae}\Gamma^h_{af}R_{bbcd} - \Gamma^g_{ae}\Gamma^h_{bf}R_{abcd} - \Gamma^g_{ae}\Gamma^h_{cf}R_{abbd} - \Gamma^g_{ae}\Gamma^h_{df}R_{abch}
                                                                     +\Gamma^g_{be}\partial_f R_{aacd} - \Gamma^g_{be}\Gamma^h_{af}R_{hacd} - \Gamma^g_{be}\Gamma^h_{af}R_{ahcd} - \Gamma^g_{be}\Gamma^h_{cf}R_{aahd} - \Gamma^g_{be}\Gamma^h_{df}R_{aach} + \Gamma^g_{ce}\partial_f R_{abad} - \Gamma^g_{ce}\Gamma^h_{af}R_{hbad} - \Gamma^g_{ce}\Gamma^h_{bf}R_{ahad}
                                                                      -\Gamma^g_{ce}\Gamma^h_{af}R_{abbd} - \Gamma^g_{ce}\Gamma^h_{df}R_{abab} + \Gamma^g_{de}\partial_f R_{abca} - \Gamma^g_{de}\Gamma^h_{af}R_{bbca} - \Gamma^g_{de}\Gamma^h_{bf}R_{abca} - \Gamma^g_{de}\Gamma^h_{cf}R_{abba} - \Gamma^g_{de}\Gamma^h_{af}R_{abcb} + \Gamma^g_{fe}\partial_o R_{abcd}
                                                                      -\Gamma^g_{fe}\Gamma^h_{aa}R_{bbcd}-\Gamma^g_{fe}\Gamma^h_{ba}R_{abcd}-\Gamma^g_{fe}\Gamma^h_{ca}R_{abbd}-\Gamma^g_{fe}\Gamma^h_{da}R_{abch}
                                                                                                                                                                                                                                                                                                                                                                                                                               (ex-0307.102)
R_{abcd:e:f} - R_{abcd:f:e} = \partial_{fe}R_{abcd} - \partial_{f}\Gamma^{g}_{ae}R_{abcd} - \partial_{f}\Gamma^{g}_{be}R_{agcd} - \partial_{f}\Gamma^{g}_{ce}R_{abgd} - \partial_{f}\Gamma^{g}_{de}R_{abcg} + \Gamma^{g}_{af}\Gamma^{h}_{ge}R_{hbcd} + \Gamma^{g}_{af}\Gamma^{h}_{be}R_{ahcd} + \Gamma^{g}_{af}\Gamma^{h}_{de}R_{abch} + \Gamma^
                                                                     +\Gamma^g_{hf}\Gamma^h_{ae}R_{hacd}+\Gamma^g_{hf}\Gamma^h_{ae}R_{abcd}+\Gamma^g_{hf}\Gamma^h_{ce}R_{aabd}+\Gamma^g_{hf}\Gamma^h_{de}R_{aach}+\Gamma^g_{cf}\Gamma^h_{ae}R_{bbad}+\Gamma^g_{cf}\Gamma^h_{be}R_{abad}+\Gamma^g_{cf}\Gamma^h_{ae}R_{abbd}+\Gamma^g_{cf}\Gamma^h_{de}R_{abab}
                                                                     +\Gamma^g_{df}\Gamma^h_{ae}R_{bbca} + \Gamma^g_{df}\Gamma^h_{be}R_{abca} + \Gamma^g_{df}\Gamma^h_{ce}R_{abba} + \Gamma^g_{df}\Gamma^h_{ae}R_{abcb} - \Gamma^g_{ef}\partial_o R_{abcd} + \Gamma^g_{ef}\Gamma^h_{ag}R_{abcd} + \Gamma^g_{ef}\Gamma^h_{bg}R_{ahcd} + \Gamma^g_{ef}\Gamma^h_{cg}R_{abbd}
                                                                     +\Gamma^g_{ef}\Gamma^h_{da}R_{abch} - \partial_{ef}R_{abcd} + \partial_{\epsilon}\Gamma^g_{af}R_{abcd} + \partial_{\epsilon}\Gamma^g_{bf}R_{aacd} + \partial_{\epsilon}\Gamma^g_{cf}R_{abad} + \partial_{\epsilon}\Gamma^g_{df}R_{abca} - \Gamma^g_{ae}\Gamma^h_{af}R_{hbcd} - \Gamma^g_{ae}\Gamma^h_{bf}R_{abcd}
                                                                      -\Gamma^g_{ae}\Gamma^h_{cf}R_{abbd} - \Gamma^g_{ae}\Gamma^h_{df}R_{abch} - \Gamma^g_{be}\Gamma^h_{af}R_{hacd} - \Gamma^g_{be}\Gamma^h_{af}R_{abcd} - \Gamma^g_{be}\Gamma^h_{cf}R_{aabd} - \Gamma^g_{be}\Gamma^h_{df}R_{aach} - \Gamma^g_{ce}\Gamma^h_{af}R_{hbad}
                                                                      -\Gamma^g_{ce}\Gamma^h_{bf}R_{ahad} - \Gamma^g_{ce}\Gamma^h_{af}R_{abhd} - \Gamma^g_{ce}\Gamma^h_{df}R_{abah} - \Gamma^g_{de}\Gamma^h_{af}R_{hbcg} - \Gamma^g_{de}\Gamma^h_{bf}R_{ahca} - \Gamma^g_{de}\Gamma^h_{cf}R_{abha} - \Gamma^g_{de}\Gamma^h_{af}R_{abch}
                                                                     +\Gamma^g_{fe}\partial_a R_{abcd} - \Gamma^g_{fe}\Gamma^h_{ag}R_{hbcd} - \Gamma^g_{fe}\Gamma^h_{bg}R_{abcd} - \Gamma^g_{fe}\Gamma^h_{cg}R_{abhd} - \Gamma^g_{fe}\Gamma^h_{dg}R_{abch}
                                                                                                                                                                                                                                                                                                                                                                                                                               (ex-0307.103)
```

$$R_{abcd,ef} - R_{abcd,ff,e} = \partial_{f} R_{abcd} - R_{gbcd} \partial_{f} \Gamma_{ge} - R_{agcd} \partial_{f} \Gamma_{ge} - R_{abcg} \partial_{f} \Gamma_{ge} - R_{abcd} \Gamma_{gf} \Gamma_{ge}^{h} + R_{gbcd} \Gamma_{gf}^{g} \Gamma_{be}^{h} + R_{abcd} \Gamma_{gf}^{g} \Gamma_{ge}^{h} + R_{abcd} \Gamma_{gf}^{g} \Gamma_{ge}^{h} + R_{abcd} \Gamma_{gf}^{g} \Gamma_{ge}^{h} + R_{abcd} \Gamma_{gf}$$

Exercise 3.8 Symmetry of R_{ab}

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative;
     g_{a b}::Metric;
     g^{a b}::InverseMetric;
     dgab := \left\{c\right\}\left\{c\right\}\left\{c\right\} - c\right\} - c\right\} = c\right\} - c_{c}
                                                                     # cdb (dgab.000,dgab)
10
     Gamma := Gamma^{a}_{b c} -> (1/2) g^{a e} ( partial_{b}_{g_{e c}})
11
                                                         + \partial_{c}{g_{b e}}
12
                                                         - \partial_{e}{g_{b c}}).
13
                                                                     # cdb (Gamma.000, Gamma)
14
15
     Rabcd := R^{a}_{b c d} ->
16
                \displaystyle \left\{c\right\}\left(G_{a}^{a}\right) + \displaystyle G_{a}^{a}_{e} c \ G_{b} d
17
             - \frac{d}{\Omega}_{a}_{b c} - \Gamma_{a}_{a}_{e d} \Gamma_{e c}.
18
                                                                     # cdb (Rabcd.000, Rabcd)
19
     Rab := R_{a b} -> R^{c}_{a c b}.
                                                                     # cdb (Rab.000, Rab)
21
22
     expr := 4 (R_{a b} - R_{b a}).
                                                                     # cdb (ex-0308.100,expr)
23
24
                     (expr, Rab)
                                                                     # cdb (ex-0308.101,expr)
      substitute
                   (expr, Rabcd)
                                                                     # cdb (ex-0308.102,expr)
     substitute
26
                                                                     # cdb (ex-0308.103,expr)
      substitute
                    (expr, Gamma)
27
28
     distribute
                    (expr)
                                                                     # cdb (ex-0308.104,expr)
29
                                                                     # cdb (ex-0308.105,expr)
     product_rule (expr)
30
     canonicalise (expr)
                                                                     # cdb (ex-0308.106,expr)
31
32
                   (expr, dgab)
      substitute
                                                                     # cdb (ex-0308.107,expr)
33
     canonicalise (expr)
                                                                     # cdb (ex-0308.108,expr)
```

$$4 R_{ab} - 4 R_{bc} = 4 R_{acb}^c - 4 R_{bca}^c \qquad (ax-0308.101)$$

$$= 4 \partial_a T_{ab}^c + 4 \Gamma_{cc}^c \Gamma_{ab}^c - 4 \partial_b T_{ac}^c - 4 \Gamma_{cb}^c \Gamma_{ac}^c - 4 \Gamma_{cb}^c \Gamma_{bc}^c - 4 \Gamma_{cc}^c \Gamma_{ba}^c + 4 \Gamma_{cc}^c \Gamma_{bc}^c + 4 \Gamma_{cc}^c \Gamma_{bc}^c \qquad (ex-0308.102)$$

$$= 2 \partial_c (g^{cc} (\partial_{db} + \partial_{bd} - \partial_{db}) g^{-c} (\partial_{db} + \partial_{db} - \partial_{fb}) g^{-c} (\partial_{db} + \partial_{db} - \partial_{gbc}) g^{-c} (\partial_{db} - \partial_{gbc}) - 2 \partial_b (g^{cc} (\partial_{dbc} + \partial_{dbc} - \partial_{dbc}))$$

$$- g^{cd} (\partial_{ddb} + \partial_{dbc} - \partial_{dbc}) g^{-c} (\partial_{df} + \partial_{dbc} - \partial_{gbc}) - 2 \partial_c (g^{cc} (\partial_{gbc} + \partial_{dbc} - \partial_{gbc}))$$

$$- g^{cd} (\partial_{ddb} + \partial_{dbc} - \partial_{dbc}) g^{-c} (\partial_{gf} + \partial_{dbc} - \partial_{gbc}) g^{-c} (\partial_{gf} + \partial_{dbc} - \partial_{gbc}) - 2 \partial_b (g^{cc} (\partial_{gbc} + \partial_{dbc} - \partial_{gbc}))$$

$$+ g^{cd} (\partial_{ddb} + \partial_{dbc} - \partial_{dbc}) g^{-c} (\partial_{gf} + \partial_{gbc}) - \partial_{gbc}) - 2 \partial_a (g^{cc} (\partial_{gbc} + \partial_{dbc} - \partial_{gbc}))$$

$$+ g^{cd} (\partial_{gdbc} + \partial_{gbc} - \partial_{gbc}) g^{-c} (\partial_{gf} - \partial_{gbbc}) - 2 \partial_b (g^{cc} \partial_{gbc}) - 2 \partial_$$

Exercise 3.8 Symmetry of R_{ab} alternative solution

This differs from the previous code by the inclusion of a call to **canonicalise** immediately after the first two substitutions and a declaration that $\Gamma^a{}_{bc}$ is symmetric in bc. This pair of changes produces a more compact set of results than given above. Incidently, this also shows that $\partial_a \Gamma^c{}_{bc} = \partial_b \Gamma^c{}_{ac}$.

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative;
     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
     g_{a b}::Metric;
     g^{a b}::InverseMetric;
     dgab := \left\{c\right\}\left\{g^{a} b\right\} \rightarrow g^{a} e\right\} g^{b} \left\{p\right\}
10
                                                                  # cdb (dgab.000,dgab)
11
12
     Gamma := Gamma^{a}_{b c} -> (1/2) g^{a e} ( partial_{b}_{g_{e c}})
13
                                                       + \partial_{c}{g_{b e}}
14
                                                       - \partial_{e}{g_{b c}}).
15
                                                                  # cdb (Gamma.000.Gamma)
16
17
     Rabcd := R^{a}_{b c d} ->
18
               \displaystyle \left\{c\right\}\left(Gamma^{a}_{b} + Gamma^{a}_{e} \right) + Gamma^{e}_{b} d
19
             - \frac{d}{\Omega}_{a}= c \ c} - \Gamma_{a}= c \ c} - \Gamma_{a}= c \ c}.
20
                                                                  # cdb (Rabcd.000, Rabcd)
^{21}
^{22}
     Rab := R_{a b} -> R^{c}_{a c b}.
                                                                  # cdb (Rab.000, Rab)
23
24
     expr := 4 (R_{a b} - R_{b a}).
                                                                  # cdb (ex-0308.200,expr)
25
26
                    (expr, Rab)
                                                                  # cdb (ex-0308.201,expr)
     substitute
27
                                                                  # cdb (ex-0308.202,expr)
                   (expr, Rabcd)
     substitute
28
     canonicalise (expr)
                                                                  # cdb (ex-0308.203,expr)
                   (expr, Gamma)
                                                                  # cdb (ex-0308.204,expr)
     substitute
31
                                                                  # cdb (ex-0308.205,expr)
     distribute
                   (expr)
32
```

```
      33
      product_rule (expr)
      # cdb (ex-0308.206,expr)

      34
      canonicalise (expr)
      # cdb (ex-0308.207,expr)

      35
      substitute (expr, dgab)
      # cdb (ex-0308.208,expr)

      37
      canonicalise (expr)
      # cdb (ex-0308.209,expr)
```

$$4R_{ab} - 4R_{ba} = 4R_{acb}^{c} - 4R_{bca}^{c} \qquad (ex-0308.201)$$

$$= 4\partial_{c}\Gamma_{ab}^{c} + 4\Gamma_{cc}^{c}\Gamma_{ab}^{e} - 4\partial_{c}\Gamma_{ac}^{c} - 4\Gamma_{cb}^{c}\Gamma_{ac}^{e} - 4\partial_{c}\Gamma_{ba}^{c} - 4\Gamma_{cc}^{c}\Gamma_{ba}^{e} + 4\partial_{a}\Gamma_{bc}^{c} + 4\Gamma_{ca}^{c}\Gamma_{bc}^{e} \qquad (ex-0308.202)$$

$$= -4\partial_{c}\Gamma_{ac}^{c} + 4\partial_{a}\Gamma_{bc}^{c} \qquad (ex-0308.203)$$

$$= -2\partial_{b}(g^{ce}(\partial_{c}g_{cc} + \partial_{gae} - \partial_{gac})) + 2\partial_{a}(g^{ce}(\partial_{c}g_{cc} + \partial_{gbe} - \partial_{c}g_{bc})) \qquad (ex-0308.204)$$

$$= -2\partial_{b}(g^{ce}\partial_{c}g_{cc}) - 2\partial_{b}(g^{ce}\partial_{gae}) + 2\partial_{b}(g^{ce}\partial_{gae}) + 2\partial_{a}(g^{ce}\partial_{b}g_{cc}) + 2\partial_{a}(g^{ce}\partial_{gbe}) - 2\partial_{a}(g^{ce}\partial_{gbe}) \qquad (ex-0308.205)$$

$$= -2\partial_{c}g^{ce}\partial_{c}g_{cc} - 2g^{ce}\partial_{b}g_{cc} - 2\partial_{c}g^{ce}\partial_{gae} - 2g^{ce}\partial_{b}g_{ae} + 2\partial_{c}g^{ce}\partial_{gae} + 2\partial_{c}g^{ce}\partial_{gae}\partial_{gae} + 2\partial_{c}g^{ce}\partial_{gae}\partial_{gae} + 2\partial_{c}g^{ce}\partial_{gae}\partial_{g$$

Exercise 3.9 Ricci in terms of the metric and its derivatives

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative;
     g_{a b}::Metric;
     g^{a b}::InverseMetric;
     dgab := \hat{c}_{g^{a b}} -> - g^{a e} g^{b f} \right] + cdb (ex-0309.dgab,dgab)
     Gamma := \Gamma^{a}_{b c} ->
10
              (1/2) g^{a} = ( partial_{b}{g_{e} } 
11
                               + \partial_{c}{g_{b e}}
12
                               - \partial_{e}{g_{b c}}).
                                                                                       # cdb (ex-0309.Gamma, Gamma)
13
14
     Rabcd := R^{a}_{b c d} ->
15
              \displaystyle \left\{c\right\}\left(Gamma^{a}_{b} + Gamma^{a}_{e} \right) + Gamma^{e}_{b} d
16
            - \partial_{d}{\Gamma^{a}_{b c}} - \Gamma^{a}_{e d} \Gamma^{e}_{b c}.
                                                                                       # cdb (ex-0309.Rabcd,Rabcd)
17
18
     FourRab := 4 R^{c}_{a} c b.
                                                        # cdb (ex-0309.101, FourRab)
19
20
                    (FourRab, Rabcd)
                                                        # cdb (ex-0309.102, FourRab)
     substitute
21
                    (FourRab, Gamma)
                                                        # cdb (ex-0309.103, FourRab)
     substitute
22
23
     product_rule
                     (FourRab)
                                                        # cdb (ex-0309.104, FourRab)
     distribute
                                                        # cdb (ex-0309.105, FourRab)
                     (FourRab)
26
     substitute
                    (FourRab, dgab)
                                                        # cdb (ex-0309.106, FourRab)
27
28
                     (FourRab)
                                                        # cdb (ex-0309.107, FourRab)
     sort_product
29
                                                        # cdb (ex-0309.108, FourRab)
     rename_dummies (FourRab)
                                                        # cdb (ex-0309.109, FourRab)
                     (FourRab)
     canonicalise
31
32
     # sort so that g to appeares before dg
33
34
                     (FourRab, $g^{a b} -> A^{a b}$)
     substitute
35
                    (FourRab)
     sort_product
```

```
rename_dummies (FourRab)
substitute (FourRab, $A^{a b} -> g^{a b}$) # cdb (ex-0309.110,FourRab)
```

 $4R_{ab} = 4R_{acb}^c$ (ex-0309.101) $=4\partial_{\sigma}\Gamma_{\sigma h}^{c}+4\Gamma_{\sigma c}^{c}\Gamma_{\sigma h}^{e}-4\partial_{h}\Gamma_{\sigma c}^{c}-4\Gamma_{\sigma h}^{c}\Gamma_{\sigma c}^{e}$ (ex-0309.102) $=2\,\partial_{c}(g^{ce}\left(\partial_{a}g_{eb}+\partial_{b}g_{ae}-\right.\partial_{e}g_{ab}))\,+g^{cd}\left(\partial_{e}g_{dc}+\partial_{e}g_{ed}-\right.\partial_{d}g_{ec})\,g^{ef}\left(\partial_{a}g_{fb}+\partial_{b}g_{af}-\right.\partial_{f}g_{ab})\,-2\,\partial_{b}(g^{ce}\left(\partial_{a}g_{ec}+\partial_{e}g_{ae}-\right.\partial_{e}g_{ac}))$ $-q^{cd}(\partial_{e}q_{db}+\partial_{t}q_{ed}-\partial_{e}q_{eb})q^{ef}(\partial_{e}q_{fc}+\partial_{e}q_{af}-\partial_{f}q_{ac})$ (ex-0309.103) $=2\partial_{c}q^{ce}\left(\partial_{c}q_{eb}+\partial_{b}q_{ae}-\partial_{c}q_{ab}\right)+2q^{ce}\partial_{c}\left(\partial_{c}q_{eb}+\partial_{b}q_{ae}-\partial_{c}q_{ab}\right)+q^{cd}\left(\partial_{c}q_{dc}+\partial_{c}q_{ed}-\partial_{c}q_{ec}\right)q^{ef}\left(\partial_{c}q_{fb}+\partial_{b}q_{af}-\partial_{c}q_{ab}\right)$ $-2\partial_{t}q^{ce}\left(\partial_{a}q_{ec}+\partial_{c}q_{ae}-\partial_{e}q_{ac}\right)-2q^{ce}\partial_{b}\left(\partial_{a}q_{ec}+\partial_{c}q_{ae}-\partial_{e}q_{ac}\right)-q^{cd}\left(\partial_{e}q_{db}+\partial_{t}q_{ed}-\partial_{c}q_{eb}\right)q^{ef}\left(\partial_{a}q_{fc}+\partial_{c}q_{af}-\partial_{f}q_{ac}\right)$ $=2\partial_{c}q^{ce}\partial_{c}q_{eb}+2\partial_{c}q^{ce}\partial_{b}q_{ae}-2\partial_{c}q^{ce}\partial_{c}q_{ab}+2q^{ce}\partial_{c}q_{eb}+2q^{ce}\partial_{c}q_{ae}-2q^{ce}\partial_{c}q_{ab}+q^{cd}\partial_{c}q_{dc}q^{ef}\partial_{c}q_{fb}+q^{cd}\partial_{c}q_{dc}q^{ef}\partial_{b}q_{af}-q^{cd}\partial_{c}q_{dc}q^{ef}\partial_{c}q_{ab}$ $+ g^{cd} \partial_{t} g_{ed} g^{ef} \partial_{t} g_{fb} + g^{cd} \partial_{t} g_{ed} g^{ef} \partial_{t} g_{af} - g^{cd} \partial_{t} g_{ed} g^{ef} \partial_{t} g_{ab} - g^{cd} \partial_{t} g_{ec} g^{ef} \partial_{t} g_{af} + g^{cd} \partial_{t} g_{ec} g^{ef} \partial_{t} g_{ab} - 2 \partial_{t} g^{ce} \partial_{t} g_{ec} - 2 \partial_{t} g^{ce} \partial_{t} g_{ae}$ $+2\partial_{t}q^{ce}\partial_{e}q_{ac}-2q^{ce}\partial_{bc}q_{ec}-2q^{ce}\partial_{bc}q_{ae}+2q^{ce}\partial_{bc}q_{ac}-q^{cd}\partial_{e}q_{db}q^{ef}\partial_{c}q_{fc}-q^{cd}\partial_{e}q_{db}q^{ef}\partial_{c}q_{af}+q^{cd}\partial_{e}q_{db}q^{ef}\partial_{f}q_{ac}-q^{cd}\partial_{t}q_{ed}q^{ef}\partial_{e}q_{fc}$ $-q^{cd}\partial_{t}q_{ed}q^{ef}\partial_{c}q_{af}+q^{cd}\partial_{t}q_{ed}q^{ef}\partial_{f}q_{ac}+q^{cd}\partial_{d}q_{eb}q^{ef}\partial_{o}q_{fc}+q^{cd}\partial_{d}q_{eb}q^{ef}\partial_{d}q_{af}-q^{cd}\partial_{d}q_{eb}q^{ef}\partial_{f}q_{ac}$ $=-2q^{cd}q^{ef}\partial_{c}q_{df}\partial_{a}q_{eb}-2q^{cd}q^{ef}\partial_{c}q_{df}\partial_{b}q_{ae}+2q^{cd}q^{ef}\partial_{c}q_{df}\partial_{c}q_{ab}+2q^{ce}\partial_{ca}q_{eb}+2q^{ce}\partial_{cd}q_{ae}-2q^{ce}\partial_{ce}q_{ab}+q^{cd}\partial_{e}q_{dc}q^{ef}\partial_{a}q_{fb}+q^{cd}\partial_{e}q_{dc}q^{ef}\partial_{b}q_{af}$ $-q^{cd}\partial_{e}q_{dc}q^{ef}\partial_{f}q_{ab}+q^{cd}\partial_{e}q_{ef}q^{ef}\partial_{e}q_{fb}+q^{cd}\partial_{e}q_{ed}q^{ef}\partial_{f}q_{af}-q^{cd}\partial_{e}q_{ed}q^{ef}\partial_{f}q_{ab}-q^{cd}\partial_{e}q_{ec}q^{ef}\partial_{e}q_{fb}-q^{cd}\partial_{e}q_{ec}q^{ef}\partial_{f}q_{af}+q^{cd}\partial_{e}q_{ec}q^{ef}\partial_{f}q_{ab}$ $+2q^{cd}q^{ef}\partial_{b}q_{df}\partial_{a}q_{ec}+2q^{cd}q^{ef}\partial_{b}q_{df}\partial_{c}q_{ae}-2q^{cd}q^{ef}\partial_{b}q_{df}\partial_{c}q_{ac}-2q^{ce}\partial_{ba}q_{ec}-2q^{ce}\partial_{bc}q_{ae}+2q^{ce}\partial_{bc}q_{ac}-q^{cd}\partial_{c}q_{db}q^{ef}\partial_{c}q_{fc}-q^{cd}\partial_{c}q_{db}q^{ef}\partial_{c}q_{af}$ $+q^{cd}\partial_{e}q_{db}q^{ef}\partial_{f}q_{ac}-q^{cd}\partial_{e}q_{ed}q^{ef}\partial_{e}q_{fc}-q^{cd}\partial_{f}q_{ed}q^{ef}\partial_{e}q_{af}+q^{cd}\partial_{f}q_{ed}q^{ef}\partial_{f}q_{ac}+q^{cd}\partial_{e}q_{eb}q^{ef}\partial_{e}q_{fc}+q^{cd}\partial_{e}q_{eb}q^{ef}\partial_{e}q_{af}-q^{cd}\partial_{e}q_{eb}q^{ef}\partial_{e}q_{af}-q^{cd}\partial_{e}q_{eb}q^{ef}\partial_{e}q_{af}-q^{cd}\partial_{e}q_{eb}q^{ef}\partial_{e}q_{af}-q^{cd}\partial_{e}q_{eb}q^{ef}\partial_{e}q_{af}-q^{cd}\partial_{e}q_{eb}q^{ef}\partial_{e}q_{af}-q^{cd}\partial_{e}q_{eb}q^{ef}\partial_{$ $=-2\partial_{a}g_{eb}\partial_{c}g_{df}g^{cd}g^{ef}-2\partial_{b}g_{ae}\partial_{c}g_{df}g^{cd}g^{ef}+2\partial_{c}g_{df}\partial_{e}g_{ab}g^{cd}g^{ef}+2\partial_{ca}g_{eb}g^{ce}+2\partial_{cb}g_{ae}g^{ce}-2\partial_{ce}g_{ab}g^{ce}+\partial_{a}g_{fb}\partial_{c}g_{dc}g^{cd}g^{ef}+\partial_{b}g_{af}\partial_{c}g_{dc}g^{cd}g^{ef}$ $- \partial_{e}q_{de}\partial_{f}q_{ab}q^{cd}q^{ef} + \partial_{a}q_{fb}\partial_{c}q_{ed}q^{cd}q^{ef} + \partial_{b}q_{af}\partial_{c}q_{ed}q^{cd}q^{ef} - \partial_{c}q_{ed}\partial_{f}q_{ab}q^{cd}q^{ef} - \partial_{a}q_{fb}\partial_{c}q_{ec}q^{cd}q^{ef} - \partial_{b}q_{af}\partial_{c}q_{ec}q^{cd}q^{ef} + \partial_{d}q_{ec}\partial_{f}q_{ab}q^{cd}q^{ef}$ $+2 \partial_a g_{ec} \partial_b g_{df} g^{cd} g^{ef} + 2 \partial_b g_{df} \partial_c g_{ae} g^{cd} g^{ef} - 2 \partial_b g_{df} \partial_c g_{ac} g^{cd} g^{ef} - 2 \partial_b g_{ec} g^{ce} - 2 \partial_b g_{ae} g^{ce} + 2 \partial_b g_{ae} g^{ce} - \partial_c g_{fc} \partial_c g_{db} g^{cd} g^{ef} - \partial_c g_{af} \partial_c g_{db} g^{cd} g^{ef}$ $+\partial_{e}q_{ab}\partial_{f}q_{ac}q^{cd}q^{ef} - \partial_{a}q_{fc}\partial_{t}q_{ed}q^{cd}q^{ef} - \partial_{t}q_{ed}\partial_{c}q_{af}q^{cd}q^{ef} + \partial_{t}q_{ed}\partial_{f}q_{ac}q^{cd}q^{ef} + \partial_{a}q_{fc}\partial_{d}q_{eb}q^{cd}q^{ef} + \partial_{c}q_{af}\partial_{d}q_{eb}q^{cd}q^{ef} - \partial_{c}q_{eb}\partial_{f}q_{ac}q^{cd}q^{ef} - \partial_{c}q_{eb}\partial_{f}q_{ac}q^{cd}q^{ef} + \partial_{c}q_{eb}\partial_{f}q_{ac}q^{ef} + \partial_{c}q_{eb}\partial_{f}q_{ac}q^{ef} + \partial_{c}q_{eb}\partial_{f}q_{eb}\partial_{f}q_{ac}q^{ef} + \partial_{c}q_{eb}\partial_{f}q_{eb$ $=-2\partial_{a}g_{db}\partial_{c}g_{ef}g^{ce}g^{df}-2\partial_{b}g_{ad}\partial_{c}g_{ef}g^{ce}g^{df}+2\partial_{c}g_{ef}\partial_{d}g_{ab}g^{ce}g^{df}+2\partial_{ca}g_{db}g^{cd}+2\partial_{cd}g_{ad}g^{cd}-2\partial_{cd}g_{ab}g^{cd}+\partial_{a}g_{db}\partial_{c}g_{ef}g^{fe}g^{cd}+\partial_{b}g_{ad}\partial_{c}g_{ef}g^{fe}g^{cd}$ $-\partial_{t}q_{ef}\partial_{t}q_{ab}q^{fe}q^{cd} + \partial_{a}q_{ab}\partial_{t}q_{ef}q^{cf}q^{ed} + \partial_{t}q_{ad}\partial_{t}q_{ef}q^{cf}q^{ed} - \partial_{t}q_{ab}q^{cf}q^{ed} - \partial_{a}q_{ab}\partial_{t}q_{ef}q^{fc}q^{ed} - \partial_{t}q_{ad}\partial_{t}q_{ef}q^{fc}q^{ed} + \partial_{t}q_{ab}\partial_{t}q_{ef}q^{fc}q^{ed}$ $+2 \partial_{o}q_{cd}\partial_{b}q_{ef}q^{de}q^{cf}+2 \partial_{b}q_{de}\partial_{c}q_{af}q^{cd}q^{fe}-2 \partial_{b}q_{de}\partial_{c}q_{af}q^{fd}q^{ce}-2 \partial_{bq}q_{cd}q^{dc}-2 \partial_{bc}q_{ad}q^{cd}+2 \partial_{bc}q_{ad}q^{dc}-\partial_{a}q_{de}\partial_{c}q_{fb}q^{ef}q^{cd}-\partial_{c}q_{ae}\partial_{c}q_{fb}q^{cf}q^{de}$ $+ \partial_{c}q_{eb}\partial_{d}q_{af}q^{fe}q^{cd} - \partial_{d}q_{cd}\partial_{t}q_{ef}q^{df}q^{ec} - \partial_{t}q_{de}\partial_{c}q_{af}q^{ce}q^{df} + \partial_{t}q_{de}\partial_{c}q_{af}q^{fe}q^{dc} + \partial_{d}q_{de}\partial_{c}q_{fb}q^{ec}q^{fd} + \partial_{t}q_{ae}\partial_{c}q_{fb}q^{ec}q^{fd} + \partial_{t}q_{ae}\partial_{c}q_{fb}q^{ec}q^{fd} + \partial_{t}q_{ae}\partial_{c}q_{fb}q^{ec}q^{fd} + \partial_{t}q_{ae}\partial_{c}q_{fb}q^{ec}q^{fd} + \partial_{t}q_{ae}\partial_{c}q_{fb}q^{ec}q^{fd}q^{fe}q^{fd}q^{fe}q$ $=-2 \partial_a g_{bc} \partial_d g_{ef} g^{ce} g^{df} - 2 \partial_b g_{ac} \partial_d g_{ef} g^{ce} g^{df} + 2 \partial_c g_{ab} \partial_d g_{ef} g^{ce} g^{df} + 2 \partial_a g_{bd} g^{cd} + 2 \partial_b g_{ad} g^{cd} - 2 \partial_{cd} g_{ab} g^{cd} + \partial_d g_{bc} \partial_d g_{ef} g^{cd} g^{ef} + \partial_b g_{ac} \partial_d g_{ef} g^{cd} g^{ef}$ $-\partial_{t}g_{ab}\partial_{d}g_{ef}g^{cd}g^{ef} + \partial_{d}g_{cd}\partial_{b}g_{ef}g^{ce}g^{df} - 2\partial_{ab}g_{cd}g^{cd} - 2\partial_{c}g_{ad}\partial_{c}g_{bf}g^{cf}g^{de} + 2\partial_{c}g_{ad}\partial_{c}g_{bf}g^{ce}g^{df}$ $=-2q^{cd}q^{ef}\partial_{a}q_{bc}\partial_{c}q_{df}-2q^{cd}q^{ef}\partial_{b}q_{ac}\partial_{c}q_{df}+2q^{cd}q^{ef}\partial_{c}q_{ab}\partial_{c}q_{df}+2q^{cd}\partial_{ac}q_{bd}+2q^{cd}\partial_{bc}q_{ad}-2q^{cd}\partial_{c}q_{ab}+q^{cd}q^{ef}\partial_{a}q_{bc}\partial_{d}q_{ef}+q^{cd}q^{ef}\partial_{b}q_{ac}\partial_{d}q_{ef}$ $-q^{cd}q^{ef}\partial_{\alpha}q_{ab}\partial_{\alpha}q_{ef}+q^{cd}q^{ef}\partial_{\alpha}q_{ce}\partial_{\theta}q_{df}-2q^{cd}\partial_{ab}q_{cd}-2q^{cd}q^{ef}\partial_{\alpha}q_{ae}\partial_{f}q_{bd}+2q^{cd}q^{ef}\partial_{\alpha}q_{ae}\partial_{\sigma}q_{bf}$ (ex-0309.110)

Exercise 3.10 Example of repeat=True in a substitution

Without repeat=True only the first match in a product will be susbstituted.

```
 \begin{split} & \texttt{ex-0310.foo.001} := AB + ABAB + ABABAB + ABABABAB \\ & \texttt{ex-0310.foo.002} := A + AAB + AABAB + AABABAB \end{split}
```

But with repeat=True then all matches in a product will be susbstituted.

```
 \begin{split} & \texttt{ex-0310.bah.001} := AB + ABAB + ABABAB + ABABABAB \\ & \texttt{ex-0310.bah.002} := A + AA + AAA + AAAA \end{split}
```

Exercise 4.1 Differentiate a polynomial – a limited method

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     def deriv (poly):
         \delta^{a}::Weight(label=\epsilon).
         bah := @(poly).
                        (bah, x^{a} -> x^{a} + \det^{a})
         substitute
         distribute
                        (bah)
10
11
         foo := Q(bah) - Q(poly).
12
13
         keep_weight
                        (foo, \gamma = 1)
14
         sort_product
                        (foo)
15
         rename_dummies (foo)
16
                        (foo, $\delta^{a?}$)
         factor_out
17
                        (foo, $\delta^{a} -> 1$)
         substitute
18
19
         return foo
20
21
22
23
     poly := c^{a}
24
           + c^{a}{}_{b} x^b
25
          + c^{a}_{b} c x^b x^c. # cdb (ex-0401.100,poly)
26
27
     dpoly = deriv (poly)
                                        # cdb (ex-0401.101,dpoly)
28
```

$$p = c^{a} + c^{a}_{b}x^{b} + c^{a}_{bc}x^{b}x^{c}$$
 (ex-0401.100)
$$dp = c^{a}_{b} + c^{a}_{cb}x^{c} + c^{a}_{bc}x^{c}$$
 (ex-0401.101)

$$dp = c^a_{\ b} + c^a_{\ cb}x^c + c^a_{\ bc}x^c \tag{ex-0401.101}$$

Exercise 4.1 Differentiate a polynomial – a better method

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     def deriv (poly):
         \partial{#}::PartialDerivative.
         \delta^{a}_{b}::KroneckerDelta.
         x^{a}::Depends(\partial{#}).
         bah := \partial_{b}{@(poly)}.
10
11
         distribute
                         (bah)
12
                         (bah)
                                # drop all terms that don't explicitly depend on a derivative operator
         unwrap
13
                         (bah)
         product_rule
14
                         (bah)
         distribute
15
                         (bah, \pi_{a})-\lambda_{a}_{b}(x^{a})-\lambda_{a}_{b}(b)
         substitute
16
         eliminate_kronecker (bah)
17
18
         sort_product
                         (bah)
19
         rename_dummies (bah)
20
21
         return bah
22
23
     poly := c^{a}
24
           + c^{a}{}_{b} x^b
25
           + c^{a}_{b} c x^b x^c. # cdb (ex-0401.200,poly)
26
27
     dpoly = deriv (poly)
                                         # cdb (ex-0401.201,dpoly)
28
```

$$p = c^a + c^a_b x^b + c^a_{bc} x^b x^c (ex-0401.200)$$

$$p = c^{a} + c^{a}_{b}x^{b} + c^{a}_{bc}x^{b}x^{c}$$
 (ex-0401.200)
$$dp = c^{a}_{b} + c^{a}_{bc}x^{c} + c^{a}_{cb}x^{c}$$
 (ex-0401.201)

Exercise 4.2 Inconsistent free indices

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     def deriv (poly):
         \delta^{a}::Weight(label=\epsilon).
         bah := @(poly).
                        (bah, x^{a} -> x^{a} + \det^{a})
         substitute
                        (bah)
         distribute
10
11
         foo := @(bah) - @(poly).
12
13
         keep_weight (foo, $\epsilon = 1$)
14
                      (foo, $\delta^{a} -> 1$)
         substitute
15
16
         return foo
17
18
19
20
     poly := c^{a}
21
           + c^{a}{}_{b} x^b
22
           + c^{a}_{b} = c x x c. # cdb (ex-0402.100,poly)
23
     dpoly = deriv (poly)
                                       # cdb (ex-0402.101,dpoly)
25
```

$$p = c^{a} + c^{a}_{b}x^{b} + c^{a}_{bc}x^{b}x^{c}$$

$$dp = c^{a}_{b} + c^{a}_{bc}x^{b} + c^{a}_{bc}x^{c}$$
(ex-0402.101)

$$dp = c_b^a + c_{bc}^a x^b + c_{bc}^a x^c (ex-0402.101)$$

Exercise 4.3 Polynomial products

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#}::Indices(position=independent).
     def get_term (poly,n):
         x^{a}::Weight(label=xnum). # assign weights to x^{a}
         foo := @(poly).
                                        # make a copy of poly
         bah = Ex("xnum = " + str(n)) # choose a target
         keep_weight (foo,bah)
                                        # extract the target
10
11
         return foo
12
13
     def poly_product (p,q,n):
14
15
         pq = Ex("0")
16
17
         for i in range (0,n+1):
18
            for j in range (0,i+1):
19
               termA = get_term (p,j)
               termB = get_term (q,i-j)
21
               termAB := @(termA) @(termB).
22
               pq = pq + termAB
23
         sort_product
                        (pq)
25
         rename_dummies (pq)
26
         factor_out (pq,$x^{a?}$)
27
28
         return pq
29
30
31
32
     # two polynomials
33
34
     polyA := c^{a}
35
            + c^{a}_{b} x^b
```

```
+ c^{a}_{b} c x^b x^c
                                                                           + c^{a}_{b} c d x^b x^c x^d
                                                                           + c^{a}_{b} c d e x^b x^c x^d x^e. # cdb(ex-0403.100, polyA)
39
40
                               polyB := d^{f}
41
                                                                          + d^{f}_{b} x^b
42
                                                                       + d^{f}_{b} c x^b x^c
                                                                       + d^{f}_{b} c d x^b x^c x^d
                                                                          + d^{f}_{b} = d^{g}_{a} = d^
46
                               # multiply polynomials and truncate
47
48
                              polyAB = poly_product (polyA,polyB,3)
                                                                                                                                                                                                                                                                                                                            # cdb(ex-0403.102,polyAB)
```

$$p = c^{a} + c^{a}_{b}x^{b} + c^{a}_{bc}x^{b}x^{c} + c^{a}_{bcd}x^{b}x^{c}x^{d} + c^{a}_{bcde}x^{b}x^{c}x^{d}x^{e}$$

$$q = d^{f} + d^{f}_{b}x^{b} + d^{f}_{bc}x^{b}x^{c} + d^{f}_{bcd}x^{b}x^{c}x^{d} + d^{f}_{bcde}x^{b}x^{c}x^{d}x^{e}$$

$$(ex-0403.101)$$

$$pq = c^{a}d^{f} + x^{b}\left(c^{a}d^{f}_{b} + c^{a}_{b}d^{f}\right) + x^{b}x^{c}\left(c^{a}d^{f}_{bc} + c^{a}_{b}d^{f}_{c} + c^{a}_{bc}d^{f}\right) + x^{b}x^{c}x^{d}\left(c^{a}d^{f}_{bcd} + c^{a}_{b}d^{f}_{cd} + c^{a}_{bc}d^{f}\right)$$

$$(ex-0403.102)$$

Exercise 4.4 Reformatting simple expressions

```
 \{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}:: \underline{Indices} (position=independent). 
     \nabla{#}::Derivative.
     def reformat (obj,scale):
         \{x^{a},A_{a},A_{a}\} # choose a sort order \{x^{a},A_{a}\} # choose a sort order
         foo = Ex(str(scale))
                                          # create a scale factor
10
         bah := @(foo) @(obj).
                                          # apply the scale factor, clears all fractions
11
12
                                          # only required if (bah) contains brackets
         distribute
                         (bah)
13
                         (bah)
         sort_product
         rename_dummies (bah)
15
         canonicalise (bah)
16
         factor_out (bah,$x^{a?}$)
17
18
         ans := @(bah) / @(foo). # undo previous scaling
19
         return ans
21
22
23
24
     # a messy unformatted expression
26
     expr := + (1/3) A<sub>{a b}</sub> x^{a} x^{b}
27
             + (1/9) B_{e c} x^{c} x^{e}
28
             - (1/5) C_{p c} B_{d q} g^{c d} x^{p} x^{q}. # cdb (ex-0404.100, expr)
29
30
     # reformat terms and tidy fractions
31
32
     expr = reformat (expr,45)
                                                              # cdb(ex-0404.101,expr)
33
```

$$g = \frac{1}{3} A_{ab} x^a x^b + \frac{1}{9} B_{ec} x^c x^e - \frac{1}{5} C_{pc} B_{dq} g^{cd} x^p x^q$$
 (ex-0404.100)

$$= \frac{1}{45} x^a x^b \left(15 A_{ab} + 5 B_{ab} - 9 B_{ca} C_{bd} g^{dc} \right)$$
 (ex-0404.101)

Exercise 4.5 Reformatting complex expressions

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#}::Indices(position=independent).
                \nabla{#}::Derivative.
                def get_term (obj,n):
                            x^{a}::Weight(label=xnum). # assign weights to x^{a}
                            foo := @(obj).
                                                                                                                                 # make a copy of obj
10
                            bah = Ex("xnum = " + str(n)) # choose a target
11
                            keep_weight (foo,bah)
                                                                                                       # extract the target
13
                             return foo
14
15
                def reformat (obj,scale):
16
17
                             \{x^{a},A_{a},B_{a},A_{a},B_{a},A_{a},B_{a},A_{a},B_{a},A_{a},B_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{
18
19
                             foo = Ex(str(scale))
                                                                                                                                  # create a scale factor
20
                            bah := @(foo) @(obj).
                                                                                                                                  # apply the scale factor, clears all fractions
21
22
                             distribute
                                                                               (bah)
                                                                                                                                  # only required if (bah) contains brackets
23
                            sort_product (bah)
                             rename_dummies (bah)
                             canonicalise (bah)
26
                            factor_out (bah,$x^{a?}$)
27
28
                             ans := \mathbb{Q}(bah) / \mathbb{Q}(foo).
                                                                                                                                  # undo previous scaling
29
30
                             return ans
31
32
33
34
                # a messy unformatted expression
35
36
```

```
expr := (1/7) A_{e} x^{e}
             - (1/3) B<sub>{f}</sub> x^{f}
38
             + (1/3) A_{a b} x^{a} x^{b}
             + (1/9) B_{e c} x^{c} x^{e}
             - (1/5) C_{p c} B_{d q} g^{c d} x^{p} x^{q}
41
             + (3/7) A_{a b c} x^{a} x^{b} x^{c}
42
             - (1/5) B<sub>{a}</sub> b} C<sub>{c</sub> d e} g^{c} d} x^{a} x^{b} x^{e}
             + (7/11) B_{a b} B_{c d} C_{e f g} g^{b c} g^{d f} x^{a} x^{e} x^{g}. # cdb (ex-0405.100, expr)
     # split the expression into seprate terms
46
47
     term1 = get_term (expr,1)
                                       # cdb(term1.101,term1)
     term2 = get_term (expr,2)
                                    # cdb(term2.101,term2)
     term3 = get_term (expr,3)
                                    # cdb(term3.101,term3)
51
     # reformat terms and tidy fractions
52
53
     term1 = reformat (term1, 21)
                                       # cdb(term1.102,term1)
54
     term2 = reformat (term2, 45)
                                       # cdb(term2.102,term2)
     term3 = reformat (term3,385)
                                       # cdb(term3.102,term3)
57
     # rebuild the expression
58
59
     expr := @(term1) + @(term2) + @(term3). # cdb (ex-0405.101,expr)
60
```

$$g = \frac{1}{7} A_e x^e - \frac{1}{3} B_f x^f + \frac{1}{3} A_{ab} x^a x^b + \frac{1}{9} B_{ec} x^c x^e - \frac{1}{5} C_{pc} B_{dq} g^{cd} x^p x^q + \frac{3}{7} A_{abc} x^a x^b x^c - \frac{1}{5} B_{ab} C_{cde} g^{cd} x^a x^b x^e + \frac{7}{11} B_{ab} B_{cd} C_{efg} g^{bc} g^{df} x^a x^e x^g \qquad (\text{ex-0405.100})$$

$$= \frac{1}{21} x^a \left(3 A_a - 7 B_a \right) + \frac{1}{45} x^a x^b \left(15 A_{ab} + 5 B_{ab} - 9 B_{ca} C_{bd} g^{dc} \right) + \frac{1}{385} x^a x^b x^c \left(165 A_{abc} - 77 B_{ab} C_{dec} g^{de} + 245 B_{ad} B_{ef} C_{bgc} g^{de} g^{fg} \right) (\text{ex-0405.101})$$

Exercise 4.6 Bespoke sort

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#}::Indices(position=independent).
        def bespoke_sort (expr):

      substitute
      (expr,$ x^{a}
      -> AAA01^{a}
      $)

      substitute
      (expr,$ g_{a b}
      -> AAA02_{a b}
      $)

      substitute
      (expr,$ \Gamma_{a b c}
      -> AAA03_{a b c}
      $)

                                      (expr)
              sort_product
10
11
                                     (expr,$ AAA01^{a} -> x^{a} $)
(expr,$ AAA02_{a b} -> g_{a b} $)
(expr,$ AAA03_{a b c} -> \Gamma_{a b c} $)
              substitute
              substitute
13
              substitute
14
15
              return expr
16
17
18
19
        expr := g_{a b} x^{a} x^{b} + Gamma_{a b c} x^{a} x^{b} x^{c}. # cdb(ex-0406.100, expr)
20
21
        expr = bespoke_sort (expr)
                                                                                                               # cdb(ex-0406.101,expr)
```

$$p = g_{ab}x^{a}x^{b} + \Gamma_{abc}x^{a}x^{b}x^{c}$$

$$= x^{a}x^{b}g_{ab} + x^{a}x^{b}x^{c}\Gamma_{abc}$$
(ex-0406.100)
(ex-0406.101)

Exercise 4.7 Return in functions

```
{a,b,c,d,e,f,g,h,i,j,k,l#}::Indices(position=independent).
    # -----
    # this function uses in-place changes for obj
    def tidy (obj):
       sort_product (obj)
      rename_dummies (obj)
       canonicalise (obj)
10
11
                                    # cdb (ex-0407.101,foo)
   foo := C^{f} B^{a} A_{f}.
    tidy (foo)
                                      # cdb (ex-0407.102,foo)
13
14
    # -----
15
    # this function creates new objects,
16
    # it will not give the correct result
17
18
    def tidy (obj):
19
20
       bah := @(obj).
21
22
       sort_product (bah)
23
       rename_dummies (bah)
       canonicalise (bah)
26
       obj := @(bah).
27
28
   foo := C^{f} B^{a} A_{f}.
                                    # cdb (ex-0407.201,foo)
29
    tidy (foo)
                                       # cdb (ex-0407.202,foo)
31
    # -----
32
    # this function uses a return statement
33
    # it will give the correct result
35
    def tidy (obj):
```

```
37
         bah := @(obj).
38
39
         sort_product
                         (bah)
40
         rename_dummies (bah)
41
         canonicalise
                         (bah)
42
43
         obj := @(bah).
44
45
         return obj
46
47
     foo := C^{f} B^{a} A_{f} a}.
                                                     # cdb (ex-0407.301,foo)
48
    foo = tidy (foo)
                                                     # cdb (ex-0407.302,foo)
```

$$C^f B^a A_{fa} = A_{ab} B^b C^a$$
 (ex-0407.102)
 $C^f B^a A_{fa} = C^f B^a A_{fa}$ (ex-0407.202)
 $C^f B^a A_{fa} = A_{ab} B^b C^a$ (ex-0407.302)

Exercise 5.1 Swap terms

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices(position=independent).

expr := A_{a} (P^{b}+Q^{b}) + C_{a} V^{b}. # cdb (ex-0501.100,expr)

substitute (expr, $A_{a} B?? + C_{a} D?? -> A_{a} D?? + C_{a} B??$) # cdb (ex-0501.101,expr)
```

ex-0501.100 :=
$$A_a \left(P^b + Q^b \right) + C_a V^b$$

ex-0501.101 := $A_a V^b + C_a \left(P^b + Q^b \right)$

Exercise 5.2 Leading factors forbidden in patterns

This exercise will raise a Cadabra run-time error – the scale factor on the left hand side of the rule (3 in this case) is not allowed.

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices(position=independent).

expr := 2 V_{a b} - 3 V_{b a}.  # cdb (ex-0502.100,expr)

substitute (expr, $3 V_{b a} -> - 3 V_{a b})  # cdb (ex-0502.101,expr)

Traceback (most recent call last):
```

```
Traceback (most recent call last):
    File "/usr/local/bin/cadabra2", line 248, in <module>
        exec(cmp)
    File "ex-0502.py", line 18, in <module>
        substitute (expr, Ex(r'''3 V_{b a} -> - 3 V_{a b}''', False))
RuntimeError: substitute: Index error in replacement rule.
        substitute: No numerical pre-factors allowed on lhs of replacement rule.
```

Exercise 5.3 Deleting a term using patterns

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices(position=independent).

expr := A_{a b} B^{a b} + A_{a b} A_{c d} B^{a b} B^{c d} - C_{a b} B^{a b}. # cdb (ex-0503.100,expr)

zoom (expr, $A_{a b} A_{c d} Q??$) # cdb (ex-0503.101,expr)

substitute (expr, $A_{a b} -> 0$) # cdb (ex-0503.102,expr)

unzoom (expr) # cdb (ex-0503.103,expr)
```

```
\begin{split} &\text{ex-0503.100} := A_{ab}B^{ab} + A_{ab}A_{cd}B^{ab}B^{cd} - \ C_{ab}B^{ab} \\ &\text{ex-0503.101} := \ldots + A_{ab}A_{cd}B^{ab}B^{cd} + \ldots \\ &\text{ex-0503.102} := \ldots \\ &\text{ex-0503.103} := A_{ab}B^{ab} - C_{ab}B^{ab} \end{split}
```

Exercise 5.4 Deleting a term using tags

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     def add_tags (obj,tag):
        n = 0
        ans = Ex('0')
        for i in obj.top().terms():
           foo = obj[i]
           bah = Ex(tag+'_{i-1}'' + str(n) + ')'
           ans := @(ans) + @(bah) @(foo).
           n = n + 1
10
        return ans
11
12
     def clear_tags (obj,tag):
13
        ans := @(obj).
14
        foo = Ex(tag+'_{a?} -> 1')
15
        substitute (ans,foo)
16
        return ans
17
18
     expr := A_{a b} B^{a b} + A_{a b} A_{c d} B^{a b} B^{c d} - C_{a b} B^{a b}. # cdb (ex-0504.100, expr)
     expr = add_tags (expr,'\\mu')
                                                                                      # cdb (ex-0504.101,expr)
21
22
     substitute (expr, $\mu_{1} -> 0$)
                                                                                      # cdb (ex-0504.102,expr)
23
     expr = clear_tags (expr,'\\mu')
                                                                                      # cdb (ex-0504.103,expr)
```

$$\begin{split} & \text{ex-0504.100} := A_{ab}B^{ab} + A_{ab}A_{cd}B^{ab}B^{cd} - C_{ab}B^{ab} \\ & \text{ex-0504.101} := \mu_0 \, A_{ab}B^{ab} + \mu_1 A_{ab}A_{cd}B^{ab}B^{cd} - \, \mu_2 \, C_{ab}B^{ab} \\ & \text{ex-0504.102} := \mu_0 \, A_{ab}B^{ab} - \, \mu_2 \, C_{ab}B^{ab} \\ & \text{ex-0504.103} := A_{ab}B^{ab} - \, C_{ab}B^{ab} \end{split}$$

Exercise 5.5 Commuting covariant derivatives

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
                  ;::Symbol.
                  def add_tags (obj,tag):
                            n = 0
                             ans = Ex('0')
                            for i in obj.top().terms():
                                      foo = obj[i]
                                       bah = Ex(tag+'_{i-1}'' + str(n) + ')'
10
                                       ans := @(ans) + @(bah) @(foo).
11
                                      n = n + 1
12
                            return ans
13
14
                  def clear_tags (obj,tag):
15
                            ans := @(obj).
16
                           foo = Ex(tag+'_{a?} -> 1')
17
                            substitute (ans,foo)
                            return ans
19
                  rule := V^{a}_{s} = V^{a}_{s
21
22
                  expr := V^{a}_{; b ; c} - V^{a}_{; c ; b}. # cdb (ex-0505.100,expr)
23
24
                  expr = add_tags (expr,'\\mu')
                                                                                                                                                                                   # cdb (ex-0505.101,expr)
26
                                                          (expr, $\mu_{0} Q??$)
                                                                                                                                                                                    # cdb (ex-0505.102,expr)
                  ZOOM
27
                  substitute (expr, rule)
                                                                                                                                                                                    # cdb (ex-0505.103,expr)
28
                                                          (expr)
                                                                                                                                                                                    # cdb (ex-0505.104,expr)
                  unzoom
29
30
                  expr = clear_tags (expr,'\\mu')
                                                                                                                                                                                   # cdb (ex-0505.105,expr)
```

$V^{a}_{;b;c} - V^{a}_{;c;b} = \mu_0 V^{a}_{;b;c} - \mu_1 V^{a}_{;c;b}$	(ex-0505.101)
$= \mu_0 V^a_{\;;b;c} - \; \mu_1 V^a_{\;;c;b}$	(ex-0505.101)
$=\mu_0 V^a_{\;;b;c}+\dots$	(ex-0505.102)
$= \mu_0 \left(V^a_{;c;b} - R^a_{dbc} V^d \right) + \dots$	(ex-0505.103)
$= \mu_0 \left(V^a_{;c;b} - R^a_{dbc} V^d \right) - \mu_1 V^a_{;c;b}$	(ex-0505.104)
$=-R^a_{dbc}V^d$	(ex-0505.105)

Exercise 6.1 Evaluate — without rhsonly = True

```
{\theta, \varphi}::Coordinate.
{a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).

\partial{#}::PartialDerivative.

\text{V} := { V_{\theta} = \varphi, V_{\varphi} = \sin(\theta) }. # cdb(ex-0601.100, V)
dV := dV_{ab} -> \partial_{b}{V_{a}} - \partial_{a}{V_{b}}. # cdb(ex-0601.101, dV)
\text{evaluate} (dV, V) # cdb(ex-0601.102, dV)
```

Notice how evaluate has been applied to both the left and right hand sides of the rule.

$$V_a = [V_\theta = \varphi, V_\varphi = \sin \theta] \tag{ex-0601.100}$$

$$dV_{ab} \to \partial_b V_a - \partial_a V_b \tag{ex-0601.101}$$

$$\Box_{ab} \begin{cases} \Box_{\theta\theta} = dV_{\theta\theta} \\ \Box_{\varphi\theta} = dV_{\varphi\theta} \\ \Box_{\theta\varphi} = dV_{\theta\varphi} \end{cases} \to \Box_{ab} \begin{cases} \Box_{\varphi\theta} = \cos\theta - 1 \\ \Box_{\theta\varphi} = 1 - \cos\theta \end{cases}$$

$$(ex-0601.102)$$

Exercise 6.1 Evaluate — with rhsonly = True

```
{\theta, \varphi}::Coordinate.
{a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).

\partial{#}::PartialDerivative.

\tilde{V}: \text{V_{\theta}} = \varphi, \tilde{V_{\text{a}}} = \sin(\theta) \text{}. # cdb(ex-0601.200, V)

\tilde{V}: = dV_{\text{a}} = \varphi, \text{V_{\text{a}}} - \partial_{\text{a}} \text{V_{\text{b}}}. # cdb(ex-0601.201, dV)

\text{evaluate} (dV, V, rhsonly=True) # cdb(ex-0601.202, dV)

\end{align*}

\[
\text{V}: \text{V_{\text{a}}} = \varphi, \text{V_{\text{a}}} - \partial_{\text{a}} \text{V_{\text{b}}}. # cdb(ex-0601.202, dV)
\]

\[
\text{evaluate} (dV, V, rhsonly=True) # cdb(ex-0601.202, dV)
\]
\[
\text{V}: \text{V_{\text{c}}} \text{V_{\text{c
```

This is an improvement, only the right had side has been expanded into components.

$$V_a = [V_\theta = \varphi, V_\varphi = \sin \theta] \tag{ex-0601.200}$$

$$dV_{ab} \to \partial_b V_a - \partial_a V_b \tag{ex-0601.201}$$

$$dV_{ab} \to \Box_{ab} \begin{cases} \Box_{\varphi\theta} = \cos\theta - 1\\ \Box_{\theta\varphi} = 1 - \cos\theta \end{cases}$$
 (ex-0601.202)

Exercise 6.2 Evaluate on an expression (not a rule)

```
{\theta, \varphi}::Coordinate.
{a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).

\partial{#}::PartialDerivative.

V := { V_{\theta} = f(\theta,\varphi), V_{\varphi} = g(\theta,\varphi) }. # cdb(ex-0602.100,V)
dV := \partial_{b}{V_{a}} + \partial_{a}{V_{b}}. # cdb(ex-0602.101,dV)

evaluate (dV, V) # cdb(ex-0602.102,dV)
```

$$V_a = [V_\theta = f(\theta, \varphi), V_\varphi = g(\theta, \varphi)] \tag{ex-0602.100}$$

$$\partial_b V_a + \partial_a V_b \tag{ex-0602.101}$$

$$\Box_{ab} \begin{cases} \Box_{\varphi\varphi} = 2 \, \partial_{\varphi} g \left(\theta, \varphi \right) \\ \Box_{\varphi\theta} = \partial_{\varphi} f \left(\theta, \varphi \right) + \partial_{\theta} g \left(\theta, \varphi \right) \\ \Box_{\theta\varphi} = \partial_{\varphi} f \left(\theta, \varphi \right) + \partial_{\theta} g \left(\theta, \varphi \right) \\ \Box_{\theta\theta} = 2 \, \partial_{\theta} f \left(\theta, \varphi \right) \end{cases}$$

$$(ex-0602.102)$$

Exercise 6.3 Evaluate with undefined components

```
{\theta, \varphi}::Coordinate.
{a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).

bah := {V_{\theta} = \varphi, V_{\varphi} = \sin(\theta)}. # cdb(ex-0603.100,bah)
foo := U_{a} V_{b}. # cdb(ex-0603.101,foo)

evaluate (foo, bah) # cdb(ex-0603.102,foo)
```

$$[V_{\theta} = \varphi, V_{\varphi} = \sin \theta] \tag{ex-0603.100}$$

$$U_a V_b$$
 (ex-0603.101)

$$\Box_{ab} \begin{cases} \Box_{\theta\theta} = \varphi U_{\theta} \\ \Box_{\theta\varphi} = U_{\theta} \sin \theta \\ \Box_{\varphi\theta} = \varphi U_{\varphi} \\ \Box_{\varphi\varphi} = U_{\varphi} \sin \theta \end{cases}$$
 (ex-0603.102)

Exercise 6.4 Scalar curavture of a 2-sphere

```
{\theta, \varphi}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).
     \partial{#}::PartialDerivative.
     g^{a b}::InverseMetric. # essential when using complete (gab, $g^{a b}$)
     Gamma := Gamma^{a}_{b c} -> 1/2 g^{a d} ( partial_{b}_{g_{d c}})
                                                 + \partial_{c}{g_{b d}}
                                                 - \partial_{d}{g_{b c}}).
10
11
     Rabcd := R^{a}_{b c d} -> \quad partial_{c}{\operatorname{damma}_{a}_{b d}}
                                - \partial_{d}{\Gamma^{a}_{b c}}
13
                                + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
14
                                - \Gamma^{e}_{b c} \Gamma^{a}_{d e}.
15
16
     Rab := R_{a b} -> R^{c}_{a c b}.
17
18
     R := R -> R_{a b} g^{a b}.
19
20
     gab := { g_{\text{theta}} = r**2,
21
              g_{\text{varphi}} = r**2 \sin(\theta)**2 .
                                                                  # cdb(ex-0604.101,gab)
22
23
     complete (gab, $g^{a b}$)
                                                                  # cdb(ex-0604.102,gab)
24
     substitute (Rabcd, Gamma)
26
     substitute (Rab, Rabcd)
27
     substitute (R, Rab)
28
29
                (Gamma, gab, rhsonly=True)
                                                                  # cdb(ex-0604.103, Gamma)
     evaluate
                (Rabcd, gab, rhsonly=True)
                                                                  # cdb(ex-0604.104, Rabcd)
     evaluate
31
                                                                  # cdb(ex-0604.105,Rab)
     evaluate
                 (Rab,
                        gab, rhsonly=True)
32
                        gab, rhsonly=True)
                                                                  # cdb(ex-0604.106,R)
     evaluate
                (R,
```

$$\left[g_{\theta\theta} = r^2, g_{\varphi\varphi} = r^2 \left(\sin\theta\right)^2\right] \tag{ex-0604.101}$$

$$\left[g_{\theta\theta} = r^2, g_{\varphi\varphi} = r^2 (\sin \theta)^2, g^{\theta\theta} = r^{-2}, g^{\varphi\varphi} = \left(r^2 (\sin \theta)^2 \right)^{-1} \right]$$
 (ex-0604.102)

$$\Gamma^{a}_{bc} \to \Box_{cb}{}^{a} \begin{cases} \Box_{\varphi\theta}{}^{\varphi} = (\tan\theta)^{-1} \\ \Box_{\theta\varphi}{}^{\varphi} = (\tan\theta)^{-1} \\ \Box_{\varphi\varphi}{}^{\theta} = -\frac{1}{2}\sin(2\theta) \end{cases}$$
 (ex-0604.103)

$$R^{a}_{bcd} \to \Box_{db}{}^{a}_{c} \begin{cases} \Box_{\varphi\varphi}{}^{\theta}_{\theta} = (\sin\theta)^{2} \\ \Box_{\varphi\theta}{}^{\varphi}_{\theta} = -1 \\ \Box_{\theta\varphi}{}^{\theta}_{\varphi} = -(\sin\theta)^{2} \\ \Box_{\theta\theta}{}^{\varphi}_{\varphi} = 1 \end{cases}$$
 (ex-0604.104)

$$R_{ab} \to \Box_{ba} \begin{cases} \Box_{\varphi\varphi} = (\sin \theta)^2 \\ \Box_{aa} = 1 \end{cases}$$
 (ex-0604.105)

$$R o 2 \, r^{-2}$$
 (ex-0604.106)

Exercise 6.5 Schwarzschild spacetime in isotropic coordinates

```
{t, r, \theta, \varphi}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={t, r, \theta, \varphi}, position=independent).
     \partial{#}::PartialDerivative.
     g^{a b}::InverseMetric. # essential when using complete (gab, $g^{a b}$)
     Gamma := Gamma^{a}_{b c} -> 1/2 g^{a d} ( partial_{b}_{g_{d c}})
                                                + \partial_{c}{g_{b d}}
                                                - \partial_{d}{g_{b c}}).
10
11
     Rabcd := R^{a}_{b c d} -> \quad partial_{c}{\operatorname{damma}_{a}_{b d}}
                               - \partial_{d}{\Gamma^{a}_{b c}}
13
                               + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
14
                               - \Gamma^{e}_{b c} \Gamma^{a}_{d e}.
15
16
     Rab := R_{a b} -> R^{c}_{a c b}.
17
18
     gab := { g_{t} = -((2*r-m)/(2*r+m))**2,
19
              g_{r} = (1+m/(2*r))**4,
20
              g_{\text{theta}} = r**2 (1+m/(2*r))**4,
21
              g_{\text{varphi}} = r**2 \sin(\theta)**2 (1+m/(2*r))**4. # cdb(ex-0605.101,gab)
22
23
     complete (gab, $g^{a b}$)
                                                                          # cdb(ex-0605.102,gab)
24
25
     substitute (Rabcd, Gamma)
26
     substitute (Rab, Rabcd)
27
28
                                                                          # cdb(ex-0605.103, Gamma)
     evaluate
                (Gamma, gab, rhsonly=True)
29
                (Rabcd, gab, rhsonly=True)
                                                                          # cdb(ex-0605.104,Rabcd)
     evaluate
                       gab, rhsonly=True)
                                                                          # cdb(ex-0605.105,Rab)
                (Rab,
     evaluate
```

$$\left[g_{tt} = -\left((2\,r\,-m)\,(2\,r\,+m)^{-1} \right)^2, g_{rr} = \left(1 + \frac{1}{2}\,mr^{-1} \right)^4, g_{\theta\theta} = r^2 \left(1 + \frac{1}{2}\,mr^{-1} \right)^4, g_{\varphi\varphi} = r^2 (\sin\theta)^2 \left(1 + \frac{1}{2}\,mr^{-1} \right)^4 \right]$$
 (ex-0605.101)
$$\left[g_{tt} = -\left((2\,r\,-m)\,(2\,r\,+m)^{-1} \right)^2, g_{rr} = \left(1 + \frac{1}{2}\,mr^{-1} \right)^4, g_{\theta\theta} = r^2 \left(1 + \frac{1}{2}\,mr^{-1} \right)^4, g_{\varphi\varphi} = r^2 (\sin\theta)^2 \left(1 + \frac{1}{2}\,mr^{-1} \right)^4, g^{\mu} = \left(-m^2 - 4\,mr - 4\,r^2 \right)^4 \right]$$
 (ex-0605.101)
$$\left[G_{tt} = -\left((2\,r\,-m)\,(2\,r\,+m)^{-1} \right)^2, g^{rr} = 16\,r^4 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\theta\theta} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,mr^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,m^2\,r^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,m^2\,r^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,m^2\,r^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi} = 16\,r^2 \left(m^4 + 8\,m^3\,r + 24\,m^2\,r^2 + 32\,m^2\,r^3 + 16\,r^4 \right)^{-1}, g^{\varphi\varphi}$$

 R^a_{bcd}

Exercise 6.6 The Kasner cosmology

```
{t, x, y, z}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={t, x, y, z}, position=independent).
     \partial{#}::PartialDerivative.
     p1::LaTeXForm("p_1").
     p2::LaTeXForm("p_2").
     p3::LaTeXForm("p_3").
     g^{a b}::InverseMetric. # essential when using complete (gab, $g^{a b}$)
10
11
     Gamma := Gamma^{a}_{b} c   -> 1/2 g^{a}    ( \qquad partial_{b}_{g_{d}} c)
                                                  + \partial_{c}{g_{b d}}
13
                                                   - \partial_{d}{g_{b c}}).
14
15
     Rabcd := R^{a}_{b c d} \rightarrow \operatorname{partial}_{c}{\operatorname{Gamma}_{a}_{b d}}
16
                                 - \partial_{d}{\Gamma^{a}_{b c}}
17
                                 + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
18
                                 - \Gamma^{e}_{b c} \Gamma^{a}_{d e}.
19
20
     Rab := R_{a b} -> R^{c}_{a c b}.
21
22
     gab := \{g_{t} = -1,
              g_{x} = t**(2*p1),
              g_{y} = t**(2*p2),
              g_{z} = t**(2*p3).
                                                                    # cdb(ex-0606.101,gab)
27
     complete (gab, $g^{a b}$)
                                                                    # cdb(ex-0606.102,gab)
28
29
     substitute (Rabcd, Gamma)
     substitute (Rab, Rabcd)
31
32
                                                                    # cdb(ex-0606.103, Gamma)
                (Gamma, gab, rhsonly=True)
     evaluate
33
                 (Rabcd, gab, rhsonly=True)
                                                                    # cdb(ex-0606.104,Rabcd)
     evaluate
34
                         gab, rhsonly=True)
                                                                    # cdb(ex-0606.105,Rab)
     evaluate
                 (Rab,
```

$$[g_{tt} = -1, g_{xx} = t^{2p_1}, g_{yy} = t^{2p_2}, g_{zz} = t^{2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{2p_1}, g_{yy} = t^{2p_2}, g_{zz} = t^{2p_3}, g^{tt} = -1, g^{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$(ex-0606.101)$$

$$[g_{tt} = -1, g_{xx} = t^{2p_1}, g_{yy} = t^{2p_2}, g_{zz} = t^{2p_3}, g^{tt} = -1, g^{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{2p_1}, g_{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{yy} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{zz} = t^{-2p_3}, g^{zz} = t^{-2p_3}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{zz} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{zz} = t^{-2p_2}, g^{zz} = t^{-2p_3}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{zz} = t^{-2p_2}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{zz} = t^{-2p_2}, g^{zz} = t^{-2p_3}, g^{zz} = t^{-2p_3}]$$

$$[g_{tt} = -1, g_{xx} = t^{-2p_1}, g^{zz} = t^{-2p_2}, g^{zz} = t^{-2p_3}, g^{zz} = t^{-2p_3$$

$$\begin{cases} \Box_{xx}^{i}t = p_{1}t^{(2m-2)}(p_{1}-1) \\ \Box_{y}^{i}t = p_{2}t^{(2p_{2}-2)}(p_{2}-1) \\ \Box_{z}^{i}t = p_{1}t^{(2p_{2}-2)}(p_{3}-1) \\ \Box_{xt}^{i}t = p_{1}t^{(2p_{2}-2)}(p_{3}-1) \\ \Box_{xt}^{i}t = p_{1}(p_{1}-1)t^{-2} \\ \Box_{xt}^{i}t = p_{2}(p_{3}-1)t^{-2} \\ \Box_{xt}^{i}t = p_{3}(p_{3}-1)t^{-2} \\ \Box_{t}^{i}x = p_{1}t^{(2p_{1}-2)}(1-p_{1}) \\ \Box_{t}^{i}y = p_{2}t^{(2p_{2}-2)}(1-p_{3}) \\ \Box_{t}^{i}y = p_{2}t^{(2p_{2}-2)}(1-p_{3}) \\ \Box_{t}^{i}x = p_{1}(1-p_{1})t^{-2} \\ \Box_{t}^{i}y = p_{2}(1-p_{3})t^{-2} \\ \Box_{t}^{i}y = p_{2}(1-p_{3})t^{-2} \\ \Box_{t}^{i}y = p_{2}(1-p_{3})t^{-2} \\ \Box_{t}^{i}y = p_{2}(1-p_{3})t^{-2} \\ \Box_{t}^{i}y = p_{2}(p_{3}t^{(2p_{2}-2)}) \\ \Box_{t}^{i}x = p_{1}(p_{3}t^{(2p_{2}-2)}) \\ \Box_{y}y = p_{2}p_{3}t^{(2p_{2}-2)} \\ \Box_{y}y = p_{2}p_{3}t^{(2p_{2}-2)} \\ \Box_{y}y = p_{2}p_{3}t^{(2p_{2}-2)} \\ \Box_{x}y = p_{1}p_{2}t^{(2p_{2}-2)} \\ \Box_{x}y = p_{1}p_{2}t^{(2p_{2}-2)} \\ \Box_{x}y = p_{1}p_{2}t^{(2p_{2}-2)} \\ \Box_{x}y = p_{2}p_{3}t^{(2p_{2}-2)} \\ \Box_{x}y = p_{3}p_{3}t^{(2p_{2}$$

Exercise 6.7 Killing vectors of the Schwarzschild spacetime

```
{t, r, \theta, \varphi}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={t, r, \theta, \varphi}, position=independent).
     ;::Symbol.
     \partial{#}::PartialDerivative.
     g_{a b}::Metric.
     g^{a b}::InverseMetric. # essential when using complete (gab, $g^{a b}$)
10
     Gamma := Gamma^{a}_{f g} \rightarrow 1/2 g^{a b} ( partial_{g}_{g_b f})
11
                                                     + \partial_{f}{g_{b g}}
12
                                                     - \partial_{b}{g_{f g}} ).
13
14
     deriv := xi_{a ; b} -> partial_{b}_{xi_{a}} - Gamma_{c}_{a  } xi_{c}.
15
     lower := xi_{a} \rightarrow g_{a b} xi_{b}.
16
17
     expr := xi_{a ; b} + xi_{b ; a}.
                                                                # cdb(ex-0607.100,expr)
19
     substitute (expr, deriv)
                                                                 # cdb(ex-0607.101,expr)
     substitute (expr, lower)
                                                                # cdb(ex-0607.102,expr)
21
                                                                 # cdb(ex-0607.103,expr)
     substitute (expr, Gamma)
     distribute (expr)
                                                                 # cdb(ex-0607.104,expr)
     product_rule (expr)
                                                                 # cdb(ex-0607.105,expr)
     canonicalise (expr)
                                                                 # cdb(ex-0607.106,expr)
26
     # choose a vector
27
28
     # Kvect := {\langle xi^{t} \rangle = 1 \rangle}.
29
     # Kvect := {\langle xi^{\langle varphi \rangle} = 1 \rangle}.
     Kvect := \{ xi^{\theta} = \sin(\alpha), xi^{\phi} = \cos(\theta) / \sin(\theta) \}.
31
     # Kvect := {\langle xi^{\hat{t}} = \langle cos(\langle varphi), \langle xi^{\hat{t}} = - \langle cos(\langle theta) \rangle = - \langle cos(\langle theta) \rangle \}.
32
                                                                  # cdb(ex-0607.107, Kvect)
33
34
     gab := \{ g_{t} t \}
                                     = -(1-2*m/r),
35
               g_{r r}
                                    = 1/(1-(2*m/r)),
```

```
g_{\theta\theta} = r**2,
g_{\varphi\varphi} = r**2 \sin(\theta)**2}. # cdb(ex-0607.108,gab)

complete (gab, $g^{a b}$) # cdb(ex-0607.109,gab)

evaluate (expr, join (gab,Kvect)) # cdb(ex-0607.110,expr)
```

$$\begin{split} [\xi^a] &= \left[\xi^\theta = \sin\varphi, \xi^\varphi = \cos\theta(\sin\theta)^{-1}\cos\varphi\right] \\ [g_{ab}] &= \left[g_{tt} = -1 + 2\,mr^{-1}, g_{rr} = \left(1 - 2\,mr^{-1}\right)^{-1}, g_{\theta\theta} = r^2, g_{\varphi\varphi} = r^2(\sin\theta)^2\right] \\ [g_{ab}, g^{ab}] &= \left[g_{tt} = -1 + 2\,mr^{-1}, g_{rr} = \left(1 - 2\,mr^{-1}\right)^{-1}, g_{\theta\theta} = r^2, g_{\varphi\varphi} = r^2(\sin\theta)^2, g^{tt} = -r(-2\,m+r)^{-1}, g^{rr} = (-2\,m+r)\,r^{-1}, g^{\theta\theta} = r^{-2}, g^{\varphi\varphi} = \left(r^2(\sin\theta)^2\right)^{-1}\right] \\ \xi_{a;b} + \xi_{b;a} &= \partial \xi_a - \Gamma^c_{ab}\xi_c + \partial \xi_b - \Gamma^c_{ba}\xi_c \\ &= \partial_b (g_{ac}\xi^c) - \Gamma^c_{ab}g_{cd}\xi^d + \partial_a (g_{bc}\xi^c) - \Gamma^c_{ba}g_{cd}\xi^d \\ &= \partial_b (g_{ac}\xi^c) - \frac{1}{2}\,g^{ee}\,(\partial g_{ea} + \partial g_{eb} - \partial g_{ab})\,g_{cd}\xi^d + \partial_a (g_{bc}\xi^c) - \frac{1}{2}\,g^{ee}\,(\partial g_{eb} + \partial g_{ea} - \partial g_{ba})\,g_{cd}\xi^d \\ &= \partial_b (g_{ac}\xi^c) - \frac{1}{2}\,g^{ee}\,(\partial g_{ea} + \partial g_{eb} - \partial g_{ab})\,g_{cd}\xi^d + \partial_a (g_{bc}\xi^c) - \frac{1}{2}\,g^{ee}\,(\partial g_{eb} + \partial g_{ea} - \partial g_{ba})\,g_{cd}\xi^d \\ &= \partial_b (g_{ac}\xi^c) - g^{ee}\partial g_{ea}g_{cd}\xi^d - g^{ee}\partial g_{eb}g_{cd}\xi^d + \frac{1}{2}\,g^{ee}\partial g_{ab}g_{cd}\xi^d + \partial_a (g_{bc}\xi^c) + \frac{1}{2}\,g^{ee}\partial g_{ba}g_{cd}\xi^d \\ &= \partial g_{ac}\xi^c + g_{ac}\partial_b\xi^c - g^{ee}\partial g_{ea}g_{cd}\xi^d - g^{ee}\partial g_{eb}g_{cd}\xi^d + \frac{1}{2}\,g^{ee}\partial g_{ab}g_{cd}\xi^d + \partial_a g_{bc}\xi^c + g_{bc}\partial_b\xi^c + \frac{1}{2}\,g^{ee}\partial g_{ba}g_{cd}\xi^d \\ &= \partial g_{ac}\xi^c + g_{ac}\partial_b\xi^c - g^{ed}\partial g_{ac}g_{de}\xi^c - g^{ed}\partial g_{bc}g_{de}\xi^c + g^{ed}\partial g_{ab}g_{de}\xi^c + \partial_a g_{bc}\xi^c + g_{bc}\partial_b\xi^c \\ &= \partial g_{ac}\xi^c + g_{ac}\partial_b\xi^c - g^{ed}\partial g_{ac}g_{de}\xi^c - g^{ed}\partial g_{bc}g_{de}\xi^c + g^{ed}\partial g_{ab}g_{de}\xi^c + \partial_a g_{bc}\xi^c + g_{bc}\partial_b\xi^c \\ &= \partial g_{ac}\xi^c + g_{ac}\partial_b\xi^c - g^{ed}\partial g_{ac}g_{de}\xi^c - g^{ed}\partial g_{bc}g_{de}\xi^c + g^{ed}\partial g_{ab}g_{de}\xi^c + g^{ed}\partial g_{ab}g_{de}\xi^c + g_{bc}\partial_b\xi^c \\ &= \partial g_{ac}\xi^c + g_{ac}\partial_b\xi^c - g^{ed}\partial g_{ac}g_{de}\xi^c - g^{ed}\partial g_{bc}g_{de}\xi^c + g^{ed}\partial g_{ab}g_{de}\xi^c + g^{ed}\partial g_{ab}$$

Exercise 6.08a A problem with evaluate

```
Traceback (most recent call last):
    File "/usr/local/bin/cadabra2", line 248, in <module>
        exec(cmp)
    File "ex-0608.py", line 27, in <module>
        evaluate (dV, dVrule)
RuntimeError: Dependencies on derivatives are not yet handled in the SymPy bridge
```

Exercise 6.08b A work around

```
{\theta, \varphi}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).
     \partial{#}::PartialDerivative.
     V_{a}::Depends(\theta,\varphi,\partial{#}).
     hide := \displaystyle \left\{ x_{b} \right\} - dV_{a} b.
     dVrule := { dV_{\theta} = \sin(\theta), }
10
                  dV_{\text{varphi}} = \cos(\theta).
                                                                        # cdb(ex-0608.201,dVrule)
11
     dV := \operatorname{partial}_{b}\{V_{a}\} - \operatorname{partial}_{a}\{V_{b}\}.
                                                                         # cdb(ex-0608.202,dV)
12
13
                                                                         # cdb(ex-0608.212,dV)
     substitute (dV, hide)
14
     evaluate (dV, dVrule)
                                                                         # cdb(ex-0608.203,dV)
15
```

The workaround here is to to hide the derivatives before calling evaluate.

$$dV_{ba} - dV_{ab}$$
 (ex-0608.212)

$$dV_{ab} = \partial_b V_a - \partial_a V_b$$
 (ex-0608.202)

$$= \Box_{ab} \begin{cases} \Box_{\varphi\theta} = \sin\theta - \cos\theta \\ \Box_{\theta\varphi} = -\sin\theta + \cos\theta \end{cases}$$
 (ex-0608.203)

Exercise 7.1 C-code for a R_{ab} for a generic metric

```
{x,y,z}::Coordinate.
             \{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(values=\{x,y,z\},position=independent).
              \partial{#}::PartialDerivative.
              g_{a b}::Metric.
              g^{a b}::InverseMetric.
              import cdblib
10
              FourRab = cdblib.get ('FourRab', 'ex-0309.json')
11
12
              Rab := 1/4 @(FourRab).
14
              substitute (Rab, $ \partial_{a b}{g_{c d}} -> dg_{c d a b} $)
15
              substitute (Rab, \ \partial_{a}{g_{b c}} -> dg_{b c a} $)
16
17
              # build rules to export Cadabra expressions to Python
              # use known symmetries for g_{a b}, dg_{ab,c,d} etc.
              # note: replacements must not contain underscores (reserved for subscripts),
21
                                    so g_{x} = x - g_{x} is not allowed
22
23
              gabRule := \{g_{x} x\} -> gxx, g_{x} -> gxy, g_{x} -> gxy, g_{x} -> gxz,
                                              g_{y} = \{y \mid x\} -> gxy, g_{y} -> gyy, g_{y} -> gyz,
                                              g_{z} = g_{z} + g_{z}, g_{z} + g_{z}, g_{z} + g_{z}.
27
              iabRule := \{g^{x} = x\} \rightarrow ixx, g^{x} \rightarrow ixy, g^{x} \rightarrow ixy, g^{x} = x\} \rightarrow ixz,
28
                                              g^{y} = x^{y} - ixy, g^{y} - iyy, g^{y} - iyz,
29
                                              g^{z} = x^{-1} = x^
30
31
              d1gabRule := \{dg_{x x x} -> dgxxx, dg_{x y x} -> dgxyx, dg_{x z x} -> dgxzx,
32
                                                    dg_{y x x} \rightarrow dgxyx, dg_{y y x} \rightarrow dgyyx, dg_{y z x} \rightarrow dgyzx,
33
                                                    dg_{z x x} \rightarrow dgxzx, dg_{z y x} \rightarrow dgyzx, dg_{z z x} \rightarrow dgzzx,
34
35
                                                    dg_{x y} - dg_{xy}, dg_{x y} - dg_{xy}, dg_{x z} - dg_{xy}
```

```
dg_{y x y} \rightarrow dgxyy, dg_{y y y} \rightarrow dgyyy, dg_{y z y} \rightarrow dgyzy,
37
                       dg_{z x y} \rightarrow dgxzy, dg_{z y y} \rightarrow dgyzy, dg_{z z y} \rightarrow dgzzy,
38
                       dg_{x z} -> dgxxz, dg_{x z} -> dgxyz, dg_{x z} -> dgxzz,
                       dg_{y z} \rightarrow dg_{y z}, dg_{y z} \rightarrow dg_{y z}, dg_{y z} \rightarrow dg_{y z},
41
                       dg_{z x z} \rightarrow dgxzz, dg_{z y z} \rightarrow dgyzz, dg_{z z} \rightarrow dgzzz.
42
43
      d2gabRule := \{dg_{x x x x} -> dgxxxx, dg_{x y x x} -> dgxyxx, dg_{x z x x} -> dgxzxx,
44
                       dg_{y x x x} \rightarrow dgxyxx, dg_{y x x} \rightarrow dgyyxx, dg_{y z x x} \rightarrow dgyzxx,
45
                       dg_{z x x x} \rightarrow dgxzxx, dg_{z x x} \rightarrow dgyzxx, dg_{z x x} \rightarrow dgzzxx,
46
                       dg_{x y y} \rightarrow dgxxy, dg_{x y y x} \rightarrow dgxyy, dg_{x y y} \rightarrow dgxyy,
47
                       dg_{y x y x} \rightarrow dgxyxy, dg_{y y y x} \rightarrow dgyyxy, dg_{y z y x} \rightarrow dgyzxy,
                       dg_{z} = x y x -> dgxzxy, dg_{z} = x y x -> dgyzxy, dg_{z} = x y x -> dgzzxy,
49
                       dg_{x z z} - dgxxxz, dg_{x z z} - dgxxxz, dg_{x z z} - dgxxzz,
                       dg_{y x z x} \rightarrow dgxyxz, dg_{y y z x} \rightarrow dgyyxz, dg_{y z z x} \rightarrow dgyzxz,
                       dg_{z} = x z + - dgxzxz, dg_{z} = x + - dgyzxz, dg_{z} = x + - dgzzxz,
53
                       dg_{x x x y} \rightarrow dgxxxy, dg_{x y x y} \rightarrow dgxyxy, dg_{x z x y} \rightarrow dgxzxy,
54
                       dg_{y x x y} \rightarrow dgxyxy, dg_{y x y} \rightarrow dgyyxy, dg_{y z x y} \rightarrow dgyzxy,
55
                       dg_{z \times y} \rightarrow dgxzy, dg_{z \times y} \rightarrow dgyzy, dg_{z \times y} \rightarrow dgzzy,
                       dg_{x y y} \rightarrow dgxyy, dg_{x y y} \rightarrow dgxyyy, dg_{x z y} \rightarrow dgxzyy,
                       dg_{y x y y} \rightarrow dgxyyy, dg_{y y y y} \rightarrow dgyyyy, dg_{y z y y} \rightarrow dgyzyy,
58
                       dg_{z} = x y  y -> dgxzyy, dg_{z} = x y  y -> dgyzyy, dg_{z} = x y  y -> dgzzyy,
59
                       dg_{x z y} -> dgxyz, dg_{x z y} -> dgxyyz, dg_{x z z y} -> dgxzyz,
                       dg_{y x z y} \rightarrow dg_{y y z}, dg_{y y z y} \rightarrow dg_{y y z}, dg_{y z z y} \rightarrow dg_{y z y z},
61
                       dg_{z x z y} \rightarrow dgxzyz, dg_{z y z y} \rightarrow dgyzyz, dg_{z z z y} \rightarrow dgzzyz,
                        dg_{x x x z} \rightarrow dgxxz, dg_{x y x z} \rightarrow dgxyz, dg_{x z x z} \rightarrow dgxzzz,
64
                       dg_{y x x z} \rightarrow dgxyxz, dg_{y y x z} \rightarrow dgyyxz, dg_{y z x z} \rightarrow dgyzxz,
65
                       dg_{z \times z} - dg_{z \times z}, dg_{z \times z} - dg_{z \times z}, dg_{z \times z} - dg_{z \times z},
66
                       dg_{x y z} \rightarrow dgxyz, dg_{x y z} \rightarrow dgxyyz, dg_{x z y z} \rightarrow dgxzyz,
                       dg_{y x y z} \rightarrow dgxyyz, dg_{y y y z} \rightarrow dgyyyz, dg_{y z y z} \rightarrow dgyzyz,
                       dg_{z} = x y z -> dgxzyz, dg_{z} = x y z -> dgyzyz, dg_{z} = x y z -> dgzzyz,
                       dg_{x z z} -> dgxzzz, dg_{x z z} -> dgxyzz, dg_{x z z} -> dgxyzz, dg_{x z z} -> dgxzzz,
70
                       dg_{y z z} \rightarrow dgxyzz, dg_{y z z} \rightarrow dgyyzz, dg_{y z z} \rightarrow dgyzzz,
71
                       dg_{z} = x z  -> dgxzzz, dg_{z} = x z -> dgyzzz, dg_{z} = x z -> dgzzzz.
72
73
      def write_code (obj,name,filename,rank):
```

```
75
         import os
76
77
         from sympy.printing.c import C99CodePrinter as printer
78
         from sympy.codegen.ast import Assignment
79
80
        idx=[] # indices in the form [\{x, x\}, \{x, y\} ...]
81
        lst=[] # corresponding terms [termxx, termxy, ...]
        for i in range( len(obj[rank]) ):
                                                             # rank = number of free indices
84
             idx.append( str(obj[rank][i][0]._sympy_()) ) # indices for this term
85
             lst.append( str(obj[rank][i][1]._sympy_()) ) # the matching term
86
87
        mat = sympy.Matrix([lst])
                                                             # row vector of terms
88
         sub_exprs, simplified_rhs = sympy.cse(mat)
                                                             # optimise code
90
         with open(os.getcwd() + '/' + filename, 'w') as out:
91
92
            for lhs, rhs in sub_exprs:
93
               out.write(printer().doprint(Assignment(lhs, rhs))+'\n')
94
95
           for index, rhs in enumerate (simplified_rhs[0]):
96
               lhs = sympy.Symbol(name+' '+(idx[index]).replace(', ',']['))
97
               out.write(printer().doprint(Assignment(lhs, rhs))+'\n')
98
99
     def JoinLists (obj):
100
        ans := \{\}.
101
        for i in range (len(obj)):
102
            ans = join (ans,obj[i])
103
         return ans
104
105
                 (Rab, JoinLists ([gabRule,d1gabRule,d2gabRule,iabRule]), simplify=False)
      evaluate
106
107
     write_code (Rab, 'Rab', 'ex-0701-rab.c',2)
108
```

The code for R_{ab} can be found in the file ex-0701-rab.c. It is long and it would require more work to turn it into something useful in a

numerical code. For example, functions would be needed to compute the first and second partial derivatives of the metric. But that is not a Cadabra issue.