Exercise 1.1 Verify symmetry of $\Gamma^a{}_{bc}$

```
{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices.
     g_{a b}::Metric.
     \partial{#}::PartialDerivative.
     Gamma := Gamma^{a}_{b c} -> (1/2) g^{a d} ( partial_{b}_{g_{d c}})
                                                  + \partial_{c}{g_{b d}}
                                                  - \partial_{d}{g_{b c}} ).
10
     diff := Gamma^{a}_{b c} - Gamma^{a}_{c b}.
                                                    # cdb (ex-0101.101, diff)
11
12
                   (diff, Gamma)
                                                     # cdb (ex-0101.102, diff)
     substitute
13
                   (diff)
                                                     # cdb (ex-0101.103,diff)
     distribute
14
     canonicalise (diff)
                                                     # cdb (ex-0101.104,diff)
```

$$\Gamma^{a}{}_{bc} - \Gamma^{a}{}_{cb} = \frac{1}{2}g^{ad} \left(\partial_{b}g_{dc} + \partial_{c}g_{bd} - \partial_{d}g_{bc}\right) - \frac{1}{2}g^{ad} \left(\partial_{c}g_{db} + \partial_{b}g_{cd} - \partial_{d}g_{cb}\right)$$

$$= \frac{1}{2}g^{ad}\partial_{b}g_{dc} + \frac{1}{2}g^{ad}\partial_{c}g_{bd} - \frac{1}{2}g^{ad}\partial_{d}g_{bc} - \frac{1}{2}g^{ad}\partial_{c}g_{db} - \frac{1}{2}g^{ad}\partial_{b}g_{cd} + \frac{1}{2}g^{ad}\partial_{d}g_{cb}$$

$$= 0$$

Exercise 1.2 Christoffel symbol and dg

```
{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices.
                            g_{a b}::Metric.
                            g_{a}^{b}::KroneckerDelta.
                            \partial{#}::PartialDerivative.
                            + \partial_{c}{g_{b d}}
                                                                                                                                                                                                                                                                                           - \partial_{d}{g_{b c}} ).
 10
11
                            GammaD := Gamma_{a b c} -> g_{a d} Gamma^{d}_{b c}.
 12
 13
                            expr := \Gamma_{ab} = \Gamma_{c} = \Gamma_{
                                                                                                                                                                                                                                                                                                                                                                                                                       # cdb (ex-0102.101,expr)
14
 15
                                                                                                                                               (expr, GammaD)
                                                                                                                                                                                                                                                                                                                                                                                                                        # cdb (ex-0102.102,expr)
                             substitute
16
                                                                                                                                               (expr, GammaU)
                                                                                                                                                                                                                                                                                                                                                                                                                         # cdb (ex-0102.103,expr)
                             substitute
17
                                                                                                                                                                                                                                                                                                                                                                                                                         # cdb (ex-0102.104,expr)
                             distribute
                                                                                                                                               (expr)
                             eliminate_metric
                                                                                                                                               (expr)
                                                                                                                                                                                                                                                                                                                                                                                                                         # cdb (ex-0102.105,expr)
19
                            eliminate_kronecker (expr)
                                                                                                                                                                                                                                                                                                                                                                                                                        # cdb (ex-0102.106,expr)
 20
                                                                                                                                               (expr)
                                                                                                                                                                                                                                                                                                                                                                                                                        # cdb (ex-0102.107,expr)
                             canonicalise
 21
```

$$\begin{split} \Gamma_{abc} + \Gamma_{bac} - \partial_c g_{ab} &= g_{ad} \Gamma^d_{\ bc} + g_{bd} \Gamma^d_{\ ac} - \partial_c g_{ab} \\ &= \frac{1}{2} g_{ad} g^{de} \left(\partial_b g_{ec} + \partial_c g_{be} - \partial_e g_{bc} \right) + \frac{1}{2} g_{bd} g^{de} \left(\partial_a g_{ec} + \partial_c g_{ae} - \partial_e g_{ac} \right) - \partial_c g_{ab} \\ &= \frac{1}{2} g_{ad} g^{de} \partial_b g_{ec} + \frac{1}{2} g_{ad} g^{de} \partial_c g_{be} - \frac{1}{2} g_{ad} g^{de} \partial_e g_{bc} + \frac{1}{2} g_{bd} g^{de} \partial_a g_{ec} + \frac{1}{2} g_{bd} g^{de} \partial_c g_{ae} - \frac{1}{2} g_{bd} g^{de} \partial_e g_{ac} - \partial_c g_{ab} \\ &= \frac{1}{2} g_a^{\ e} \partial_b g_{ec} + \frac{1}{2} g_a^{\ e} \partial_c g_{be} - \frac{1}{2} g_a^{\ e} \partial_e g_{bc} + \frac{1}{2} g_b^{\ e} \partial_a g_{ec} + \frac{1}{2} g_b^{\ e} \partial_c g_{ae} - \frac{1}{2} g_b^{\ e} \partial_e g_{ac} - \partial_c g_{ab} \\ &= \frac{1}{2} \partial_c g_{ba} - \frac{1}{2} \partial_c g_{ab} \\ &= 0 \end{split}$$

Exercise 1.3 Christoffel symbol and dg with a single rule

```
\{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
    g_{a b}::Metric.
    g_{a}^{b}::KroneckerDelta.
    \partial{#}::PartialDerivative.
    + \partial_{c}{g_{b d}}
                                          - \partial_{d}{g_{b c}} ).
10
11
    # cdb (ex-0103.101, GammaD)
13
                     (GammaD, GammaU)
                                                             # cdb (ex-0103.102, GammaD) # requires Indices(position=independent)
    substitute
                                                             # cdb (ex-0103.103, GammaD)
    distribute
                     (GammaD)
15
    eliminate_metric
                     (GammaD)
                                                             # cdb (ex-0103.104, GammaD)
16
    eliminate_kronecker (GammaD)
                                                             # cdb (ex-0103.105, GammaD)
17
18
    expr := \Gamma_{ab} + \Gamma_{ba} - \Gamma_{c} 
                                                             # cdb (ex-0103.201,expr)
19
                     (expr, GammaD)
                                                             # cdb (ex-0103.202,expr)
    substitute
21
                                                             # cdb (ex-0103.203,expr)
                     (expr)
    canonicalise
```

$$\Gamma_{abc} \to g_{ad} \Gamma^d_{\ bc}$$
 (ex-0103.101)

$$\Gamma_{abc} \to \frac{1}{2} g_{ad} g^{de} \left(\partial_b g_{ec} + \partial_c g_{be} - \partial_e g_{bc} \right)$$
 (ex-0103.102)

$$\Gamma_{abc} \to \frac{1}{2} g_{ad} g^{de} \partial_b g_{ec} + \frac{1}{2} g_{ad} g^{de} \partial_c g_{be} - \frac{1}{2} g_{ad} g^{de} \partial_e g_{bc}$$
 (ex-0103.103)

$$\Gamma_{abc} \to \frac{1}{2} g_a{}^e \partial_b g_{ec} + \frac{1}{2} g_a{}^e \partial_c g_{be} - \frac{1}{2} g_a{}^e \partial_e g_{bc} \tag{ex-0103.104}$$

$$\Gamma_{abc} \to \frac{1}{2} \partial_b g_{ac} + \frac{1}{2} \partial_c g_{ba} - \frac{1}{2} \partial_a g_{bc}$$
 (ex-0103.105)

$$\Gamma_{abc} + \Gamma_{bac} - \partial_c g_{ab} = \frac{1}{2} \partial_c g_{ba} - \frac{1}{2} \partial_c g_{ab}$$

$$= 0$$
(ex-0103.202)
$$= 0$$

Exercise 1.3 Repeat but without position=independent

```
{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices.
    g_{a b}::Metric.
    g_{a}^{b}::KroneckerDelta.
    \partial{#}::PartialDerivative.
    + \partial_{c}{g_{b d}}
                                           - \partial_{d}{g_{b c}} ).
10
11
    # cdb (ex-0103.301, GammaD)
13
                     (GammaD, GammaU)
                                                              # cdb (ex-0103.302, GammaD)
    substitute
    distribute
                     (GammaD)
                                                              # cdb (ex-0103.303, GammaD)
15
    eliminate_metric
                     (GammaD)
                                                              # cdb (ex-0103.304, GammaD)
16
    eliminate_kronecker (GammaD)
                                                              # cdb (ex-0103.305, GammaD)
17
18
    expr := \Gamma_{a b c} + \Gamma_{b a c} - \Gamma_{c}\{g_{a b}\}.
                                                              # cdb (ex-0103.401,expr)
19
    substitute
                     (expr, GammaD)
                                                              # cdb (ex-0103.402,expr)
21
                     (expr)
                                                              # cdb (ex-0103.403,expr)
    canonicalise
```

$$\Gamma_{abc} \to g_{ad} \Gamma^d_{bc} \qquad (ex-0103.301)$$

$$\frac{1}{2} g_a{}^d \left(\partial_b g_{dc} + \partial_c g_{bd} - \partial_d g_{bc}\right) \to \frac{1}{2} g_{ad} g^{de} \left(\partial_b g_{ec} + \partial_c g_{be} - \partial_e g_{bc}\right) \qquad (ex-0103.302)$$

$$\frac{1}{2} g_a{}^d \partial_b g_{dc} + \frac{1}{2} g_a{}^d \partial_c g_{bd} - \frac{1}{2} g_a{}^d \partial_d g_{bc} \to \frac{1}{2} g_{ad} g^{de} \partial_b g_{ec} + \frac{1}{2} g_{ad} g^{de} \partial_c g_{be} - \frac{1}{2} g_{ad} g^{de} \partial_e g_{bc} \qquad (ex-0103.303)$$

$$\frac{1}{2}\partial_b g_{ac} + \frac{1}{2}\partial_c g_{ba} - \frac{1}{2}\partial_a g_{bc} \to \frac{1}{2}g_a^e \partial_b g_{ec} + \frac{1}{2}g_a^e \partial_c g_{be} - \frac{1}{2}g_a^e \partial_e g_{bc}$$
(ex-0103.304)

$$\frac{1}{2}\partial_b g_{ac} + \frac{1}{2}\partial_c g_{ba} - \frac{1}{2}\partial_a g_{bc} \rightarrow \frac{1}{2}\partial_b g_{ac} + \frac{1}{2}\partial_c g_{ba} - \frac{1}{2}\partial_a g_{bc}$$
 (ex-0103.305)

$$\Gamma_{abc} + \Gamma_{bac} - \partial_c g_{ab} = \Gamma_{abc} + \Gamma_{bac} - \partial_c g_{ab}$$

$$= \Gamma_{abc} + \Gamma_{bac} - \partial_c g_{ab}$$

$$= \Gamma_{abc} + \Gamma_{bac} - \partial_c g_{ab}$$
(ex-0103.402)
$$= (-0.103.403)$$

Exercise 1.4 Experiments with sorting

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w,x,y,z\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative.
     expr := C^{f}
             w^{e}
             B^{d}
             v^{c}
             A^{b}
             u^{a}.
                                             # cdb (ex-0104.100,expr)
10
11
     sort_product (expr)
                                             # cdb (ex-0104.101,expr)
12
13
     expr := \Omega_{f}
14
             \gamma_{e}
15
             \Pi_{d}
16
             \beta_{c}
17
             \Gamma_{b}
18
             \alpha_{a}.
                                             # cdb (ex-0104.200,expr)
19
20
     sort_product (expr)
                                             # cdb (ex-0104.201,expr)
21
22
     expr := C^{f}
23
             w^{e}
24
             B^{d}
             v^{c}
             A^{b}
27
             u^{a}
28
             \Omega_{f}
29
             \gamma_{e}
30
             \Pi_{d}
31
             \beta_{c}
32
             \Gamma_{b}
33
             \alpha_{a}.
                                             # cdb (ex-0104.300,expr)
34
35
                                             # cdb (ex-0104.301,expr)
     sort_product (expr)
```

```
37
     expr := \partial_{f}{C^{f}}
38
             w^{1}
39
             \partial_{d}{B^{d}}
40
             v^{k}
41
             \partial_{b}{A^{b}}
42
             u^{j}
43
             \Omega_{i}
44
             \partial^{e}{ \gamma_{e}}}
45
             \Pi_{h}
46
             \partial^{c}{\beta_{c}}
47
             \Gamma_{g}
48
             \partial^{a}{\alpha_{a}}.
                                              # cdb (ex-0104.400,expr)
49
50
     sort_product (expr)
                                              # cdb (ex-0104.401,expr)
51
52
     expr := \partial{C}
53
54
             \partial{B}
55
56
             \partial{A}
             u
58
             \Omega
59
             \partial{ \gamma}
60
              \Pi
61
             \partial{\beta}
62
             \Gamma
63
             \partial{\alpha}.
                                              # cdb (ex-0104.500,expr)
64
65
     sort_product (expr)
                                              # cdb (ex-0104.501,expr)
66
67
     expr := A_{b}
68
             A_{a}
69
             A_{cde}
70
             A_{f} g}.
                                              # cdb (ex-0104.600,expr)
71
72
     sort_product (expr)
                                              # cdb (ex-0104.601,expr)
73
74
```

```
expr := A_{a} A^{a} 

+ A^{a} A_{a}. # cdb (ex-0104.700,expr)

sort_product (expr) # cdb (ex-0104.701,expr)

ex-0104.100 := C^f w^e B^d v^c A^b u^a

ex-0104.101 := A^b B^d C^f u^a v^c w^e
```

$$\begin{split} &\operatorname{ex-0104.100} := C^f w^e B^d v^c A^b u^a \\ &\operatorname{ex-0104.101} := A^b B^d C^f u^a v^c w^e \\ &\operatorname{ex-0104.200} := \Omega_f \gamma_e \Pi_d \beta_c \Gamma_b \alpha_a \\ &\operatorname{ex-0104.201} := \Gamma_b \Omega_f \Pi_d \alpha_a \beta_c \gamma_e \\ &\operatorname{ex-0104.300} := C^f w^e B^d v^c A^b u^a \Omega_f \gamma_e \Pi_d \beta_c \Gamma_b \alpha_a \\ &\operatorname{ex-0104.301} := A^b B^d C^f \Gamma_b \Omega_f \Pi_d \alpha_a \beta_c \gamma_e u^a v^c w^e \\ &\operatorname{ex-0104.400} := \partial_f C^f w^l \partial_d B^d v^k \partial_b A^b u^j \Omega_i \partial^e \gamma_e \Pi_h \partial^c \beta_c \Gamma_g \partial^a \alpha_a \\ &\operatorname{ex-0104.401} := \Gamma_g \Omega_i \Pi_h \partial_b A^b \partial_d B^d \partial_f C^f \partial^a \alpha_a \partial^c \beta_c \partial^e \gamma_e u^j v^k w^l \\ &\operatorname{ex-0104.500} := \partial C w \partial B v \partial A u \Omega \partial \gamma \Pi \partial \beta \Gamma \partial \alpha \\ &\operatorname{ex-0104.500} := \Gamma \Omega \Pi \partial A \partial B \partial C \partial \alpha \partial \beta \partial \gamma u v w \\ &\operatorname{ex-0104.501} := \Gamma \Omega \Pi \partial A \partial B \partial C \partial \alpha \partial \beta \partial \gamma u v w \\ &\operatorname{ex-0104.600} := A_a A_b A_{fg} A_{cde} \\ &\operatorname{ex-0104.700} := A_a A^a + A^a A_a \\ &\operatorname{ex-0104.700} := 2 A_a A^a \end{split}$$

Exercise 1.5 A sort hack

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w,x,y,z#}::Indices(position=independent).

foo := A_{a} A^{a} + A^{a} A_{a}.  # cdb (ex-0105.100,foo)

sort_product (foo)  # cdb (ex-0105.101,foo)

substitute (foo, $A^{a} -> Z^{a}$)  # cdb (ex-0105.102,foo)

sort_product (foo)  # cdb (ex-0105.103,foo)

substitute (foo, $Z^{a} -> A^{a}$)  # cdb (ex-0105.104,foo)
```

```
\begin{array}{l} \mathtt{ex-0105.100} := A_a A^a + A^a A_a \\ \mathtt{ex-0105.101} := 2 A_a A^a \\ \mathtt{ex-0105.102} := 2 A_a Z^a \\ \mathtt{ex-0105.103} := 2 A_a Z^a \\ \mathtt{ex-0105.104} := 2 A_a A^a \end{array}
```

Exercise 1.6 Multiple SortOrder lists

```
{D,C,B,A}::SortOrder. # first SortOrder list
                           # cdb(ex-0106.101,foo)
    foo := A B C D.
     sort_product (foo)
                           # cdb(ex-0106.102,foo)
                           # second SortOrder list, all entries distinct from first list
     {V,U}::SortOrder.
    foo := U V A B C D.
                           # cdb(ex-0106.201,foo)
10
     sort_product (foo)
                           # cdb(ex-0106.202,foo)
11
12
     {A,B,C,D}::SortOrder. # all entries in this list appear in the
13
                           # first SortOrder so they will be effectively ignored
14
15
    foo := U V D C B A.
                           # cdb(ex-0106.301,foo)
16
17
     sort_product (foo)
                           # cdb(ex-0106.302,foo)
```

```
ex-0106.101 := ABCD
ex-0106.102 := DCBA
ex-0106.201 := UVABCD
ex-0106.202 := DCBAVU
ex-0106.301 := UVDCBA
ex-0106.302 := DCBAVU
```

Exercise 1.7 Subtleties of foo = bah and foo := @(bah)

```
{a,b,c,d,e,f,h#}::Indices.
    foo := B_{b} A_{a}.
     bah := A_{a} C_{c}.
     # cdbBeg(print.0107)
     print("foo = "+str(foo))
     print("bah = "+str(bah)+"\n")
     print("type foo = "+str(type(foo)))
10
     print("type bah = "+str(type(bah))+"\n")
11
     print("id foo = "+str(id(foo)))
     print("id bah = "+str(id(bah))+"\n")
14
15
     bah = foo
16
17
     print("foo = "+str(foo))
     print("bah = "+str(bah)+"\n")
20
     sort_product (foo)
21
22
     print("bah = "+str(bah)+"\n")
23
     print("id foo = "+str(id(foo)))
     print("id bah = "+str(id(bah))+"\n")
26
27
     bah := @(foo).
28
29
     print("id foo = "+str(id(foo)))
     print("id bah = "+str(id(bah))+"\n")
31
     # cdbEnd(print.0107)
```

```
foo = B_{b} A_{a}
bah = A_{a} C_{c}

type foo = <class 'cadabra2.Ex'>
type bah = <class 'cadabra2.Ex'>

id foo = 4390064432

id bah = 4382387184

foo = B_{b} A_{a}

bah = B_{b} A_{a}

bah = A_{a} B_{b}

id foo = 4390064432

id foo = 4390064432

id bah = 4382387

id foo = 4390064432

id bah = 4382179568
```

Note that the line numbers referenced in the following are those of the output above not those of the Cadabra source.

- Lines 7 and 8 show that the objects foo and bah point to distinct areas of memeory (i.e., they point to different objects).
- Lines 10 and 11 show the result of the statement bah = foo.
- Line 13 shows that bah has changed after the statement sort_product (foo).
- Lines 15 and 16 verifies that foo and bah point to the same object (so changes in foo will be seen by bah, as just noted).
- Lines 18 and 19 shows that after bah := @(foo) the symbols bah and foo no longer point to the same object.

Exercise 1.8 Syntax errors – original code

```
{a,b,c,d,e,f#}::Indices.
     C{#}::Symmetric.
    foo := A_{a} B_{b} + C_{ab}.
                                                         # C_{ab} should be C_{ab}
     bah := B_{b} A_{a} + C_{ba}.
                                                         # C_{ba} should be C_{ba}
     meh := @(foo) - @(bah)
                                                         # missing dot or semi-colon terminator
     if meh == 0:
        print ("meh is zero, and all is good")
                                                         # indentation error, drop the dot
           success = True.
10
     else:
11
        print ("meh is not zero, oops")
12
                                                         # indentation error, drop the dot
           success = False.
13
14
     canonicalise (meh).
                                                         # terminate with ; or nothing
15
     sort_product (meh);
16
17
     {\alpha\beta\gamma}::Indices.
                                                         # separate list elements with commas
19
     foo := Ex ("A_{ab} - A_{ab}");
                                                         # use = for assignment, A_{ab} should be A_{a b}
20
     bah := Ex ("A_{\alpha\beta} - A_{\alpha\beta}"); # use = for assignment, need raw string in Ex
```

Exercise 1.8 Syntax errors – corrected code

```
{a,b,c,d,e,f#}::Indices.
    C{#}::Symmetric.
    foo := A_{a} B_{b} + C_{a}
                                                        # cdb (ex-0108.101,foo)
     bah := B_{b} A_{a} + C_{b}
                                                        # cdb (ex-0108.102,bah)
    meh := @(foo) - @(bah).
                                                        # cdb (ex-0108.103,meh)
     if meh == 0:
       print ("meh is zero, and all is good")
        success = True
10
     else:
11
       print ("meh is not zero, oops")
12
        success = False
13
14
     canonicalise (meh)
                                                        # cdb (ex-0108.104,meh)
15
     sort_product (meh);
                                                        # cdb (ex-0108.105,meh)
16
17
     {\alpha,\beta,\gamma}::Indices.
18
19
    foo = Ex ("A_{a b} - A_{a b}");
                                                       # cdb (ex-0108.106,foo)
20
     bah = Ex (r"A_{\alpha} - A_{\alpha}); # cdb (ex-0108.107, bah)
```

```
\begin{split} & \text{ex-0108.101} := A_a B_b + C_{ab} \\ & \text{ex-0108.102} := B_b A_a + C_{ba} \\ & \text{ex-0108.103} := A_a B_b + C_{ab} - B_b A_a - C_{ba} \\ & \text{ex-0108.104} := A_a B_b - B_b A_a \\ & \text{ex-0108.105} := 0 \\ & \text{ex-0108.106} := 0 \\ & \text{ex-0108.107} := 0 \end{split}
```

Exercise 1.9 No index clashes

```
{a,b,c,d,e,f,u,v,w}::Indices.

foo := A_{a c} C^{c}.  # cdb (ex-0109.101,foo)

bah := B_{b c} C^{c}.  # cdb (ex-0109.102,bah)

foobah := @(foo) @(bah).  # cdb (ex-0109.103,foobah)
```

$$A_{ac}C^c$$
 (ex-0109.101)
 $B_{bc}C^c$ (ex-0109.102)
 $A_{ac}C^cB_{bd}C^d$ (ex-0109.103)

Exercise 1.10 Relabel free indices

```
{a,b,c,d,e,f,u,v,w}::Indices.

delta{#}::KroneckerDelta.

expr := A_{a b c}.  # cdb (ex-0110.101,expr)

expr := \delta^{a}_{u} \delta^{b}_{v} \delta^{c}_{w} @(expr).  # cdb (ex-0110.102,expr)

eliminate_kronecker (expr)  # cdb (ex-0110.103,expr)
```

$$A_{abc}$$
 (ex-0110.101) $\delta^a{}_u\delta^b{}_v\delta^c{}_wA_{abc}$ (ex-0110.102) A_{uvw} (ex-0110.103)

Exercise 1.11 Cycling free indices – preferred solution

```
{a,b,c,d,e,f,u,v,w}::Indices.

expr := A_{a b c}.  # cdb (ex-0111.101,expr)

rule := T_{a b c} -> @(expr).
expr := T_{b c a}.  # cdb (ex-0111.102,expr)

substitute (expr, rule)  # cdb (ex-0111.103,expr)
```

```
A_{abc} (ex-0111.101)

T_{bca} (ex-0111.102)

A_{bca} (ex-0111.103)
```

Exercise 1.11 Cycling free indices – alternative solution

This alternative solution uses two rounds of Kroncker deltas. It does the job but is not as simple as the previous solution.

Exercise 2.1 Using Cadabra's own product rule

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices(position=independent).
    \nabla{#}::Derivative.
    \partial{#}::PartialDerivative.
    # templates for covariant derivatives
    + \Gamma^{b}_{c a} A?^{c}.
10
    11
                              - \Gamma^{c}_{b a} A?_{c}.
12
13
    # create an object
14
15
    uv := \nabla_{a}{v_{b} u^{b}}
16
       - \partial_{a}{v_{b} u^{b}}.
                                   # cdb (ex-0201.101,uv)
17
18
    # apply the rules, then simplify
19
20
    product_rule
                 (uv)
                                     # cdb (ex-0201.102,uv)
21
                 (uv,deriv1)
                                     # cdb (ex-0201.103,uv)
    substitute
22
                 (uv,deriv2)
                                     # cdb (ex-0201.104,uv)
    substitute
                                     # cdb (ex-0201.105,uv)
    distribute
                 (uv)
                 (uv)
    sort_product
                                     # cdb (ex-0201.106,uv)
25
    rename_dummies (uv)
                                      # cdb (ex-0201.107,uv)
```

$$\nabla_{a} (v_{b}u^{b}) - \partial_{a} (v_{b}u^{b}) = \nabla_{a}v_{b}u^{b} + v_{b}\nabla_{a}u^{b} - \partial_{a}v_{b}u^{b} - v_{b}\partial_{a}u^{b}$$

$$= \nabla_{a}v_{b}u^{b} + v_{b} (\partial_{a}u^{b} + \Gamma^{b}{}_{ca}u^{c}) - \partial_{a}v_{b}u^{b} - v_{b}\partial_{a}u^{b}$$

$$= (\partial_{a}v_{b} - \Gamma^{c}{}_{ba}v_{c}) u^{b} + v_{b} (\partial_{a}u^{b} + \Gamma^{b}{}_{ca}u^{c}) - \partial_{a}v_{b}u^{b} - v_{b}\partial_{a}u^{b}$$

$$= -\Gamma^{c}{}_{ba}v_{c}u^{b} + v_{b}\Gamma^{b}{}_{ca}u^{c}$$

$$= -\Gamma^{c}{}_{ba}u^{b}v_{c} + \Gamma^{b}{}_{ca}u^{c}v_{b}$$

$$= 0$$

$$(ex-0201.102)$$

$$(ex-0201.103)$$

$$(ex-0201.104)$$

$$= -\Gamma^{c}{}_{ba}u^{b}v_{c} + \Gamma^{b}{}_{ca}u^{c}v_{b}$$

$$= 0$$

$$(ex-0201.107)$$

Exercise 2.1 Using hand crafted product rules

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # templates for covariant derivatives
     + \Gamma^{b}_{c a} A?^{c}.
10
     deriv2 := \nabla_{a}{A?_{b}} \rightarrow \partial_{a}{A?_{b}}
11
                                  - \Gamma^{c}_{b a} A?_{c}.
12
13
     # tempaltes for product rules
14
15
     deriv3 := \frac{a}{A?_{b} B?^{c}} -> B?^{c} \ln_{a}{A?_{b}}
16
                                         + A?_{b} \nabla_{a}{B?^{c}}.
17
18
    deriv4 := \frac{a}{A?_{b} B?^{c}} -> B?^{c} \operatorname{a}_{a}^{A?_{b}}
19
                                           + A?_{b} \partial_{a}{B?^{c}}.
20
21
     # create an object
22
23
     uv := \nabla_{a}{v_{b} u^{b}}
24
        - \partial_{a}{v_{b} u^{b}}.
                                        # cdb (ex-0201.201,uv)
25
26
     # apply the rules, then simplify
27
28
                    (uv,deriv3)
                                          # cdb (ex-0201.202,uv)
     substitute
29
                    (uv,deriv4)
                                          # cdb (ex-0201.203,uv)
     substitute
                    (uv,deriv1)
                                          # cdb (ex-0201.204,uv)
     substitute
31
                                          # cdb (ex-0201.205,uv)
                    (uv,deriv2)
     substitute
32
                                          # cdb (ex-0201.206,uv)
     distribute
                    (uv)
33
     sort_product
                                          # cdb (ex-0201.207,uv)
                    (uv)
34
    rename_dummies (uv)
                                          # cdb (ex-0201.208,uv)
```

$$\nabla_{a} (v_{b}u^{b}) - \partial_{a} (v_{b}u^{b}) = u^{b} \nabla_{a} v_{b} + v_{b} \nabla_{a} u^{b} - \partial_{a} (v_{b}u^{b})$$

$$= u^{b} \nabla_{a} v_{b} + v_{b} \nabla_{a} u^{b} - u^{b} \partial_{a} v_{b} - v_{b} \partial_{a} u^{b}$$

$$= u^{b} \nabla_{a} v_{b} + v_{b} (\partial_{a} u^{b} + \Gamma^{b}{}_{ca} u^{c}) - u^{b} \partial_{a} v_{b} - v_{b} \partial_{a} u^{b}$$

$$= u^{b} (\partial_{a} v_{b} - \Gamma^{c}{}_{ba} v_{c}) + v_{b} (\partial_{a} u^{b} + \Gamma^{b}{}_{ca} u^{c}) - u^{b} \partial_{a} v_{b} - v_{b} \partial_{a} u^{b}$$

$$= u^{b} (\partial_{a} v_{b} - \Gamma^{c}{}_{ba} v_{c}) + v_{b} (\partial_{a} u^{b} + \Gamma^{b}{}_{ca} u^{c}) - u^{b} \partial_{a} v_{b} - v_{b} \partial_{a} u^{b}$$

$$= -u^{b} \Gamma^{c}{}_{ba} v_{c} + v_{b} \Gamma^{b}{}_{ca} u^{c}$$

$$= -\Gamma^{c}{}_{ba} u^{b} v_{c} + \Gamma^{b}{}_{ca} u^{c} v_{b}$$

$$= 0$$

$$(ex-0201.202)$$

$$(ex-0201.205)$$

$$= -\Gamma^{c}{}_{ba} u^{b} v_{c} + \Gamma^{b}{}_{ca} u^{c} v_{b}$$

$$= 0$$

$$(ex-0201.208)$$

Exercise 2.2 Covariant derivative of v_{ab}

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # template for covariant derivative of a vector
     derivU := \nabla_{a}^{A?^{b}} -> \partial_{a}^{A?^{b}} + \Gamma^{b}_{c} a A?^{c}.
     derivD := \nabla_{a}{A?_{b}} -> \partial_{a}{A?_{b}} - \Gamma^{c}_{b} \ A?_{c}.
10
     vab := v_{a b} -> A_{a} B_{b}.
     iab := A_{a} B_{b} -> v_{a} b.
13
     pab := \hat{A}_{a}_{a} = \hat{A}_{a}_{a} - A_{b} B_{c} - A_{b} \beta_{a}_{a}.
14
15
     # create an object
16
17
     Dvab := \frac{a}{v_{b}}.
                                    # cdb (ex-0202.101,Dvab)
19
     # apply the rule, then simplify
20
21
                    (Dvab, vab)
     substitute
                                      # cdb (ex-0202.102, Dvab)
22
                    (Dvab)
     product_rule
                                      # cdb (ex-0202.103, Dvab)
     substitute
                    (Dvab,derivD)
                                      # cdb (ex-0202.104, Dvab)
                    (Dvab,derivU)
     substitute
                                      # cdb (ex-0202.105, Dvab)
                    (Dvab)
                                      # cdb (ex-0202.106, Dvab)
     distribute
26
                    (Dvab,pab)
                                      # cdb (ex-0202.107, Dvab)
     substitute
27
                    (Dvab)
                                      # cdb (ex-0202.108,Dvab)
     canonicalise
28
                    (Dvab, iab)
                                      # cdb (ex-0202.109,Dvab)
     substitute
29
                                      # cdb (ex-0202.110,Dvab)
     sort_product
                    (Dvab)
```

| $\nabla_a v_{bc} = \nabla_a \left(A_b B_c \right)$ | (ex-0202.102) |
|--|---|
| $= \nabla_a A_b B_c + A_b \nabla_a B_c$ | (ex-0202.103) |
| $= \left(\partial_a A_b - \Gamma^d{}_{ba} A_d\right) B_c + A_b \left(\partial_a B_c + A_b \left(\partial_a B_c - \Gamma^d B_c A_d\right) B_c + A_b \left(\partial_a B_c - \Gamma^d B_c A_d\right) B_c \right)$ | $B_c - \Gamma^d_{ca} B_d $ (ex-0202.104) |
| $= \left(\partial_a A_b - \Gamma^d{}_{ba} A_d\right) B_c + A_b \left(\partial_a B_c + A_b \right) \left(\partial_a B_$ | $B_c - \Gamma^d_{ca} B_d $ (ex-0202.105) |
| $= \partial_a A_b B_c - \Gamma^d{}_{ba} A_d B_c + A_b \partial_a B_c$ | $-A_b\Gamma^d_{\ ca}B_d \qquad \qquad (\text{ex-0202.106})$ |
| $= \partial_a \left(A_b B_c \right) - \Gamma^d_{ba} A_d B_c - A_b \Gamma^d_c$ | $_{ca}B_{d}$ (ex-0202.107) |
| $= \partial_a \left(A_b B_c \right) - \Gamma^d_{ba} A_d B_c - A_b \Gamma^d_c$ | $_{ca}B_{d}$ (ex-0202.108) |
| $= \partial_a v_{bc} - \Gamma^d{}_{ba} v_{dc} - v_{bd} \Gamma^d{}_{ca}$ | (ex-0202.109) |
| $= \partial_a v_{bc} - \Gamma^d{}_{ba} v_{dc} - \Gamma^d{}_{ca} v_{bd}$ | (ex-0202.110) |

Exercise 2.3 Covariant derivative of v^{a}_{b}

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # template for covariant derivative of a vector
     derivU := \nabla_{a}^{A?^{b}} -> \partial_{a}^{A?^{b}} + \Gamma^{b}_{c} a A?^{c}.
     derivD := \nabla_{a}{A?_{b}} -> \partial_{a}{A?_{b}} - \Gamma^{c}_{b} \ A?_{c}.
10
     vab := v^{a}_{b} -> A^{a}_{b}.
     iab := A^{a} B_{b} -> v^{a}_{b}.
13
     pab := \hat{A}^{b} B_{c} -> \hat{A}^{b} B_{c} -> \hat{A}^{b} B_{c}.
14
15
     # create an object
16
17
     Dvab := \frac{a}{v^{b}_{c}}. # cdb (ex-0203.101,Dvab)
19
     # apply the rule, then simplify
20
21
                    (Dvab, vab)
     substitute
                                      # cdb (ex-0203.102, Dvab)
22
                    (Dvab)
     product_rule
                                      # cdb (ex-0203.103, Dvab)
     substitute
                    (Dvab,derivD)
                                      # cdb (ex-0203.104, Dvab)
                    (Dvab,derivU)
     substitute
                                      # cdb (ex-0203.105, Dvab)
                    (Dvab)
                                      # cdb (ex-0203.106,Dvab)
     distribute
26
                    (Dvab,pab)
                                      # cdb (ex-0203.107, Dvab)
     substitute
27
                    (Dvab)
                                      # cdb (ex-0203.108,Dvab)
     canonicalise
28
                    (Dvab, iab)
                                      # cdb (ex-0203.109,Dvab)
     substitute
29
                                      # cdb (ex-0203.110,Dvab)
     sort_product
                    (Dvab)
```

$$\nabla_{a}v^{b}{}_{c} = \nabla_{a} (A^{b}B_{c})$$

$$= \nabla_{a}A^{b}B_{c} + A^{b}\nabla_{a}B_{c}$$

$$= \nabla_{a}A^{b}B_{c} + A^{b} (\partial_{a}B_{c} - \Gamma^{d}{}_{ca}B_{d})$$

$$= (\partial_{a}A^{b} + \Gamma^{b}{}_{da}A^{d}) B_{c} + A^{b} (\partial_{a}B_{c} - \Gamma^{d}{}_{ca}B_{d})$$

$$= (\partial_{a}A^{b} + \Gamma^{b}{}_{da}A^{d}) B_{c} + A^{b} (\partial_{a}B_{c} - \Gamma^{d}{}_{ca}B_{d})$$

$$= \partial_{a}A^{b}B_{c} + \Gamma^{b}{}_{da}A^{d}B_{c} + A^{b}\partial_{a}B_{c} - A^{b}\Gamma^{d}{}_{ca}B_{d}$$

$$= \partial_{a} (A^{b}B_{c}) + \Gamma^{b}{}_{da}A^{d}B_{c} - A^{b}\Gamma^{d}{}_{ca}B_{d}$$

$$= \partial_{a} (A^{b}B_{c}) + \Gamma^{b}{}_{da}A^{d}B_{c} - A^{b}\Gamma^{d}{}_{ca}B_{d}$$

$$= \partial_{a}v^{b}{}_{c} + \Gamma^{b}{}_{da}v^{d}{}_{c} - v^{b}{}_{d}\Gamma^{d}{}_{ca}$$

$$= \partial_{a}v^{b}{}_{c} + \Gamma^{b}{}_{da}v^{d}{}_{c} - \Gamma^{d}{}_{ca}v^{b}{}_{d}$$

$$= \partial_{a}v^{b}{}_$$

Exercise 2.4 Combining rules – a problem

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # rules for covariant derivatives of v
     deriv1 := \\ a}{v^{b}} \rightarrow \\ partial_{a}{v^{b}}
                                   + \Gamma^{b}_{d a} v^{d}.
10
     deriv2 := \\ a_{a}{\alpha_{b}}(v^{c}) -> \\ a_{a}{\alpha_{b}}(v^{c})
11
                                               + \Gamma^{c}_{d a} \nabla_{b}{v^{d}}
12
                                               - \Gamma^{d}_{b a} \nabla_{d}{v^{c}}.
13
14
     \# attempt to combine both rules for second covariant derivative of v
15
16
     substitute (deriv2,deriv1)
                                      # cdb (ex-0204.101,deriv2)
17
```

Note that the call to substitute has made changes to both sides of the rule for deriv2. This is not ideal and a better method is developed in the following exercise.

$$\nabla_a \left(\partial_b v^c + \Gamma^c{}_{db} v^d \right) \to \partial_a \left(\partial_b v^c + \Gamma^c{}_{db} v^d \right) + \Gamma^c{}_{da} \left(\partial_b v^d + \Gamma^d{}_{eb} v^e \right) - \Gamma^d{}_{ba} \left(\partial_d v^c + \Gamma^c{}_{ed} v^e \right) \tag{ex-0204.101}$$

Exercise 2.5 Combining rules – a solution

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # rules for covariant derivatives of v
     deriv1 := \\ a}{v^{b}} \rightarrow \\ partial_{a}{v^{b}}
                                   + \Gamma^{b}_{d a} v^{d}.
10
     deriv2 := \\ a_{a}{\alpha_{b}}(v^{c}) -> \\ a_{a}{\alpha_{b}}(v^{c})
11
                                               + \Gamma^{c}_{d a} \nabla_{b}{v^{d}}
12
                                               - \Gamma^{d}_{b a} \nabla_{d}{v^{c}}.
13
14
     # second covariant derivative of v
15
16
     expr := v^{c}_{b a} -> \lambda_{a}{\lambda_{b}^{c}}. # cdb (ex-0205.101, expr)
17
     save := @(expr).
18
19
     # apply the rules, then simplify
20
21
                    (expr,deriv2)
     substitute
                                         # cdb (ex-0205.102,expr)
22
                    (expr,deriv1)
                                         # cdb (ex-0205.103,expr)
     substitute
     distribute
                    (expr)
                                         # cdb (ex-0205.104,expr)
                    (expr)
                                         # cdb (ex-0205.105,expr)
     product_rule
25
                    (expr)
                                         # cdb (ex-0205.107,expr)
     canonicalise
26
                    (expr,save)
                                         # cdb (ex-0205.108,expr)
     substitute
27
```

The trick here is to introduce in line 17 a dummy left hand side, v^{c}{}_{b a}, that is invisible with respect to the substitution rules of lines 8 and 11. Thus lines 22 and 23 will only target the right hand side of expr.

Notice how a copy of the initial expression is made in 18. This is used later in line 27 to replace the dummy object v^{c}_{b} with $\align*_{a}_{b}_{v^{c}}$ but this time acting on the left hand side of the rule. The result is a rule for second covariant deriavtives.

$$v^{c}_{ba} \rightarrow \nabla_{a} \left(\nabla_{b} v^{c} \right) \tag{ex-0205.101}$$

$$v^{c}_{ba} \rightarrow \partial_{a} \left(\nabla_{b} v^{c} \right) + \Gamma^{c}_{da} \nabla_{b} v^{d} - \Gamma^{d}_{ba} \nabla_{d} v^{c} \tag{ex-0205.102}$$

$$v^{c}_{ba} \rightarrow \partial_{a} \left(\partial_{b} v^{c} + \Gamma^{c}_{db} v^{d} \right) + \Gamma^{c}_{da} \left(\partial_{b} v^{d} + \Gamma^{d}_{eb} v^{e} \right) - \Gamma^{d}_{ba} \left(\partial_{d} v^{c} + \Gamma^{c}_{ed} v^{e} \right) \tag{ex-0205.103}$$

$$v^{c}_{ba} \rightarrow \partial_{ab} v^{c} + \partial_{a} \left(\Gamma^{c}_{db} v^{d} \right) + \Gamma^{c}_{da} \partial_{b} v^{d} + \Gamma^{c}_{da} \Gamma^{d}_{eb} v^{e} - \Gamma^{d}_{ba} \partial_{d} v^{c} - \Gamma^{d}_{ba} \Gamma^{c}_{ed} v^{e} \tag{ex-0205.104}$$

$$v^{c}_{ba} \rightarrow \partial_{ab} v^{c} + \partial_{a} \Gamma^{c}_{db} v^{d} + \Gamma^{c}_{da} \partial_{b} v^{d} + \Gamma^{c}_{da} \partial_{b} v^{d} + \Gamma^{c}_{da} \Gamma^{d}_{eb} v^{e} - \Gamma^{d}_{ba} \partial_{d} v^{c} - \Gamma^{d}_{ba} \Gamma^{c}_{ed} v^{e} \tag{ex-0205.105}$$

$$v^{c}_{ba} \rightarrow \partial_{ab} v^{c} + \partial_{a} \Gamma^{c}_{db} v^{d} + \Gamma^{c}_{db} \partial_{a} v^{d} + \Gamma^{c}_{da} \partial_{b} v^{d} + \Gamma^{c}_{da} \Gamma^{d}_{eb} v^{e} - \Gamma^{d}_{ba} \partial_{d} v^{c} - \Gamma^{c}_{de} \Gamma^{e}_{ba} v^{d} \tag{ex-0205.107}$$

$$\nabla_{a} \left(\nabla_{b} v^{c} \right) \rightarrow \partial_{ab} v^{c} + \partial_{a} \Gamma^{c}_{db} v^{d} + \Gamma^{c}_{db} \partial_{a} v^{d} + \Gamma^{c}_{da} \partial_{b} v^{d} + \Gamma^{c}_{da} \partial_{b} v^{d} + \Gamma^{c}_{da} \partial_{b} v^{d} - \Gamma^{c}_{de} \Gamma^{e}_{ba} v^{e} - \Gamma^{d}_{ba} \partial_{d} v^{c} - \Gamma^{c}_{de} \Gamma^{e}_{ba} v^{d} \tag{ex-0205.108}$$

Exercise 2.6 Cummutation of ∇ on a scalar

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # covariant derivative of \phi
     dphi := \frac{a}{\phi} -> \frac{a}{\phi}.
     # rules to hide and reveal \partial\phi
10
11
            := \partial_{a}{\phi} -> w_{a}.
     reveal := w_{a} \rightarrow \beta_{a}.
14
     # template for covariant derivative of a dual-vector
15
16
     deriv := \nabla_{a}_{A?_{b}} - \nabla_{a}_{A?_{b}} - \nabla_{a}_{A?_{b}} - \nabla_{a}_{A?_{c}}.
17
18
     # create an object
19
     expr := \nabla_{a}{\nabla_{b}{\phi}}
21
             - \nabla_{b}{\nabla_{a}{\phi}}.
                                                # cdb (ex-0206.101,expr)
22
23
     # apply the rules, then simplify
25
                     (expr,dphi)
                                                 # cdb (ex-0206.102,expr)
     substitute
26
                     (expr,hide)
                                                # cdb (ex-0206.103,expr)
     substitute
27
                     (expr,deriv)
                                                # cdb (ex-0206.104,expr)
     substitute
28
                     (expr,reveal)
                                                 # cdb (ex-0206.105,expr)
     substitute
29
                     (expr)
                                                 # cdb (ex-0206.106,expr)
     canonicalise
```

$$\nabla_{a} (\nabla_{b} \phi) - \nabla_{b} (\nabla_{a} \phi) = \nabla_{a} (\partial_{b} \phi) - \nabla_{b} (\partial_{a} \phi)$$

$$= \nabla_{a} w_{b} - \nabla_{b} w_{a}$$

$$= \partial_{a} w_{b} - \Gamma^{c}_{ba} w_{c} - \partial_{b} w_{a} + \Gamma^{c}_{ab} w_{c}$$

$$= \partial_{ab} \phi - \Gamma^{c}_{ba} \partial_{c} \phi - \partial_{ba} \phi + \Gamma^{c}_{ab} \partial_{c} \phi$$

$$= -\Gamma^{c}_{ba} \partial_{c} \phi + \Gamma^{c}_{ab} \partial_{c} \phi$$

$$= -\Gamma^{c}_{ba} \partial_{c} \phi + \Gamma^{c}_{ab} \partial_{c} \phi$$

$$(ex-0206.105)$$

$$= -\Gamma^{c}_{ba} \partial_{c} \phi + \Gamma^{c}_{ab} \partial_{c} \phi$$

$$(ex-0206.106)$$

Exercise 2.7 Selective kill

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative.
            := \frac{d}{\sigma^{a}_{b c}} -> Z_{d a b c}.
     reveal := Z_{d a b c} \rightarrow \beta_{d}(Gamma^{a}_{b c}).
     kill := \Gamma_a \{a\}_{b c} \rightarrow 0.
     Gamma := \Gamma^{a}_{b c}
10
            + x^{d} \partial_{d}{\Gamma^{a}_{b} c}}.
                                                             # cdb (ex-0207.101, Gamma)
11
12
     substitute (Gamma, hide)
                                                              # cdb (ex-0207.102, Gamma)
13
                                                              # cdb (ex-0207.103, Gamma)
     substitute (Gamma, kill)
14
     substitute (Gamma,reveal)
                                                              # cdb (ex-0207.104, Gamma)
15
```

$$\Gamma^{a}{}_{bc}(x) = \Gamma^{a}{}_{bc} + x^{d} \partial_{d} \Gamma^{a}{}_{bc}$$

$$= \Gamma^{a}{}_{bc} + x^{d} Z_{dabc}$$

$$= x^{d} Z_{dabc}$$

$$= x^{d} \partial_{d} \Gamma^{a}{}_{bc}$$

$$(ex-0207.101)$$

$$= (ex-0207.102)$$

$$= (ex-0207.103)$$

Exercise 2.7 Naive kill

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices(position=independent).

partial{#}::Derivative.

kill := \Gamma^{a}_{b c} -> 0.

Gamma := \Gamma^{a}_{b c} c}

+ x^{d} \partial_{d}^{Gamma^{a}_{a}_{b c}}. # cdb (ex-0207.201,Gamma)

substitute (Gamma,kill) # cdb (ex-0207.202,Gamma)
```

$$\Gamma^{a}_{bc}(x) = \Gamma^{a}_{bc} + x^{d} \partial_{d} \Gamma^{a}_{bc}$$
(ex-0207.201)
$$= 0$$
(ex-0207.202)

Exercise 2.7 No problem killing partial derivatives

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices(position=independent).

\text{partial}{#}::PartialDerivative.

kill := \partial_{c}{A_{a b}} -> 0.

Aab := A_{a b} + x^{c} \partial_{c}{A_{a b}}

+ x^{c} x^{d} \partial_{c}{A_{a b}}. # cdb (ex-0207.301,Aab)

substitute (Aab,kill) # cdb (ex-0207.302,Aab)
```

$$A_{ab}(x) = A_{ab} + x^{c} \partial_{c} A_{ab} + x^{c} x^{d} \partial_{dc} A_{ab}$$
 (ex-0207.301)
= $A_{ab} + x^{c} x^{d} \partial_{dc} A_{ab}$ (ex-0207.302)

Exercise 2.8 Position keyword in ::Indices

```
{a,b,c}::Indices(position=free).
    foo := A_{a b} + A^{a b}.
                                                     # cdb (ex-0208.101,foo)
     substitute (foo, $A_{a b} -> B_{a b}$)
                                                     # cdb (ex-0208.102,foo)
     {p,q,r}::Indices(position=fixed).
    foo := A_{p q} B^{p q} + A^{p q} B_{p q}.
                                                    # cdb (ex-0208.201,foo)
10
     canonicalise (foo)
                                                     # cdb (ex-0208.202,foo)
11
12
     {u,v,w}::Indices(position=independent).
13
    foo := A_{u v} B^{u v} + A^{u v} B_{u v}.
                                                     # cdb (ex-0208.301,foo)
15
16
     canonicalise (foo)
                                                     # cdb (ex-0208.302,foo)
17
```

$$A_{ab} + A^{ab} = B_{ab} + B^{ab} (ex-0208.102)$$

$$A_{pq}B^{pq} + A^{pq}B_{pq} = 2A^{pq}B_{pq}$$
 (ex-0208.202)

$$A_{uv}B^{uv} + A^{uv}B_{uv} = A_{uv}B^{uv} + A^{uv}B_{uv}$$
 (ex-0208.302)

Exercise 3.1 Some symmetries of Riemann

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
    ;::Symbol;
    \partial{#}::PartialDerivative.
    \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
    - \partial_{d}{\Gamma^{a}_{b c}}
10
                             + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
11
                             - \Gamma^{e}_{b c} \Gamma^{a}_{d e}.
                                                                      # cdb(Rabcd.000,Rabcd)
12
13
    dRabcd := R^{a}_{b c d ; e} \rightarrow \beta_{R^{a}_{b c d}}
14
                                + Gamma^{a}_{f} e R^{f}_{b c d}
15
                                - Gamma^{f}_{b e} R^{a}_{f c d}
16
                                - Gamma^{f}_{c e} R^{a}_{b f d}
17
                                - \operatorname{Gamma}_{f}_{d e} R^{a}_{b c f}.
                                                                      # cdb(dRabcd.000,dRabcd)
18
```

Exercise 3.1 Antisymmetry on last pair of indices

```
expr := R^{a}_{b c d} + R^{a}_{b d c}. # cdb(ex-0301.101,expr)

substitute (expr, Rabcd) # cdb(ex-0301.102,expr)
```

$$R^{a}_{bcd} + R^{a}_{bdc} = 0 (ex-0301.102)$$

Exercise 3.1 First Bianchi identity

```
expr := R^{a}_{b c d} + R^{a}_{d b c} + R^{a}_{c d b}. # cdb(ex-0301.201,expr)

substitute (expr, Rabcd) # cdb(ex-0301.202,expr)

canonicalise (expr) # cdb(ex-0301.203,expr)
```

$$R^{a}_{bcd} + R^{a}_{dbc} + R^{a}_{cdb} = \partial_{c}\Gamma^{a}_{bd} - \partial_{d}\Gamma^{a}_{bc} + \Gamma^{e}_{bd}\Gamma^{a}_{ce} - \Gamma^{e}_{bc}\Gamma^{a}_{de} + \partial_{b}\Gamma^{a}_{dc} - \partial_{c}\Gamma^{a}_{db} + \Gamma^{e}_{dc}\Gamma^{a}_{be} - \Gamma^{e}_{db}\Gamma^{a}_{ce} + \partial_{d}\Gamma^{a}_{cb} - \partial_{b}\Gamma^{a}_{cd} + \Gamma^{e}_{cb}\Gamma^{a}_{de} - \Gamma^{e}_{cd}\Gamma^{a}_{be}$$

$$= 0$$

$$(ex-0301.203)$$

Exercise 3.1 Second Bianchi identity

```
expr := R^{a}_{b c d ; e} + R^{a}_{b e c ; d} + R^{a}_{b d e ; c}.
                                                                     # cdb(ex-0301.301,expr)
               (expr, dRabcd)
                                                                     # cdb(ex-0301.302,expr)
substitute
               (expr, Rabcd)
                                                                     # cdb(ex-0301.303,expr)
substitute
distribute
               (expr)
                                                                     # cdb(ex-0301.304,expr)
                                                                     # cdb(ex-0301.305,expr)
product_rule
               (expr)
                                                                     # cdb(ex-0301.306,expr)
sort_product
               (expr)
                                                                     # cdb(ex-0301.307,expr)
rename_dummies (expr)
canonicalise
               (expr)
                                                                     # cdb(ex-0301.308,expr)
```

$$\begin{split} R^a_{bcd;e} + R^a_{bec;d} + R^a_{bec;e} &= \partial_e R^a_{bcd} + \Gamma^a_{fe} R^f_{bcd} - \Gamma^f_{be} R^a_{fcd} - \Gamma^f_{ce} R^a_{bfd} - \Gamma^f_{de} R^a_{bef} + \partial_d R^a_{bec} + \Gamma^a_{fd} R^f_{bec} - \Gamma^f_{bd} R^a_{fec} - \Gamma^f_{cd} R^a_{bf} - \Gamma^f_{ce} R^a_{bdf} \\ &+ \partial_c R^a_{bde} + \Gamma^a_{fc} R^f_{bde} - \Gamma^f_{bc} R^a_{fde} - \Gamma^f_{bc} R^a_{bf} - \Gamma^f_{ec} R^a_{bdf} \\ &= \partial_e \left(\partial_c \Gamma^a_{bd} - \partial_d \Gamma^a_{bc} + \Gamma^f_{bd} \Gamma^a_{cf} - \Gamma^f_{bc} \Gamma^a_{df} \right) + \Gamma^a_{fe} \left(\partial_c \Gamma^f_{bd} - \partial_d \Gamma^f_{bc} + \Gamma^g_{bd} \Gamma^f_{cg} - \Gamma^g_{bc} \Gamma^f_{dg} \right) \\ &- \Gamma^f_{be} \left(\partial_c \Gamma^a_{bf} - \partial_d \Gamma^a_{bc} + \Gamma^g_{bf} \Gamma^a_{cg} - \Gamma^g_{bc} \Gamma^a_{dg} \right) - \Gamma^f_{ce} \left(\partial_f \Gamma^a_{bd} - \partial_d \Gamma^a_{fe} + \Gamma^g_{bf} \Gamma^a_{cg} - \Gamma^g_{bc} \Gamma^a_{dg} \right) \\ &- \Gamma^f_{be} \left(\partial_c \Gamma^a_{bf} - \partial_f \Gamma^a_{bc} + \Gamma^g_{bf} \Gamma^a_{cg} - \Gamma^g_{bc} \Gamma^a_{fg} \right) + \partial_d \left(\partial_e \Gamma^a_{bc} - \partial_e \Gamma^a_{be} + \Gamma^f_{bc} \Gamma^a_{ef} - \Gamma^f_{bc} \Gamma^a_{cf} \right) \\ &- \Gamma^f_{de} \left(\partial_c \Gamma^a_{bf} - \partial_f \Gamma^a_{bc} + \Gamma^g_{bf} \Gamma^a_{cg} - \Gamma^g_{bc} \Gamma^a_{fg} \right) + \partial_d \left(\partial_e \Gamma^a_{bc} - \partial_e \Gamma^a_{be} + \Gamma^f_{bc} \Gamma^a_{ef} - \Gamma^g_{bc} \Gamma^a_{cg} \right) \\ &+ \Gamma^a_{fd} \left(\partial_e \Gamma^f_{bc} - \partial_e \Gamma^f_{be} + \Gamma^g_{bc} \Gamma^f_{eg} - \Gamma^g_{bc} \Gamma^f_{eg} \right) - \Gamma^f_{bd} \left(\partial_e \Gamma^a_{bc} - \partial_e \Gamma^a_{be} + \Gamma^g_{bf} \Gamma^a_{eg} - \Gamma^g_{bc} \Gamma^a_{eg} \right) \\ &- \Gamma^f_{ed} \left(\partial_f \Gamma^a_{bc} - \partial_e \Gamma^a_{bf} + \Gamma^g_{bc} \Gamma^a_{ef} - \Gamma^f_{bd} \Gamma^a_{ef} \right) + \Gamma^a_{fe} \left(\partial_e \Gamma^a_{be} - \partial_e \Gamma^a_{be} + \Gamma^g_{bc} \Gamma^a_{eg} - \Gamma^g_{bc} \Gamma^a_{eg} \right) \\ &- \Gamma^f_{bc} \left(\partial_d \Gamma^a_{bc} - \partial_e \Gamma^a_{bd} + \Gamma^f_{bc} \Gamma^a_{ef} - \Gamma^f_{bd} \Gamma^a_{ef} \right) + \Gamma^a_{fe} \left(\partial_d \Gamma^f_{bc} - \partial_e \Gamma^f_{be} + \Gamma^g_{bc} \Gamma^f_{eg} - \Gamma^g_{bc} \Gamma^a_{eg} \right) \\ &- \Gamma^f_{bc} \left(\partial_d \Gamma^a_{bc} - \partial_e \Gamma^a_{bd} + \Gamma^g_{bc} \Gamma^a_{dg} - \Gamma^g_{bd} \Gamma^a_{eg} \right) - \Gamma^f_{de} \left(\partial_f \Gamma^a_{bc} - \partial_e \Gamma^a_{bf} + \Gamma^g_{bc} \Gamma^f_{eg} - \Gamma^g_{bc} \Gamma^g_{eg} \right) \\ &- \Gamma^f_{bc} \left(\partial_d \Gamma^a_{bc} - \partial_e \Gamma^a_{bd} + \Gamma^g_{bc} \Gamma^a_{dg} - \Gamma^g_{bd} \Gamma^a_{eg} \right) + \Gamma^a_{ae} \partial_e \Gamma^f_{bc} - \Gamma^g_{bc} \Gamma^f_{bc} - \Gamma^g_{bc} \Gamma^g_{bc} \right) \\ &- \Gamma^f_{bc} \left(\partial_d \Gamma^a_{bc} - \partial_e \Gamma^a_{bd} + \Gamma^g_{bc} \Gamma^a_{dg} - \Gamma^g_{bd} \Gamma^a_{eg} \right) \\ &- \Gamma^f_{bc} \partial_e \Gamma^a_{bc} + \Gamma^g_{bc} \Gamma^a_{bc} - \Gamma^g_{bc} \Gamma^g_{bc} \Gamma^g_{bc} - \Gamma^g_{bc} \Gamma$$

$$\begin{split} R^a_{bcd;e} + R^a_{bec;d} + R^a_{bde;c} &= \partial_{ec} \Gamma^a_{bd} - \partial_{ed} \Gamma^a_{bc} + \partial_{e} \Gamma^f_{bd} \Gamma^a_{cf} + \Gamma^f_{bd} \partial_{e} \Gamma^a_{cf} - \partial_{e} \Gamma^f_{bc} \Gamma^a_{df} - \Gamma^f_{be} \partial_{e} \Gamma^a_{df} + \Gamma^a_{fe} \partial_{e} \Gamma^f_{bd} - \Gamma^a_{fe} \partial_{d} \Gamma^f_{bc} - \Gamma^a_{fe} \Gamma^g_{bd} \Gamma^f_{cg} \\ &- \Gamma^a_{fe} \Gamma^g_{bc} \Gamma^f_{dg} - \Gamma^f_{be} \partial_{e} \Gamma^a_{ff} + \Gamma^f_{be} \partial_{d} \Gamma^a_{fc} - \Gamma^f_{be} \Gamma^g_{ff} \Gamma^a_{cg} + \Gamma^f_{be} \Gamma^g_{ff} \Gamma^a_{dg} - \Gamma^f_{cc} \partial_{f} \Gamma^a_{bf} - \Gamma^f_{ce} \Gamma^g_{bd} \Gamma^a_{fg} \\ &+ \Gamma^f_{ce} \Gamma^g_{bf} \Gamma^a_{dg} - \Gamma^f_{de} \partial_{e} \Gamma^a_{bf} + \Gamma^f_{de} \partial_{f} \Gamma^a_{bc} - \Gamma^f_{de} \Gamma^g_{bf} \Gamma^a_{cg} + \Gamma^f_{de} \Gamma^g_{bc} \Gamma^a_{fg} + \partial_{d} \Gamma^a_{bc} - \partial_{d} \Gamma^a_{be} - \partial_{d} \Gamma^b_{be} \Gamma^a_{ef} \\ &+ \Gamma^f_{be} \partial_{d} \Gamma^a_{ef} - \partial_{d} \Gamma^f_{be} \Gamma^a_{ef} + \Gamma^f_{de} \partial_{f} \Gamma^a_{bc} - \Gamma^f_{ed} \Gamma^f_{bc} - \Gamma^f_{fd} \partial_{e} \Gamma^f_{be} - \Gamma^f_{ed} \Gamma^g_{bc} \Gamma^a_{eg} - \Gamma^f_{de} \Gamma^g_{bf} \Gamma^a_{eg} - \Gamma^f_{ed} \Gamma^g_{bc} \Gamma^a_{eg} - \Gamma^f_{ed} \Gamma^g_{bc} \Gamma^a_{eg} - \Gamma^f_{bd} \partial_{e} \Gamma^a_{ef} \\ &+ \Gamma^f_{bd} \partial_{e} \Gamma^a_{ef} - \Gamma^f_{bd} \Gamma^g_{fe} \Gamma^a_{eg} + \Gamma^f_{bd} \Gamma^g_{fe} \Gamma^a_{eg} - \Gamma^f_{ed} \partial_{f} \Gamma^a_{be} + \Gamma^f_{ed} \Gamma^g_{be} \Gamma^a_{ef} - \Gamma^f_{ed} \Gamma^g_{be} \Gamma^a_{eg} - \Gamma^f_{ed} \partial_{e} \Gamma^a_{ef} \\ &+ \Gamma^f_{bd} \partial_{e} \Gamma^a_{eg} - \Gamma^f_{ed} \partial_{f} \Gamma^a_{eg} + \Gamma^f_{ed} \Gamma^g_{be} \Gamma^a_{eg} - \Gamma^f_{ed} \partial_{f} \Gamma^a_{be} + \Gamma^f_{ed} \partial_{e} \Gamma^a_{ef} - \Gamma^f_{ed} \Gamma^g_{be} \Gamma^a_{ef} - \Gamma^f_{ed} \Gamma^g_{be} \Gamma^a_{eg} - \Gamma^f_{ed} \partial_{e} \Gamma^$$

 $R^{a}{}_{bcd;e} + R^{a}{}_{bec;d} + R^{a}{}_{bde;c} = \partial_{ec}\Gamma^{a}{}_{bd} - \partial_{ed}\Gamma^{a}{}_{bc} + \Gamma^{a}{}_{cf}\partial_{e}\Gamma^{f}{}_{bd} + \Gamma^{f}{}_{bd}\partial_{e}\Gamma^{a}{}_{cf} - \Gamma^{a}{}_{df}\partial_{e}\Gamma^{f}{}_{bc} - \Gamma^{f}{}_{bc}\partial_{e}\Gamma^{a}{}_{df} + \Gamma^{a}{}_{fe}\partial_{c}\Gamma^{f}{}_{bd} - \Gamma^{a}{}_{fe}\partial_{d}\Gamma^{f}{}_{bc} + \Gamma^{a}{}_{fe}\Gamma^{f}{}_{cg}\Gamma^{g}{}_{bd}$ $- \Gamma^{a}{}_{fe}\Gamma^{f}{}_{dg}\Gamma^{g}{}_{bc} - \Gamma^{f}{}_{be}\partial_{c}\Gamma^{a}{}_{fd} + \Gamma^{f}{}_{be}\partial_{d}\Gamma^{a}{}_{fc} - \Gamma^{a}{}_{cf}\Gamma^{g}{}_{be}\Gamma^{f}{}_{gd} + \Gamma^{a}{}_{df}\Gamma^{g}{}_{be}\Gamma^{f}{}_{gc} - \Gamma^{f}{}_{ce}\partial_{f}\Gamma^{a}{}_{bd} + \Gamma^{f}{}_{ce}\partial_{d}\Gamma^{a}{}_{bf} - \Gamma^{a}{}_{fg}\Gamma^{f}{}_{ce}\Gamma^{g}{}_{bd}$ $+ \Gamma^{a}{}_{df}\Gamma^{g}{}_{ce}\Gamma^{f}{}_{bg} - \Gamma^{f}{}_{de}\partial_{c}\Gamma^{a}{}_{bf} + \Gamma^{f}{}_{de}\partial_{f}\Gamma^{a}{}_{bc} - \Gamma^{a}{}_{cf}\Gamma^{g}{}_{de}\Gamma^{f}{}_{bg} + \Gamma^{a}{}_{fg}\Gamma^{f}{}_{bc} + \partial_{de}\Gamma^{a}{}_{bc} - \partial_{dc}\Gamma^{a}{}_{be} + \Gamma^{a}{}_{ef}\partial_{d}\Gamma^{f}{}_{bc} + \Gamma^{f}{}_{bc}\partial_{d}\Gamma^{a}{}_{ef}$ $- \Gamma^{a}{}_{cf}\partial_{d}\Gamma^{f}{}_{be} - \Gamma^{f}{}_{be}\partial_{d}\Gamma^{a}{}_{cf} + \Gamma^{a}{}_{fd}\partial_{e}\Gamma^{f}{}_{bc} - \Gamma^{a}{}_{fd}\partial_{c}\Gamma^{f}{}_{be} + \Gamma^{a}{}_{fg}\Gamma^{f}{}_{eg}\Gamma^{g}{}_{bc} - \Gamma^{a}{}_{fd}\partial_{c}\Gamma^{a}{}_{be} - \Gamma^{f}{}_{bd}\partial_{c}\Gamma^{a}{}_{ef} + \Gamma^{f}{}_{bc}\partial_{d}\Gamma^{a}{}_{ef}$ $- \Gamma^{a}{}_{cf}\Gamma^{g}{}_{bd}\Gamma^{f}{}_{gc} + \Gamma^{a}{}_{cf}\Gamma^{g}{}_{bd}\Gamma^{f}{}_{ge} - \Gamma^{f}{}_{ed}\partial_{f}\Gamma^{a}{}_{bc} + \Gamma^{f}{}_{ed}\partial_{f}\Gamma^{a}{}_{bc} + \Gamma^{a}{}_{fd}\partial_{c}\Gamma^{f}{}_{be} + \Gamma^{f}{}_{ed}\partial_{c}\Gamma^{a}{}_{be} + \Gamma^{a}{}_{fg}\Gamma^{f}{}_{ed}\Gamma^{g}{}_{bc} + \Gamma^{a}{}_{ff}\partial_{e}\Gamma^{a}{}_{be} - \Gamma^{f}{}_{bd}\partial_{c}\Gamma^{a}{}_{ef} + \Gamma^{f}{}_{ed}\partial_{f}\Gamma^{a}{}_{be} + \Gamma^{a}{}_{ff}\partial_{c}\Gamma^{f}{}_{be} + \Gamma^{a}{}_{ff}\partial_{c}\Gamma^{f}{}_{be} + \Gamma^{f}{}_{ed}\partial_{c}\Gamma^{a}{}_{ef} + \Gamma^{a}{}_{ff}\partial_{c}\Gamma^{f}{}_{be} + \Gamma^{f}{}_{ed}\partial_{f}\Gamma^{a}{}_{be} + \Gamma^{f}{}_{ed}\partial_{c}\Gamma^{a}{}_{ef} + \Gamma^{f}{}_{ed}\partial_{c}\Gamma^{a}{}_{ef} + \Gamma^{f}{}_{ed}\partial_{c}\Gamma^{a}{}_{ef} + \Gamma^{f}{}_{ef}\partial_{c}\Gamma^{f}{}_{ef} + \Gamma^{f}{}_{ef}\partial_{c}\Gamma^{f}{}_{ef} + \Gamma^{f}{}_{ef}\partial_{c}\Gamma^{f}{}_{ef} + \Gamma^{f}{}_{ef}\partial_{c}\Gamma^{f}{}_{ef} + \Gamma^{f}{}_{ef}\partial_{c}\Gamma^{f}{}_{ef}\nabla^{f}{}_{ef}\Gamma^{f}{}_{ef}\nabla^{f}{}_{ef}\Gamma^{f}{}_{ef}\nabla^{f}{}_{ef}\Gamma^{f}{}_{ef}\nabla^{f}{}_{ef}\Gamma^{f}{}_{ef}\Gamma^{f}{}_{ef}\nabla^{f}{}_{ef}\Gamma^{f}{}_{ef}\Gamma$

Exercise 3.2 Riemann tensor from commutation of ∇

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2});
     # rules for the first two covariant derivs of V^a
9
     deriv1 := \nabla_{a}{V^{b}} \rightarrow \partial_{a}{V^{b}}
10
                                   + \Gamma^{b}_{d a} V^{d}.
                                                                         # cdb (ex-0302.101,deriv1)
11
12
     deriv2 := \\ a}{\nabla_{b}{V^{c}}} \rightarrow \\ partial_{a}{\nabla_{b}{V^{c}}}
13
                                                + \Gamma^{c}_{d a} \nabla_{b}{V^{d}}
14
                                                - \operatorname{Gamma}_{d}_{b a}   \log_{d}{V^{c}}.
15
                                                                         # cdb (ex-0302.102,deriv2)
16
17
     Vabc := \\  \nabla_{c}{\nabla_{b}{V^{a}}}
             - \nabla_{b}{\nabla_{c}_{V^{a}}}.
                                                                         # cdb (ex-0302.103, Vabc)
19
20
     substitute (Vabc,deriv2)
                                                                         # cdb (ex-0302.104, Vabc)
21
                                                                         # cdb (ex-0302.105, Vabc)
     substitute (Vabc,deriv1)
22
23
     distribute
                     (Vabc)
                                                                         # cdb (ex-0302.106, Vabc)
     product_rule
                     (Vabc)
                                                                         # cdb (ex-0302.107, Vabc)
26
                                                                         # cdb (ex-0302.108, Vabc)
     sort_product
                     (Vabc)
27
     rename_dummies (Vabc)
                                                                         # cdb (ex-0302.109, Vabc)
28
                                                                         # cdb (ex-0302.110, Vabc)
                     (Vabc)
     canonicalise
29
                     (Vabc, $V^{a?}$)
                                                                         # cdb (ex-0302.111, Vabc)
     factor_out
```

$$\begin{split} \nabla_{c}\left(\nabla_{b}V^{a}\right) - \nabla_{b}\left(\nabla_{c}V^{a}\right) &= \partial_{c}\left(\nabla_{b}V^{a}\right) + \Gamma^{a}_{dc}\nabla_{b}V^{d} - \Gamma^{d}_{bc}\nabla_{d}V^{a} - \partial_{b}\left(\nabla_{c}V^{a}\right) - \Gamma^{a}_{db}\nabla_{c}V^{d} + \Gamma^{d}_{cb}\nabla_{d}V^{a} \\ &= \partial_{c}\left(\partial_{b}V^{a} + \Gamma^{a}_{db}V^{d}\right) + \Gamma^{a}_{dc}\left(\partial_{b}V^{d} + \Gamma^{d}_{eb}V^{e}\right) - \Gamma^{d}_{bc}\left(\partial_{d}V^{a} + \Gamma^{a}_{ed}V^{e}\right) - \partial_{b}\left(\partial_{c}V^{a} + \Gamma^{a}_{dc}V^{d}\right) - \Gamma^{a}_{db}\left(\partial_{c}V^{d} + \Gamma^{d}_{ec}V^{e}\right) \\ &+ \Gamma^{d}_{cb}\left(\partial_{d}V^{a} + \Gamma^{a}_{ed}V^{e}\right) + \Gamma^{a}_{dc}\partial_{b}V^{d} + \Gamma^{a}_{dc}\Gamma^{d}_{eb}V^{e} - \Gamma^{d}_{bc}\partial_{d}V^{a} - \Gamma^{d}_{bc}\Gamma^{a}_{ed}V^{e} - \partial_{bc}V^{a} - \partial_{b}\left(\Gamma^{a}_{dc}V^{d}\right) - \Gamma^{a}_{db}\left(\partial_{c}V^{d}\right) - \Gamma^{a}_{db}\partial_{c}V^{d} \\ &- \Gamma^{a}_{db}\Gamma^{d}_{ec}V^{e} + \Gamma^{d}_{cb}\partial_{d}V^{a} + \Gamma^{a}_{dc}\Gamma^{d}_{eb}V^{e} - \Gamma^{d}_{bc}\partial_{d}V^{a} - \Gamma^{d}_{bc}\Gamma^{a}_{ed}V^{e} - \partial_{bc}V^{a} - \partial_{b}\left(\Gamma^{a}_{dc}V^{d}\right) - \Gamma^{a}_{db}\partial_{c}V^{d} \\ &- \Gamma^{a}_{db}\Gamma^{d}_{ec}V^{e} + \Gamma^{d}_{cb}\partial_{d}V^{a} + \Gamma^{a}_{cd}\Gamma^{d}_{eb}V^{e} - \Gamma^{d}_{bc}\partial_{d}V^{a} - \Gamma^{d}_{bc}\Gamma^{a}_{ed}V^{e} - \partial_{bc}V^{a} - \partial_{b}\left(\Gamma^{a}_{dc}V^{d}\right) - \Gamma^{a}_{db}\partial_{c}V^{d} \\ &- \Gamma^{a}_{db}\Gamma^{d}_{ec}V^{e} + \Gamma^{d}_{cb}\partial_{d}V^{a} + \Gamma^{a}_{dc}\Gamma^{d}_{eb}V^{e} - \Gamma^{d}_{bc}\partial_{d}V^{a} - \Gamma^{d}_{bc}\Gamma^{a}_{ed}V^{e} - \partial_{bc}V^{a} - \partial_{b}\Gamma^{a}_{dc}V^{d} - \Gamma^{a}_{db}\Gamma^{d}_{ec}V^{e} + \Gamma^{d}_{cb}\partial_{d}V^{a} \\ &+ \Gamma^{d}_{cb}\Gamma^{a}_{ed}V^{e} + \Gamma^{a}_{dc}\Gamma^{d}_{eb}V^{e} - \Gamma^{d}_{bc}\partial_{d}V^{a} - \Gamma^{d}_{bc}\Gamma^{a}_{ed}V^{e} - \partial_{bc}V^{a} - \partial_{b}\Gamma^{a}_{dc}V^{d} - \Gamma^{a}_{db}\Gamma^{d}_{ec}V^{e} + \Gamma^{d}_{cb}\partial_{d}V^{a} \\ &+ \Gamma^{d}_{cb}\Gamma^{a}_{ed}V^{e} - \Gamma^{d}_{bc}\partial_{d}V^{a} - \Gamma^{d}_{bc}\partial_{d}V^{a} - V^{d}\Gamma^{a}_{ed}V^{e} - \partial_{bc}V^{a} - \partial_{b}\Gamma^{a}_{dc}V^{d} - \Gamma^{a}_{db}\Gamma^{d}_{ec}V^{e} + \Gamma^{d}_{cb}\partial_{d}V^{a} \\ &+ V^{e}\Gamma^{a}_{ed}\Gamma^{d}_{bc} + V^{e}\Gamma^{a}_{dc}\Gamma^{d}_{eb} - \Gamma^{d}_{bc}\partial_{d}V^{a} - V^{e}\Gamma^{a}_{ed}\Gamma^{d}_{bc} - \partial_{bc}V^{a} - V^{d}\partial_{b}\Gamma^{a}_{dc} - V^{e}\Gamma^{a}_{db}\Gamma^{d}_{ec}V^{e} + \Gamma^{d}_{cb}\partial_{d}V^{a} \\ &+ V^{e}\Gamma^{a}_{ed}\Gamma^{d}_{bc} + V^{e}\Gamma^{a}_{ec}\Gamma^{e}_{db} - \Gamma^{d}_{bc}\partial_{d}V^{a} - V^{e}\Gamma^{a}_{ed}\Gamma^{e}_{bc} - \partial_{bc}V^{a} - V^{d}\partial_{b}\Gamma^{a}_{ec}V^{e} - V^{d}\partial_{b}\Gamma^{a}_{ec}V^{e} - V^{d}\partial_{b}\Gamma^{a}_{e$$

This result agrees with Misner, Thorne and Wheeler. pg. 266.

Exercise 3.3 Computing R_{abcd}

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative.
     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
     \Gamma_{a b c}::TableauSymmetry(shape={2}, indices={1,2}).
     dgab := \frac{c}{g_{a b}} \rightarrow \frac{d}_{a c} g_{d b}
                                         + \Gamma^{d}_{b c} g_{a d}.
                                                                             # cdb(dgab.000,dgab)
10
     RabcdU := R^{a}_{b c d} \rightarrow partial_{c}{Gamma^{a}_{b d}}
11
                                  - \partial_{d}{\Gamma^{a}_{b c}}
12
                                  + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
13
                                  - \Gamma^{e}_{b c} \Gamma^{a}_{d e}.
                                                                             # cdb(Rabcd.000,RabcdU)
14
15
     GammaD := \{g_{a e} \backslash Gamma^{e}_{b c} \rightarrow \backslash Gamma_{a b c},
16
                 g_{e a} \Gamma_{e c} -> \Gamma_{a b c}.
                                                                             # cdb(Gamma.010,GammaD)
17
18
     RabcdD := R_{a b c d} -> g_{a e} R^{e}_{b c d}.
                                                                             # cdb(Rabcd.010,RabcdD)
19
20
     gabDGamma := g_{a e} \beta_{c}{Gamma^{e}_{b d}} ->
21
                        \displaystyle \frac{c}{g_{a e} \operatorname{Gamma}^{e}_{b d}}
22
                      - \Gamma^{e}_{b d} \partial_{c}{g_{a e}}.
                                                                             # cdb(gabDGamma.000,gabDGamma)
23
24
     # this pair of rules needed to sort \Gamma_{a b c} to the very left
     # this helps canonicalise spot the terms that cancel
26
     bah := \mathbb{G}amma_{a} b c \rightarrow A_{a} b c.
     foo := A_{a b c} \rightarrow Gamma_{a b c}.
28
29
     expr := R_{a} b c d.
                                                                             # cdb(ex-0303.101,expr)
31
     substitute
                      (expr, RabcdD)
                                                                             # cdb(ex-0303.102,expr)
                                                                             # cdb(ex-0303.103,expr)
                     (expr, RabcdU)
     substitute
33
                      (expr)
     distribute
                                                                             # cdb(ex-0303.104,expr)
                      (expr, gabDGamma)
                                                                             \# cdb(ex-0303.105,expr)
     substitute
                     (expr, dgab)
                                                                             # cdb(ex-0303.106,expr)
     substitute
```

```
substitute
                     (expr, GammaD)
                                                                            # cdb(ex-0303.107,expr)
                     (expr)
     distribute
                                                                            # cdb(ex-0303.109.expr)
                     (expr, bah)
                                                                            # cdb(ex-0303.110,expr)
     substitute
39
                                                                            # cdb(ex-0303.111,expr)
     sort_product
                     (expr)
40
                                                                            # cdb(ex-0303.112,expr)
     rename_dummies (expr)
41
                     (expr, foo)
                                                                            # cdb(ex-0303.113,expr)
     substitute
42
                                                                            # cdb(ex-0303.114,expr)
     canonicalise
                     (expr)
```

$$R_{abcd} = g_{ae}R^{e}_{bcd} \qquad (ex-0303.102)$$

$$= g_{ae} \left(\partial_{c}\Gamma^{e}_{bd} - \partial_{d}\Gamma^{e}_{bc} + \Gamma^{f}_{bd}\Gamma^{e}_{cf} - \Gamma^{f}_{bc}\Gamma^{e}_{df} \right) \qquad (ex-0303.103)$$

$$= g_{ae}\partial_{c}\Gamma^{e}_{bd} - g_{ae}\partial_{d}\Gamma^{e}_{bc} + g_{ae}\Gamma^{f}_{bd}\Gamma^{e}_{cf} - g_{ae}\Gamma^{f}_{bc}\Gamma^{e}_{df} \qquad (ex-0303.104)$$

$$= \partial_{c} \left(g_{ae}\Gamma^{e}_{bd} \right) - \Gamma^{e}_{bd}\partial_{c}g_{ae} - \partial_{d} \left(g_{ae}\Gamma^{e}_{bc} \right) + \Gamma^{e}_{bc}\partial_{d}g_{ae} + g_{ae}\Gamma^{f}_{bd}\Gamma^{e}_{cf} - g_{ae}\Gamma^{f}_{bc}\Gamma^{e}_{df} \qquad (ex-0303.105)$$

$$= \partial_{c} \left(g_{ae}\Gamma^{e}_{bd} \right) - \Gamma^{e}_{bd} \left(\Gamma^{f}_{ac}g_{fe} + \Gamma^{f}_{ec}g_{af} \right) - \partial_{d} \left(g_{ae}\Gamma^{e}_{bc} \right) + \Gamma^{e}_{bc} \left(\Gamma^{f}_{ad}g_{fe} + \Gamma^{f}_{ed}g_{af} \right) + g_{ae}\Gamma^{f}_{bd}\Gamma^{e}_{cf} - g_{ae}\Gamma^{f}_{bc}\Gamma^{e}_{df} \qquad (ex-0303.106)$$

$$= \partial_{c}\Gamma_{abd} - \Gamma^{e}_{bd} \left(\Gamma_{eac} + \Gamma_{aec} \right) - \partial_{d}\Gamma_{abc} + \Gamma^{e}_{bc} \left(\Gamma_{ead} + \Gamma_{aed} \right) + \Gamma_{acf}\Gamma^{f}_{bd} - \Gamma_{adf}\Gamma^{f}_{bc} \qquad (ex-0303.107)$$

$$= \partial_{c}\Gamma_{abd} - \Gamma^{e}_{bd}\Gamma_{eac} - \Gamma^{e}_{bd}\Gamma_{aec} - \partial_{d}\Gamma_{abc} + \Gamma^{e}_{bc}\Gamma_{ead} + \Gamma^{e}_{bc}\Gamma_{aed} + \Gamma_{acf}\Gamma^{f}_{bd} - \Gamma_{adf}\Gamma^{f}_{bc} \qquad (ex-0303.109)$$

$$= \partial_{c}A_{abd} - \Gamma^{e}_{bd}A_{eac} - \Gamma^{e}_{bd}A_{aec} - \partial_{d}A_{abc} + \Gamma^{e}_{bc}A_{ead} + \Gamma^{e}_{bc}A_{aed} + A_{acf}\Gamma^{f}_{bd} - A_{adf}\Gamma^{f}_{bc} \qquad (ex-0303.110)$$

$$= \partial_{c}A_{abd} - \Gamma^{e}_{bd}A_{eac} - \Gamma^{e}_{bd}A_{aec} - \partial_{d}A_{abc} + A_{ead}\Gamma^{e}_{bc} + A_{aed}\Gamma^{e}_{bc} + A_{acf}\Gamma^{f}_{bd} - A_{adf}\Gamma^{f}_{bc} \qquad (ex-0303.111)$$

$$= \partial_{c}A_{abd} - A_{eac}\Gamma^{e}_{bd} - A_{aec}\Gamma^{e}_{bd} - \partial_{d}A_{abc} + A_{ead}\Gamma^{e}_{bc} + A_{aed}\Gamma^{e}_{bc} + A_{acf}\Gamma^{e}_{bd} - A_{ade}\Gamma^{e}_{bc} \qquad (ex-0303.112)$$

$$= \partial_{c}\Gamma_{abd} - \Gamma_{eac}\Gamma^{e}_{bd} - \Gamma_{aec}\Gamma^{e}_{bd} - \partial_{d}\Gamma_{abc} + \Gamma_{ead}\Gamma^{e}_{bc} + \Gamma_{aed}\Gamma^{e}_{bc} + \Gamma_{aec}\Gamma^{e}_{bd} - \Gamma_{ade}\Gamma^{e}_{bc} \qquad (ex-0303.113)$$

$$= \partial_{c}\Gamma_{abd} - \Gamma_{eac}\Gamma^{e}_{bd} - \Gamma_{aec}\Gamma^{e}_{bd} - \partial_{d}\Gamma_{abc} + \Gamma_{ead}\Gamma^{e}_{bc} + \Gamma_{aed}\Gamma^{e}_{bc} + \Gamma_{aec}\Gamma^{e}_{bd} - \Gamma_{ade}\Gamma^{e}_{bc} \qquad (ex-0303.114)$$

$$= \partial_{c}\Gamma_{abd} - \Gamma_{eac}\Gamma^{e}_{bd} - \partial_{d}\Gamma_{abc} + \Gamma_{ead}\Gamma^{e}_{bc} + \Gamma_{aed}\Gamma^{e}_{bc} + \Gamma_{aec}\Gamma^{e}_{bd} - \Gamma_{ade}\Gamma^{e}_{bc} \qquad (ex-0303.114)$$

Exercise 3.4 More symmetries of Riemann

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative.
     g_{a b}::Symmetric.
     g^{a b}::Symmetric.
     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
     \Gamma_{a b c}::TableauSymmetry(shape={2}, indices={1,2}).
10
     GammaU := Gamma^{a}_{b c} \rightarrow 1/2 g^{a d} ( partial_{b}_{g_{d c}})
11
                                                  + \partial_{c}{g_{b d}}
12
                                                   - \partial_{d}{g_{b c}}). # cdb(Gamma.000,GammaU)
13
14
     GammaD := Gamma_{a b c} -> 1/2 ( partial_{b}_{g_{a c}})
15
                                        + \partial_{c}{g_{b a}}
16
                                        - \partial_{a}{g_{b c}}).
                                                                             # cdb(Gamma.010,GammaD)
17
18
     Rabcd := R_{a b c d} \rightarrow \beta_{c d} 
19
                             - \partial_{d}{\Gamma_{a b c}}
20
                             + \Gamma_{e a d} \Gamma^{e}_{b c}
21
                             - \Gamma_{e a c} \Gamma^{e}_{b d}.
                                                                             # cdb(Rabcd.000,Rabcd)
22
```

Exercise 3.4 Antisymmetry on first pair of indices

```
expr := R_{a b c d} + R_{b a c d}.
                                         # cdb(ex-0304.101,expr)
                    (expr, Rabcd)
                                         # cdb(ex-0304.102,expr)
    substitute
                   (expr, GammaU)
                                         # cdb(ex-0304.103,expr)
    substitute
                   (expr, GammaD)
    substitute
                                         # cdb(ex-0304.104,expr)
                   (expr)
                                         # cdb(ex-0304.105,expr)
    distribute
                                         # cdb(ex-0304.106,expr)
                   (expr)
    product_rule
                                         # cdb(ex-0304.107,expr)
    sort_product
                    (expr)
                                         # cdb(ex-0304.108,expr)
    rename_dummies (expr)
    canonicalise
                    (expr)
                                         # cdb(ex-0304.109,expr)
10
```

$$\begin{split} R_{abcd} + R_{bacd} &= \partial_c \Gamma_{abd} - \partial_d \Gamma_{abc} + \Gamma_{cad} \Gamma^c_{\ bc} - \Gamma_{cac} \Gamma^c_{\ bd} + \partial_c \Gamma_{bad} - \partial_d \Gamma_{bac} + \Gamma_{cbd} \Gamma^c_{\ cac} - \Gamma_{cbc} \Gamma^c_{\ cad} \\ &= \partial_c \Gamma_{abd} - \partial_d \Gamma_{abc} + \frac{1}{2} \Gamma_{cad} g^{ef} \left(\partial_b g_{fc} + \partial_c g_{bf} - \partial_f g_{bc} \right) - \frac{1}{2} \Gamma_{cac} g^{ef} \left(\partial_b g_{fd} + \partial_d g_{bf} - \partial_f g_{bd} \right) + \partial_c \Gamma_{bad} - \partial_d \Gamma_{bac} \\ &+ \frac{1}{2} \Gamma_{cbd} g^{ef} \left(\partial_a g_{fc} + \partial_c g_{af} - \partial_f g_{ac} \right) - \frac{1}{2} \Gamma_{cbc} g^{ef} \left(\partial_a g_{fd} + \partial_d g_{af} - \partial_f g_{ad} \right) \\ &= \partial_c \left(\frac{1}{2} \partial_b g_{ad} + \frac{1}{2} \partial_d g_{ba} - \frac{1}{2} \partial_a g_{bd} \right) - \partial_d \left(\frac{1}{2} \partial_b g_{ac} + \frac{1}{2} \partial_c g_{ba} - \frac{1}{2} \partial_a g_{bc} \right) + \frac{1}{2} \left(\frac{1}{2} \partial_a g_{ed} + \frac{1}{2} \partial_d g_{ae} - \frac{1}{2} \partial_c g_{ad} \right) g^{ef} \left(\partial_b g_{fe} + \partial_c g_{bf} - \partial_f g_{bc} \right) \\ &- \frac{1}{2} \left(\frac{1}{2} \partial_a g_{cc} + \frac{1}{2} \partial_c g_{ac} - \frac{1}{2} \partial_c g_{ac} \right) g^{ef} \left(\partial_b g_{fd} + \partial_d g_{bf} - \partial_f g_{bd} \right) + \partial_c \left(\frac{1}{2} \partial_a g_{bc} + \frac{1}{2} \partial_d g_{ae} - \frac{1}{2} \partial_c g_{ad} \right) g^{ef} \left(\partial_b g_{fe} + \partial_c g_{bf} - \partial_f g_{bc} \right) \\ &- \partial_d \left(\frac{1}{2} \partial_a g_{bc} + \frac{1}{2} \partial_c g_{ab} - \frac{1}{2} \partial_b g_{ac} \right) g^{ef} \left(\partial_b g_{fd} + \partial_d g_{bf} - \partial_f g_{bd} \right) g^{ef} \left(\partial_a g_{fc} + \partial_c g_{af} - \partial_f g_{ac} \right) \\ &- \frac{1}{2} \left(\frac{1}{2} \partial_b g_{cc} + \frac{1}{2} \partial_c g_{ab} - \frac{1}{2} \partial_c g_{bc} \right) g^{ef} \left(\partial_a g_{fd} + \partial_d g_{af} - \partial_f g_{ad} \right) \\ &- \frac{1}{2} \left(\frac{1}{2} \partial_b g_{cc} + \frac{1}{2} \partial_c g_{ab} - \frac{1}{2} \partial_c g_{bc} \right) g^{ef} \left(\partial_a g_{fd} + \partial_d g_{af} - \partial_f g_{ad} \right) \\ &- \frac{1}{2} \partial_c g_{bc} - \frac{1}{2} \partial_c g_{bc} - \frac{1}{2} \partial_c g_{bc} \right) g^{ef} \left(\partial_a g_{fd} + \partial_d g_{ac} - \partial_f g_{ad} \right) \\ &- \frac{1}{2} \partial_a g_{bc} - \frac{1}{2} \partial_c g_{bc} - \frac{1}{2} \partial_c g_{bc} \right) g^{ef} \left(\partial_a g_{fd} + \partial_d g_{ac} - \partial_f g_{ad} \right) \\ &- \frac{1}{2} \partial_c g_{bc} - \frac{1}{4} \partial_a g_{ac} g^{ef} \partial_b g_{fc} + \frac{1}{4} \partial_a g_{ac} g^{ef} \partial_c g_{bf} - \frac{1}{4} \partial_a g_{ac} g^{ef} \partial_f g_{bc} - \frac{1}$$

$$R_{abcd} + R_{bacd} = \frac{1}{2} \partial_{cd}g_{ba} - \frac{1}{2} \partial_{dc}g_{ba} + \frac{1}{4} \partial_{a}g_{ed}g^{ef} \partial_{b}g_{fc} + \frac{1}{4} \partial_{a}g_{ed}g^{ef} \partial_{c}g_{bf} - \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{b}g_{fc} + \frac{1}{4} \partial_{d}g_{ae}g^{ef} \partial_{c}g_{bf} - \frac{1}{4} \partial_{d}g_{ae}g^{ef} \partial_{f}g_{bc}$$

$$- \frac{1}{4} \partial_{e}g_{ad}g^{ef} \partial_{b}g_{fc} - \frac{1}{4} \partial_{e}g_{ad}g^{ef} \partial_{c}g_{bf} + \frac{1}{4} \partial_{e}g_{ad}g^{ef} \partial_{f}g_{bc} - \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{b}g_{fd} - \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{d}g_{bf} + \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{f}g_{bd} - \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{d}g_{bf} + \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{f}g_{bd} - \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{d}g_{bf} - \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{f}g_{bd} - \frac{1}{2} \partial_{e}g_{ab} - \frac{1}{2} \partial_{d}g_{ab} - \frac{1}{2} \partial_{d}g_{ab} - \frac{1}{4} \partial_{b}g_{ed}g^{ef} \partial_{a}g_{fc} - \frac{1}{4} \partial_{b}g_{ed}g^{ef} \partial_{a}g_{fc} - \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{d}g_{bf} - \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{f}g_{bd} - \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{g}g_{bf} - \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{g}g_{ef} - \frac{1}{4} \partial_{a}g_{ec}g^{ef} \partial_{g}g_{ef} - \frac{1}{4} \partial_{a}g_{ec}g_{ef}g_{ef} \partial_{g}g_{ef} - \frac{1}{4} \partial_{a}g_{ec}g_{ef}g_{ef} \partial_{g}g_{ef} - \frac{1}{4} \partial_{a}g_{ec}g_{ef}g_{ef}g_{ef} - \frac{1}{4} \partial_{a}g_{$$

$$R_{abcd} + R_{bacd} = \frac{1}{2}\partial_{cd}g_{ba} - \frac{1}{2}\partial_{dc}g_{ba} + \frac{1}{4}\partial_{a}g_{ed}\partial_{b}g_{fc}g^{ef} + \frac{1}{4}\partial_{a}g_{ed}\partial_{c}g_{bf}g^{ef} - \frac{1}{4}\partial_{a}g_{fd}\partial_{e}g_{bc}g^{fe} + \frac{1}{4}\partial_{b}g_{ec}\partial_{d}g_{af}g^{fe} + \frac{1}{4}\partial_{c}g_{be}\partial_{d}g_{af}g^{fe} - \frac{1}{4}\partial_{d}g_{af}\partial_{e}g_{bc}g^{fe}$$

$$- \frac{1}{4}\partial_{b}g_{fc}\partial_{e}g_{ad}g^{ef} - \frac{1}{4}\partial_{c}g_{bf}\partial_{e}g_{ad}g^{ef} + \frac{1}{4}\partial_{e}g_{ad}\partial_{f}g_{bc}g^{ef} - \frac{1}{4}\partial_{a}g_{ec}\partial_{b}g_{fd}g^{ef} - \frac{1}{4}\partial_{a}g_{ec}\partial_{d}g_{bf}g^{ef} + \frac{1}{4}\partial_{a}g_{fc}\partial_{e}g_{bd}g^{fe} - \frac{1}{4}\partial_{b}g_{ed}\partial_{c}g_{af}g^{fe}$$

$$- \frac{1}{4}\partial_{c}g_{ae}\partial_{d}g_{bf}g^{ef} + \frac{1}{4}\partial_{c}g_{af}\partial_{e}g_{bd}g^{fe} + \frac{1}{4}\partial_{b}g_{fd}\partial_{e}g_{ac}g^{ef} + \frac{1}{4}\partial_{d}g_{bf}\partial_{e}g_{ac}g^{ef} - \frac{1}{4}\partial_{e}g_{ac}\partial_{f}g_{bd}g^{ef} + \frac{1}{2}\partial_{c}g_{ab} - \frac{1}{2}\partial_{c}g_{ab} + \frac{1}{4}\partial_{a}g_{ec}\partial_{b}g_{fd}g^{fe}$$

$$+ \frac{1}{4}\partial_{b}g_{ed}\partial_{c}g_{af}g^{ef} - \frac{1}{4}\partial_{b}g_{fd}\partial_{e}g_{ac}g^{fe} + \frac{1}{4}\partial_{a}g_{ec}\partial_{d}g_{bf}g^{fe} + \frac{1}{4}\partial_{c}g_{ae}\partial_{d}g_{bf}g^{fe} - \frac{1}{4}\partial_{d}g_{bf}\partial_{e}g_{ac}g^{fe} - \frac{1}{4}\partial_{a}g_{fc}\partial_{e}g_{bd}g^{ef}$$

$$+ \frac{1}{4}\partial_{e}g_{bd}\partial_{f}g_{ac}g^{ef} - \frac{1}{4}\partial_{a}g_{ed}\partial_{b}g_{fc}g^{fe} - \frac{1}{4}\partial_{b}g_{ec}\partial_{d}g_{af}g^{ef} + \frac{1}{4}\partial_{b}g_{fc}\partial_{e}g_{ad}g^{fe} - \frac{1}{4}\partial_{a}g_{ed}\partial_{c}g_{bf}g^{fe}$$

$$+ \frac{1}{4}\partial_{e}g_{bd}\partial_{f}g_{ac}g^{ef} - \frac{1}{4}\partial_{a}g_{ed}\partial_{b}g_{fc}g^{fe} - \frac{1}{4}\partial_{b}g_{ec}\partial_{d}g_{af}g^{ef} + \frac{1}{4}\partial_{b}g_{fc}\partial_{e}g_{ad}g^{fe} - \frac{1}{4}\partial_{a}g_{ed}\partial_{c}g_{bf}g^{fe} - \frac{1}{4}\partial_{c}g_{be}\partial_{d}g_{af}g^{ef}$$

$$+ \frac{1}{4}\partial_{a}g_{fd}\partial_{e}g_{bc}g^{ef} + \frac{1}{4}\partial_{a}g_{ed}\partial_{b}g_{fc}g^{ef} - \frac{1}{4}\partial_{e}g_{bc}\partial_{f}g_{ad}g^{ef}$$

$$+ \frac{1}{4}\partial_{a}g_{fd}\partial_{e}g_{bc}g^{ef} + \frac{1}{4}\partial_{d}g_{af}\partial_{e}g_{bc}g^{ef} - \frac{1}{4}\partial_{e}g_{bc}\partial_{f}g_{ad}g^{ef}$$

$$+ \frac{1}{4}\partial_{a}g_{fd}\partial_{e}g_{bc}g^{ef} + \frac{1}{4}\partial_{e}g_{bc}\partial_{f}g_{ad}g^{ef}$$

$$+ \frac{1}{4}\partial_{a}g_{fd}\partial_{e}g_{bc}g^{ef} + \frac{1}{4}\partial_{e}g_{bc}\partial_{f}g_{ad}g^{ef}$$

$$+ \frac{1}{4}\partial_{a}g_{fd}\partial_{e}g_{bc}g^{ef} - \frac{1}{4}\partial_{e}g_{bc}\partial_{f}g_{ad}g^{ef}$$

$$+ \frac{1}{4}\partial_{a}g_{fd}\partial_{e}g_{bc}g^{ef} - \frac{1}{4}\partial_{e}g_{fd}\partial_{e}g_{bc}g^{ef}$$

$$+ \frac{1}{4}\partial_{e}$$

Exercise 3.4 Symmetric on swapping first and second pair of indices

```
expr := R_{a b c d} - R_{c d a b}.
                                         # cdb(ex-0304.201,expr)
                    (expr, Rabcd)
                                          # cdb(ex-0304.202,expr)
    substitute
                   (expr, GammaU)
                                          # cdb(ex-0304.203,expr)
    substitute
                   (expr, GammaD)
                                          # cdb(ex-0304.204,expr)
    substitute
                   (expr)
                                          # cdb(ex-0304.205,expr)
    distribute
                                          # cdb(ex-0304.206,expr)
                   (expr)
    product_rule
                                          # cdb(ex-0304.207,expr)
    sort_product
                    (expr)
                                          # cdb(ex-0304.208,expr)
    rename_dummies (expr)
    canonicalise
                    (expr)
                                          # cdb(ex-0304.209,expr)
10
```

$$\begin{split} R_{abcd} - R_{cdab} &= \partial_c \Gamma_{abd} - \partial_d \Gamma_{abc} + \Gamma_{cad} \Gamma^{\nu}_{bd} - \Gamma_{cac} \Gamma^{\nu}_{bd} - \partial_a \Gamma_{cdb} + \partial_b \Gamma_{cda} - \Gamma_{ccb} \Gamma^{\mu}_{cd} + \Gamma_{cca} \Gamma^{\mu}_{cdb} \\ &= \partial_c \Gamma_{abd} - \partial_d \Gamma_{abc} + \frac{1}{2} \Gamma_{cad} g^{ef} \left(\partial_b g_{fc} + \partial_c g_{bf} - \partial_f g_{bc} \right) - \frac{1}{2} \Gamma_{cac} g^{ef} \left(\partial_b g_{fd} + \partial_d g_{bf} - \partial_f g_{bd} \right) - \partial_a \Gamma_{cdb} + \partial_b \Gamma_{cda} \\ &- \frac{1}{2} \Gamma_{ccb} g^{ef} \left(\partial_d g_{fa} + \partial_a g_{df} - \partial_f g_{da} \right) + \frac{1}{2} \Gamma_{ccc} g^{ef} \left(\partial_d g_{fb} + \partial_b g_{df} - \partial_f g_{db} \right) \\ &= \partial_c \left(\frac{1}{2} \partial_b g_{bd} + \frac{1}{2} \partial_a g_{bc} - \frac{1}{2} \partial_a g_{bc} \right) - \partial_d \left(\frac{1}{2} \partial_b g_{ac} + \frac{1}{2} \partial_c g_{ba} - \frac{1}{2} \partial_a g_{bc} \right) + \frac{1}{2} \left(\frac{1}{2} \partial_a g_{cd} + \frac{1}{2} \partial_a g_{ac} - \frac{1}{2} \partial_c g_{bf} - \partial_f g_{bc} \right) \\ &- \frac{1}{2} \left(\frac{1}{2} \partial_a g_{cc} + \frac{1}{2} \partial_c g_{ac} - \frac{1}{2} \partial_c g_{bd} \right) - \frac{1}{2} \left(\frac{1}{2} \partial_a g_{cc} + \frac{1}{2} \partial_a g_{bc} + \frac{1}{2} \partial_a g_{bc} - \frac{1}{2} \partial_c g_{bb} \right) \\ &+ \partial_b \left(\frac{1}{2} \partial_d g_{cc} + \frac{1}{2} \partial_a g_{cc} - \frac{1}{2} \partial_c g_{bd} \right) - \frac{1}{2} \left(\frac{1}{2} \partial_a g_{cc} + \frac{1}{2} \partial_a g_{bc} - \frac{1}{2} \partial_c g_{bb} \right) \\ &+ 2 \left(\frac{1}{2} \partial_a g_{cc} + \frac{1}{2} \partial_a g_{cc} - \frac{1}{2} \partial_c g_{bd} \right) - \frac{1}{2} \left(\frac{1}{2} \partial_a g_{cc} - \frac{1}{2} \partial_c g_{bb} \right) g^{ef} \left(\partial_d g_{fb} + \partial_b g_{df} - \partial_f g_{db} \right) \\ &+ \frac{1}{2} \left(\frac{1}{2} \partial_a g_{cc} + \frac{1}{2} \partial_a g_{cc} - \frac{1}{2} \partial_c g_{cd} \right) g^{ef} \left(\partial_d g_{fb} + \partial_b g_{df} - \partial_f g_{db} \right) \\ &+ \frac{1}{2} \left(\frac{1}{2} \partial_a g_{cc} + \frac{1}{2} \partial_a g_{bc} - \frac{1}{2} \partial_a g_{bc} \right) g^{ef} \left(\partial_d g_{fb} + \partial_b g_{df} - \partial_f g_{db} \right) \\ &= \frac{1}{2} \partial_{cb} g_{cd} + \frac{1}{2} \partial_a g_{bc} - \frac{1}{2} \partial_{cb} g_{ac} - \frac{1}{2} \partial_{cb} g_{bc} + \frac{1}{2} \partial_a g_{bc} - \frac{1}{2} \partial_a g_{bc} - \frac{1}{4} \partial_a g_{cd} g^{ef} \partial_b g_{fc} + \frac{1}{4} \partial_a g_{cd} g^{ef} \partial_b g_{fd} + \frac{1}{4} \partial_a g_{cd} g^{ef} \partial_b g_{fd} + \frac{1}{4} \partial_a g_{cd} g^{ef} \partial_a g_{ff} + \frac{1}{4} \partial_a g_{cd} g^{ef} \partial_a g_{ff} + \frac{1}{4} \partial_a g_{cd} g^{ef} \partial_a g_{ff} + \frac{1}{4$$

$$\begin{split} R_{abcd} - R_{cdab} &= \frac{1}{2} \partial_{cb} g_{ad} + \frac{1}{2} \partial_{cd} g_{ba} - \frac{1}{2} \partial_{db} g_{ac} - \frac{1}{2} \partial_{dc} g_{ba} + \frac{1}{4} \partial_{a} g_{cd} g^{ef} \partial_{b} g_{fc} + \frac{1}{4} \partial_{a} g_{cd} g^{ef} \partial_{c} g_{bf} - \frac{1}{4} \partial_{a} g_{cd} g^{ef} \partial_{f} g_{bc} + \frac{1}{4} \partial_{d} g_{ac} g^{ef} \partial_{b} g_{fc} - \frac{1}{4} \partial_{a} g_{ac} g^{ef} \partial_{b} g_{fc} - \frac{1}{4} \partial_{a} g_{ac} g^{ef} \partial_{b} g_{fc} - \frac{1}{4} \partial_{a} g_{ac} g^{ef} \partial_{c} g_{bf} - \frac{1}{4} \partial_{a} g_{ac} g^{ef} \partial_{f} g_{bc} - \frac{1}{4} \partial_{c} g_{ad} g^{ef} \partial_{b} g_{fc} - \frac{1}{4} \partial_{c} g_{ad} g^{ef} \partial_{c} g_{bf} - \frac{1}{4} \partial_{a} g_{cc} g^{ef} \partial_{g} g_{bf} \\ + \frac{1}{4} \partial_{a} g_{ac} g^{ef} \partial_{f} g_{bd} - \frac{1}{4} \partial_{c} g_{ac} g^{ef} \partial_{b} g_{fd} - \frac{1}{4} \partial_{c} g_{ac} g^{ef} \partial_{b} g_{fd} + \frac{1}{4} \partial_{c} g_{ac} g^{ef} \partial_{g} g_{bf} \\ - \frac{1}{2} \partial_{ad} g_{cb} - \frac{1}{2} \partial_{ab} g_{dc} + \frac{1}{2} \partial_{ac} g_{ab} + \frac{1}{2} \partial_{ba} g_{ac} - \frac{1}{2} \partial_{bc} g_{ac} - \frac{1}{2} \partial_{bc} g_{ac} - \frac{1}{4} \partial_{c} g_{ac} g^{ef} \partial_{d} g_{fa} \\ - \frac{1}{2} \partial_{ab} g_{cc} - \frac{1}{2} \partial_{ab} g_{dc} + \frac{1}{2} \partial_{ba} g_{ac} - \frac{1}{2} \partial_{bc} g_{dc} - \frac{1}{2} \partial_{bc} g_{dc} - \frac{1}{4} \partial_{c} g_{ac} g^{ef} \partial_{d} g_{fa} \\ - \frac{1}{4} \partial_{c} g_{ac} g^{ef} \partial_{a} g_{fa} + \frac{1}{4} \partial_{c} g_{ac} g^{ef} \partial_{a} g_{fa} + \frac{1}{4} \partial_{c} g_{ac} g^{ef} \partial_{d} g_{fa} \\ - \frac{1}{4} \partial_{a} g_{cc} g^{ef} \partial_{a} g_{fa} + \frac{1}{4} \partial_{c} g_{ac} g^{ef} \partial_{a} g_{fa} \\ - \frac{1}{4} \partial_{a} g_{cc} g^{ef} \partial_{a} g_{fa} + \frac{1}{4} \partial_{c} g_{ac} g^{ef} \partial_{a} g_{fa} \\ + \frac{1}{4} \partial_{a} g_{cc} g^{ef}$$

$$R_{abcd} - R_{cdab} = \frac{1}{2}\partial_{cb}g_{ad} + \frac{1}{2}\partial_{ca}g_{ba} - \frac{1}{2}\partial_{ca}g_{bd} - \frac{1}{2}\partial_{db}g_{ac} - \frac{1}{2}\partial_{dc}g_{ba} + \frac{1}{2}\partial_{da}g_{bc} + \frac{1}{4}\partial_{a}g_{ed}\partial_{b}g_{fc}g^{ef} + \frac{1}{4}\partial_{a}g_{ed}\partial_{c}g_{bf}g^{ef} - \frac{1}{4}\partial_{a}g_{fd}\partial_{e}g_{bc}g^{fe} + \frac{1}{4}\partial_{b}g_{ec}\partial_{d}g_{af}g^{fe}$$

$$+ \frac{1}{4}\partial_{c}g_{be}\partial_{d}g_{af}g^{fe} - \frac{1}{4}\partial_{d}g_{af}\partial_{e}g_{bc}g^{fe} - \frac{1}{4}\partial_{b}g_{fc}\partial_{e}g_{ad}g^{ef} - \frac{1}{4}\partial_{c}g_{bf}\partial_{e}g_{ad}g^{ef} + \frac{1}{4}\partial_{e}g_{ad}\partial_{f}g_{bc}g^{ef} - \frac{1}{4}\partial_{a}g_{ec}\partial_{b}g_{fd}g^{ef} - \frac{1}{4}\partial_{a}g_{ec}\partial_{d}g_{bf}g^{ef}$$

$$+ \frac{1}{4}\partial_{a}g_{fc}\partial_{e}g_{bd}g^{fe} - \frac{1}{4}\partial_{b}g_{ed}\partial_{c}g_{af}g^{fe} - \frac{1}{4}\partial_{c}g_{ae}\partial_{d}g_{bf}g^{ef} + \frac{1}{4}\partial_{c}g_{af}\partial_{e}g_{bd}g^{fe} + \frac{1}{4}\partial_{b}g_{fd}\partial_{e}g_{ac}g^{ef} + \frac{1}{4}\partial_{a}g_{bf}\partial_{e}g_{ac}g^{ef} - \frac{1}{4}\partial_{a}g_{bc}\partial_{e}g_{de}g^{ef}$$

$$- \frac{1}{2}\partial_{ad}g_{cb} - \frac{1}{2}\partial_{ab}g_{dc} + \frac{1}{2}\partial_{ac}g_{db} + \frac{1}{2}\partial_{bd}g_{ca} + \frac{1}{2}\partial_{ba}g_{dc} - \frac{1}{2}\partial_{bc}g_{da} - \frac{1}{4}\partial_{c}g_{eb}\partial_{d}g_{fa}g^{ef} - \frac{1}{4}\partial_{a}g_{de}\partial_{e}g_{fb}g^{fe} + \frac{1}{4}\partial_{c}g_{fb}\partial_{e}g_{da}g^{fe}$$

$$- \frac{1}{4}\partial_{b}g_{ce}\partial_{d}g_{fa}g^{ef} - \frac{1}{4}\partial_{a}g_{de}\partial_{b}g_{f}g^{fe} + \frac{1}{4}\partial_{b}g_{f}\partial_{e}g_{da}g^{fe} + \frac{1}{4}\partial_{d}g_{fa}\partial_{e}g_{cb}g^{ef} + \frac{1}{4}\partial_{a}g_{de}\partial_{e}g_{fb}g^{ef} - \frac{1}{4}\partial_{a}g_{de}\partial_{e}g_{fb}g^{ef}$$

$$- \frac{1}{4}\partial_{b}g_{de}\partial_{c}g_{fa}g^{ef} - \frac{1}{4}\partial_{a}g_{de}\partial_{b}g_{f}g^{fe} + \frac{1}{4}\partial_{b}g_{f}\partial_{e}g_{da}g^{fe} + \frac{1}{4}\partial_{a}g_{fa}\partial_{e}g_{cb}g^{ef} - \frac{1}{4}\partial_{a}g_{de}\partial_{e}g_{fb}g^{ef} - \frac{1}{4}\partial_{e}g_{cb}\partial_{f}g_{f}g^{ef}$$

$$+ \frac{1}{4}\partial_{b}g_{de}\partial_{c}g_{fa}g^{fe} - \frac{1}{4}\partial_{e}g_{de}\partial_{b}g^{fe} + \frac{1}{4}\partial_{a}g_{ec}\partial_{d}g_{fb}g^{ef} + \frac{1}{4}\partial_{a}g_{ec}\partial_{b}g_{df}g^{ef} - \frac{1}{4}\partial_{a}g_{ef}\partial_{e}g_{db}g^{fe} - \frac{1}{4}\partial_{e}g_{ed}\partial_{e}g_{ef}g^{ef}$$

$$+ \frac{1}{4}\partial_{e}g_{ed}\partial_{e}g_{fb}g^{ef} - \frac{1}{4}\partial_{e}g_{ed}\partial_{e}g_{ef}g^{ef} - \frac{1}{4}\partial_{e}g_{ef}\partial_{e}g_{ef}g^{ef} - \frac{1}{4}\partial_{e}g_{ef}\partial_{e}g_{ef}g^{ef} - \frac{1}{4}\partial_{e}g_{ef}\partial_{e}g_{ef}g^{ef} - \frac{1}{4}\partial_{e}g_{ef}\partial_{e}g_{ef}g^{ef} - \frac{1}{4}\partial_{e}g_{ef}\partial_{e}g_{ef}g^{ef} - \frac{1}{4}$$

Exercise 3.5 Commutation of covariant derivatives

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w#}::Indices(position=independent).

// nabla{#}::Derivative.

expr := \nabla_{d}{\nabla_{c}{A_{a} B_{b}}}

- \nabla_{c}{A_{a} B_{b}}. # cdb(ex-0305.100,expr)

product_rule (expr) # cdb(ex-0305.101,expr)

distribute (expr) # cdb(ex-0305.102,expr)

product_rule (expr) # cdb(ex-0305.103,expr)

product_rule (expr) # cdb(ex-0305.103,expr)

factor_out (expr,$A_{a?},B_{b?}$) # cdb(ex-0305.104,expr)
```

$$\begin{split} \nabla_{d}\left(\nabla_{c}\left(A_{a}B_{b}\right)\right) - \nabla_{c}\left(\nabla_{d}\left(A_{a}B_{b}\right)\right) &= \nabla_{d}\left(\nabla_{c}A_{a}B_{b} + A_{a}\nabla_{c}B_{b}\right) - \nabla_{c}\left(\nabla_{d}A_{a}B_{b} + A_{a}\nabla_{d}B_{b}\right) \\ &= \nabla_{d}\left(\nabla_{c}A_{a}B_{b}\right) + \nabla_{d}\left(A_{a}\nabla_{c}B_{b}\right) - \nabla_{c}\left(\nabla_{d}A_{a}B_{b}\right) - \nabla_{c}\left(A_{a}\nabla_{d}B_{b}\right) \\ &= \nabla_{d}\left(\nabla_{c}A_{a}\right)B_{b} + A_{a}\nabla_{d}\left(\nabla_{c}B_{b}\right) - \nabla_{c}\left(\nabla_{d}A_{a}\right)B_{b} - A_{a}\nabla_{c}\left(\nabla_{d}B_{b}\right) \\ &= B_{b}\left(\nabla_{d}\left(\nabla_{c}A_{a}\right) - \nabla_{c}\left(\nabla_{d}A_{a}\right)\right) + A_{a}\left(\nabla_{d}\left(\nabla_{c}B_{b}\right) - \nabla_{c}\left(\nabla_{d}B_{b}\right)\right) \end{split} \tag{ex-0305.101}$$

Exercise 3.6 Commutation of ∇ on the Riemann tensor – simple computation

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
             DD{#}::Derivative.
             \nabla{#}::Derivative.
             RabcdF := R_{a b c d} -> A_{a} B_{b} C_{c} D_{d}.
                                                                                                                                                                # cdb(RabcdF.000,RabcdF)
             RabcdB := A_{a} B_{b} C_{c} D_{d} -> R_{a} b c d.
                                                                                                                                                                # cdb(RabcdB.000, RabcdB)
             derivDD := DD_{b c}{V?_{a}} -> R^{d}_{a b c} V?_{d}. # cdb(derivDD.000, derivDD)
10
             nablaDD := \\nabla_{f}{\nabla_{e}_{R_{a} b c d}}
11
                                     - \ndering - \nderin
12
13
             # product rule for DD acting on A_{a} B_{b} C_{c} D_{d}
14
             pruleDD := DD_{e f}{A_{a} B_{b} C_{c} D_{d}} -> DD_{e f}{A_{a} B_{b} C_{c} D_{d}}
15
                                                                                                                                       + A_{a} DD_{e f}{B_{b}} C_{c} D_{d}
16
                                                                                                                                       + A_{a} B_{b} DD_{e f}{C_{c}} D_{d}
17
                                                                                                                                       + A_{a} B_{b} C_{c} DD_{e f}{D_{d}}.
18
                                                                                                                                                                # cdb(pruleDD.000,pruleDD)
19
20
             21
                                  - \ne {c} {\nabla_{f}}{R_{a} b c d}}.
                                                                                                                                                                # cdb (ex-0306.100, expr)
22
             substitute
                                                (expr,nablaDD)
                                                                                                                                                                # cdb (ex-0306.101, expr)
                                               (expr,RabcdF)
                                                                                                                                                                # cdb (ex-0306.102, expr)
             substitute
             substitute (expr,pruleDD)
                                                                                                                                                                # cdb (ex-0306.103, expr)
26
                                                                                                                                                                # cdb (ex-0306.104, expr)
             substitute
                                                (expr,derivDD)
27
             sort_product (expr)
                                                                                                                                                                # cdb (ex-0306.105, expr)
28
                                                (expr,RabcdB)
                                                                                                                                                                # cdb (ex-0306.106, expr)
             substitute
```

$$\begin{split} \nabla_{f} \left(\nabla_{e} R_{abcd} \right) - \nabla_{e} \left(\nabla_{f} R_{abcd} \right) &= D D_{ef} R_{abcd} \\ &= D D_{ef} \left(A_{a} B_{b} C_{c} D_{d} \right) \\ &= D D_{ef} A_{a} B_{b} C_{c} D_{d} + A_{a} D D_{ef} B_{b} C_{c} D_{d} + A_{a} B_{b} D D_{ef} C_{c} D_{d} + A_{a} B_{b} C_{c} D D_{ef} D_{d} \\ &= R^{g}{}_{aef} A_{g} B_{b} C_{c} D_{d} + A_{a} R^{g}{}_{bef} B_{g} C_{c} D_{d} + A_{a} B_{b} R^{g}{}_{cef} C_{g} D_{d} + A_{a} B_{b} C_{c} R^{g}{}_{def} D_{g} \\ &= A_{g} B_{b} C_{c} D_{d} R^{g}{}_{aef} + A_{a} B_{g} C_{c} D_{d} R^{g}{}_{bef} + A_{a} B_{b} C_{g} D_{d} R^{g}{}_{cef} + A_{a} B_{b} C_{c} D_{g} R^{g}{}_{def} \\ &= R_{gbcd} R^{g}{}_{aef} + R_{agcd} R^{g}{}_{bef} + R_{abgd} R^{g}{}_{cef} + R_{abcg} R^{g}{}_{def} \end{aligned} \tag{ex-0306.105}$$

Exercise 3.7 Commutation of ∇ on the Riemann tensor – direct computation

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     ;::Symbol;
     \partial{#}::PartialDerivative.
     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
     RabcdD := \partial_{c}{\Gamma_{a b d}}
               - \partial_{d}{\Gamma_{a b c}}
10
               + \Gamma_{e a d} \Gamma^{e}_{b c}
11
               - \Gamma_{e a c} \Gamma^{e}_{b d} -> R_{a b c d}.
                                                                             # cdb(Rabcd.010,RabcdD)
12
13
     RabcdU := \partial_{c}{\Gamma^{a}_{b d}}
14
               - \partial_{d}{\Gamma^{a}_{b c}}
15
               + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
16
               - Gamma^{e}_{b c} \ Gamma^{a}_{d e} -> R^{a}_{b c d}.
                                                                              # cdb(Rabcd.000,RabcdU)
17
18
     d1Rabcd := R_{a b c d ; e} \rightarrow partial_{e}_{R_{a b c d}}
                                    - Gamma^{f}_{a e} R_{f b c d}
20
                                    - Gamma^{f}_{b} = R_{a} f c d
21
                                    - Gamma^{f}_{c e} R_{a b f d}
22
                                    - Gamma^{f}_{d} e R<sub>{a b c f}.</sub>
                                                                              # cdb(d1Rabcd.000,d1Rabcd)
23
24
     d2Rabcd := R_{a b c d ; e ; f} \rightarrow partial_{f}_{R_{a b c d ; e}}
25
                                        - Gamma^{g}_{a f} R_{g b c d ; e}
26
                                        - \Gamma^{g}_{b f} R_{a g c d ; e}
27
                                        - Gamma^{g}_{c f} R_{a b g d ; e}
28
                                        - \Gamma^{g}_{d f} R_{a b c g ; e}
29
                                        - Gamma^{g}_{e f} R_{a b c d ; g}. # cdb(d2Rabcd.000, d2Rabcd)
30
31
     substitute (d2Rabcd,d1Rabcd)
                                                                              # cdb (d2Rabcd.001, d2Rabcd)
32
33
     expr := R_{a} b c d ; e ; f - R_{a} b c d ; f ; e.
                                                                              # cdb (ex-0307.100, expr)
34
35
                    (expr,d2Rabcd)
                                                                              # cdb (ex-0307.101, expr)
     substitute
```

```
37
                    (expr)
     distribute
                                                                             # cdb (ex-0307.102, expr)
38
     product_rule
                    (expr)
                                                                             # cdb (ex-0307.103, expr)
39
40
     sort_product
                    (expr)
                                                                             # cdb (ex-0307.104, expr)
41
     rename_dummies (expr)
                                                                             # cdb (ex-0307.105, expr)
42
                                                                             # cdb (ex-0307.106, expr)
     canonicalise
                    (expr)
43
     factor_out
                    (expr,$R_{a? b? c? d?}$)
                                                                             # cdb (ex-0307.107, expr)
45
                    (expr,RabcdU)
                                                                             # cdb (ex-0307.108, expr)
     substitute
46
                    (expr, R^{a}_{b c d} -> -R^{a}_{b d c})
                                                                             # cdb (ex-0307.109, expr)
     substitute
47
```

$$\begin{split} R_{abcd;e;f} - R_{abcd;f;e} &= \partial_f \left(\partial_e R_{abcd} - \Gamma^g_{ae} R_{gbcd} - \Gamma^g_{be} R_{agcd} - \Gamma^g_{be} R_{abcd} - \Gamma^h_{de} R_{abcd} \right) - \Gamma^g_{af} \left(\partial_e R_{gbcd} - \Gamma^h_{be} R_{ghcd} - \Gamma^h_{ce} R_{gbhd} - \Gamma^h_{de} R_{gbch} \right) \\ &= \Gamma^g_{cf} \left(\partial_e R_{abcd} - \Gamma^h_{ae} R_{hbgd} - \Gamma^h_{be} R_{abcd} - \Gamma^h_{ce} R_{aghd} - \Gamma^h_{de} R_{abgh} \right) \\ &= \Gamma^g_{cf} \left(\partial_e R_{abgd} - \Gamma^h_{ae} R_{hbgd} - \Gamma^h_{be} R_{ahgd} - \Gamma^h_{ge} R_{abhd} - \Gamma^h_{de} R_{abgh} \right) \\ &= \Gamma^g_{cf} \left(\partial_e R_{abgd} - \Gamma^h_{ae} R_{hbgc} - \Gamma^h_{be} R_{ahgd} - \Gamma^h_{ee} R_{abhd} - \Gamma^h_{de} R_{abgh} \right) \\ &= \Gamma^g_{cf} \left(\partial_g R_{abcd} - \Gamma^h_{ag} R_{hbcd} - \Gamma^h_{bg} R_{abcd} - \Gamma^h_{bg} R_{abcd} - \Gamma^h_{de} R_{abg} \right) \\ &= \Gamma^g_{cf} \left(\partial_g R_{abcd} - \Gamma^h_{ag} R_{hbcd} - \Gamma^h_{bg} R_{abcd} - \Gamma^h_{ce} R_{abhd} - \Gamma^h_{de} R_{abcd} \right) \\ &+ \Gamma^g_{ae} \left(\partial_f R_{gbcd} - \Gamma^h_{ag} R_{hbcd} - \Gamma^h_{bg} R_{abcd} - \Gamma^h_{ce} R_{abhd} - \Gamma^h_{dg} R_{abcd} \right) \\ &+ \Gamma^g_{ae} \left(\partial_f R_{abcd} - \Gamma^h_{ag} R_{hbcd} - \Gamma^h_{bg} R_{abcd} - \Gamma^h_{ce} R_{aghd} - \Gamma^h_{df} R_{gbch} \right) \\ &+ \Gamma^g_{ae} \left(\partial_f R_{abcd} - \Gamma^h_{af} R_{hbgd} - \Gamma^h_{ff} R_{abdd} - \Gamma^h_{cf} R_{aghd} - \Gamma^h_{df} R_{agch} \right) \\ &+ \Gamma^g_{ae} \left(\partial_f R_{abcd} - \Gamma^h_{af} R_{hbgd} - \Gamma^h_{bf} R_{abcd} - \Gamma^h_{cf} R_{aghd} - \Gamma^h_{df} R_{abgh} \right) \\ &+ \Gamma^g_{ee} \left(\partial_f R_{abcd} - \Gamma^h_{af} R_{hbgd} - \Gamma^h_{ff} R_{abdd} - \Gamma^h_{cf} R_{aghd} - \Gamma^h_{df} R_{abgh} \right) \\ &+ \Gamma^g_{ee} \left(\partial_f R_{abcd} - \Gamma^h_{af} R_{hbgd} - \Gamma^h_{bf} R_{abcd} - \Gamma^h_{cf} R_{aghd} - \Gamma^h_{df} R_{abgh} \right) \\ &+ \Gamma^g_{ee} \left(\partial_f R_{abcd} - \Gamma^h_{af} R_{bbgd} - \Gamma^h_{bf} R_{abcd} - \Gamma^h_{cf} R_{abdd} - \Gamma^h_{df} R_{abch} \right) \\ &+ \Gamma^g_{ee} \left(\partial_f R_{abcd} - \Gamma^h_{af} R_{bbgd} - \Gamma^h_{bf} R_{abcd} - \Gamma^h_{cf} R_{abdd} - \Gamma^h_{df} R_{abch} \right) \\ &+ \Gamma^g_{ef} \left(\partial_f R_{abcd} - \Gamma^h_{af} R_{bbcd} - \Gamma^h_{bf} R_{abcd} - \Gamma^h_{cf} R_{abdd} - \Gamma^h_{df} R_{abch} \right) \\ &+ \Gamma^g_{ef} \left(\partial_f R_{abcd} - \Gamma^h_{af} R_{bbcd} - \Gamma^h_{bf} R_{abcd} - \Gamma^h_{cf} R_{abdd} - \Gamma^h_{df} R_{abch} \right) \\ &+ \Gamma^g_{af} \left(\Gamma^h_{ae} R_{abcd} - \Gamma^h_{af} R_{bbcd} - \Gamma^h_{bf} R_{abcd} - \Gamma^h_{bf} R_{abcd} - \Gamma^h_{bf} R_{abcd} + \Gamma^h_{bf$$

```
R_{abcd;e;f} - R_{abcd;f;e} = \partial_{fe}R_{abcd} - \partial_{f}\Gamma^{g}{}_{ae}R_{gbcd} - \partial_{f}\Gamma^{g}{}_{be}R_{agcd} - \partial_{f}\Gamma^{g}{}_{ce}R_{abgd} - \partial_{f}\Gamma^{g}{}_{de}R_{abca} + \Gamma^{g}{}_{af}\Gamma^{h}{}_{ae}R_{hbcd} + \Gamma^{g}{}_{af}\Gamma^{h}{}_{be}R_{ahcd} + \Gamma^{g}{}_{af}\Gamma^{h}{}_{ce}R_{abhd}
                                                                        +\Gamma^g_{af}\Gamma^h_{de}R_{abch} + \Gamma^g_{bf}\Gamma^h_{ae}R_{hacd} + \Gamma^g_{bf}\Gamma^h_{ae}R_{abcd} + \Gamma^g_{bf}\Gamma^h_{ce}R_{aghd} + \Gamma^g_{bf}\Gamma^h_{de}R_{agch} + \Gamma^g_{cf}\Gamma^h_{ae}R_{hbad} + \Gamma^g_{cf}\Gamma^h_{be}R_{ahad}
                                                                        +\Gamma^g_{\phantom{f}cf}\Gamma^h_{\phantom{h}ae}R_{abhd}+\Gamma^g_{\phantom{f}cf}\Gamma^h_{\phantom{h}de}R_{abah}+\Gamma^g_{\phantom{f}df}\Gamma^h_{\phantom{h}ae}R_{hbcg}+\Gamma^g_{\phantom{f}df}\Gamma^h_{\phantom{h}be}R_{ahcg}+\Gamma^g_{\phantom{f}df}\Gamma^h_{\phantom{h}ce}R_{abhg}+\Gamma^g_{\phantom{f}df}\Gamma^h_{\phantom{h}ae}R_{abch}-\Gamma^g_{\phantom{f}ef}\partial_aR_{abcd}
                                                                        +\Gamma^g_{ef}\Gamma^h_{ag}R_{bbcd} + \Gamma^g_{ef}\Gamma^h_{bg}R_{abcd} + \Gamma^g_{ef}\Gamma^h_{cg}R_{abbd} + \Gamma^g_{ef}\Gamma^h_{dg}R_{abch} - \partial_{ef}R_{abcd} + \partial_e\Gamma^g_{af}R_{abcd} + \partial_e\Gamma^g_{bf}R_{aacd} + \partial_e\Gamma^g_{cf}R_{abad}
                                                                        + \partial_e \Gamma^g_{df} R_{abcg} - \Gamma^g_{ae} \Gamma^h_{af} R_{bbcd} - \Gamma^g_{ae} \Gamma^h_{bf} R_{abcd} - \Gamma^g_{ae} \Gamma^h_{cf} R_{abbd} - \Gamma^g_{ae} \Gamma^h_{df} R_{abch} - \Gamma^g_{be} \Gamma^h_{af} R_{bacd} - \Gamma^g_{be} \Gamma^h_{af} R_{abcd}
                                                                        -\Gamma^g_{be}\Gamma^h_{cf}R_{aabd} - \Gamma^g_{be}\Gamma^h_{df}R_{aach} - \Gamma^g_{ce}\Gamma^h_{af}R_{bbad} - \Gamma^g_{ce}\Gamma^h_{bf}R_{abad} - \Gamma^g_{ce}\Gamma^h_{af}R_{abad} - \Gamma^g_{ce}\Gamma^h_{af}R_{abad} - \Gamma^g_{ce}\Gamma^h_{df}R_{abad} - \Gamma^g_{ce}\Gamma^h_{af}R_{abad} - \Gamma^g_{ce}\Gamma^h_{af}R_
                                                                        -\Gamma^g_{de}\Gamma^h_{bf}R_{abcg} - \Gamma^g_{de}\Gamma^h_{cf}R_{abbg} - \Gamma^g_{de}\Gamma^h_{af}R_{abch} + \Gamma^g_{fe}\partial_g R_{abcd} - \Gamma^g_{fe}\Gamma^h_{ag}R_{bbcd} - \Gamma^g_{fe}\Gamma^h_{bg}R_{abcd} - \Gamma^g_{fe}\Gamma^h_{cg}R_{abbd}
                                                                        -\Gamma^{g}{}_{fe}\Gamma^{h}{}_{da}R_{abch}
                                                                                                                                                                                                                                                                                                                                                                                                                                                 (ex-0307.103)
R_{abcd:e;f} - R_{abcd:f;e} = \partial_{fe}R_{abcd} - R_{abcd}\partial_{f}\Gamma^{g}_{ae} - R_{aacd}\partial_{f}\Gamma^{g}_{be} - R_{abcd}\partial_{f}\Gamma^{g}_{ce} - R_{abcd}\partial_{f}\Gamma^{g}_{de} + R_{bbcd}\Gamma^{g}_{af}\Gamma^{h}_{ge} + R_{abcd}\Gamma^{g}_{af}\Gamma^{h}_{be} + R_{abbd}\Gamma^{g}_{af}\Gamma^{h}_{ce}
                                                                        +R_{abch}\Gamma^g_{af}\Gamma^h_{de}+R_{hqcd}\Gamma^g_{bf}\Gamma^h_{ae}+R_{ahcd}\Gamma^g_{bf}\Gamma^h_{ge}+R_{aqhd}\Gamma^g_{bf}\Gamma^h_{ce}+R_{aqch}\Gamma^g_{bf}\Gamma^h_{de}+R_{hbqd}\Gamma^g_{cf}\Gamma^h_{ae}+R_{ahqd}\Gamma^g_{cf}\Gamma^h_{be}
                                                                        +R_{abbd}\Gamma^g_{cf}\Gamma^h_{ge}+R_{abab}\Gamma^g_{cf}\Gamma^h_{de}+R_{bbcg}\Gamma^g_{df}\Gamma^h_{ge}+R_{abcg}\Gamma^g_{df}\Gamma^h_{be}+R_{abbg}\Gamma^g_{df}\Gamma^h_{ce}+R_{abcb}\Gamma^g_{df}\Gamma^h_{ge}-\Gamma^g_{ef}\partial_a R_{abcd}
                                                                        +R_{abcd}\Gamma^{g}_{ef}\Gamma^{h}_{ag}+R_{abcd}\Gamma^{g}_{ef}\Gamma^{h}_{bg}+R_{abhd}\Gamma^{g}_{ef}\Gamma^{h}_{cg}+R_{abch}\Gamma^{g}_{ef}\Gamma^{h}_{dg}-\partial_{ef}R_{abcd}+R_{abcd}\partial_{e}\Gamma^{g}_{af}+R_{aacd}\partial_{e}\Gamma^{g}_{bf}+R_{abad}\partial_{e}\Gamma^{g}_{cf}
                                                                        +R_{abca}\partial_{e}\Gamma^{g}_{df}-R_{bbcd}\Gamma^{g}_{ae}\Gamma^{h}_{af}-R_{abcd}\Gamma^{g}_{ae}\Gamma^{h}_{bf}-R_{abbd}\Gamma^{g}_{ae}\Gamma^{h}_{cf}-R_{abch}\Gamma^{g}_{ae}\Gamma^{h}_{df}-R_{bacd}\Gamma^{g}_{be}\Gamma^{h}_{af}-R_{abcd}\Gamma^{g}_{be}\Gamma^{h}_{af}
                                                                        -R_{aghd}\Gamma^g_{be}\Gamma^h_{cf} - R_{agch}\Gamma^g_{be}\Gamma^h_{df} - R_{hbad}\Gamma^g_{ce}\Gamma^h_{af} - R_{ahad}\Gamma^g_{ce}\Gamma^h_{bf} - R_{abhd}\Gamma^g_{ce}\Gamma^h_{af} - R_{abah}\Gamma^g_{ce}\Gamma^h_{df} - R_{hbca}\Gamma^g_{de}\Gamma^h_{af}
                                                                        -R_{abcg}\Gamma^g_{\ de}\Gamma^h_{\ bf}-R_{abbg}\Gamma^g_{\ de}\Gamma^h_{\ cf}-R_{abch}\Gamma^g_{\ de}\Gamma^h_{\ af}+\Gamma^g_{\ fe}\partial_a R_{abcd}-R_{bbcd}\Gamma^g_{\ fe}\Gamma^h_{\ ag}-R_{abcd}\Gamma^g_{\ fe}\Gamma^h_{\ bg}-R_{abbd}\Gamma^g_{\ fe}\Gamma^h_{\ cg}
                                                                        -R_{abch}\Gamma^{g}{}_{fe}\Gamma^{h}{}_{da}
                                                                                                                                                                                                                                                                                                                                                                                                                                                  (ex-0307.104)
R_{abcd:e:f} - R_{abcd:f:e} = \partial_{fe}R_{abcd} - R_{abcd}\partial_{f}\Gamma^{g}_{ae} - R_{aacd}\partial_{f}\Gamma^{g}_{be} - R_{abcd}\partial_{f}\Gamma^{g}_{ce} - R_{abcd}\partial_{f}\Gamma^{g}_{de} + R_{abcd}\Gamma^{h}_{af}\Gamma^{g}_{he} + R_{abcd}\Gamma^{g}_{af}\Gamma^{h}_{be} + R_{abbd}\Gamma^{g}_{af}\Gamma^{h}_{ce}
                                                                        +R_{abch}\Gamma^g_{af}\Gamma^h_{de}+R_{abcd}\Gamma^h_{bf}\Gamma^g_{ae}+R_{aacd}\Gamma^h_{bf}\Gamma^g_{he}+R_{aghd}\Gamma^g_{bf}\Gamma^h_{ce}+R_{aach}\Gamma^g_{bf}\Gamma^h_{de}+R_{abhd}\Gamma^h_{cf}\Gamma^g_{ae}+R_{aghd}\Gamma^h_{cf}\Gamma^g_{be}
                                                                        +R_{abad}\Gamma^{h}_{cf}\Gamma^{g}_{he}+R_{abah}\Gamma^{g}_{cf}\Gamma^{h}_{de}+R_{abch}\Gamma^{h}_{df}\Gamma^{g}_{ae}+R_{aach}\Gamma^{h}_{df}\Gamma^{g}_{be}+R_{abah}\Gamma^{h}_{df}\Gamma^{g}_{ce}+R_{abca}\Gamma^{h}_{df}\Gamma^{g}_{he}-\Gamma^{g}_{ef}\partial_{a}R_{abcd}
                                                                        +R_{abcd}\Gamma^{h}_{ef}\Gamma^{g}_{ah}+R_{aacd}\Gamma^{h}_{ef}\Gamma^{g}_{bh}+R_{abad}\Gamma^{h}_{ef}\Gamma^{g}_{ch}+R_{abca}\Gamma^{h}_{ef}\Gamma^{g}_{dh}-\partial_{ef}R_{abcd}+R_{abcd}\partial_{e}\Gamma^{g}_{af}+R_{aacd}\partial_{e}\Gamma^{g}_{bf}+R_{abad}\partial_{e}\Gamma^{g}_{cf}
                                                                        +R_{abca}\partial_{e}\Gamma^{g}_{df}-R_{abcd}\Gamma^{h}_{ae}\Gamma^{g}_{hf}-R_{abcd}\Gamma^{g}_{ae}\Gamma^{h}_{bf}-R_{abbd}\Gamma^{g}_{ae}\Gamma^{h}_{cf}-R_{abch}\Gamma^{g}_{ae}\Gamma^{h}_{df}-R_{abcd}\Gamma^{h}_{be}\Gamma^{g}_{af}-R_{accd}\Gamma^{h}_{be}\Gamma^{g}_{hf}
                                                                        -R_{aabd}\Gamma^g_{be}\Gamma^h_{cf}-R_{aach}\Gamma^g_{be}\Gamma^h_{df}-R_{abbd}\Gamma^h_{ce}\Gamma^g_{af}-R_{aabd}\Gamma^h_{ce}\Gamma^g_{bf}-R_{abad}\Gamma^h_{ce}\Gamma^g_{hf}-R_{abab}\Gamma^g_{ce}\Gamma^h_{df}-R_{abch}\Gamma^h_{de}\Gamma^g_{af}
                                                                        -R_{aach}\Gamma^{h}{}_{de}\Gamma^{g}{}_{bf}-R_{abah}\Gamma^{h}{}_{de}\Gamma^{g}{}_{cf}-R_{abca}\Gamma^{h}{}_{de}\Gamma^{g}{}_{hf}+\Gamma^{g}{}_{fe}\partial_{q}R_{abcd}-R_{qbcd}\Gamma^{h}{}_{fe}\Gamma^{g}{}_{ah}-R_{aqcd}\Gamma^{h}{}_{fe}\Gamma^{g}{}_{bh}-R_{abqd}\Gamma^{h}{}_{fe}\Gamma^{g}{}_{ch}
                                                                        -R_{abca}\Gamma^{h}{}_{fe}\Gamma^{g}{}_{dh}
                                                                                                                                                                                                                                                                                                                                                                                                                                                  (ex-0307.105)
```

$$\begin{split} R_{abcd;e;f} - R_{abcd;f;e} &= -R_{gbcd}\partial_f\Gamma^g_{\ ae} - R_{agcd}\partial_f\Gamma^g_{\ be} - R_{abgd}\partial_f\Gamma^g_{\ ce} - R_{abcg}\partial_f\Gamma^g_{\ de} + R_{gbcd}\Gamma^h_{\ af}\Gamma^g_{\ eh} + R_{agcd}\Gamma^h_{\ bf}\Gamma^g_{\ eh} + R_{abgd}\Gamma^h_{\ cf}\Gamma^g_{\ eh} + R_{abcg}\Gamma^h_{\ df}\Gamma^g_{\ eh} \\ &+ R_{gbcd}\partial_e\Gamma^g_{\ af} + R_{agcd}\partial_e\Gamma^g_{\ bf} + R_{abgd}\partial_e\Gamma^g_{\ cf} + R_{abcg}\partial_e\Gamma^g_{\ df} - R_{gbcd}\Gamma^h_{\ ae}\Gamma^g_{\ fh} - R_{agcd}\Gamma^h_{\ be}\Gamma^g_{\ fh} - R_{abgd}\Gamma^h_{\ ce}\Gamma^g_{\ fh} \\ &- R_{abcd}\Gamma^h_{\ de}\Gamma^g_{\ fh} \\ &- R_{abcd;f;e} = R_{gbcd}\left(-\partial_f\Gamma^g_{\ ae} + \Gamma^h_{\ af}\Gamma^g_{\ eh} + \partial_e\Gamma^g_{\ af} - \Gamma^h_{\ ae}\Gamma^g_{\ fh}\right) + R_{agcd}\left(-\partial_f\Gamma^g_{\ be} + \Gamma^h_{\ bf}\Gamma^g_{\ eh} + \partial_e\Gamma^g_{\ ff} - \Gamma^h_{\ de}\Gamma^g_{\ fh}\right) \\ &+ R_{abgd}\left(-\partial_f\Gamma^g_{\ ce} + \Gamma^h_{\ cf}\Gamma^g_{\ eh} + \partial_e\Gamma^g_{\ cf} - \Gamma^h_{\ ce}\Gamma^g_{\ fh}\right) + R_{abcg}\left(-\partial_f\Gamma^g_{\ de} + \Gamma^h_{\ df}\Gamma^g_{\ eh} + \partial_e\Gamma^g_{\ df} - \Gamma^h_{\ de}\Gamma^g_{\ fh}\right) \end{aligned} \tag{ex-0307.107}$$

$$R_{abcd;e;f} - R_{abcd;f;e} = -R_{gbcd}R^{g}_{afe} - R_{agcd}R^{g}_{bfe} - R_{abgd}R^{g}_{cfe} - R_{abcg}R^{g}_{dfe}$$
(ex-0307.108)

$$R_{abcd;e;f} - R_{abcd;f;e} = R_{gbcd}R^{g}_{aef} + R_{agcd}R^{g}_{bef} + R_{abgd}R^{g}_{cef} + R_{abcg}R^{g}_{def}$$
(ex-0307.109)

Exercise 3.8 Symmetry of R_{ab}

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative;
     g_{a b}::Metric;
     g^{a b}::InverseMetric;
     dgab := \left\{c\right\}\left\{c\right\}\left\{c\right\} - c\right\} - c\right\} = c\right\} - c_{c}
                                                                  # cdb (dgab.000,dgab)
10
     Gamma := Gamma^{a}_{b c} -> (1/2) g^{a e} ( partial_{b}_{g_{e c}})
11
                                                      + \partial_{c}{g_{b e}}
12
                                                       - \partial_{e}{g_{b c}}).
13
                                                                  # cdb (Gamma.000, Gamma)
14
15
     Rabcd := R^{a}_{b c d} ->
16
               \displaystyle \left\{c\right_{c}\
17
             - \frac{d}{\Omega}_{a}_{b c} - \Gamma_{a}_{a}_{e d} \Gamma_{e c}.
18
                                                                  # cdb (Rabcd.000, Rabcd)
19
     Rab := R_{a b} -> R^{c}_{a c b}.
                                                                  # cdb (Rab.000, Rab)
21
22
     expr := 4 (R_{a b} - R_{b a}).
                                                                  # cdb (ex-0308.100,expr)
23
24
                   (expr, Rab)
                                                                  # cdb (ex-0308.101,expr)
     substitute
                  (expr, Rabcd)
                                                                  # cdb (ex-0308.102,expr)
     substitute
26
                                                                  # cdb (ex-0308.103,expr)
     substitute
                   (expr, Gamma)
27
28
                   (expr)
                                                                  # cdb (ex-0308.104,expr)
     distribute
29
                                                                  # cdb (ex-0308.105,expr)
     product_rule (expr)
30
     canonicalise (expr)
                                                                  # cdb (ex-0308.106,expr)
31
32
                  (expr, dgab)
     substitute
                                                                  # cdb (ex-0308.107,expr)
33
     canonicalise (expr)
                                                                  # cdb (ex-0308.108,expr)
```

$$4R_{ab} - 4R_{bc} = 4R_{bc}^{c} - 4R_{bc}^{c} = (ex-0308.101)$$

$$= 4\partial_{c}\Gamma_{ab}^{c} + 4\Gamma_{cc}^{c}\Gamma_{ab}^{c} - 4\partial_{b}\Gamma_{ac}^{c} - 4\Gamma_{cb}\Gamma_{ba}^{c} - 4\Gamma_{cb}\Gamma_{ba}^{c} - 4\Gamma_{cc}\Gamma_{ba}^{c} + 4\Gamma_{cc}\Gamma_{ba}^{c} + 4\Gamma_{cc}\Gamma_{bb}^{c} - (ex-0308.102)$$

$$= 2\partial_{c}(g^{c}(\partial_{c}g_{cb} + \partial_{b}g_{ac} - \partial_{c}g_{ab})) + g^{cd}(\partial_{c}g_{dc} + \partial_{c}g_{ac} - \partial_{d}g_{cc})g^{c}(\partial_{c}g_{bc} + \partial_{c}g_{ac} - \partial_{c}g_{ac}))$$

$$- g^{cd}(\partial_{c}g_{db} + \partial_{b}g_{ac} - \partial_{d}g_{cb})g^{c}(\partial_{b}g_{fc} + \partial_{c}g_{ac} - \partial_{g}g_{ac}) - 2\partial_{c}(g^{c}(\partial_{b}g_{cc} + \partial_{c}g_{ac}) - \partial_{c}g_{ac})$$

$$- g^{cd}(\partial_{c}g_{db} + \partial_{b}g_{ac} - \partial_{d}g_{cc})g^{c}(\partial_{b}g_{fc} + \partial_{c}g_{ac}) - \partial_{f}g_{ac}) + 2\partial_{a}(g^{cc}(\partial_{b}g_{cc} + \partial_{c}g_{bc} - \partial_{c}g_{bc}))$$

$$+ g^{cd}(\partial_{c}g_{da} + \partial_{a}g_{cd} - \partial_{d}g_{cc})g^{c}(\partial_{b}g_{fc} + \partial_{c}g_{bc}) - \partial_{f}g_{bc})$$

$$+ 2\partial_{c}(g^{cc}\partial_{a}g_{cb}) + 2\partial_{c}(g^{cc}\partial_{a}g_{cd})g^{c}(\partial_{b}g_{fc} + \partial_{c}g_{bc}) - \partial_{f}g_{bc})$$

$$+ g^{cd}(\partial_{c}g_{da} + \partial_{a}g_{cd} - \partial_{d}g_{cc})g^{c}(\partial_{b}g_{fc} + \partial_{c}g_{bc}) - \partial_{f}g_{bc})$$

$$+ g^{cd}\partial_{c}g_{dc}g^{c}\partial_{a}g_{cb}) + 2\partial_{c}(g^{cc}\partial_{a}g_{ac})g^{c}\partial_{f}g_{bc} - \partial_{c}g_{bc})g^{c}\partial_{a}g_{c}g^{c}\partial_{a}g_{bc} - \partial_{c}g_{cc}g^{c}\partial_{a}g_{bc})g^{c}\partial_{a}g_{bc}$$

$$+ g^{cd}\partial_{c}g_{dc}g^{c}\partial_{a}g_{cb}) - 2\partial_{c}(g^{cc}\partial_{a}g_{ac})g^{c}\partial_{f}g_{bc} - g^{cd}\partial_{c}g_{ac}g^{c}\partial_{a}g_{bc})g^{c}\partial_{f}g_{cd}g^{c}\partial_{b}g_{c}} - g^{cd}\partial_{c}g_{ac}g^{c}\partial_{a}g_{bc} - g^{cd}\partial_{c}g_{ac}g^{c}\partial_{b}g_{bc})g^{c}\partial_{b}g_{c}} - g^{cd}\partial_{c}g_{ac}g^{c}\partial_{c}g_{ac}g^{c}\partial_{c}g_{ac} - g^{c}\partial_{c}g_{ac}$$

Exercise 3.8 Symmetry of R_{ab} alternative solution

This differs from the previous code by the inclusion of a call to **canonicalise** immediately after the first two substitutions and a declaration that $\Gamma^a{}_{bc}$ is symmetric in bc. This pair of changes produces a more compact set of results than given above. Incidently, this also shows that $\partial_a \Gamma^c{}_{bc} = \partial_b \Gamma^c{}_{ac}$.

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative;
     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
     g_{a b}::Metric;
     g^{a b}::InverseMetric;
     dgab := \left\{c\right\}\left\{g^{a b}\right\} \rightarrow g^{a e} g^{b f} \right\}
10
                                                                 # cdb (dgab.000,dgab)
11
12
     Gamma := Gamma^{a}_{b c} -> (1/2) g^{a e} ( partial_{b}_{g_{e c}})
13
                                                      + \partial_{c}{g_{b e}}
14
                                                      - \partial_{e}{g_{b c}}).
15
                                                                 # cdb (Gamma.000.Gamma)
16
17
     Rabcd := R^{a}_{b c d} ->
18
               \displaystyle \left\{c\right\}\left(Gamma^{a}_{b} + Gamma^{a}_{e} \right) + Gamma^{e}_{b} d
19
             - \frac{d}{\Omega}_{a}= c \ c} - \Gamma_{a}= c \ c} - \Gamma_{a}= c \ c}.
20
                                                                 # cdb (Rabcd.000, Rabcd)
^{21}
^{22}
     Rab := R_{a b} -> R^{c}_{a c b}.
                                                                 # cdb (Rab.000, Rab)
23
24
     expr := 4 (R_{a b} - R_{b a}).
                                                                 # cdb (ex-0308.200,expr)
25
26
                   (expr, Rab)
                                                                 # cdb (ex-0308.201,expr)
     substitute
27
                                                                 # cdb (ex-0308.202,expr)
                   (expr, Rabcd)
     substitute
28
     canonicalise (expr)
                                                                 # cdb (ex-0308.203,expr)
                   (expr, Gamma)
                                                                 # cdb (ex-0308.204,expr)
     substitute
31
                                                                 # cdb (ex-0308.205,expr)
     distribute
                   (expr)
32
```

```
      33
      product_rule (expr)
      # cdb (ex-0308.206,expr)

      34
      canonicalise (expr)
      # cdb (ex-0308.207,expr)

      35
      substitute (expr, dgab)
      # cdb (ex-0308.208,expr)

      37
      canonicalise (expr)
      # cdb (ex-0308.209,expr)
```

$$4R_{ab} - 4R_{ba} = 4R^{c}_{acb} - 4R^{c}_{bca}$$
 (ex-0308.201)
$$= 4\partial_{c}\Gamma^{c}_{ab} + 4\Gamma^{c}_{ec}\Gamma^{e}_{ab} - 4\partial_{b}\Gamma^{c}_{ac} - 4\Gamma^{c}_{eb}\Gamma^{e}_{ac} - 4\partial_{c}\Gamma^{c}_{ba} - 4\Gamma^{c}_{ec}\Gamma^{e}_{ba} + 4\partial_{a}\Gamma^{c}_{bc} + 4\Gamma^{c}_{ea}\Gamma^{e}_{bc}$$
 (ex-0308.202)
$$= -4\partial_{b}\Gamma^{c}_{ac} + 4\partial_{a}\Gamma^{c}_{bc}$$
 (ex-0308.203)
$$= -2\partial_{b}\left(g^{ce}\left(\partial_{a}g_{ec} + \partial_{c}g_{ae} - \partial_{e}g_{ac}\right)\right) + 2\partial_{a}\left(g^{ce}\left(\partial_{b}g_{ec} + \partial_{c}g_{be} - \partial_{e}g_{bc}\right)\right)$$
 (ex-0308.204)
$$= -2\partial_{b}\left(g^{ce}\partial_{a}g_{ec}\right) - 2\partial_{b}\left(g^{ce}\partial_{c}g_{ae}\right) + 2\partial_{b}\left(g^{ce}\partial_{e}g_{ac}\right) + 2\partial_{a}\left(g^{ce}\partial_{b}g_{ec}\right) + 2\partial_{a}\left(g^{ce}\partial_{b}g_{ec}\right) - 2\partial_{a}\left(g^{ce}\partial_{e}g_{bc}\right)$$
 (ex-0308.205)
$$= -2\partial_{b}g^{ce}\partial_{a}g_{ec} - 2g^{ce}\partial_{ba}g_{ec} - 2g^{ce}\partial_{bc}g_{ae} + 2\partial_{b}g^{ce}\partial_{e}g_{ac} + 2g^{ce}\partial_{be}g_{ac} + 2g^{ce}\partial_{be}g_{ac} + 2g^{ce}\partial_{ab}g_{ec} + 2g^{ce}\partial_{ab}g_{ec} + 2g^{ce}\partial_{ab}g_{ec} + 2g^{ce}\partial_{ac}g_{be}$$
 (ex-0308.206)
$$= -2\partial_{b}g^{ce}\partial_{a}g_{ec} + 2\partial_{a}g^{ce}\partial_{e}g_{bc} - 2g^{ce}\partial_{ae}g_{bc}$$
 (ex-0308.207)
$$= 2g^{cd}g^{ef}\partial_{b}g_{df}\partial_{a}g_{ce} - 2g^{cd}g^{ef}\partial_{a}g_{df}\partial_{b}g_{ce}$$
 (ex-0308.208)
$$= 0$$
 (ex-0308.209)

Exercise 3.9 Ricci in terms of the metric and its derivatives

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative;
     g_{a b}::Metric;
     g^{a b}::InverseMetric;
     dgab := \hat{c}_{g^{a b}} -> - g^{a e} g^{b f} \right] + cdb (ex-0309.dgab,dgab)
     Gamma := \Gamma^{a}_{b c} ->
10
              (1/2) g^{a} = ( partial_{b}{g_{e} } 
11
                               + \partial_{c}{g_{b e}}
12
                               - \partial_{e}{g_{b c}}).
                                                                                        # cdb (ex-0309.Gamma, Gamma)
13
14
     Rabcd := R^{a}_{b c d} ->
15
              \displaystyle \left\{c\right\}\left(Gamma^{a}_{b} + Gamma^{a}_{e} \right) + Gamma^{e}_{b} d
16
            - \partial_{d}{\Gamma^{a}_{b c}} - \Gamma^{a}_{e d} \Gamma^{e}_{b c}.
                                                                                        # cdb (ex-0309.Rabcd,Rabcd)
17
18
     FourRab := 4 R^{c}_{a c b}.
                                                        # cdb (ex-0309.101, FourRab)
19
20
                     (FourRab, Rabcd)
                                                        # cdb (ex-0309.102, FourRab)
     substitute
21
                     (FourRab, Gamma)
                                                        # cdb (ex-0309.103, FourRab)
     substitute
22
23
     product_rule
                     (FourRab)
                                                        # cdb (ex-0309.104, FourRab)
     distribute
                                                        # cdb (ex-0309.105, FourRab)
                     (FourRab)
26
     substitute
                     (FourRab, dgab)
                                                        # cdb (ex-0309.106, FourRab)
27
28
                     (FourRab)
                                                        # cdb (ex-0309.107, FourRab)
     sort_product
29
                                                        # cdb (ex-0309.108, FourRab)
     rename_dummies (FourRab)
                                                        # cdb (ex-0309.109, FourRab)
                     (FourRab)
     canonicalise
31
32
     # sort so that g to appeares before dg
33
34
                     (FourRab, g^{a} b \rightarrow A^{a} b)
     substitute
35
                     (FourRab)
     sort_product
```

```
rename_dummies (FourRab)
substitute (FourRab, $A^{a b} -> g^{a b}$) # cdb (ex-0309.110,FourRab)
```

```
4R_{ab} = 4R^{c}_{acb}
                                                                                                                                                                                                                                                                                                                                                                                                                                              (ex-0309.101)
                  =4\partial_c\Gamma^c_{ab}+4\Gamma^c_{ec}\Gamma^e_{ab}-4\partial_b\Gamma^c_{ac}-4\Gamma^c_{eb}\Gamma^e_{ac}
                                                                                                                                                                                                                                                                                                                                                                                                                                             (ex-0309.102)
                  =2\partial_{c}\left(g^{ce}\left(\partial_{a}g_{eb}+\partial_{b}g_{ae}-\partial_{e}g_{ab}\right)\right)+g^{cd}\left(\partial_{e}g_{dc}+\partial_{c}g_{ed}-\partial_{d}g_{ec}\right)g^{ef}\left(\partial_{a}g_{fb}+\partial_{b}g_{af}-\partial_{f}g_{ab}\right)-2\partial_{b}\left(g^{ce}\left(\partial_{a}g_{ec}+\partial_{c}g_{ae}-\partial_{e}g_{ac}\right)\right)
                           -q^{cd}\left(\partial_e q_{db} + \partial_b q_{ed} - \partial_d q_{eb}\right)q^{ef}\left(\partial_a q_{fc} + \partial_c q_{af} - \partial_f q_{ac}\right)
                                                                                                                                                                                                                                                                                                                                                                                                                                             (ex-0309.103)
                  =2\partial_c g^{ce} \left(\partial_a g_{eb} + \partial_b g_{ae} - \partial_e g_{ab}\right) + 2g^{ce} \partial_c \left(\partial_a g_{eb} + \partial_b g_{ae} - \partial_e g_{ab}\right) + g^{cd} \left(\partial_e g_{dc} + \partial_c g_{ed} - \partial_d g_{ec}\right) g^{ef} \left(\partial_a g_{fb} + \partial_b g_{af} - \partial_f g_{ab}\right)
                           -2\partial_b g^{ce} \left(\partial_a g_{ec} + \partial_c g_{ae} - \partial_e g_{ac}\right) - 2g^{ce} \partial_b \left(\partial_a g_{ec} + \partial_c g_{ae} - \partial_e g_{ac}\right) - g^{cd} \left(\partial_e g_{db} + \partial_b g_{ed} - \partial_d g_{eb}\right) g^{ef} \left(\partial_a g_{fc} + \partial_c g_{af} - \partial_f g_{ac}\right)
                  =2\partial_c g^{ce}\partial_a g_{eb}+2\partial_c g^{ce}\partial_b g_{ae}-2\partial_c g^{ce}\partial_e g_{ab}+2g^{ce}\partial_{ca} g_{eb}+2g^{ce}\partial_{cb} g_{ae}-2g^{ce}\partial_{ce} g_{ab}+g^{cd}\partial_e g_{dc} g^{ef}\partial_a g_{fb}+g^{cd}\partial_e g_{dc} g^{ef}\partial_b g_{af}-g^{cd}\partial_e g_{dc} g^{ef}\partial_f g_{ab}
                           + g^{cd} \partial_c g_{ed} g^{ef} \partial_a g_{fb} + g^{cd} \partial_c g_{ed} g^{ef} \partial_b g_{af} - g^{cd} \partial_c g_{ed} g^{ef} \partial_f g_{ab} - g^{cd} \partial_d g_{ec} g^{ef} \partial_a g_{fb} - g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} + g^{cd} \partial_d g_{ec} g^{ef} \partial_f g_{ab} - 2 \partial_b g^{ce} \partial_a g_{ec} g^{ef} \partial_a g_{fb} - g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} + g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} - g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} + g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} - g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} - g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} - g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} + g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} + g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} - g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} - g^{cd} \partial_d g_{ec} g^{ef} \partial_b g_{af} + g^{cd} \partial_d g_{ec} g^{ef} \partial_d
                           -2\partial_b g^{ce}\partial_c g_{ae} + 2\partial_b g^{ce}\partial_e g_{ac} - 2g^{ce}\partial_{ba}g_{ec} - 2g^{ce}\partial_{bc}g_{ae} + 2g^{ce}\partial_{be}g_{ac} - g^{cd}\partial_e g_{db}g^{ef}\partial_a g_{fc} - g^{cd}\partial_e g_{db}g^{ef}\partial_c g_{af} + g^{cd}\partial_e g_{db}g^{ef}\partial_f g_{ac}
                           -g^{cd}\partial_b g_{ed}g^{ef}\partial_a g_{fc} - g^{cd}\partial_b g_{ed}g^{ef}\partial_c g_{af} + g^{cd}\partial_b g_{ed}g^{ef}\partial_f g_{ac} + g^{cd}\partial_d g_{eb}g^{ef}\partial_a g_{fc} + g^{cd}\partial_d g_{eb}g^{ef}\partial_c g_{af} - g^{cd}\partial_d g_{eb}g^{ef}\partial_f g_{ac}
                  =-2q^{cd}q^{ef}\partial_c q_{df}\partial_a q_{eb}-2q^{cd}q^{ef}\partial_c q_{df}\partial_b q_{ae}+2q^{cd}q^{ef}\partial_c q_{df}\partial_e q_{ab}+2q^{ce}\partial_{ca}q_{eb}+2q^{ce}\partial_{cb}q_{ae}-2q^{ce}\partial_{ce}q_{ab}+q^{cd}\partial_e q_{dc}q^{ef}\partial_a q_{fb}+q^{cd}\partial_e q_{dc}q^{ef}\partial_b q_{af}
                           -g^{cd}\partial_{e}g_{dc}g^{ef}\partial_{f}g_{ab}+g^{cd}\partial_{c}g_{ed}g^{ef}\partial_{a}g_{fb}+g^{cd}\partial_{c}g_{ed}g^{ef}\partial_{b}g_{af}-g^{cd}\partial_{c}g_{ed}g^{ef}\partial_{f}g_{ab}-g^{cd}\partial_{d}g_{ec}g^{ef}\partial_{a}g_{fb}-g^{cd}\partial_{d}g_{ec}g^{ef}\partial_{b}g_{af}+g^{cd}\partial_{d}g_{ec}g^{ef}\partial_{f}g_{ab}
                          +2q^{cd}q^{ef}\partial_bq_{df}\partial_aq_{ec}+2q^{cd}q^{ef}\partial_bq_{df}\partial_cq_{ae}-2q^{cd}q^{ef}\partial_bq_{df}\partial_eq_{ac}-2q^{ce}\partial_{ba}q_{ec}-2q^{ce}\partial_{bc}q_{ae}+2q^{ce}\partial_{be}q_{ac}-q^{cd}\partial_eq_{db}q^{ef}\partial_aq_{fc}
                           -g^{cd}\partial_{e}g_{db}g^{ef}\partial_{c}g_{af}+g^{cd}\partial_{e}g_{db}g^{ef}\partial_{f}g_{ac}-g^{cd}\partial_{b}g_{ed}g^{ef}\partial_{a}g_{fc}-g^{cd}\partial_{b}g_{ed}g^{ef}\partial_{c}g_{af}+g^{cd}\partial_{b}g_{ed}g^{ef}\partial_{f}g_{ac}+g^{cd}\partial_{d}g_{eb}g^{ef}\partial_{a}g_{fc}+g^{cd}\partial_{d}g_{eb}g^{ef}\partial_{c}g_{af}
                           -g^{cd}\partial_d g_{eb}g^{ef}\partial_f g_{ac}
                                                                                                                                                                                                                                                                                                                                                                                                                                            (ex-0309.106)
                  =-2\partial_a g_{eb}\partial_c g_{df}g^{cd}g^{ef}-2\partial_b g_{ae}\partial_c g_{df}g^{cd}g^{ef}+2\partial_c g_{df}\partial_e g_{ab}g^{cd}g^{ef}+2\partial_{ca} g_{eb}g^{ce}+2\partial_{cb} g_{ae}g^{ce}-2\partial_{ce} g_{ab}g^{ce}+\partial_a g_{fb}\partial_e g_{dc}g^{cd}g^{ef}+\partial_b g_{af}\partial_e g_{dc}g^{cd}g^{ef}
                           -\partial_e g_{dc} \partial_f g_{ab} g^{cd} g^{ef} + \partial_a g_{fb} \partial_c g_{ed} g^{cd} g^{ef} + \partial_b g_{af} \partial_c g_{ed} g^{cd} g^{ef} - \partial_c g_{ed} \partial_f g_{ab} g^{cd} g^{ef} - \partial_a g_{fb} \partial_d g_{ec} g^{cd} g^{ef} - \partial_b g_{af} \partial_d g_{ec} g^{cd} g^{ef} + \partial_d g_{ec} \partial_f g_{ab} g^{cd} g^{ef}
                          +2\partial_{a}g_{ec}\partial_{b}g_{df}g^{cd}g^{ef}+2\partial_{b}g_{df}\partial_{c}g_{ae}g^{cd}g^{ef}-2\partial_{b}g_{df}\partial_{e}g_{ac}g^{cd}g^{ef}-2\partial_{ba}g_{ec}g^{ce}-2\partial_{bc}g_{ae}g^{ce}+2\partial_{be}g_{ac}g^{ce}-\partial_{a}g_{fc}\partial_{e}g_{db}g^{cd}g^{ef}
                           -\partial_c g_{af} \partial_e g_{db} g^{cd} g^{ef} + \partial_e g_{db} \partial_f g_{ac} g^{cd} g^{ef} - \partial_a g_{fc} \partial_b g_{ed} g^{cd} g^{ef} - \partial_b g_{ed} \partial_c g_{af} g^{cd} g^{ef} + \partial_b g_{ed} \partial_f g_{ac} g^{cd} g^{ef} + \partial_a g_{fc} \partial_d g_{eb} g^{cd} g^{ef} + \partial_c g_{af} \partial_d g_{eb} g^{cd} g^{ef}
                           -\partial_d g_{eb}\partial_f g_{ac}g^{cd}g^{ef}
                                                                                                                                                                                                                                                                                                                                                                                                                                             (ex-0309.107)
                   =-2\partial_a g_{db}\partial_c g_{ef}g^{ce}g^{df}-2\partial_b g_{ad}\partial_c g_{ef}g^{ce}g^{df}+2\partial_c g_{ef}\partial_d g_{ab}g^{ce}g^{df}+2\partial_{ca}g_{db}g^{cd}+2\partial_{cb}g_{ad}g^{cd}-2\partial_{cd}g_{ab}g^{cd}+\partial_a g_{db}\partial_c g_{ef}g^{fe}g^{cd}+\partial_b g_{ad}\partial_c g_{ef}g^{fe}g^{cd}
                           - \partial_c g_{ef} \partial_d g_{ab} g^{fe} g^{cd} + \partial_a g_{db} \partial_c g_{ef} g^{cf} g^{ed} + \partial_b g_{ad} \partial_c g_{ef} g^{cf} g^{ed} - \partial_c g_{ef} \partial_d g_{ab} g^{cf} g^{ed} - \partial_a g_{db} \partial_c g_{ef} g^{fc} g^{ed} - \partial_b g_{ad} \partial_c g_{ef} g^{fc} g^{ed} + \partial_c g_{ef} \partial_d g_{ab} g^{fc} g^{ed}
                          +2\partial_{a}g_{cd}\partial_{b}g_{ef}g^{de}g^{cf}+2\partial_{b}g_{de}\partial_{c}g_{af}g^{cd}g^{fe}-2\partial_{b}g_{de}\partial_{c}g_{af}g^{fd}g^{ce}-2\partial_{ba}g_{cd}g^{dc}-2\partial_{bc}g_{ad}g^{cd}+2\partial_{bc}g_{ad}g^{dc}-\partial_{a}g_{de}\partial_{c}g_{fb}g^{ef}g^{cd}
                           -\partial_c g_{ae} \partial_d g_{fb} g^{cf} g^{de} + \partial_c g_{eb} \partial_d g_{af} g^{fe} g^{cd} - \partial_a g_{cd} \partial_b g_{ef} g^{df} g^{ec} - \partial_b g_{de} \partial_c g_{af} g^{ce} g^{df} + \partial_b g_{de} \partial_c g_{af} g^{fe} g^{dc} + \partial_a g_{de} \partial_c g_{fb} g^{ec} g^{fd} + \partial_c g_{ae} \partial_d g_{fb} g^{cd} g^{fe}
                           -\partial_c g_{eb}\partial_d g_{af}g^{fc}g^{ed}
                                                                                                                                                                                                                                                                                                                                                                                                                                             (ex-0309.108)
                  =-2\partial_a g_{bc}\partial_d g_{ef}g^{ce}g^{df}-2\partial_b g_{ac}\partial_d g_{ef}g^{ce}g^{df}+2\partial_c g_{ab}\partial_d g_{ef}g^{ce}g^{df}+2\partial_{ac}g_{bd}g^{cd}+2\partial_{bc}g_{ad}g^{cd}-2\partial_{cd}g_{ab}g^{cd}+\partial_a g_{bc}\partial_d g_{ef}g^{cd}g^{ef}+\partial_b g_{ac}\partial_d g_{ef}g^{cd}g^{ef}
                           -\partial_c g_{ab}\partial_d g_{ef}g^{cd}g^{ef} + \partial_a g_{cd}\partial_b g_{ef}g^{ce}g^{df} - 2\partial_{ab}g_{cd}g^{cd} - 2\partial_c g_{ad}\partial_e g_{bf}g^{cf}g^{de} + 2\partial_c g_{ad}\partial_e g_{bf}g^{ce}g^{df}
                  =-2g^{cd}g^{ef}\partial_ag_{bc}\partial_eg_{df}-2g^{cd}g^{ef}\partial_bg_{ac}\partial_eg_{df}+2g^{cd}g^{ef}\partial_cg_{ab}\partial_eg_{df}+2g^{cd}\partial_{ac}g_{bd}+2g^{cd}\partial_{bc}g_{ad}-2g^{cd}\partial_{bc}g_{ad}+g^{cd}g^{ef}\partial_ag_{bc}\partial_dg_{ef}+g^{cd}g^{ef}\partial_bg_{ac}\partial_dg_{ef}
                           -q^{cd}q^{ef}\partial_c q_{ab}\partial_d q_{ef} + q^{cd}q^{ef}\partial_a q_{ce}\partial_b q_{df} - 2q^{cd}\partial_{ab}q_{cd} - 2q^{cd}q^{ef}\partial_c q_{ae}\partial_f q_{bd} + 2q^{cd}q^{ef}\partial_c q_{ae}\partial_d q_{bf}
                                                                                                                                                                                                                                                                                                                                                                                                                                             (ex-0309.110)
```

Exercise 3.10 Example of repeat=True in a substitution

Without repeat=True only the first match in a product will be susbstituted.

```
 \begin{split} & \texttt{ex-0310.foo.001} := AB + ABAB + ABABAB + ABABABAB \\ & \texttt{ex-0310.foo.002} := A + AAB + AABAB + AABABAB \end{split}
```

But with repeat=True then all matches in a product will be susbstituted.

```
 \begin{split} & \texttt{ex-0310.bah.001} := AB + ABAB + ABABAB + ABABABAB \\ & \texttt{ex-0310.bah.002} := A + AA + AAA + AAAA \end{split}
```

Exercise 4.1 Differentiate a polynomial – a limited method

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     def deriv (poly):
         \delta^{a}::Weight(label=\epsilon).
         bah := @(poly).
                        (bah, x^{a} -> x^{a} + \det^{a})
         substitute
         distribute
                        (bah)
10
11
         foo := Q(bah) - Q(poly).
12
13
         keep_weight
                        (foo, \gamma = 1)
14
         sort_product
                        (foo)
15
         rename_dummies (foo)
16
                        (foo, $\delta^{a?}$)
         factor_out
17
                       (foo, $\delta^{a} -> 1$)
         substitute
18
19
         return foo
20
21
22
23
     poly := c^{a}
24
           + c^{a}{}_{b} x^b
25
          + c^{a}_{b} c x^b x^c. # cdb (ex-0401.100,poly)
26
27
     dpoly = deriv (poly)
                                       # cdb (ex-0401.101,dpoly)
28
```

$$p = c^a + c^a{}_b x^b + c^a{}_{bc} x^b x^c (ex-0401.100)$$

$$dp = c^a{}_b + c^a{}_{cb}x^c + c^a{}_{bc}x^c$$
 (ex-0401.101)

Exercise 4.1 Differentiate a polynomial – a better method

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     def deriv (poly):
         \partial{#}::PartialDerivative.
         \delta^{a}_{b}::KroneckerDelta.
         x^{a}::Depends(\partial{#}).
         bah := \partial_{b}{@(poly)}.
10
11
         distribute
                         (bah)
12
                         (bah)
                                # drop all terms that don't explicitly depend on a derivative operator
         unwrap
13
                         (bah)
         product_rule
14
                         (bah)
         distribute
15
                         (bah, \pi_{a})-\lambda_{a}_{b}(x^{a})-\lambda_{a}_{b}(b)
         substitute
16
         eliminate_kronecker (bah)
17
18
         sort_product
                         (bah)
19
         rename_dummies (bah)
20
21
         return bah
22
23
     poly := c^{a}
24
           + c^{a}{}_{b} x^b
25
           + c^{a}_{b} c x^b x^c. # cdb (ex-0401.200,poly)
26
27
     dpoly = deriv (poly)
                                         # cdb (ex-0401.201,dpoly)
28
```

$$p = c^a + c^a{}_b x^b + c^a{}_{bc} x^b x^c (ex-0401.200)$$

$$dp = c^a_{\ b} + c^a_{\ bc}x^c + c^a_{\ cb}x^c \tag{ex-0401.201}$$

Exercise 4.2 Inconsistent free indices

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
     def deriv (poly):
         \delta^{a}::Weight(label=\epsilon).
         bah := @(poly).
                          (bah, x^{a} -> x^{a} + \det^{a})
          substitute
                          (bah)
          distribute
10
11
         foo := @(bah) - @(poly).
12
13
         keep_weight (foo, $\epsilon = 1$)
14
                        (foo, $\delta^{a} -> 1$)
          substitute
15
16
         return foo
17
18
19
20
     poly := c^{a}
21
            + c^{a}{}_{b} x^b
22
            + c^{a}_{b} = c^{a}_{0} + c^{a}_{0} = c^{a}_{0} + c^{a}_{0} = c^{a}_{0} + c^{a}_{0} = c^{a}_{0}
23
     dpoly = deriv (poly)
                                           # cdb (ex-0402.101,dpoly)
25
```

$$p = c^a + c^a{}_b x^b + c^a{}_{bc} x^b x^c (ex-0402.100)$$

$$p = c^{a} + c^{a}{}_{b}x^{b} + c^{a}{}_{bc}x^{b}x^{c}$$
 (ex-0402.100)
$$dp = c^{a}{}_{b} + c^{a}{}_{bc}x^{b} + c^{a}{}_{bc}x^{c}$$
 (ex-0402.101)

Exercise 4.3 Polynomial products

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#}::Indices(position=independent).
     def get_term (poly,n):
         x^{a}::Weight(label=xnum). # assign weights to x^{a}
         foo := @(poly).
                                        # make a copy of poly
         bah = Ex("xnum = " + str(n)) # choose a target
         keep_weight (foo,bah)
                                        # extract the target
10
11
         return foo
12
13
     def poly_product (p,q,n):
14
15
         pq = Ex("0")
16
17
         for i in range (0,n+1):
18
            for j in range (0,i+1):
19
               termA = get_term (p,j)
               termB = get_term (q,i-j)
21
               termAB := @(termA) @(termB).
22
               pq = pq + termAB
23
         sort_product
                        (pq)
25
         rename_dummies (pq)
26
         factor_out (pq,$x^{a?}$)
27
28
         return pq
29
30
31
32
     # two polynomials
33
34
     polyA := c^{a}
35
            + c^{a}_{b} x^b
```

```
+ c^{a}_{b} c x^b x^c
                                                                          + c^{a}_{b} c d x^b x^c x^d
                                                                           + c^{a}_{b} c d e x^b x^c x^d x^e. # cdb(ex-0403.100, polyA)
40
                               polyB := d^{f}
41
                                                                          + d^{f}_{b} x^b
42
                                                                        + d^{f}_{b} c x^b x^c
                                                                        + d^{f}_{b} c d x^b x^c x^d
                                                                          + d^{f}_{b} = d^{g}_{a} = d^
46
                               # multiply polynomials and truncate
47
                              polyAB = poly_product (polyA,polyB,3)
                                                                                                                                                                                                                                                                                                                             # cdb(ex-0403.102,polyAB)
```

$$p = c^{a} + c^{a}{}_{b}x^{b} + c^{a}{}_{bc}x^{b}x^{c} + c^{a}{}_{bcd}x^{b}x^{c}x^{d} + c^{a}{}_{bcde}x^{b}x^{c}x^{d}x^{e}$$

$$q = d^{f} + d^{f}{}_{b}x^{b} + d^{f}{}_{bc}x^{b}x^{c} + d^{f}{}_{bcd}x^{b}x^{c}x^{d} + d^{f}{}_{bcde}x^{b}x^{c}x^{d}x^{e}$$

$$(ex-0403.101)$$

$$pq = c^{a}d^{f} + x^{b}\left(c^{a}d^{f}{}_{b} + c^{a}{}_{b}d^{f}\right) + x^{b}x^{c}\left(c^{a}d^{f}{}_{bc} + c^{a}{}_{b}d^{f}{}_{c} + c^{a}{}_{bc}d^{f}\right) + x^{b}x^{c}x^{d}\left(c^{a}d^{f}{}_{bcd} + c^{a}{}_{b}d^{f}{}_{cd} + c^{a}{}_{bc}d^{f}\right)$$

$$(ex-0403.102)$$

Exercise 4.4 Reformatting simple expressions

```
 \{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}:: \underline{Indices} (position=independent). 
     \nabla{#}::Derivative.
     def reformat (obj,scale):
         \{x^{a},A_{a},A_{a}\} # choose a sort order \{x^{a},A_{a}\} # choose a sort order
         foo = Ex(str(scale))
                                          # create a scale factor
10
         bah := @(foo) @(obj).
                                          # apply the scale factor, clears all fractions
11
12
                                          # only required if (bah) contains brackets
         distribute
                         (bah)
13
                         (bah)
         sort_product
         rename_dummies (bah)
15
         canonicalise (bah)
16
         factor_out (bah,$x^{a?}$)
17
18
         ans := @(bah) / @(foo). # undo previous scaling
19
         return ans
21
22
23
24
     # a messy unformatted expression
26
     expr := + (1/3) A<sub>{a b}</sub> x^{a} x^{b}
27
             + (1/9) B_{e c} x^{c} x^{e}
28
             - (1/5) C_{p c} B_{d q} g^{c d} x^{p} x^{q}. # cdb (ex-0404.100, expr)
29
30
     # reformat terms and tidy fractions
31
32
     expr = reformat (expr,45)
                                                              # cdb(ex-0404.101,expr)
33
```

$$g = \frac{1}{3}A_{ab}x^a x^b + \frac{1}{9}B_{ec}x^c x^e - \frac{1}{5}C_{pc}B_{dq}g^{cd}x^p x^q$$
 (ex-0404.100)

$$= \frac{1}{45}x^a x^b \left(15A_{ab} + 5B_{ab} - 9B_{ca}C_{bd}g^{dc}\right)$$
 (ex-0404.101)

Exercise 4.5 Reformatting complex expressions

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#}::Indices(position=independent).
                \nabla{#}::Derivative.
                def get_term (obj,n):
                            x^{a}::Weight(label=xnum). # assign weights to x^{a}
                            foo := @(obj).
                                                                                                                                 # make a copy of obj
10
                            bah = Ex("xnum = " + str(n)) # choose a target
11
                                                                                                       # extract the target
                            keep_weight (foo,bah)
12
13
                             return foo
14
15
                def reformat (obj,scale):
16
17
                             \{x^{a},A_{a},B_{a},A_{a},B_{a},A_{a},B_{a},A_{a},B_{a},A_{a},B_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{a},C_{
18
19
                             foo = Ex(str(scale))
                                                                                                                                  # create a scale factor
20
                            bah := @(foo) @(obj).
                                                                                                                                  # apply the scale factor, clears all fractions
21
22
                             distribute
                                                                               (bah)
                                                                                                                                  # only required if (bah) contains brackets
23
                            sort_product (bah)
                             rename_dummies (bah)
                             canonicalise (bah)
26
                            factor_out (bah,$x^{a?}$)
27
28
                             ans := \mathbb{Q}(bah) / \mathbb{Q}(foo).
                                                                                                                                  # undo previous scaling
29
30
                             return ans
31
32
33
34
                # a messy unformatted expression
35
```

```
expr := (1/7) A_{e} x^{e}
             - (1/3) B<sub>{f}</sub> x^{f}
38
             + (1/3) A_{a b} x^{a} x^{b}
             + (1/9) B_{e c} x^{c} x^{e}
             - (1/5) C_{p c} B_{d q} g^{c d} x^{p} x^{q}
41
             + (3/7) A_{a b c} x^{a} x^{b} x^{c}
42
             - (1/5) B<sub>{a}</sub> b} C<sub>{c</sub> d e} g^{c} d} x^{a} x^{b} x^{e}
             + (7/11) B_{a b} B_{c d} C_{e f g} g^{b c} g^{d f} x^{a} x^{e} x^{g}. # cdb (ex-0405.100, expr)
     # split the expression into seprate terms
46
47
     term1 = get_term (expr,1)
                                       # cdb(term1.101,term1)
     term2 = get_term (expr,2)
                                    # cdb(term2.101,term2)
     term3 = get_term (expr,3)
                                    # cdb(term3.101,term3)
51
     # reformat terms and tidy fractions
52
53
     term1 = reformat (term1, 21)
                                       # cdb(term1.102,term1)
54
     term2 = reformat (term2, 45)
                                       # cdb(term2.102,term2)
     term3 = reformat (term3,385)
                                       # cdb(term3.102,term3)
57
     # rebuild the expression
58
59
     expr := @(term1) + @(term2) + @(term3). # cdb (ex-0405.101,expr)
60
```

$$g = \frac{1}{7}A_{e}x^{e} - \frac{1}{3}B_{f}x^{f} + \frac{1}{3}A_{ab}x^{a}x^{b} + \frac{1}{9}B_{ec}x^{c}x^{e} - \frac{1}{5}C_{pc}B_{dq}g^{cd}x^{p}x^{q} + \frac{3}{7}A_{abc}x^{a}x^{b}x^{c} - \frac{1}{5}B_{ab}C_{cde}g^{cd}x^{a}x^{b}x^{e} + \frac{7}{11}B_{ab}B_{cd}C_{efg}g^{bc}g^{df}x^{a}x^{e}x^{g}$$

$$= \frac{1}{21}x^{a}\left(3A_{a} - 7B_{a}\right) + \frac{1}{45}x^{a}x^{b}\left(15A_{ab} + 5B_{ab} - 9B_{ca}C_{bd}g^{dc}\right) + \frac{1}{385}x^{a}x^{b}x^{c}\left(165A_{abc} - 77B_{ab}C_{dec}g^{de} + 245B_{ad}B_{ef}C_{bgc}g^{de}g^{fg}\right)$$
(ex-0405.101)

Exercise 4.6 Bespoke sort

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#}::Indices(position=independent).
      def bespoke_sort (expr):

      substitute
      (expr,$ x^{a}
      -> AAA01^{a}
      $)

      substitute
      (expr,$ g_{a b}
      -> AAA02_{a b}
      $)

      substitute
      (expr,$ \Gamma_{a b c}
      -> AAA03_{a b c}
      $)

                                (expr)
           sort_product
10
11
                               substitute
            substitute
13
            substitute
14
15
           return expr
16
17
18
19
      expr := g_{a b} x^{a} x^{b} + Gamma_{a b c} x^{a} x^{b} x^{c}. # cdb(ex-0406.100, expr)
20
21
      expr = bespoke_sort (expr)
                                                                                              # cdb(ex-0406.101,expr)
```

$$p = g_{ab}x^{a}x^{b} + \Gamma_{abc}x^{a}x^{b}x^{c}$$

$$= x^{a}x^{b}g_{ab} + x^{a}x^{b}x^{c}\Gamma_{abc}$$
(ex-0406.101)

Exercise 4.7 Return in functions

```
{a,b,c,d,e,f,g,h,i,j,k,l#}::Indices(position=independent).
    # -----
    # this function uses in-place changes for obj
    def tidy (obj):
       sort_product (obj)
      rename_dummies (obj)
       canonicalise (obj)
10
11
                                    # cdb (ex-0407.101,foo)
   foo := C^{f} B^{a} A_{f}.
    tidy (foo)
                                      # cdb (ex-0407.102,foo)
13
14
    # -----
15
    # this function creates new objects,
16
    # it will not give the correct result
17
18
    def tidy (obj):
19
20
       bah := @(obj).
21
22
       sort_product (bah)
23
       rename_dummies (bah)
       canonicalise (bah)
26
       obj := @(bah).
27
28
   foo := C^{f} B^{a} A_{f}.
                                    # cdb (ex-0407.201,foo)
29
    tidy (foo)
                                       # cdb (ex-0407.202,foo)
31
    # -----
32
    # this function uses a return statement
33
    # it will give the correct result
34
35
    def tidy (obj):
```

```
37
         bah := @(obj).
38
39
         sort_product
                         (bah)
40
         rename_dummies (bah)
41
         canonicalise
                         (bah)
42
43
         obj := @(bah).
44
45
         return obj
46
47
     foo := C^{f} B^{a} A_{f} a}.
                                                     # cdb (ex-0407.301,foo)
48
    foo = tidy (foo)
                                                     # cdb (ex-0407.302,foo)
```

$$C^f B^a A_{fa} = A_{ab} B^b C^a$$
 (ex-0407.102)
 $C^f B^a A_{fa} = C^f B^a A_{fa}$ (ex-0407.202)
 $C^f B^a A_{fa} = A_{ab} B^b C^a$ (ex-0407.302)

Exercise 5.1 Swap terms

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices(position=independent).

expr := A_{a} (P^{b}+Q^{b}) + C_{a} V^{b}. # cdb (ex-0501.100,expr)

substitute (expr, $A_{a} B?? + C_{a} D?? -> A_{a} D?? + C_{a} B??$) # cdb (ex-0501.101,expr)
```

ex-0501.100 :=
$$A_a \left(P^b + Q^b \right) + C_a V^b$$

ex-0501.101 := $A_a V^b + C_a \left(P^b + Q^b \right)$

Exercise 5.2 Leading factors forbidden in patterns

This exercise will raise a Cadabra run-time error – the scale factor on the left hand side of the rule (3 in this case) is not allowed.

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices(position=independent).

expr := 2 V_{a b} - 3 V_{b a}.  # cdb (ex-0502.100,expr)

substitute (expr, $3 V_{b a} -> - 3 V_{a b}$)  # cdb (ex-0502.101,expr)
```

```
Traceback (most recent call last):
    File "/usr/local/bin/cadabra2", line 248, in <module>
        exec(cmp)
    File "ex-0502.py", line 18, in <module>
        substitute (expr, Ex(r'''3 V_{b a} -> - 3 V_{a b}''', False))
RuntimeError: substitute: Index error in replacement rule.
        substitute: No numerical pre-factors allowed on lhs of replacement rule.
```

Exercise 5.3 Deleting a term using patterns

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices(position=independent).

expr := A_{a b} B^{a b} + A_{a b} A_{c d} B^{a b} B^{c d} - C_{a b} B^{a b}. # cdb (ex-0503.100,expr)

zoom (expr, $A_{a b} A_{c d} Q??$) # cdb (ex-0503.101,expr)

substitute (expr, $A_{a b} -> 0$) # cdb (ex-0503.102,expr)

unzoom (expr) # cdb (ex-0503.103,expr)
```

```
\begin{split} & \text{ex-0503.100} := A_{ab}B^{ab} + A_{ab}A_{cd}B^{ab}B^{cd} - C_{ab}B^{ab} \\ & \text{ex-0503.101} := \ldots + A_{ab}A_{cd}B^{ab}B^{cd} + \ldots \\ & \text{ex-0503.102} := \ldots \\ & \text{ex-0503.103} := A_{ab}B^{ab} - C_{ab}B^{ab} \end{split}
```

Exercise 5.4 Deleting a term using tags

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     def add_tags (obj,tag):
        n = 0
        ans = Ex('0')
        for i in obj.top().terms():
           foo = obj[i]
           bah = Ex(tag+'_{i-1}''+str(n)+')'
           ans := @(ans) + @(bah) @(foo).
           n = n + 1
10
        return ans
11
12
     def clear_tags (obj,tag):
13
        ans := @(obj).
14
        foo = Ex(tag+'_{a?} -> 1')
15
        substitute (ans,foo)
16
        return ans
17
18
     expr := A_{a b} B^{a b} + A_{a b} A_{c d} B^{a b} B^{c d} - C_{a b} B^{a b}. # cdb (ex-0504.100, expr)
     expr = add_tags (expr,'\\mu')
                                                                                      # cdb (ex-0504.101,expr)
21
22
     substitute (expr, $\mu_{1} -> 0$)
                                                                                      # cdb (ex-0504.102,expr)
23
     expr = clear_tags (expr,'\\mu')
                                                                                      # cdb (ex-0504.103,expr)
```

$$\begin{split} & \text{ex-0504.100} := A_{ab}B^{ab} + A_{ab}A_{cd}B^{ab}B^{cd} - C_{ab}B^{ab} \\ & \text{ex-0504.101} := \mu_0 A_{ab}B^{ab} + \mu_1 A_{ab}A_{cd}B^{ab}B^{cd} - \mu_2 C_{ab}B^{ab} \\ & \text{ex-0504.102} := \mu_0 A_{ab}B^{ab} - \mu_2 C_{ab}B^{ab} \\ & \text{ex-0504.103} := A_{ab}B^{ab} - C_{ab}B^{ab} \end{split}$$

Exercise 5.5 Commuting covariant derivatives

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
                  ;::Symbol.
                  def add_tags (obj,tag):
                            n = 0
                             ans = Ex('0')
                            for i in obj.top().terms():
                                      foo = obj[i]
                                       bah = Ex(tag+'_{i-1}'' + str(n) + ')'
10
                                       ans := @(ans) + @(bah) @(foo).
11
                                      n = n + 1
12
                            return ans
13
14
                  def clear_tags (obj,tag):
15
                            ans := @(obj).
16
                           foo = Ex(tag+'_{a?} -> 1')
17
                            substitute (ans,foo)
                            return ans
19
                  rule := V^{a}_{s} = V^{a}_{s
21
22
                  expr := V^{a}_{; b ; c} - V^{a}_{; c ; b}. # cdb (ex-0505.100,expr)
23
24
                  expr = add_tags (expr,'\\mu')
                                                                                                                                                                                   # cdb (ex-0505.101,expr)
26
                                                          (expr, $\mu_{0} Q??$)
                                                                                                                                                                                    # cdb (ex-0505.102,expr)
                  ZOOM
27
                  substitute (expr, rule)
                                                                                                                                                                                    # cdb (ex-0505.103,expr)
28
                                                          (expr)
                                                                                                                                                                                    # cdb (ex-0505.104,expr)
                  unzoom
29
30
                  expr = clear_tags (expr,'\\mu')
                                                                                                                                                                                   # cdb (ex-0505.105,expr)
```

$$\begin{split} V^a{}_{;b;c} - V^a{}_{;c;b} &= \mu_0 V^a{}_{;b;c} - \mu_1 V^a{}_{;c;b} & (\text{ex-0505.101}) \\ &= \mu_0 V^a{}_{;b;c} - \mu_1 V^a{}_{;c;b} & (\text{ex-0505.101}) \\ &= \mu_0 V^a{}_{;b;c} + \dots & (\text{ex-0505.102}) \\ &= \mu_0 \left(V^a{}_{;c;b} - R^a{}_{dbc} V^d \right) + \dots & (\text{ex-0505.103}) \\ &= \mu_0 \left(V^a{}_{;c;b} - R^a{}_{dbc} V^d \right) - \mu_1 V^a{}_{;c;b} & (\text{ex-0505.104}) \\ &= -R^a{}_{dbc} V^d & (\text{ex-0505.105}) \end{split}$$

Exercise 6.1 Evaluate — without rhsonly = True

```
{\theta, \varphi}::Coordinate.
{a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).

\partial{#}::PartialDerivative.

V := { V_{\theta} = \varphi, V_{\varphi} = \sin(\theta) }. # cdb(ex-0601.100,V)
dV := dV_{ab} -> \partial_{b}{V_{a}} - \partial_{a}{V_{b}}. # cdb(ex-0601.101,dV)

evaluate (dV, V) # cdb(ex-0601.102,dV)
```

Notice how evaluate has been applied to both the left and right hand sides of the rule.

$$V_a = [V_\theta = \varphi, \ V_\varphi = \sin \theta] \tag{ex-0601.100}$$

$$dV_{ab} \to \partial_b V_a - \partial_a V_b \tag{ex-0601.101}$$

$$\Box_{ab} \begin{cases} \Box_{\theta\theta} = dV_{\theta\theta} \\ \Box_{\varphi\theta} = dV_{\varphi\theta} \\ \Box_{\theta\varphi} = dV_{\theta\varphi} \end{cases} \rightarrow \Box_{ab} \begin{cases} \Box_{\varphi\theta} = \cos\theta - 1 \\ \Box_{\theta\varphi} = 1 - \cos\theta \end{cases}$$

$$(ex-0601.102)$$

$$\Box_{\varphi\varphi} = dV_{\varphi\varphi}$$

Exercise 6.1 Evaluate — with rhsonly = True

```
{\theta, \varphi}::Coordinate.
{a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).

\partial{#}::PartialDerivative.

V := { V_{\theta} = \varphi, V_{\varphi} = \sin(\theta) }. # cdb(ex-0601.200,V)
dV := dV_{a b} -> \partial_{b}{V_{a}} - \partial_{a}{V_{b}}. # cdb(ex-0601.201,dV)

evaluate (dV, V, rhsonly=True) # cdb(ex-0601.202,dV)
```

This is an improvement, only the right had side has been expanded into components.

$$V_a = [V_\theta = \varphi, \ V_\varphi = \sin \theta] \tag{ex-0601.200}$$

$$dV_{ab} \to \partial_b V_a - \partial_a V_b \tag{ex-0601.201}$$

$$dV_{ab} \to \Box_{ab} \begin{cases} \Box_{\varphi\theta} = \cos\theta - 1\\ \Box_{\theta\varphi} = 1 - \cos\theta \end{cases}$$
 (ex-0601.202)

Exercise 6.2 Evaluate on an expression (not a rule)

```
{\theta, \varphi}::Coordinate.
{a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).

\partial{#}::PartialDerivative.

V := { V_{\theta} = f(\theta,\varphi), V_{\varphi} = g(\theta,\varphi) }. # cdb(ex-0602.100,V)
dV := \partial_{b}{V_{a}} + \partial_{a}{V_{b}}. # cdb(ex-0602.101,dV)

evaluate (dV, V) # cdb(ex-0602.102,dV)
```

$$V_a = [V_\theta = f(\theta, \varphi), V_\varphi = g(\theta, \varphi)] \tag{ex-0602.100}$$

$$\partial_b V_a + \partial_a V_b \tag{ex-0602.101}$$

$$\Box_{ab} \begin{cases} \Box_{\varphi\varphi} = 2\partial_{\varphi}g\left(\theta,\varphi\right) \\ \Box_{\varphi\theta} = \partial_{\varphi}f\left(\theta,\varphi\right) + \partial_{\theta}g\left(\theta,\varphi\right) \\ \Box_{\theta\varphi} = \partial_{\varphi}f\left(\theta,\varphi\right) + \partial_{\theta}g\left(\theta,\varphi\right) \\ \Box_{\theta\theta} = 2\partial_{\theta}f\left(\theta,\varphi\right) \end{cases}$$
(ex-0602.102)

Exercise 6.3 Evaluate with undefined components

```
{\theta, \varphi}::Coordinate.
{a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).

bah := {V_{\theta} = \varphi, V_{\varphi} = \sin(\theta)}. # cdb(ex-0603.100,bah)

foo := U_{a} V_{b}. # cdb(ex-0603.101,foo)

evaluate (foo, bah) # cdb(ex-0603.102,foo)
```

$$[V_{\theta} = \varphi, \ V_{\varphi} = \sin \theta] \tag{ex-0603.100}$$

$$U_a V_b$$
 (ex-0603.101)

$$\Box_{ab} \begin{cases} \Box_{\theta\theta} = \varphi U_{\theta} \\ \Box_{\theta\varphi} = U_{\theta} \sin \theta \\ \Box_{\varphi\theta} = \varphi U_{\varphi} \\ \Box_{\varphi\varphi} = U_{\varphi} \sin \theta \end{cases}$$
 (ex-0603.102)

Exercise 6.4 Scalar curavture of a 2-sphere

```
{\theta, \varphi}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).
     \partial{#}::PartialDerivative.
     g^{a b}::InverseMetric. # essential when using complete (gab, $g^{a b}$)
     Gamma := Gamma^{a}_{b c} -> 1/2 g^{a d} ( partial_{b}_{g_{d c}})
                                                 + \partial_{c}{g_{b d}}
                                                 - \partial_{d}{g_{b c}}).
10
11
     Rabcd := R^{a}_{b c d} -> \quad partial_{c}{\operatorname{damma}_{a}_{b d}}
                                - \partial_{d}{\Gamma^{a}_{b c}}
13
                                + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
14
                                - \Gamma^{e}_{b c} \Gamma^{a}_{d e}.
15
16
     Rab := R_{a b} -> R^{c}_{a c b}.
17
18
     R := R -> R_{a b} g^{a b}.
19
20
     gab := { g_{\text{theta}} = r**2,
21
              g_{\text{varphi}} = r**2 \cdot (\theta)**2 .
                                                                  # cdb(ex-0604.101,gab)
22
23
     complete (gab, $g^{a b}$)
                                                                  # cdb(ex-0604.102,gab)
24
     substitute (Rabcd, Gamma)
26
     substitute (Rab, Rabcd)
27
     substitute (R, Rab)
28
29
                (Gamma, gab, rhsonly=True)
                                                                  # cdb(ex-0604.103, Gamma)
     evaluate
                (Rabcd, gab, rhsonly=True)
                                                                  # cdb(ex-0604.104, Rabcd)
     evaluate
31
                                                                  # cdb(ex-0604.105,Rab)
     evaluate
                 (Rab,
                        gab, rhsonly=True)
32
                        gab, rhsonly=True)
                                                                  # cdb(ex-0604.106,R)
     evaluate
                (R,
```

$$\left[g_{\theta\theta} = r^2, \ g_{\varphi\varphi} = r^2(\sin\theta)^2\right] \tag{ex-0604.101}$$

$$\left[g_{\theta\theta} = r^2, \ g_{\varphi\varphi} = r^2 (\sin \theta)^2, \ g^{\theta\theta} = r^{-2}, \ g^{\varphi\varphi} = \left(r^2 (\sin \theta)^2 \right)^{-1} \right]$$
 (ex-0604.102)

$$\Gamma^{a}{}_{bc} \to \Box_{cb}{}^{a} \begin{cases} \Box_{\varphi\theta}{}^{\varphi} = (\tan\theta)^{-1} \\ \Box_{\theta\varphi}{}^{\varphi} = (\tan\theta)^{-1} \\ \Box_{\varphi\varphi}{}^{\theta} = -\frac{1}{2}\sin(2\theta) \end{cases}$$
 (ex-0604.103)

$$R^{a}_{bcd} \to \Box_{db}{}^{a}_{c} \begin{cases} \Box_{\varphi\varphi}{}^{\theta}_{\theta} = (\sin\theta)^{2} \\ \Box_{\varphi\theta}{}^{\varphi}_{\theta} = -1 \\ \Box_{\theta\varphi}{}^{\theta}_{\varphi} = -(\sin\theta)^{2} \\ \Box_{\theta\theta}{}^{\varphi}_{\varphi} = 1 \end{cases}$$
 (ex-0604.104)

$$R_{ab} \to \Box_{ba} \begin{cases} \Box_{\varphi\varphi} = (\sin \theta)^2 \\ \Box_{\theta\theta} = 1 \end{cases}$$
 (ex-0604.105)

$$R \to 2r^{-2}$$
 (ex-0604.106)

Exercise 6.5 Schwarzschild spacetime in isotropic coordinates

```
{t, r, \theta, \varphi}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={t, r, \theta, \varphi}, position=independent).
     \partial{#}::PartialDerivative.
     g^{a b}::InverseMetric. # essential when using complete (gab, $g^{a b}$)
     Gamma := Gamma^{a}_{b c} -> 1/2 g^{a d} ( partial_{b}_{g_{d c}})
                                                + \partial_{c}{g_{b d}}
                                                - \partial_{d}{g_{b c}}).
10
11
     Rabcd := R^{a}_{b c d} -> \quad partial_{c}{\operatorname{damma}_{a}_{b d}}
                               - \partial_{d}{\Gamma^{a}_{b c}}
13
                               + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
14
                               - \Gamma^{e}_{b c} \Gamma^{a}_{d e}.
15
16
     Rab := R_{a b} -> R^{c}_{a c b}.
17
18
     gab := { g_{t} = -((2*r-m)/(2*r+m))**2,
19
              g_{r} = (1+m/(2*r))**4,
              g_{\text{theta}} = r**2 (1+m/(2*r))**4,
21
              g_{\text{varphi}} = r**2 \sin(\theta)**2 (1+m/(2*r))**4. # cdb(ex-0605.101,gab)
22
23
     complete (gab, $g^{a b}$)
                                                                          # cdb(ex-0605.102,gab)
24
25
     substitute (Rabcd, Gamma)
26
     substitute (Rab, Rabcd)
27
28
                                                                          # cdb(ex-0605.103, Gamma)
     evaluate
                (Gamma, gab, rhsonly=True)
29
                (Rabcd, gab, rhsonly=True)
                                                                          # cdb(ex-0605.104,Rabcd)
     evaluate
                       gab, rhsonly=True)
                                                                          # cdb(ex-0605.105,Rab)
                (Rab,
     evaluate
```

$$\left[g_{tt} = -\left((2r-m)\left(2r+m\right)^{-1}\right)^{2}, \ g_{rr} = \left(1 + \frac{1}{2}mr^{-1}\right)^{4}, \ g_{\theta\theta} = r^{2}\left(1 + \frac{1}{2}mr^{-1}\right)^{4}, \ g_{\varphi\varphi} = r^{2}(\sin\theta)^{2}\left(1 + \frac{1}{2}mr^{-1}\right)^{4} \right]$$

$$\left[g_{tt} = -\left((2r-m)\left(2r+m\right)^{-1}\right)^{2}, \ g_{rr} = \left(1 + \frac{1}{2}mr^{-1}\right)^{4}, \ g_{\theta\theta} = r^{2}\left(1 + \frac{1}{2}mr^{-1}\right)^{4},$$

$$g_{\varphi\varphi} = r^{2}(\sin\theta)^{2}\left(1 + \frac{1}{2}mr^{-1}\right)^{4}, \ g^{tt} = \left(-m^{2} - 4mr - 4r^{2}\right)\left(m^{2} - 4mr + 4r^{2}\right)^{-1},$$

$$g^{rr} = 16r^{4}\left(m^{4} + 8m^{3}r + 24m^{2}r^{2} + 32mr^{3} + 16r^{4}\right)^{-1}, \ g^{\theta\theta} = 16r^{2}\left(m^{4} + 8m^{3}r + 24m^{2}r^{2} + 32mr^{3} + 16r^{4}\right)^{-1},$$

$$g^{\varphi\varphi} = 16r^{2}\left(m^{4}(\sin\theta)^{2} + 8m^{3}r(\sin\theta)^{2} + 24m^{2}r^{2}(\sin\theta)^{2} + 32mr^{3}(\sin\theta)^{2} + 16r^{4}(\sin\theta)^{2}\right)^{-1} \right]$$

$$\left[\Box_{\varphi}^{\varphi} = \left(-m + 2r\right)\left(r\left(m + 2r\right)\right)^{-1} \right]$$

$$\left[\Box_{\varphi}^{\varphi} = \left(-m + 2r\right)\left(r\left(m + 2r\right)\right)^{-1} \right]$$

$$\left[\Box_{r}^{r} = -2m\left(r\left(m + 2r\right)\right)^{-1} \right]$$

$$\left[\Box_{r}^{r} = -2m\left(r\left(m + 2r\right)\right)^{-1} \right]$$

$$\left[\Box_{r}^{r} = -4m\left(-m^{2} + 4r^{2}\right)^{-1} \right]$$

$$\left[\Box_{r}^{\theta} = \left(-m + 2r\right)\left(r\left(m + 2r\right)\right)^{-1} \right]$$

$$\left[\Box_{r}^{r} = -4m\left(-m^{2} + 4r^{2}\right)^{-1} \right]$$

$$\left[\Box_{r}^{r} = r\left(m - 2r\right)\left(\sin\theta\right)^{2}\left(m + 2r\right)^{-1} \right]$$

$$\left[\Box_{\varphi\varphi} = -\frac{1}{2}\sin\left(2\theta\right) \right]$$

$$\left[\Box_{\theta}^{\varphi} = r\left(m - 2r\right)\left(m + 2r\right)^{-1} \right]$$

$$\left[\Box_{\theta}^{\varphi} = r\left(m - 2r$$

 R^a_{bcd}

$$\begin{array}{c} R^{o}_{bol} \\ R^{o}_{bol} \\ \\ = \begin{pmatrix} \Box_{t}r_{r} = 128mr^{3} \left(-m^{2} + 4mr - 4r^{2}\right) \left(m^{8} + 16m^{7}r + 112m^{6}r^{2} + 448m^{5}r^{3} + 1120m^{4}r^{4} + 1792m^{3}r^{5} + 1792m^{2}r^{6} + 1024mr^{7} + 256r^{8}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = 8mr(im\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = 8mr(im\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -8mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -8mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -8mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -8mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -8mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -8mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -8mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -8mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -8mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -8mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(\sin\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(m\theta)^{2} \left(m^{2} + 4mr + 4r^{2}\right)^{-1} \\ \Box_{\theta}\varphi_{\theta} = -4mr(m\theta)^{$$

Exercise 6.6 The Kasner cosmology

```
{t, x, y, z}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={t, x, y, z}, position=independent).
     \partial{#}::PartialDerivative.
     p1::LaTeXForm("p_1").
     p2::LaTeXForm("p_2").
     p3::LaTeXForm("p_3").
     g^{a b}::InverseMetric. # essential when using complete (gab, $g^{a b}$)
10
11
     Gamma := Gamma^{a}_{b} c   -> 1/2 g^{a}    ( \qquad partial_{b}_{g_{d}} c)
                                                  + \partial_{c}{g_{b d}}
13
                                                   - \partial_{d}{g_{b c}}).
14
15
     Rabcd := R^{a}_{b c d} \rightarrow \operatorname{partial}_{c}{\operatorname{Gamma}_{a}_{b d}}
16
                                 - \partial_{d}{\Gamma^{a}_{b c}}
17
                                 + \Gamma^{e}_{b d} \Gamma^{a}_{c e}
18
                                 - \Gamma^{e}_{b c} \Gamma^{a}_{d e}.
19
20
     Rab := R_{a b} -> R^{c}_{a c b}.
21
22
     gab := { g_{t} = -1,
              g_{x} = t**(2*p1),
              g_{y} = t**(2*p2),
              g_{z} = t**(2*p3).
                                                                    # cdb(ex-0606.101,gab)
27
     complete (gab, $g^{a b}$)
                                                                    # cdb(ex-0606.102,gab)
28
29
     substitute (Rabcd, Gamma)
     substitute (Rab, Rabcd)
31
32
                (Gamma, gab, rhsonly=True)
     evaluate
                                                                    # cdb(ex-0606.103, Gamma)
33
                 (Rabcd, gab, rhsonly=True)
                                                                    # cdb(ex-0606.104,Rabcd)
     evaluate
34
                         gab, rhsonly=True)
                                                                    # cdb(ex-0606.105,Rab)
     evaluate
                 (Rab,
```

$$[g_{tt} = -1, \ g_{xx} = t^{2p_1}, \ g_{yy} = t^{2p_2}, \ g_{zz} = t^{2p_3}]$$
 (ex-0606.101)
$$[g_{tt} = -1, \ g_{xx} = t^{2p_1}, \ g_{yy} = t^{2p_2}, \ g_{zz} = t^{2p_3}, \ g^{tt} = -1, \ g^{xx} = t^{-2p_1}, \ g^{yy} = t^{-2p_2}, \ g^{zz} = t^{-2p_3}]$$
 (ex-0606.102)
$$\Gamma^a_{bc} \rightarrow \Box_{cb}^a \begin{cases} \Box_{zt}^z = p_3 t^{-1} \\ \Box_{yt}^y = p_2 t^{-1} \\ \Box_{tz}^z = p_3 t^{-1} \\ \Box_{ty}^y = p_2 t^{-1} \\ \Box_{tx}^x = p_1 t^{-1} \\ \Box_{tx}^x = p_1 t^{-1} \\ \Box_{tx}^y = p_2 t^{(2p_2 - 1)} \\ \Box_{yy}^t = p_2 t^{(2p_2 - 1)} \\ \Box_{xx}^t = p_1 t^{(2p_1 - 1)} \end{cases}$$

$$\begin{cases} \Box_{xx}^{t} i = p_1 t^{(2p_1-2)} (p_1-1) \\ \Box_{yy}^{t} i = p_2 t^{(2p_2-2)} (p_2-1) \\ \Box_{zz}^{t} i = p_1 t^{(2p_2-2)} (p_2-1) \\ \Box_{xz}^{t} i = p_1 (p_1-1) t^{-2} \\ \Box_{yy}^{t} i = p_2 (p_2-1) t^{-2} \\ \Box_{zz}^{t} i = p_3 (p_3-1) t^{-2} \\ \Box_{tx}^{t} x = p_1 (2p_2-2) (p_1-1) \\ \Box_{tx}^{t} x = p_1 t^{(2p_2-2)} (p_1-1) \\ \Box_{ty}^{t} y = p_2 t^{(2p_2-2)} (p_2-1) \\ \Box_{ty}^{t} y = p_2 t^{(2p_2-2)} (p_2-1) \\ \Box_{tx}^{t} x = p_1 (1-p_1) t^{-2} \\ \Box_{tx}^{t} x = p_1 (1-p_1) t^{-2} \\ \Box_{tx}^{t} x = p_1 (1-p_1) t^{-2} \\ \Box_{tx}^{t} y = p_2 (1-p_2) t^{-2} \\ \Box_{tx}^{t} y = p_2 (1-p_3) t^{-2} \\ \Box_{tx}^{t} y = p_2 p_3 t^{(2p_3-2)} \\ \Box_{xx}^{t} x = p_1 p_3 t^{(2p_3-2)} \\ \Box_{xx}^{t} x = p_1 p_3 t^{(2p_3-2)} \\ \Box_{yy}^{t} x = p_2 p_3 t^{(2p_3-2)} \\ \Box_{xx}^{t} x = p_1 p_2 t^{(2p_2-2)} \\ \Box_{xx}^{t} x = p_1 p_2 t^{(2p_2-2)} \\ \Box_{xx}^{t} x = p_1 p_2 t^{(2p_3-2)} \\ \Box_{xx}^{t} y = p_1 p_2 t^{(2p_3-2)} \\ \Box_{xx}^{t} y = p_1 p_2 t^{(2p_3-2)} \\ \Box_{xx}^{t} x = p_1 p_2 t^{(2p_3-2)} \\ \Box_{xx}^{t} x = p_1 p_2 t^{(2p_3-2)} \\ \Box_{xx}^{t} y = p_1 t$$

Exercise 6.7 Killing vectors of the Schwarzschild spacetime

```
{t, r, \theta, \varphi}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={t, r, \theta, \varphi}, position=independent).
     ;::Symbol.
     \partial{#}::PartialDerivative.
     g_{a b}::Metric.
     g^{a b}::InverseMetric. # essential when using complete (gab, $g^{a b}$)
10
     Gamma := Gamma^{a}_{f g} \rightarrow 1/2 g^{a b} ( partial_{g}_{g_b f})
11
                                                     + \partial_{f}{g_{b g}}
12
                                                     - \partial_{b}{g_{f g}} ).
13
14
     deriv := xi_{a ; b} -> partial_{b}_{xi_{a}} - Gamma_{c}_{a  } xi_{c}.
15
     lower := xi_{a} \rightarrow g_{a b} xi_{b}.
16
17
     expr := xi_{a ; b} + xi_{b ; a}.
                                                                # cdb(ex-0607.100,expr)
19
     substitute (expr, deriv)
                                                                # cdb(ex-0607.101,expr)
     substitute (expr, lower)
                                                                # cdb(ex-0607.102,expr)
21
                                                                # cdb(ex-0607.103,expr)
     substitute (expr, Gamma)
     distribute (expr)
                                                                # cdb(ex-0607.104,expr)
     product_rule (expr)
                                                                # cdb(ex-0607.105,expr)
     canonicalise (expr)
                                                                # cdb(ex-0607.106,expr)
26
     # choose a vector
27
28
     # Kvect := {\langle xi^{t} \rangle = 1 \rangle}.
29
     # Kvect := {\langle xi^{\langle varphi \rangle} = 1 \rangle}.
     Kvect := \{ xi^{\theta} = \sin(\alpha), xi^{\phi} = \cos(\theta) / \sin(\theta) \}.
31
     # Kvect := {\langle xi^{\hat{t}} = \langle cos(\langle varphi), \langle xi^{\hat{t}} = - \langle cos(\langle theta) \rangle = - \langle cos(\langle theta) \rangle \}.
32
                                                                  # cdb(ex-0607.107, Kvect)
33
34
     gab := \{ g_{t} t \}
                                     = -(1-2*m/r),
35
               g_{r r}
                                    = 1/(1-(2*m/r)),
```

```
g_{\theta\theta} = r**2,
g_{\varphi\varphi} = r**2 \sin(\theta)**2}. # cdb(ex-0607.108,gab)

complete (gab, $g^{a b}$) # cdb(ex-0607.109,gab)

evaluate (expr, join (gab,Kvect)) # cdb(ex-0607.110,expr)
```

$$\begin{split} [\xi^a] &= \left[\xi^\theta = \sin \varphi, \; \xi^\varphi = \cos \theta (\sin \theta)^{-1} \cos \varphi \right] & (\text{ex-0607.107}) \\ [g_{ab}] &= \left[g_{tt} = -1 + 2mr^{-1}, \; g_{rr} = \left(1 - 2mr^{-1} \right)^{-1}, \; g_{\theta\theta} = r^2, \; g_{\varphi\varphi} = r^2 (\sin \theta)^2 \right] & (\text{ex-0607.108}) \\ [g_{ab}, g^{ab}] &= \left[g_{tt} = -1 + 2mr^{-1}, \; g_{rr} = \left(1 - 2mr^{-1} \right)^{-1}, \; g_{\theta\theta} = r^2, \; g_{\varphi\varphi} = r^2 (\sin \theta)^2, \; g^{tt} = \left(2mr^{-1} - 1 \right)^{-1}, \; g^{rr} = -2mr^{-1} + 1, \; g^{\theta\theta} = r^{-2}, \\ g^{\varphi\varphi} &= \left(r^2 (\sin \theta)^2 \right)^{-1} \right] & (\text{ex-0607.109}) \\ \xi_{a;b} + \xi_{b;a} &= \partial_b \xi_a - \Gamma^c_{\ ab} \xi_c + \partial_a \xi_b - \Gamma^c_{\ ba} \xi_c \\ &= \partial_b \left(g_{ac} \xi^c \right) - \Gamma^c_{\ ab} g_{cd} \xi^d + \partial_a \left(g_{bc} \xi^c \right) - \Gamma^c_{\ ba} g_{cd} \xi^d \\ &= \partial_b \left(g_{ac} \xi^c \right) - \frac{1}{2} g^{ce} \left(\partial_b g_{ea} + \partial_a g_{cb} - \partial_e g_{ab} \right) g_{cd} \xi^d + \partial_a \left(g_{bc} \xi^c \right) - \frac{1}{2} g^{ce} \left(\partial_a g_{cb} + \partial_b g_{ea} - \partial_e g_{ba} \right) g_{cd} \xi^d \\ &= \partial_b \left(g_{ac} \xi^c \right) - g^{ce} \partial_b g_{ea} g_{cd} \xi^d - g^{ce} \partial_a g_{eb} g_{cd} \xi^d + \partial_a \left(g_{bc} \xi^c \right) - \frac{1}{2} g^{ce} \partial_e g_{ab} g_{cd} \xi^d \\ &= \partial_b g_{ac} \xi^c + g_{ac} \partial_b \xi^c - g^{ce} \partial_b g_{ea} g_{cd} \xi^d - g^{ce} \partial_a g_{eb} g_{cd} \xi^d + \frac{1}{2} g^{ce} \partial_e g_{ab} g_{cd} \xi^d + \partial_a g_{bc} \xi^c + g_{bc} \partial_a \xi^c + \frac{1}{2} g^{ce} \partial_e g_{ba} g_{cd} \xi^d \\ &= \partial_b g_{ac} \xi^c + g_{ac} \partial_b \xi^c - g^{ce} \partial_b g_{ea} g_{cd} \xi^d - g^{ce} \partial_a g_{eb} g_{cd} \xi^d + \frac{1}{2} g^{ce} \partial_e g_{ab} g_{cd} \xi^d + \partial_a g_{bc} \xi^c + g_{bc} \partial_a \xi^c + \frac{1}{2} g^{ce} \partial_e g_{ba} g_{cd} \xi^d \\ &= \partial_b g_{ac} \xi^c + g_{ac} \partial_b \xi^c - g^{ce} \partial_b g_{ea} g_{cd} \xi^c - g^{ce} \partial_a g_{bc} g_{dc} \xi^c + g^{ce} \partial_a g_{bc} g_{dc} \xi^c + g_{ac} \partial_b \xi^c + g_{bc} \partial_a \xi^c \\ &= \partial_b g_{ac} \xi^c + g_{ac} \partial_b \xi^c - g^{ce} \partial_b g_{ac} g_{cd} \xi^c - g^{ce} \partial_a g_{bc} g_{dc} \xi^c + g^{ce} \partial_a g_{bc} g_{dc} \xi^c + g_{bc} \partial_a \xi^c \\ &= \partial_b g_{ac} \xi^c + g_{ac} \partial_b \xi^c - g^{ce} \partial_b g_{ac} g_{cd} \xi^c - g^{ce} \partial_b g_{ac} g_{cd} \xi^c + g^{ce} \partial_a g_{bc} g_{dc} \xi^c + g^{ce} \partial_a g_{bc} g_{dc} \xi^c + g^{ce} \partial_a g_{bc} g_{dc} \xi^c + g_{bc} \partial_a \xi^c \\ &= \partial_b g_{ac} \xi^c + g_{ac} \partial_b \xi^c - g^{ce} \partial_b g_{ac} g_{cd} \xi^c - g^{ce} \partial_b g_{ac} g_{cd} \xi^c + g^{ce} \partial_a g_$$

(ex-0607.110)

Exercise 6.08a A problem with evaluate

```
Traceback (most recent call last):
    File "/usr/local/bin/cadabra2", line 248, in <module>
        exec(cmp)
    File "ex-0608.py", line 27, in <module>
        evaluate (dV, dVrule)
RuntimeError: Dependencies on derivatives are not yet handled in the SymPy bridge
```

Exercise 6.08b A work around

```
{\theta, \varphi}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).
     \partial{#}::PartialDerivative.
     V_{a}::Depends(\theta,\varphi,\partial{#}).
     hide := \displaystyle \left\{ x_{b} \right\} - dV_{a} b.
     dVrule := { dV_{\theta} = \sin(\theta), }
10
                  dV_{\text{varphi}} = \cos(\theta).
                                                                        # cdb(ex-0608.201,dVrule)
11
     dV := \operatorname{partial}_{b}\{V_{a}\} - \operatorname{partial}_{a}\{V_{b}\}.
                                                                         # cdb(ex-0608.202,dV)
13
                                                                         # cdb(ex-0608.212,dV)
     substitute (dV, hide)
14
     evaluate (dV, dVrule)
                                                                         # cdb(ex-0608.203,dV)
15
```

The workaround here is to to hide the derivatives before calling evaluate.

$$dV_{ba} - dV_{ab}$$
 (ex-0608.212)

$$dV_{ab} = \partial_b V_a - \partial_a V_b$$
 (ex-0608.202)

$$= \Box_{ab} \begin{cases} \Box_{\varphi\theta} = \sin \theta - \cos \theta \\ \Box_{\theta\varphi} = -\sin \theta + \cos \theta \end{cases}$$
 (ex-0608.203)

Exercise 7.1 C-code for a R_{ab} for a generic metric

```
{x,y,z}::Coordinate.
                     \{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(values=\{x,y,z\},position=independent).
                      \partial{#}::PartialDerivative.
                      g_{a b}::Metric.
                      g^{a b}::InverseMetric.
                      import cdblib
 10
                       FourRab = cdblib.get ('FourRab', 'ex-0309.json')
11
12
                       Rab := 1/4 @(FourRab).
14
                      substitute (Rab, $ \partial_{a b}{g_{c d}} -> dg_{c d a b} $)
15
                      substitute (Rab, \ \partial_{a}{g_{b c}} -> dg_{b c a} $)
16
17
                      # build rules to export Cadabra expressions to Python
                      # use known symmetries for g_{a b}, dg_{ab,c,d} etc.
                      # note: replacements must not contain underscores (reserved for subscripts),
21
                                                         so g_{x} = x - g_{x} is not allowed
22
 23
                       gabRule := \{g_{x} \times \} - g_{x}, g_{x} + g_{x} = g_{x}, g_{x} = g_{x} 
                                                                          g_{y} = \{y \mid x\} -> gxy, g_{y} -> gyy, g_{y} -> gyz,
                                                                          g_{z} = g_{z} + g_{z}, g_{z} + g_{z}, g_{z} + g_{z}.
 27
                      iabRule := \{g^{x} = x\} \rightarrow ixx, g^{x} \rightarrow ixy, g^{x} \rightarrow ixy, g^{x} = x\} \rightarrow ixz,
28
                                                                          g^{y} = x^{y} - ixy, g^{y} - iyy, g^{y} - iyz,
 29
                                                                          g^{z} = x^{-1} = x^
 30
31
                      d1gabRule := \{dg_{x x x} -> dgxxx, dg_{x y x} -> dgxyx, dg_{x z x} -> dgxzx,
32
                                                                                   dg_{y x x} \rightarrow dgxyx, dg_{y y x} \rightarrow dgyyx, dg_{y z x} \rightarrow dgyzx,
 33
                                                                                   dg_{z x x} \rightarrow dgxzx, dg_{z y x} \rightarrow dgyzx, dg_{z x} \rightarrow dgzzx,
 34
 35
                                                                                   dg_{x y} - dg_{xy}, dg_{x y} - dg_{xy}, dg_{x z} - dg_{xy}
```

```
dg_{y x y} \rightarrow dgxyy, dg_{y y y} \rightarrow dgyyy, dg_{y z y} \rightarrow dgyzy,
37
                        dg_{z x y} \rightarrow dgxzy, dg_{z y y} \rightarrow dgyzy, dg_{z z y} \rightarrow dgzzy,
38
                        dg_{x z} -> dgxxz, dg_{x z} -> dgxyz, dg_{x z} -> dgxzz,
                        dg_{y z} \rightarrow dg_{y z}, dg_{y z} \rightarrow dg_{y z}, dg_{y z} \rightarrow dg_{y z},
41
                        dg_{z x z} \rightarrow dgxzz, dg_{z y z} \rightarrow dgyzz, dg_{z z} \rightarrow dgzzz.
42
43
      d2gabRule := \{dg_{x x x x} -> dgxxxx, dg_{x y x x} -> dgxyxx, dg_{x z x x} -> dgxzxx,
44
                        dg_{y x x x} \rightarrow dgxyxx, dg_{y x x} \rightarrow dgyyxx, dg_{y z x x} \rightarrow dgyzxx,
45
                        dg_{z x x x} \rightarrow dgxzxx, dg_{z x x} \rightarrow dgyzxx, dg_{z x x} \rightarrow dgzzxx,
46
                        dg_{x y y} \rightarrow dgxxy, dg_{x y y x} \rightarrow dgxyy, dg_{x y y} \rightarrow dgxyy,
47
                        dg_{y x y x} \rightarrow dgxyxy, dg_{y y y x} \rightarrow dgyyxy, dg_{y z y x} \rightarrow dgyzxy,
                        dg_{z} = x y x -> dgxzxy, dg_{z} = x y x -> dgyzxy, dg_{z} = x y x -> dgzzxy,
49
                        dg_{x z z} - dgxxxz, dg_{x z z} - dgxxxz, dg_{x z z} - dgxxzz,
                        dg_{y x z x} \rightarrow dgxyxz, dg_{y y z x} \rightarrow dgyyxz, dg_{y z z x} \rightarrow dgyzxz,
                        dg_{z} = x z + - dgxzxz, dg_{z} = x + - dgyzxz, dg_{z} = x + - dgzzxz,
53
                        dg_{x x x y} \rightarrow dgxxxy, dg_{x y x y} \rightarrow dgxyxy, dg_{x z x y} \rightarrow dgxzxy,
54
                        dg_{y x x y} \rightarrow dgxyxy, dg_{y x y} \rightarrow dgyyxy, dg_{y z x y} \rightarrow dgyzxy,
55
                        dg_{z \times y} \rightarrow dgxzy, dg_{z \times y} \rightarrow dgyzy, dg_{z \times y} \rightarrow dgzzy,
                        dg_{x y y} \rightarrow dgxyy, dg_{x y y y} \rightarrow dgxyyy, dg_{x z y y} \rightarrow dgxzyy,
                        dg_{y x y y} \rightarrow dgxyyy, dg_{y y y y} \rightarrow dgyyyy, dg_{y z y y} \rightarrow dgyzyy,
58
                        dg_{z} = x y  y -> dgxzyy, dg_{z} = x y  y -> dgyzyy, dg_{z} = x y  y -> dgzzyy,
59
                        dg_{x z y} -> dgxyz, dg_{x z y} -> dgxyyz, dg_{x z z y} -> dgxzyz,
                        dg_{y x z y} \rightarrow dg_{y y z}, dg_{y y z y} \rightarrow dg_{y y z}, dg_{y z z y} \rightarrow dg_{y z y z},
61
                        dg_{z x z y} \rightarrow dgxzyz, dg_{z y z y} \rightarrow dgyzyz, dg_{z z z y} \rightarrow dgzzyz,
                        dg_{x x x z} \rightarrow dgxxz, dg_{x y x z} \rightarrow dgxyz, dg_{x z x z} \rightarrow dgxzzz,
64
                        dg_{y x x z} \rightarrow dgxyxz, dg_{y y x z} \rightarrow dgyyxz, dg_{y z x z} \rightarrow dgyzxz,
65
                        dg_{z \times z} - dg_{z \times z}, dg_{z \times z} - dg_{z \times z}, dg_{z \times z} - dg_{z \times z},
66
                        dg_{x y z} \rightarrow dgxyz, dg_{x y z} \rightarrow dgxyyz, dg_{x z y z} \rightarrow dgxzyz,
                        dg_{y x y z} \rightarrow dgxyyz, dg_{y y y z} \rightarrow dgyyyz, dg_{y z y z} \rightarrow dgyzyz,
                        dg_{z} = x y z -> dgxzyz, dg_{z} = x y z -> dgyzyz, dg_{z} = x y z -> dgzzyz,
                        dg_{x z z} -> dgxzzz, dg_{x z z} -> dgxyzz, dg_{x z z} -> dgxyzz, dg_{x z z} -> dgxzzz,
70
                        dg_{y z z} \rightarrow dgxyzz, dg_{y z z} \rightarrow dgyyzz, dg_{y z z} \rightarrow dgyzzz,
71
                        dg_{z} = x z  -> dgxzzz, dg_{z} = x z -> dgyzzz, dg_{z} = x z -> dgzzzz.
72
73
      def write_code (obj,name,filename,rank):
```

```
75
         import os
76
77
         from sympy.printing.c import C99CodePrinter as printer
78
         from sympy.codegen.ast import Assignment
79
80
        idx=[] # indices in the form [\{x, x\}, \{x, y\} ...]
81
        lst=[] # corresponding terms [termxx, termxy, ...]
        for i in range( len(obj[rank]) ):
                                                             # rank = number of free indices
84
             idx.append( str(obj[rank][i][0]._sympy_()) ) # indices for this term
85
             lst.append( str(obj[rank][i][1]._sympy_()) ) # the matching term
86
87
        mat = sympy.Matrix([lst])
                                                             # row vector of terms
88
         sub_exprs, simplified_rhs = sympy.cse(mat)
                                                             # optimise code
90
         with open(os.getcwd() + '/' + filename, 'w') as out:
91
92
            for lhs, rhs in sub_exprs:
93
               out.write(printer().doprint(Assignment(lhs, rhs))+'\n')
94
95
           for index, rhs in enumerate (simplified_rhs[0]):
96
               lhs = sympy.Symbol(name+' '+(idx[index]).replace(', ',']['))
97
               out.write(printer().doprint(Assignment(lhs, rhs))+'\n')
98
99
     def JoinLists (obj):
100
        ans := \{\}.
101
        for i in range (len(obj)):
102
            ans = join (ans,obj[i])
103
         return ans
104
105
                 (Rab, JoinLists ([gabRule,d1gabRule,d2gabRule,iabRule]), simplify=False)
      evaluate
106
107
     write_code (Rab, 'Rab', 'ex-0701-rab.c',2)
108
```

The code for R_{ab} can be found in the file ex-0701-rab.c. It is long and it would require more work to turn it into something useful in a

numerical code. For example, functions would be needed to compute the first and second partial derivatives of the metric. But that is not a Cadabra issue.