Exercise 3.8 Symmetry of R_{ab}

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices(position=independent).
                     \partial{#}::PartialDerivative;
                     g_{a b}::Metric;
                     g^{a b}::InverseMetric;
                     dgab := \left\{c\right\}\left\{c\right\}\left\{c\right\} - c\right\} - c\right\} = c\right\} - c_{c}
                                                                                                                                                                                                                                                         # cdb (dgab.000,dgab)
 10
                     Gamma := Gamma^{a}_{b c} -> (1/2) g^{a e} ( partial_{b}_{g_{e c}})
11
                                                                                                                                                                                                               + \partial_{c}{g_{b e}}
12
                                                                                                                                                                                                                - \partial_{e}{g_{b c}}).
13
                                                                                                                                                                                                                                                         # cdb (Gamma.000, Gamma)
14
15
                     Rabcd := R^{a}_{b c d} ->
16
                                                          \displaystyle \left\{c\right\}\left(G_{a}^{a}\right) + \displaystyle G_{a}^{a}_{e} c \ G_{b} d
17
                                                  - \displaystyle \frac{d}{\Omega_{a}} = \Gamma_{a} - \Gamma_
18
                                                                                                                                                                                                                                                         # cdb (Rabcd.000, Rabcd)
 19
 20
                     Rab := R_{a b} -> R^{c}_{a c b}.
                                                                                                                                                                                                                                                          # cdb (Rab.000, Rab)
21
22
                     expr := 4 (R_{a b} - R_{b a}).
                                                                                                                                                                                                                                                         # cdb (ex-0308.100,expr)
 23
24
                                                                           (expr, Rab)
                                                                                                                                                                                                                                                          # cdb (ex-0308.101,expr)
                     substitute
                                                                     (expr, Rabcd)
                                                                                                                                                                                                                                                         # cdb (ex-0308.102,expr)
                     substitute
 26
                                                                                                                                                                                                                                                         # cdb (ex-0308.103,expr)
                     substitute
                                                                       (expr, Gamma)
27
28
                     distribute
                                                                          (expr)
                                                                                                                                                                                                                                                         # cdb (ex-0308.104,expr)
29
                                                                                                                                                                                                                                                         # cdb (ex-0308.105,expr)
                     product_rule (expr)
30
                     canonicalise (expr)
                                                                                                                                                                                                                                                         # cdb (ex-0308.106,expr)
31
32
                                                                     (expr, dgab)
                     substitute
                                                                                                                                                                                                                                                          # cdb (ex-0308.107,expr)
33
                     canonicalise (expr)
                                                                                                                                                                                                                                                         # cdb (ex-0308.108,expr)
```

$$4R_{ab} - 4R_{bc} = 4R^{c}_{acb} - 4R^{c}_{bca} = 4Q^{c}_{c} - 4\partial_{b} \Gamma^{c}_{ac} - 4\Gamma^{c}_{cb} \Gamma^{c}_{ac} - 4\partial_{c} \Gamma^{c}_{ba} - 4\Gamma^{c}_{cc} \Gamma^{c}_{bb} + 4\Gamma^{c}_{cc} \Gamma^{c}_{ab} - 4\partial_{b} \Gamma^{c}_{ac} - 4\Gamma^{c}_{cb} \Gamma^{c}_{bc} - 4\partial_{c} \Gamma^{c}_{bc} - 4\partial_{c} \Gamma^{c}_{bc} + 4\Gamma^{c}_{cc} \Gamma^{c}_{bc} = (ex-0308.102)$$

$$= 2\partial_{c} [g^{cc} (\partial_{c}g_{ac} + \partial_{c}g_{ac} - \partial_{c}g_{ac})] + g^{cd} (\partial_{c}g_{bc} + \partial_{c}g_{ac} - \partial_{c}g_{bc}) g^{cf} (\partial_{a}g_{bc} + \partial_{b}g_{ac} - \partial_{c}g_{ba}) - 2\partial_{b} (g^{cc} (\partial_{a}g_{ac} + \partial_{c}g_{ac} - \partial_{c}g_{ac}))$$

$$- g^{cd} (\partial_{c}g_{bc} + \partial_{c}g_{ac} - \partial_{d}g_{cc}) g^{cf} (\partial_{b}g_{ca} + \partial_{c}g_{ac} - \partial_{c}g_{bc})$$

$$+ g^{cd} (\partial_{c}g_{bc} + \partial_{c}g_{ac} - \partial_{d}g_{cc}) g^{cf} (\partial_{b}g_{ca} + \partial_{c}g_{ac} - \partial_{c}g_{bc})$$

$$+ g^{cd} (\partial_{c}g_{bc} + \partial_{c}g_{ac} - \partial_{c}g_{cc}) g^{cf} (\partial_{b}g_{ca} + \partial_{c}g_{ac} - \partial_{c}g_{bc})$$

$$+ g^{cd} (\partial_{c}g_{bc} + \partial_{c}g_{ac} - \partial_{c}g_{cc}) g^{cf} (\partial_{b}g_{ca} + \partial_{c}g_{ac} - \partial_{c}g_{bc})$$

$$+ g^{cd} (\partial_{c}g_{bc} + \partial_{c}g_{ac} - \partial_{c}g_{cc}) g^{cf} (\partial_{b}g_{ca} + \partial_{c}g_{ac} - \partial_{c}g_{bc})$$

$$+ g^{cd} (\partial_{c}g_{ab} + \partial_{c}g_{ac} - \partial_{c}g_{ac}) g^{cf} (\partial_{b}g_{ca} + \partial_{c}g_{ac} - \partial_{c}g_{bc})$$

$$+ g^{cd} (\partial_{c}g_{ab} + \partial_{c}g_{ac} - \partial_{c}g_{ac}) g^{cf} (\partial_{b}g_{ca} + \partial_{c}g_{ac} - \partial_{c}g_{ac}) g^{cf} \partial_{a}g_{bc} - \partial_{c}g_{ac}$$

$$+ g^{cd} \partial_{c}g_{ac}g^{cf} \partial_{b}g_{ac} - g^{cd} \partial_{c}g_{ab}g^{cf} \partial_{c}g_{ac} - g^{cd} \partial_{c}g_{ab}g^{cf} \partial_{c}g_{ac} - g^{cd} \partial_{c}g_{ac}g^{cf} \partial_{c}g_{ac} - g^{cd} \partial_$$

Exercise 3.8 Symmetry of R_{ab} alternative solution

This differs from the previous code by the inclusion of a call to **canonicalise** immediately after the first two substitutions and a declaration that $\Gamma^a{}_{bc}$ is symmetric in bc. This pair of changes produces a more compact set of results than given above. Incidently, this also shows that $\partial_a \Gamma^c{}_{bc} = \partial_b \Gamma^c{}_{ac}$.

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
                     \partial{#}::PartialDerivative;
                     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
                     g_{a b}::Metric;
                     g^{a b}::InverseMetric;
                     dgab := \left\{c\right\}\left\{g^{a} b\right\} \rightarrow g^{a} e\right\} g^{b} \left\{p\right\}
10
                                                                                                                                                                                                                                                                      # cdb (dgab.000,dgab)
11
12
                     Gamma := Gamma^{a}_{b c} -> (1/2) g^{a e} ( partial_{b}_{g_{e c}})
13
                                                                                                                                                                                                                         + \partial_{c}{g_{b e}}
14
                                                                                                                                                                                                                          - \partial_{e}{g_{b c}}).
15
                                                                                                                                                                                                                                                                      # cdb (Gamma.000.Gamma)
16
17
                     Rabcd := R^{a}_{b c d} ->
18
                                                            \displaystyle \left\{c\right\}\left(Gamma^{a}_{b} + Gamma^{a}_{e} \right) + Gamma^{e}_{b} d
19
                                                   - \displaystyle \frac{d}{\Omega_{a}} = \Gamma_{a} - \Gamma_
20
                                                                                                                                                                                                                                                                      # cdb (Rabcd.000, Rabcd)
^{21}
^{22}
                     Rab := R_{a b} -> R^{c}_{a c b}.
                                                                                                                                                                                                                                                                      # cdb (Rab.000, Rab)
23
24
                     expr := 4 (R_{a b} - R_{b a}).
                                                                                                                                                                                                                                                                     # cdb (ex-0308.200,expr)
25
26
                                                                               (expr, Rab)
                                                                                                                                                                                                                                                                      # cdb (ex-0308.201,expr)
                      substitute
27
                                                                                                                                                                                                                                                                     # cdb (ex-0308.202,expr)
                                                                              (expr, Rabcd)
                      substitute
28
                      canonicalise (expr)
                                                                                                                                                                                                                                                                      # cdb (ex-0308.203,expr)
                                                                             (expr, Gamma)
                                                                                                                                                                                                                                                                     # cdb (ex-0308.204,expr)
                      substitute
31
                                                                              (expr)
                                                                                                                                                                                                                                                                      # cdb (ex-0308.205,expr)
                     distribute
32
```

```
      33
      product_rule (expr)
      # cdb (ex-0308.206,expr)

      34
      canonicalise (expr)
      # cdb (ex-0308.207,expr)

      35
      substitute (expr, dgab)
      # cdb (ex-0308.208,expr)

      37
      canonicalise (expr)
      # cdb (ex-0308.209,expr)
```

$$4R_{ab} - 4R_{ba} = 4R^{c}_{acb} - 4R^{c}_{bca}$$
 (ex-0308.201)
$$= 4\partial_{c}\Gamma^{c}_{ab} + 4\Gamma^{c}_{ec}\Gamma^{e}_{ab} - 4\partial_{b}\Gamma^{c}_{ac} - 4\Gamma^{c}_{eb}\Gamma^{e}_{ac} - 4\partial_{c}\Gamma^{c}_{ba} - 4\Gamma^{c}_{ec}\Gamma^{e}_{ba} + 4\partial_{a}\Gamma^{c}_{bc} + 4\Gamma^{c}_{ea}\Gamma^{e}_{bc}$$
 (ex-0308.202)
$$= -4\partial_{b}\Gamma^{c}_{ac} + 4\partial_{a}\Gamma^{c}_{bc}$$
 (ex-0308.203)
$$= -2\partial_{b}\left(g^{ce}\left(\partial_{a}g_{ec} + \partial_{c}g_{ae} - \partial_{e}g_{ac}\right)\right) + 2\partial_{a}\left(g^{ce}\left(\partial_{b}g_{ec} + \partial_{c}g_{be} - \partial_{e}g_{bc}\right)\right)$$
 (ex-0308.204)
$$= -2\partial_{b}\left(g^{ce}\partial_{a}g_{ec}\right) - 2\partial_{b}\left(g^{ce}\partial_{c}g_{ae}\right) + 2\partial_{b}\left(g^{ce}\partial_{e}g_{ac}\right) + 2\partial_{a}\left(g^{ce}\partial_{b}g_{ec}\right) + 2\partial_{a}\left(g^{ce}\partial_{b}g_{ec}\right) - 2\partial_{a}\left(g^{ce}\partial_{e}g_{bc}\right)$$
 (ex-0308.205)
$$= -2\partial_{b}g^{ce}\partial_{a}g_{ec} - 2g^{ce}\partial_{ba}g_{ec} - 2g^{ce}\partial_{bc}g_{ae} + 2\partial_{b}g^{ce}\partial_{e}g_{ac} + 2g^{ce}\partial_{be}g_{ac} + 2g^{ce}\partial_{be}g_{ac} + 2g^{ce}\partial_{ab}g_{ec} + 2g^{ce}\partial_{ab}g_{ec} + 2g^{ce}\partial_{ab}g_{ec} + 2g^{ce}\partial_{ac}g_{be}$$
 (ex-0308.206)
$$= -2\partial_{b}g^{ce}\partial_{a}g_{ec} + 2\partial_{a}g^{ce}\partial_{e}g_{bc} - 2g^{ce}\partial_{ae}g_{bc}$$
 (ex-0308.207)
$$= 2g^{cd}g^{ef}\partial_{b}g_{df}\partial_{a}g_{ce} - 2g^{cd}g^{ef}\partial_{a}g_{df}\partial_{b}g_{ce}$$
 (ex-0308.208)
$$= 0$$
 (ex-0308.209)