Example 1 The metric connection

```
{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices.
     g_{a b}::Metric.
     g_{a}^{b}::KroneckerDelta.
     \partial{#}::PartialDerivative.
     Gamma := Gamma^{a}_{b c} \rightarrow (1/2) g^{a d} ( partial_{b}_{g_{d c}})
                                                      + \partial_{c}{g_{b d}}
                                                      - \partial_{d}{g_{b c}} ).
                                                                                      # cdb (ex-01.101, Gamma)
10
11
     \label{eq:cderiv} $$\operatorname{cderiv} := \operatorname{log}_{a b} - g_{a d}\Gamma^{d}_{b c}$$
12
                                        - g_{d b}\Gamma^{d}_{a c}.
                                                                                      # cdb (ex-01.102,cderiv)
13
14
                           (cderiv, Gamma)
                                                                                      # cdb (ex-01.103,cderiv)
     substitute
15
     distribute
                           (cderiv)
                                                                                      # cdb (ex-01.104,cderiv)
16
     eliminate_metric
                           (cderiv)
                                                                                      # cdb (ex-01.105,cderiv)
17
     eliminate_kronecker (cderiv)
                                                                                      # cdb (ex-01.106,cderiv)
     canonicalise
                                                                                      # cdb (ex-01.107,cderiv)
                           (cderiv)
19
20
     checkpoint.append (cderiv)
21
```

$$\Gamma = \Gamma^{a}{}_{bc} \rightarrow \frac{1}{2} g^{ad} \left(\partial_{b} g_{dc} + \partial_{c} g_{bd} - \partial_{d} g_{bc} \right) \tag{ex-01.101}$$

$$g_{ab;c} = \partial_{c} g_{ab} - g_{ad} \Gamma^{d}{}_{bc} - g_{db} \Gamma^{d}{}_{ac} \tag{ex-01.102}$$

$$= \partial_{c} g_{ab} - \frac{1}{2} g_{ad} g^{de} \left(\partial_{b} g_{ec} + \partial_{c} g_{be} - \partial_{e} g_{bc} \right) - \frac{1}{2} g_{db} g^{de} \left(\partial_{a} g_{ec} + \partial_{c} g_{ae} - \partial_{e} g_{ac} \right) \tag{ex-01.103}$$

$$= \partial_{c} g_{ab} - \frac{1}{2} g_{ad} g^{de} \partial_{b} g_{ec} - \frac{1}{2} g_{ad} g^{de} \partial_{c} g_{be} + \frac{1}{2} g_{ad} g^{de} \partial_{e} g_{bc} - \frac{1}{2} g_{db} g^{de} \partial_{a} g_{ec} - \frac{1}{2} g_{db} g^{de} \partial_{c} g_{ae} + \frac{1}{2} g_{db} g^{de} \partial_{e} g_{ac} \tag{ex-01.104}$$

$$= \partial_{c} g_{ab} - \frac{1}{2} g_{a}^{e} \partial_{b} g_{ec} - \frac{1}{2} g_{a}^{e} \partial_{c} g_{be} + \frac{1}{2} g_{a}^{e} \partial_{e} g_{bc} - \frac{1}{2} g_{b}^{e} \partial_{a} g_{ec} - \frac{1}{2} g_{b}^{e} \partial_{c} g_{ae} + \frac{1}{2} g_{b}^{e} \partial_{e} g_{ac} \tag{ex-01.105}$$

$$= \frac{1}{2} \partial_{c} g_{ab} - \frac{1}{2} \partial_{c} g_{ba} \tag{ex-01.106}$$

$$= 0 \tag{ex-01.107}$$

Example 2 Covariant derivatives

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices.
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # rule for covariant derivative of v^{a}
     deriv := \nabla_{a}{v^{b}} \rightarrow \partial_{a}{v^{b}} + \Gamma^{b}_{c} \ a} \ v^{c}.
     # create an expression
10
11
     foo := \ne {v^{b}}.
                                                    # cdb (ex-02.101,foo)
13
     # apply the rule, then simplify
14
15
                  (foo,deriv)
     substitute
                                                    # cdb (ex-02.102,foo)
16
                                                    # cdb (ex-02.103,foo)
     canonicalise (foo)
17
18
     checkpoint.append (foo)
```

$$\nabla_a v^b = \partial_a v^b + \Gamma^b{}_{ca} v^c$$

$$= \partial_a v^b + \Gamma^{bc}{}_a v_c$$
(ex-02.102)
$$= (ex-02.103)$$

Example 2 Covariant derivatives using "position=independent"

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # rule for covariant derivative of v^{a}
     deriv := \nabla_{a}{v^{b}} \rightarrow \partial_{a}{v^{b}} + \Gamma^{b}_{c} \ a} \ v^{c}.
     # create an expression
10
11
     foo := \\nabla_{a}{v^{b}}.
                                                     # cdb (ex-02.201,foo)
13
     # apply the rule, then simplify
14
15
     substitute
                  (foo,deriv)
                                                     # cdb (ex-02.202,foo)
16
                                                     # cdb (ex-02.203,foo)
     canonicalise (foo)
17
18
     checkpoint.append (foo)
```

$$\nabla_a v^b = \partial_a v^b + \Gamma^b{}_{ca} v^c$$

$$= \partial_a v^b + \Gamma^b{}_{ca} v^c$$
(ex-02.202)
$$= (ex-02.203)$$

Example 2 Covariant derivatives using generic rule for deriv

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices(position=independent).
     \nabla{#}::Derivative.
     \partial{#}::PartialDerivative.
     # template for covariant derivative of a vector
     deriv := \mathbb{A}^{a}_{A,^{b}} -> \operatorname{lal}_{a}^{A,^{b}} + \operatorname{lal}_{a}^{b}_{c} = A,^{c}.
     # create an expression
10
11
     foo := \frac{a}{u^{b}} + \frac{a}{v^{b}}. # cdb (ex-02.301,foo)
13
     # apply the rule, then simplify
14
15
     substitute
                   (foo,deriv)
                                                       # cdb (ex-02.302,foo)
16
     canonicalise (foo)
                                                       # cdb (ex-02.303,foo)
17
18
     checkpoint.append (foo)
```

$$\nabla_a u^b + \nabla_a v^b = \partial_a u^b + \Gamma^b{}_{ca} u^c + \partial_a v^b + \Gamma^b{}_{ca} v^c$$

$$= \partial_a u^b + \Gamma^b{}_{ca} u^c + \partial_a v^b + \Gamma^b{}_{ca} v^c$$
(ex-02.302)
$$(ex-02.303)$$

Example 3a The Riemann curvature tensor

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative.
     \Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2});
     ;::Symbol; # Suggsted by Kasper as a way to make use of; legal
                 # see https://cadabra.science/ga/473/is-this-legal-syntax
                 # this code works with and without this trick
10
     # rules for the first two covariant derivs of V^a
11
12
     deriv1 := V^{a}_{; b} -> \partial_{b}{V^{a}}
13
                                 + \Gamma^{a}_{c b} V^{c}. # cdb (ex-03.101,deriv1)
14
15
     deriv2 := V^{a}_{; b ; c} \rightarrow \operatorname{partial}_{c}_{V^{a}_{; b}}
16
                                  + \Gamma^{a}_{d c} V^{d}_{; b}
17
                                  - \Gamma^{d}_{b c} V^{a}_{; d}. # cdb (ex-03.102,deriv2)
18
19
     substitute (deriv2,deriv1)
                                                   # cdb (ex-03.103, deriv2)
20
21
     Vabc := V^{a}_{s}; b; c} - V^{a}_{s}; c; b}. # cdb (ex-03.104, Vabc)
22
23
     substitute (Vabc,deriv2)
                                                   # cdb (ex-03.105, Vabc)
25
     distribute
                     (Vabc)
                                                   # cdb (ex-03.106, Vabc)
26
                                                   # cdb (ex-03.107, Vabc)
     product_rule
                    (Vabc)
27
28
                    (Vabc)
                                                   # cdb (ex-03.108, Vabc)
     sort_product
                                                   # cdb (ex-03.109, Vabc)
     rename_dummies (Vabc)
                                                   # cdb (ex-03.110, Vabc)
     canonicalise
                    (Vabc)
31
32
                    (Vabc)
     sort_sum
                                                   # cdb (ex-03.111, Vabc)
33
                    (Vabc,$V^{a?}$)
     factor_out
                                                   # cdb (ex-03.112, Vabc)
34
35
     checkpoint.append (Vabc)
```

```
37
     # create rule for Riemann, export later (for use by lib/dgeom)
38
39
     substitute (Vabc,$V^{a} -> -1$)
                                                    # cdb (ex-03.113, Vabc)
40
                                                   # note use of -1 to get correct
41
                                                    # signs when coupled with the rule
42
                                                    # for Rabcd (next statement)
43
44
     Rabcd := R^{a}_{d} = R^{d} - Q(Vabc).
                                                   # cdb (ex-03.114, Rabcd) #
46
     foo := R^{a}_{b} c d.
                                                   # cdb (ex-03.115, foo)
47
     substitute (foo, Rabcd)
                                                   # cdb (ex-03.116, foo)
48
49
     # update rule to use nice indices
51
     Rabcd := R^{a}_{b c d} -> 0(foo).
52
53
     checkpoint.append (Rabcd)
```

$$V^a_{\;;b} \rightarrow \partial_b V^a + \Gamma^a_{\;cb} V^c$$
 (ex-03.101)

$$V^{a}_{;b;c} \to \partial_{c} V^{a}_{;b} + \Gamma^{a}_{dc} V^{d}_{;b} - \Gamma^{d}_{bc} V^{a}_{;d}$$
 (ex-03.102)

$$V^{a}_{;b;c} \rightarrow \partial_{c} \left(\partial_{b} V^{a} + \Gamma^{a}_{db} V^{d} \right) + \Gamma^{a}_{dc} \left(\partial_{b} V^{d} + \Gamma^{d}_{eb} V^{e} \right) - \Gamma^{d}_{bc} \left(\partial_{d} V^{a} + \Gamma^{a}_{ed} V^{e} \right) \tag{ex-03.103}$$

$$\begin{split} V^a{}_{;b;c} - V^a{}_{;c;b} &= \partial_c \left(\partial_b V^a + \Gamma^a{}_{db} V^d \right) + \Gamma^a{}_{dc} \left(\partial_b V^d + \Gamma^d{}_{eb} V^e \right) - \Gamma^d{}_{bc} \left(\partial_d V^a + \Gamma^a{}_{ed} V^e \right) - \partial_b \left(\partial_c V^a + \Gamma^a{}_{dc} V^d \right) - \Gamma^a{}_{db} \left(\partial_c V^d + \Gamma^d{}_{ec} V^e \right) \\ &\quad + \Gamma^d{}_{cb} \left(\partial_d V^a + \Gamma^a{}_{ed} V^e \right) \\ &= \partial_{cb} V^a + \partial_c \left(\Gamma^a{}_{db} V^d \right) + \Gamma^a{}_{dc} \partial_b V^d + \Gamma^a{}_{dc} \Gamma^d{}_{eb} V^e - \Gamma^d{}_{bc} \partial_d V^a - \Gamma^d{}_{bc} \Gamma^a{}_{ed} V^e - \partial_{bc} V^a - \partial_b \left(\Gamma^a{}_{dc} V^d \right) - \Gamma^a{}_{db} \partial_c V^d - \Gamma^a{}_{db} \Gamma^d{}_{ec} V^e \\ &\quad + \Gamma^d{}_{cb} \partial_d V^a + \Gamma^d{}_{cb} \Gamma^a{}_{ed} V^e \\ &\quad + \Gamma^d{}_{cb} \partial_d V^a + \Gamma^a{}_{cb} \Gamma^a{}_{ed} V^e \\ &\quad = \partial_{cb} V^a + \partial_c \Gamma^a{}_{db} V^d + \Gamma^a{}_{dc} \Gamma^d{}_{eb} V^e - \Gamma^d{}_{bc} \partial_d V^a - \Gamma^d{}_{bc} \Gamma^a{}_{ed} V^e - \partial_b V^a - \partial_b \Gamma^a{}_{dc} V^d - \Gamma^a{}_{db} \Gamma^d{}_{ec} V^e + \Gamma^d{}_{cb} \partial_d V^a + \Gamma^d{}_{cb} \Gamma^a{}_{ed} V^e \\ &\quad = \partial_{cb} V^a + \partial_c \Gamma^a{}_{db} V^d + \Gamma^a{}_{dc} \Gamma^d{}_{eb} V^e - \Gamma^d{}_{bc} \partial_d V^a - \Gamma^d{}_{bc} \Gamma^a{}_{ed} V^e - \partial_{bc} V^a - \partial_b \Gamma^a{}_{dc} V^d - \Gamma^a{}_{db} \Gamma^d{}_{ec} V^e + \Gamma^d{}_{cb} \partial_d V^a + \Gamma^d{}_{cb} \Gamma^a{}_{ed} V^e \\ &\quad = \partial_{cb} V^a + V^d \partial_c \Gamma^a{}_{db} + V^e \Gamma^a{}_{dc} \Gamma^d{}_{eb} - \Gamma^d{}_{bc} \partial_d V^a - V^e \Gamma^a{}_{ed} \Gamma^d{}_{bc} - \partial_{bc} V^a - V^d \partial_b \Gamma^a{}_{dc} - V^e \Gamma^a{}_{db} \Gamma^d{}_{ec} V^e + \Gamma^d{}_{cb} \partial_d V^a + V^e \Gamma^a{}_{ed} \Gamma^d{}_{cb} \\ &\quad = \partial_{cb} V^a + V^d \partial_c \Gamma^a{}_{db} + V^d \Gamma^a{}_{ec} \Gamma^e{}_{db} - \Gamma^d{}_{bc} \partial_d V^a - V^d \Gamma^a{}_{de} \Gamma^e{}_{bc} - \partial_{bc} V^a - V^d \partial_b \Gamma^a{}_{dc} - V^e \Gamma^a{}_{db} \Gamma^d{}_{ec} V^e + \Gamma^d{}_{cb} \partial_d V^a + V^d \Gamma^a{}_{ec} \Gamma^e{}_{cb} \\ &\quad = \partial_{cb} V^a + V^d \partial_c \Gamma^a{}_{db} + V^d \Gamma^a{}_{ec} \Gamma^e{}_{db} - \Gamma^d{}_{bc} \partial_d V^a - V^d \Gamma^a{}_{de} \Gamma^e{}_{bc} - \partial_{bc} V^a - V^d \partial_b \Gamma^a{}_{dc} - V^d \Gamma^a{}_{eb} \Gamma^e{}_{dc} + \Gamma^d{}_{cb} \partial_d V^a + V^d \Gamma^a{}_{de} \Gamma^e{}_{cb} \\ &\quad = V^d \partial_c \Gamma^a{}_{bc} - V^d \Gamma^a{}_{bc} \Gamma^e{}_{cd} + V^d \Gamma^a{}_{bc} \Gamma^e{}_{cd} + V^d \Gamma^a{}_{ce} \Gamma^e{}_{bd} \\ &\quad = V^d \partial_c \Gamma^a{}_{bc} - \partial_b \Gamma^a{}_{cd} - V^d \Gamma^a{}_{bc} \Gamma^e{}_{cd} + V^d \Gamma^a{}_{ce} \Gamma^e{}_{bd} \\ &\quad = V^d \partial_c \Gamma^a{}_{bc} - V^d \Gamma^a{}_{bc} \Gamma^e{}_{cd} - \Gamma^a{}_{bc} \Gamma^e{$$

$$R^{a}_{bcd} = -\partial_{d}\Gamma^{a}_{cb} + \partial_{c}\Gamma^{a}_{db} + \Gamma^{a}_{ce}\Gamma^{e}_{db} - \Gamma^{a}_{de}\Gamma^{e}_{cb}$$

Example 3b The Riemann curvature tensor

This differs from the above by not using the :: TableauSymmetry property. It gives the same results as above but it does require a little bit more housekeeping.

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     \partial{#}::PartialDerivative.
     ;::Symbol; # Suggsted by Kasper as a way to make use of; legal
                 # see https://cadabra.science/ga/473/is-this-legal-syntax
                 # this code works with and without this trick
     # rules for the first two covariant derivs of V^a
10
     deriv1 := V^{a}_{; b} \rightarrow \operatorname{partial}_{b}\{V^{a}\}
11
                                 + \Gamma^{a}_{c b} V^{c}. # cdb (ex-03.301,deriv1)
12
13
     deriv2 := V^{a}_{; b ; c} -> \partial_{c}{V^{a}_{; b}}
14
                                  + \Gamma^{a}_{d c} V^{d}_{; b}
15
                                  - \Gamma^{d}_{b c} V^{a}_{; d}. # cdb (ex-03.302,deriv2)
16
17
     substitute (deriv2,deriv1)
                                                    # cdb (ex-03.303, deriv2)
18
19
     Vabc := V^{a}_{; b ; c} - V^{a}_{; c ; b}. # cdb (ex-03.304, Vabc)
20
21
     substitute (Vabc,deriv2)
                                                    # cdb (ex-03.305, Vabc)
23
     distribute
                     (Vabc)
                                                    # cdb (ex-03.306, Vabc)
24
     product_rule (Vabc)
                                                    # cdb (ex-03.307, Vabc)
^{25}
26
27
     # trick to obtain a symmetric connection
28
29
     G_{a b}::Symmetric.
30
31
                    (Vabc, \Gamma^{a}_{b} c) -> G^{a} G_{b} c)
     substitute
32
     sort_product (Vabc)
                                                    # cdb (ex-03.308, Vabc)
```

```
rename_dummies (Vabc)
                                                     # cdb (ex-03.309, Vabc)
     canonicalise
                     (Vabc)
                                                     # cdb (ex-03.310, Vabc)
                     (Vabc, G^{a} G_{b} c) \rightarrow Gamma^{a}_{b} c}, repeat=True)
     substitute
37
38
     sort_product
                     (Vabc)
39
     rename_dummies (Vabc)
     canonicalise
                     (Vabc)
41
42
                     (Vabc)
                                                     # cdb (ex-03.311, Vabc)
     sort_sum
43
                     (Vabc,$V^{a?}$)
                                                     # cdb (ex-03.312, Vabc)
     factor_out
44
45
     checkpoint.append (Vabc)
```

$$V^a_{:b} \rightarrow \partial_b V^a + \Gamma^a_{cb} V^c$$
 (ex-03.301)

$$V^{a}{}_{;b;c} \rightarrow \partial_{c}V^{a}{}_{;b} + \Gamma^{a}{}_{dc}V^{d}{}_{;b} - \Gamma^{d}{}_{bc}V^{a}{}_{;d}$$
 (ex-03.302)

$$V^{a}_{;b;c} \rightarrow \partial_{c} \left(\partial_{b} V^{a} + \Gamma^{a}_{\ db} V^{d} \right) + \Gamma^{a}_{\ dc} \left(\partial_{b} V^{d} + \Gamma^{d}_{\ eb} V^{e} \right) - \Gamma^{d}_{\ bc} \left(\partial_{d} V^{a} + \Gamma^{a}_{\ ed} V^{e} \right) \tag{ex-03.303}$$

$$\begin{split} V^{a}{}_{;b;c} - V^{a}{}_{;c;b} &= \partial_{c} \left(\partial_{b} V^{a} + \Gamma^{a}{}_{db} V^{d} \right) + \Gamma^{a}{}_{dc} \left(\partial_{b} V^{d} + \Gamma^{d}{}_{eb} V^{e} \right) - \Gamma^{d}{}_{bc} \left(\partial_{d} V^{a} + \Gamma^{a}{}_{ed} V^{e} \right) - \partial_{b} \left(\partial_{c} V^{a} + \Gamma^{a}{}_{dc} V^{d} \right) - \Gamma^{a}{}_{db} \left(\partial_{c} V^{d} + \Gamma^{d}{}_{ec} V^{e} \right) \\ &\quad + \Gamma^{d}{}_{cb} \left(\partial_{d} V^{a} + \Gamma^{a}{}_{ed} V^{e} \right) + \Gamma^{a}{}_{dc} \partial_{b} V^{d} + \Gamma^{a}{}_{dc} \Gamma^{d}{}_{eb} V^{e} - \Gamma^{d}{}_{bc} \partial_{d} V^{a} - \Gamma^{d}{}_{bc} \Gamma^{a}{}_{ed} V^{e} - \partial_{bc} V^{a} - \partial_{b} \left(\Gamma^{a}{}_{dc} V^{d} \right) - \Gamma^{a}{}_{db} \partial_{c} V^{d} - \Gamma^{a}{}_{db} \Gamma^{d}{}_{ec} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{d}{}_{eb} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} - \Gamma^{d}{}_{dc} \Gamma^{d}{}_{eb} V^{e} - \Gamma^{d}{}_{bc} \partial_{d} V^{a} - \Gamma^{d}{}_{bc} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{ed} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{cd} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{a}{}_{cd} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} + \Gamma^{d}{}_{cb} \Gamma^{d}{}_{cd} V^{e} \\ &\quad + \Gamma^{d}{}_{cb} \partial_{d} V^{a} - \Gamma^{d}{}_{cb} \Gamma^{d}{}_{cd} V^{e} \\ &\quad + \Gamma^{d}{}_{$$

Example 4 Python functions

```
{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices.
     def truncate (poly,n):
         # define the weight and give it a label
         x^{a}::Weight(label=\epsilon).
         # start with an empty espression
         ans = Ex("0")
10
         # loop over selected terms in the source
11
         for i in range (0,n+1):
12
13
            foo := Q(poly).
            bah = Ex("\epsilon = " + str(i))
15
16
            # extract a single term
17
            keep_weight (foo, bah)
18
19
            # update the running sum
            ans = ans + foo
21
22
         # all done, return final answer
23
         return ans
24
25
     Quartic := c^{a}
26
             + c^{a}_{b} x^b
27
              + c^{a}_{b} c x^b x^c
28
              + c^{a}_{b} c d x^b x^c x^d
29
              + c^{a}_{b c d e} x^b x^c x^d x^e. # cdb (ex-04.100, Quartic)
30
31
     Cubic = truncate (Quartic,3)
                                                    # cdb (ex-04.101, Cubic)
32
33
     checkpoint.append (Cubic)
```

$$p(x) = c^{a} + c^{a}{}_{b}x^{b} + c^{a}{}_{bc}x^{b}x^{c} + c^{a}{}_{bcd}x^{b}x^{c}x^{d} + c^{a}{}_{bcde}x^{b}x^{c}x^{d}x^{e}$$

$$q(x) = c^{a} + c^{a}{}_{b}x^{b} + c^{a}{}_{bc}x^{b}x^{c} + c^{a}{}_{bcd}x^{b}x^{c}x^{d}$$

$$(ex-04.101)$$

Example 5a Keeping focused

```
{a,b,c,d,e,f,h,i,j,k,l,m,n,o,p,q,r,s,t,u#}::Indices.

expr := A_{a} v^{a} + B_{a} v^{a} + C_{a} v^{a}. # cdb (ex-05.100,expr)

zoom (expr,$B_{a} Q??$) # cdb (ex-05.101,expr)

substitute (expr, $v^{a} -> w^{a}$) # cdb (ex-05.102,expr)

unzoom (expr) # cdb (ex-05.103,expr)

checkpoint.append (expr)
```

$$A_a v^a + B_a v^a + C_a v^a = \dots + B_a v^a + \dots$$
 (ex-05.101)
= $\dots + B_a w^a + \dots$ (ex-05.102)
= $A_a v^a + B_a w^a + C_a v^a$ (ex-05.103)

Example 5b Tags

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices(position=independent).
     def add_tags (obj,tag):
        n = 0
        ans = Ex('0')
       for i in obj.top().terms():
          foo = obj[i]
           bah = Ex(tag+'_{i}'+str(n)+')'
           ans := @(ans) + @(bah) @(foo).
           n = n + 1
10
        return ans
11
12
     def clear_tags (obj,tag):
13
        ans := @(obj).
14
       foo = Ex(tag+'_{a?} -> 1')
15
        substitute (ans,foo)
16
        return ans
17
18
     expr := 2 V_{p q} - 3 V_{q p}.
                                                        # cdb (ex-05.200,expr)
19
20
     expr = add_tags (expr,'\\mu')
                                                        # cdb (ex-05.201,expr)
21
22
                (expr, $\mu_{1} Q??$)
                                                        # cdb (ex-05.202,expr)
     zoom
     substitute (expr, $V_{a b} -> - V_{b a}$)
                                                        # cdb (ex-05.203,expr)
                                                        # cdb (ex-05.204,expr)
                (expr)
     unzoom
26
     expr = clear_tags (expr, '\\mu')
                                                        # cdb (ex-05.205,expr)
27
28
     checkpoint.append (expr)
```

$$\begin{array}{lll} 2V_{pq} - 3V_{qp} &= 2\mu_0 V_{pq} - 3\mu_1 V_{qp} & (\text{ex-05.201}) \\ &= \ldots - 3\mu_1 V_{qp} & (\text{ex-05.202}) \\ &= \ldots + 3\mu_1 V_{pq} & (\text{ex-05.203}) \\ &= 2\mu_0 V_{pq} + 3\mu_1 V_{pq} & (\text{ex-05.204}) \\ &= 5V_{pq} & (\text{ex-05.205}) \end{array}$$

Example 6-01 Evaluating components

```
{\theta, \varphi}::Coordinate.
{a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).

partial{#}::PartialDerivative.

V := { V_{\theta} = \varphi, V_{\varphi} = \sin(\theta) }. # cdb(ex-06.100,V)
dV := \partial_{b}{V_{a}} - \partial_{a}{V_{b}}. # cdb(ex-06.101,dV)

evaluate (dV, V) # cdb(ex-06.102,dV)
```

$$V_a = [V_\theta = \varphi, \ V_\varphi = \sin \theta] \tag{ex-06.100}$$

$$\partial_b V_a - \partial_a V_b = \Box_{ab} \begin{cases} \Box_{\varphi\theta} = \cos \theta - 1 \\ \Box_{\theta\varphi} = -\cos \theta + 1 \end{cases}$$
 (ex-06.102)

Example 6-02 Ricci tensor of a 2-sphere

```
{\theta, \varphi}::Coordinate.
    {a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).
    \partial{#}::PartialDerivative.
    Gamma := Gamma^{a}_{f g} \rightarrow 1/2 g^{a b} ( partial_{g}_{g_b f})
                                             + \partial_{f}{g_{b g}}
                                              - \partial_{b}{g_{f g}} ).
9
    10
                             - \partial_{g}{\Gamma^{d}_{e f}}
11
                             + \Gamma^{d}_{b f} \Gamma^{b}_{e g}
12
                             - \Gamma^{d}_{b}_{e f}.
13
14
    Rab := R_{a b} -> R^{c}_{a c b}.
15
16
    gab := { g_{\text{theta}} = r**2,
17
             g_{\text{varphi}} = r**2 \sin(\theta)**2 . # cdb(ex-06.201,gab)
18
19
    iab := { g^{\star} + theta\theta} = 1/r**2,
20
             g^{\tilde{s}}(\tilde{s}) = 1/(r**2 \tilde{s}) . # cdb(ex-06.202, iab)
21
22
    substitute (Rabcd, Gamma)
     substitute (Rab, Rabcd)
25
               (Gamma, gab+iab, rhsonly=True)
                                                             # cdb(ex-06.203, Gamma)
    evaluate
    evaluate
               (Rabcd, gab+iab, rhsonly=True)
                                                             # cdb(ex-06.204, Rabcd)
27
                      gab+iab, rhsonly=True)
                                                             # cdb(ex-06.205, Rab)
               (Rab,
     evaluate
28
29
    Riem := R^{d}_{g}.
    substitute (Riem, Rabcd)
31
    evaluate (Riem, gab+iab)
                                                             # cdb(ex-06.206, Riem)
32
33
    expr := R_{a b}.
34
    substitute (expr, Rab)
35
    evaluate (expr, gab+iab)
```

```
37
     # cdbBeg(print.ex-06.02)
38
     print ('Rab = ' + str(Rab.input_form())+'\n') # reveals Cadabra's internal structure for storing Rab
40
     print ('Rab[0] = ' + str(Rab[0]))
41
     print ('Rab[1] = ' + str(Rab[1])+'\n')
42
     print ('Rab[1][0] = ' + str(Rab[1][0]))
44
     print ('Rab[1][1] = ' + str(Rab[1][1]))
     print ('Rab[1][2] = ' + str(Rab[1][2])+'\n')
46
47
     print ('Rab[1][2][0] = ' + str(Rab[1][2][0]))
48
     print ('Rab[1][2][0][0] = ' + str(Rab[1][2][0][0]))
     print ('Rab[1][2][0][1] = ' + str(Rab[1][2][0][1]))
     # cdbEnd(print.ex-06.02)
```

$$\left[g_{\theta\theta} = r^2, \ g_{\varphi\varphi} = r^2(\sin\theta)^2\right] \tag{ex-06.201}$$

$$g^{\theta\theta} = r^{-2}, \ g^{\varphi\varphi} = (r^2(\sin\theta)^2)^{-1}$$
 (ex-06.202)

$$\Gamma^{a}{}_{fg} \to \Box_{fg}{}^{a} \begin{cases} \Box_{\varphi\theta}{}^{\varphi} = (\tan\theta)^{-1} \\ \Box_{\theta\varphi}{}^{\varphi} = (\tan\theta)^{-1} \\ \Box_{\varphi\varphi}{}^{\theta} = -\frac{1}{2}\sin(2\theta) \end{cases}$$
 (ex-06.203)

$$R^{d}_{efg} \to \Box_{eg}^{d}{}_{f} \begin{cases} \Box_{\varphi\varphi}^{\theta}{}_{\theta} = (\sin\theta)^{2} \\ \Box_{\theta\varphi}^{\varphi}{}_{\theta} = -1 \\ \Box_{\varphi\theta}^{\theta}{}_{\varphi} = -(\sin\theta)^{2} \\ \Box_{\theta\theta}^{\varphi}{}_{\varphi} = 1 \end{cases}$$
 (ex-06.204)

$$R_{ab} \to \Box_{ab} \begin{cases} \Box_{\varphi\varphi} = (\sin \theta)^2 \\ \Box_{\theta\theta} = 1 \end{cases}$$
 (ex-06.205)

$$\Box_{eg}^{d} \int_{f} \begin{bmatrix} \Box_{\varphi\varphi}^{\theta} \theta = (\sin \theta)^{2} \\ \Box_{\theta\varphi}^{\varphi} \theta = -1 \\ \Box_{\varphi\theta}^{\theta} \varphi = -(\sin \theta)^{2} \\ \Box_{\theta\theta}^{\varphi} \varphi = 1 \end{bmatrix}$$
(ex-06.206)

Example 6-03 Using *complete* to compute the inverse metric

This version uses complete to compute the inverse metric.

```
{\theta, \varphi}::Coordinate.
    {a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).
    \partial{#}::PartialDerivative.
    g^{a b}::InverseMetric. # essential when using complete (gab, $g^{a b}$)
    Gamma := Gamma^{a}_{f g} \rightarrow 1/2 g^{a b} ( partial_{g}_{g_b} f)
                                              + \partial_{f}{g_{b g}}
                                              - \partial_{b}{g_{f g}} ).
10
11
    12
                              - \partial_{g}{\Gamma^{d}_{e f}}
13
                              + \Gamma^{d}_{b f} \Gamma^{b}_{e g}
14
                              - \Gamma^{d}_{b g} \Gamma^{b}_{e f}.
15
16
    Rab := R_{a b} -> R^{c}_{a c b}.
17
18
    gab := \{ g_{\text{theta}} = r**2, 
19
             g_{\text{varphi}} = r**2 \cdot \sin(\theta)**2 .
                                                              # cdb(ex-06.301,gab)
20
    complete (gab, $g^{a b}$)
                                                              \# cdb(ex-06.302,gab)
22
23
    substitute (Rabcd, Gamma)
24
    substitute (Rab, Rabcd)
25
     evaluate
               (Gamma, gab, rhsonly=True)
                                                              # cdb(ex-06.303, Gamma)
27
               (Rabcd, gab, rhsonly=True)
                                                              # cdb(ex-06.304, Rabcd)
     evaluate
               (Rab, gab, rhsonly=True)
                                                              # cdb(ex-06.305, Rab)
     evaluate
29
30
    Riem := R^{d}_{g}.
31
    substitute (Riem, Rabcd)
                                                              # cdb(ex-06.306,Riem)
    evaluate (Riem, gab)
```

$$\left[g_{\theta\theta} = r^2, \ g_{\varphi\varphi} = r^2 (\sin\theta)^2\right] \tag{ex-06.301}$$

$$\left[g_{\theta\theta} = r^2, \ g_{\varphi\varphi} = r^2 (\sin \theta)^2, \ g^{\theta\theta} = r^{-2}, \ g^{\varphi\varphi} = \left(r^2 (\sin \theta)^2 \right)^{-1} \right] \tag{ex-06.302}$$

$$\Gamma^{a}{}_{fg} \to \Box_{fg}{}^{a} \begin{cases} \Box_{\varphi\theta}{}^{\varphi} = (\tan\theta)^{-1} \\ \Box_{\theta\varphi}{}^{\varphi} = (\tan\theta)^{-1} \\ \Box_{\varphi\varphi}{}^{\theta} = -\frac{1}{2}\sin(2\theta) \end{cases}$$
 (ex-06.303)

$$R^{d}_{efg} \to \Box_{eg}^{d}{}_{f} \begin{cases} \Box_{\varphi\varphi}^{\theta}{}_{\theta} = (\sin\theta)^{2} \\ \Box_{\theta\varphi}^{\varphi}{}_{\theta} = -1 \\ \Box_{\varphi\theta}^{\theta}{}_{\varphi} = -(\sin\theta)^{2} \\ \Box_{\theta\theta}^{\varphi}{}_{\varphi} = 1 \end{cases}$$
 (ex-06.304)

$$R_{ab} \to \Box_{ab} \begin{cases} \Box_{\varphi\varphi} = (\sin \theta)^2 \\ \Box_{\theta\theta} = 1 \end{cases}$$
 (ex-06.305)

$$\Box_{eg}^{d} f \begin{cases} \Box_{\varphi\varphi}^{\theta} = (\sin \theta)^{2} \\ \Box_{\theta\varphi}^{\varphi} = -1 \\ \Box_{\varphi\theta}^{\theta} = -(\sin \theta)^{2} \\ \Box_{\theta\theta}^{\varphi} = 1 \end{cases}$$
 (ex-06.306)

Example 6-04 Components by scalar projection

This example shows how one component of the metric tensor can be computed using a scalar projection.

```
{\theta, \varphi}::Coordinate.
    {a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).
    theta{#}::LaTeXForm{"\theta"}.
    varphi{#}::LaTeXForm{"\varphi"}.
    gab := { g_{\text{theta}} = r**2,
             g_{\text{varphi}} = r**2 \sin(\theta)**2 . # cdb(ex-06.400,gab)
    # obtain components by contracting with basis vectors
10
11
    basis := {theta^{\theta} = 1, varphi^{\varphi} = 1}.
12
13
    compt := g_{a b} varphi^{a} varphi^{b}.
                                                            # cdb(ex-06.401,compt)
14
15
    evaluate (compt,gab+basis)
                                                            # cdb(ex-06.402,compt)
16
17
    gphiphi = compt._sympy_()
18
19
    # cdbBeg(print.ex-06.04)
    print ('type compt = ' + str(type(compt)))  # shows that compt is a Cadabra object
    print ('type gphiphi = ' + str(type(gphiphi)))  # shows that gphiphi is a Python object
    print (' compt = ' + str(compt))
                                                  # will contain LaTeX markup
    print (' gphiphi = ' + str(gphiphi))
                                                    # will be pure Python/SymPy
    # cdbEnd(print.ex-06.04)
    checkpoint.append (compt)
```

$$g_{\varphi\varphi} = g_{ab}\varphi^a\varphi^b$$

$$= r^2(\sin\theta)^2$$
(ex-06.401)
$$= (\exp(-0.402))$$

```
type compt = <class 'cadabra2.Ex'>
type gphiphi = <class 'sympy.core.mul.Mul'>
compt = (r)**2 (\sin(\theta))**2
gphiphi = r**2*sin(theta)**2
```

Example 6-05 Components by selection

This example shows how one component of the metric tensor can be computed by indexing the result of a call to evaluate.

```
{\theta, \varphi}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).
     theta{#}::LaTeXForm{"\theta"}.
     varphi{#}::LaTeXForm{"\varphi"}.
     gab := { g_{\text{theta}} = r**2,
              g_{\text{varphi}} = r**2 \sin(\theta)**2 . # cdb(ex-06.500, gab)
     metric := g_{a} b}.
10
11
     evaluate (metric,gab)
12
13
     indcs = metric[2][1][0]
                                                               # cdb(ex-06.501,indcs)
     compt = metric[2][1][1]
                                                               # cdb(ex-06.502,compt)
15
16
     # cdbBeg(print.ex-06.05)
17
     print ('metric = ' + str(metric.input_form())+'\n') # reveals Cadabra's internal structure for storing metric
18
19
     print ('metric[0] = ' + str(metric[0]))
     print ('metric[1] = ' + str(metric[1]))
     print ('metric[2] = ' + str(metric[2])+'\n')
22
23
     print ('metric[2][1] = '+ str(metric[2][1]))
24
     print ('metric[2][1][0] = '+ str(metric[2][1][0]))
     print ('metric[2][1][1] = '+ str(metric[2][1][1]))
     # cdbEnd(print.ex-06.05)
27
28
     checkpoint.append (indcs)
29
     checkpoint.append (compt)
```

```
g_{\varphi\varphi} = g_{[\varphi, \varphi]} \qquad (ex-06.501)= r^2(\sin\theta)^2 \qquad (ex-06.502)
```

```
metric = \components_{a b}({{\theta, \theta} = (r)**2, {\varphi, \varphi} = (r)**2 (\sin(\theta))**2})

metric[0] = a
metric[1] = b
metric[2] = {{\theta, \theta} = (r)**2, {\varphi, \varphi} = (r)**2 (\sin(\theta))**2}

metric[2][1] = {\varphi, \varphi} = (r)**2 (\sin(\theta))**2
metric[2][1][0] = {\varphi, \varphi}
metric[2][1][1] = (r)**2 (\sin(\theta))**2
```

Example 7 Export to C-code

```
def write_code (obj,name,filename,rank):
        import os
       from sympy.printing.ccode import C99CodePrinter as printer
       from sympy.printing.codeprinter import Assignment
       idx=[] # indices in the form [\{x, x\}, \{x, y\} ...]
       lst=[] # corresponding terms [termxx, termxy, ...]
10
       for i in range( len(obj[rank]) ):
                                                           # rank = number of free indices
11
            idx.append( str(obj[rank][i][0]._sympy_()) ) # indices for this term
            lst.append( str(obj[rank][i][1]._sympy_()) ) # the matching term
13
14
       mat = sympy.Matrix([lst])
                                                           # row vector of terms
15
        sub_exprs, simplified_rhs = sympy.cse(mat)
                                                         # optimise code
16
17
        with open(os.getcwd() + '/' + filename, 'w') as out:
19
          for lhs, rhs in sub_exprs:
              out.write(printer().doprint(Assignment(lhs, rhs))+'\n')
21
22
          for index, rhs in enumerate (simplified_rhs[0]):
              lhs = sympy.Symbol(name+' '+(idx[index]).replace(', ',']['))
24
              out.write(printer().doprint(Assignment(lhs, rhs))+'\n')
```

```
{\theta, \varphi}::Coordinate.
     {a,b,c,d,e,f,g,h#}::Indices(values={\theta, \varphi}, position=independent).
     \partial{#}::PartialDerivative.
     g_{a b}::Metric.
     g^{a b}::InverseMetric.
     Gamma := Gamma^{a}_{f g} \rightarrow 1/2 g^{a b} ( partial_{g}_{g_b f})
                                                  + \partial_{f}{g_{b g}}
10
                                                  - \partial_{b}{g_{f g}} ).
11
12
     Rabcd := R^{d}_{e f g} \rightarrow \operatorname{partial}_{f}{\operatorname{Gamma}_{d}_{e g}}
13
                                - \partial_{g}{\Gamma^{d}_{e f}}
14
                                + \Gamma^{d}_{b f} \Gamma^{b}_{e g}
15
                                 - \Gamma^{d}_{b g} \Gamma^{b}_{e f}.
16
17
     Rab := R_{a b} -> R^{c}_{a c b}.
18
19
     gab := { g_{\text{theta}} \neq r**2,
20
              g_{\text{varphi}} = r**2 \sin(\theta)**2 . # cdb(ex-07.101,gab)
21
22
     complete (gab, $g^{a b}$)
                                                                 # cdb(ex-07.102,gab)
23
24
     substitute (Rabcd, Gamma)
     substitute (Rab, Rabcd)
26
27
                (Gamma, gab, rhsonly=True)
                                                                 # cdb(ex-07.103, Gamma)
     evaluate
28
                (Rabcd, gab, rhsonly=True)
                                                                 # cdb(ex-07.104, Rabcd)
     evaluate
                         gab, rhsonly=True)
                                                                 # cdb(ex-07.105,Rab)
     evaluate
                 (Rab,
31
     write_code (Gamma[1],'myGamma','example-07-gamma.c',3)
32
     write_code (Rabcd[1],'myRabcd','example-07-rabcd.c',4)
33
     write_code (Rab[1], 'myRab', 'example-07-rab.c',2)
```

$$\left[g_{\theta\theta} = r^2, \ g_{\varphi\varphi} = r^2 (\sin \theta)^2\right] \tag{ex-07.101}$$

$$\left[g_{\theta\theta} = r^2, \ g_{\varphi\varphi} = r^2 (\sin \theta)^2, \ g^{\theta\theta} = r^{-2}, \ g^{\varphi\varphi} = \left(r^2 (\sin \theta)^2 \right)^{-1} \right] \tag{ex-07.102}$$

$$\Gamma^{a}{}_{fg} \to \Box_{fg}{}^{a} \begin{cases} \Box_{\varphi\theta}{}^{\varphi} = (\tan\theta)^{-1} \\ \Box_{\theta\varphi}{}^{\varphi} = (\tan\theta)^{-1} \\ \Box_{\varphi\varphi}{}^{\theta} = -\frac{1}{2}\sin(2\theta) \end{cases}$$
 (ex-07.103)

$$R^{d}{}_{efg} \to \Box_{eg}{}^{d}{}_{f} \begin{cases} \Box_{\varphi\varphi}{}^{\theta}{}_{\theta} = (\sin\theta)^{2} \\ \Box_{\theta\varphi}{}^{\varphi}{}_{\theta} = -1 \\ \Box_{\varphi\theta}{}^{\theta}{}_{\varphi} = -(\sin\theta)^{2} \\ \Box_{\theta\theta}{}^{\varphi}{}_{\varphi} = 1 \end{cases}$$
(ex-07.104)

$$R_{ab} \to \Box_{ab} \begin{cases} \Box_{\varphi\varphi} = (\sin \theta)^2 \\ \Box_{\theta\theta} = 1 \end{cases}$$
 (ex-07.105)

Example 8 Importing and exporting Cadabra expressions

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#\}::Indices(position=independent).
     def create (file_name):
         import json, io, os, errno
         try:
             os.remove(file_name)
                                                  # delete the file if it exsists
             with open(file_name, 'w'): pass
                                                 # create an empty file
         except OSError as e:
                                                  # errno.ENOENT = no such file or directory
             if e.errno == errno.ENOENT:
10
                with open(file_name, 'w'): pass # create an empty file
11
             else:
12
                                                   # report an exception
                 raise
13
14
         # Create and save an empty dict
15
         data_out = {}
16
         with io.open(os.getcwd() + '/' + file_name, 'w', encoding='utf-8') as out_file:
17
             out_file.write(json.dumps(data_out,
18
                                        indent=2,
19
                                        sort_keys=True,
20
                                        separators=(',', ': '),
21
                                        ensure_ascii=False)+'\n')
22
23
     def put (key_name,object,file_name):
24
         import json, io, os
25
26
         # Read the current dict
27
         with io.open(os.getcwd() + '/' + file_name) as inp_file:
28
             data_out = json.load(inp_file)
29
30
         # Add a new entry to the dict
31
         data_out[key_name] = object.input_form()
32
33
         # Save the updated dict
34
         with io.open(os.getcwd() + '/' + file_name, 'w', encoding='utf-8') as out_file:
35
             out_file.write(json.dumps(data_out,
36
```

```
indent=2,
37
                                    sort_keys=True,
38
                                    separators=(',', ': '),
39
                                    ensure_ascii=False)+'\n')
40
41
    def get (key_name,file_name):
42
        import json, io, os
43
        # Read the current dict
45
        with io.open(os.getcwd() + '/' + file_name) as inp_file:
46
            data_inp = json.load(inp_file)
47
48
        # Return one entry from the dict
49
        return Ex (data_inp[key_name])
51
    lib_name = 'example-08.json'
52
53
    create (lib_name)
54
55
    \nabla{#}::Derivative.
57
    gab := g_{a} = 1/3 x^{c} x^{d} R_{a} c b d
58
                  - 1/6 x^{c} x^{d} x^{e} \lambda_{c}^{d}
                                                                                 # cdb (ex-08-02.101,gab)
59
60
    iab := g^{a} b + 1/3 x^{c} x^{d} g^{a} e g^{b} R_{c} e d f
61
                  63
    put ('g_ab',gab,lib_name)
64
    put ('g^ab',iab,lib_name)
65
66
                                                    # cdb (ex-08-02.103,foo)
    foo = get ('g_ab',lib_name)
67
    bah = get ('g^ab',lib_name)
                                                    # cdb (ex-08-02.104,bah)
69
    tmp := @(gab) - @(foo).
                                                    \# cdb (ex-08-02.105,tmp)
70
    tmp := @(iab) - @(bah).
                                                    \# cdb (ex-08-02.106,tmp)
```

$$g_{ab}(x) = g_{ab} - \frac{1}{3}x^c x^d R_{acbd} - \frac{1}{6}x^c x^d x^e \nabla_c R_{adbe}$$
 (ex-08-02.101)

$$g^{ab}(x) = g^{ab} + \frac{1}{3}x^c x^d g^{ae} g^{bf} R_{cedf} + \frac{1}{6}x^c x^d x^e g^{af} g^{bg} \nabla_c R_{dfeg}$$
 (ex-08-02.102)

$$\bar{g}_{ab}(x) = g_{ab} - \frac{1}{3}x^c x^d R_{acbd} - \frac{1}{6}x^c x^d x^e \nabla_c R_{adbe}$$
 (ex-08-02.103)

$$\bar{g}^{ab}(x) = g^{ab} + \frac{1}{3}x^c x^d g^{ae} g^{bf} R_{cedf} + \frac{1}{6}x^c x^d x^e g^{af} g^{bg} \nabla_c R_{dfeg} \tag{ex-08-02.104}$$

$$g_{ab}(x) - \bar{g}_{ab}(x) = 0 \tag{ex-08-02.105}$$

$$g^{ab}(x) - \bar{g}^{ab}(x) = 0 \tag{ex-08-02.106}$$

Example 9 The Gauss equation

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices(position=independent).
    \nabla{#}::Derivative.
    K_{a b}::Symmetric.
    g^{a}_{b}::KroneckerDelta.
    # define the projection operator
    hab:=h^{a}_{b} -> g^{a}_{b} - n^{a} n_{b}.
10
11
    # 3-covariant derivative obtained by projection on 4-covariant derivative
12
13
    vpq:=v_{p q} \rightarrow h^{a}_{p} h^{b}_{q} \nabla_{b}{v_{a}}.
14
15
    # compute 3-curvature by commutation of covariant derivatives
16
17
     vpqr:= h^{a}_{p} h^{b}_{q} h^{c}_{r} ( \lambda_{c}^{c}_{v} - \lambda_{b}) - \lambda_{c}^{c}_{v}. 
19
    substitute (vpq,hab)
    substitute (vpqr,vpq)
21
    distribute (vpqr)
    product_rule (vpqr)
    distribute (vpqr)
    eliminate_kronecker (vpqr)
26
27
    # standard substitutions
28
29
    substitute (vpqr,$h^{a}_{b} n^{b} -> 0$)
    substitute (vpqr,h^{a}_{a} = 0  n_{a} -> 0$)
31
    substitute (vpqr,\alpha_{a}^{g^{b}_{c}} -> 0)
32
    33
    substitute (vpqr,h^{p}_{a} h^{q}_{b} \quad (p_{q}) -> K_{a b})
    substitute (vpqr,h^{p}_{a} h^{q}_{b} \ nabla_{p}{n^{b}} -> K_{a}^{q}$) # cdb(ex-09.095, vpqr)
```

```
37
                                 # tidy up
39
                                 \{v_{a}, h^{a}_{b}, K_{a}^{b}, K
40
41
                                                                                                                                                                                                                                                                                                                                                                                                                                     # cdb(ex-09.096, vpqr)
                                 sort_product
                                                                                                                                       (vpqr)
42
                                                                                                                                                                                                                                                                                                                                                                                                                                     # cdb(ex-09.097, vpqr)
                                 rename_dummies (vpqr)
                                                                                                                                       (vpqr)
                                                                                                                                                                                                                                                                                                                                                                                                                                     # cdb(ex-09.098, vpqr)
                                  canonicalise
                                                                                                                                      (vpqr,$h^{a?}_{b?}$)
                                                                                                                                                                                                                                                                                                                                                                                                                                    # cdb(ex-09.099, vpgr)
                                 factor_out
                                                                                                                                       (vpqr,$v_{a?}$)
                                                                                                                                                                                                                                                                                                                                                                                                                                     # cdb(ex-09.101, vpqr)
                                 factor_out
46
47
                                 checkpoint.append (vpqr)
```

$$(D_{r}D_{q} - D_{q}D_{r})v_{p} = h^{e}_{\ p}h^{d}_{\ q}h^{c}_{\ r}\nabla_{c}\left(\nabla_{d}v_{e}\right) - h^{e}_{\ p}K_{rq}n^{d}\nabla_{d}v_{e} + K_{q}{}^{b}K_{rp}v_{b} - h^{d}_{\ p}h^{b}_{\ q}h^{e}_{\ r}\nabla_{b}\left(\nabla_{e}v_{d}\right) + h^{d}_{\ p}K_{qr}n^{e}\nabla_{e}v_{d} - K_{qp}K_{r}{}^{c}v_{c}$$

$$= h^{c}_{\ r}h^{d}_{\ q}h^{e}_{\ p}\nabla_{c}\left(\nabla_{d}v_{e}\right) - h^{e}_{\ p}K_{rq}\nabla_{d}v_{e}n^{d} + v_{b}K_{q}{}^{b}K_{rp} - h^{b}_{\ q}h^{d}_{\ p}h^{e}_{\ r}\nabla_{b}\left(\nabla_{e}v_{d}\right) + h^{d}_{\ p}K_{qr}\nabla_{e}v_{d}n^{e} - v_{c}K_{r}{}^{c}K_{qp}$$

$$= h^{a}_{\ r}h^{b}_{\ q}h^{c}_{\ p}\nabla_{a}\left(\nabla_{b}v_{c}\right) - h^{b}_{\ p}K_{rq}\nabla_{a}v_{b}n^{a} + v_{a}K_{q}{}^{a}K_{rp} - h^{a}_{\ q}h^{c}_{\ p}h^{b}_{\ r}\nabla_{a}\left(\nabla_{b}v_{c}\right) + h^{b}_{\ p}K_{qr}\nabla_{a}v_{b}n^{a} - v_{a}K_{r}{}^{a}K_{qp}$$

$$= h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}\nabla_{c}\left(\nabla_{b}v_{a}\right) + v_{a}K_{q}{}^{a}K_{pr} - h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}\nabla_{b}\left(\nabla_{c}v_{a}\right) - v_{a}K_{r}{}^{a}K_{pq}$$

$$= v_{a}K_{q}{}^{a}K_{pr} - v_{a}K_{r}{}^{a}K_{pq} + h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}\left(\nabla_{c}\left(\nabla_{b}v_{a}\right) - \nabla_{b}\left(\nabla_{c}v_{a}\right)\right)$$

$$= h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}\left(\nabla_{c}\left(\nabla_{b}v_{a}\right) - \nabla_{b}\left(\nabla_{c}v_{a}\right)\right) + v_{a}\left(K_{q}{}^{a}K_{pr} - K_{r}{}^{a}K_{pq}\right)$$

$$= h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}\left(\nabla_{c}\left(\nabla_{b}v_{a}\right) - \nabla_{b}\left(\nabla_{c}v_{a}\right)\right) + v_{a}\left(K_{q}{}^{a}K_{pr} - K_{r}{}^{a}K_{pq}\right)$$

$$= h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}\left(\nabla_{c}\left(\nabla_{b}v_{a}\right) - \nabla_{b}\left(\nabla_{c}v_{a}\right)\right) + v_{a}\left(K_{q}{}^{a}K_{pr} - K_{r}{}^{a}K_{pq}\right)$$

$$= h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}\left(\nabla_{c}\left(\nabla_{b}v_{a}\right) - \nabla_{b}\left(\nabla_{c}v_{a}\right)\right) + v_{a}\left(K_{q}{}^{a}K_{pr} - K_{r}{}^{a}K_{pq}\right)$$

$$= h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}\left(\nabla_{c}\left(\nabla_{b}v_{a}\right) - \nabla_{b}\left(\nabla_{c}v_{a}\right)\right) + v_{a}\left(K_{q}{}^{a}K_{pr} - K_{r}{}^{a}K_{pq}\right)$$

```
R{#}::LaTeXForm("{{\strut}^g R}").
     gRabcd := \\nabla_{c}\\nabla_{b}{v_{a}}
              -\nabla_{b}{\nabla_{c}_{v_{a}}} - R^{d}_{a b c} v_{d}.
     substitute
                     (vpqr,gRabcd)
                                                                  # cdb(ex-09.102, vpqr)
                                                                  # cdb(ex-09.103, vpqr)
     distribute
                     (vpqr)
                     (vpqr, v_{a} -> h^{b}_{a} v_{b})
                                                                  # cdb(ex-09.104, vpqr)
     substitute
                     (vpqr, h^{b}_{a} K_{c}^{a} -> K_{c}^{b})
     substitute
                                                                  # cdb(ex-09.105, vpqr)
     sort_product
                                                                  # cdb(ex-09.106, vpqr)
                     (vpqr)
10
     rename_dummies (vpqr)
                                                                  # cdb(ex-09.107, vpqr)
11
                                                                  # cdb(ex-09.108, vpqr)
     canonicalise
                     (vpqr)
                     (vpqr,$v_{a?}$)
                                                                  # cdb(ex-09.109, vpqr)
     factor_out
13
                     (vpqr, v_{a}->1)
                                                                  # cdb(ex-09.110, vpqr)
     substitute
14
                                                                  # cdb(ex-09.111, vpgr)
     sort_product
                     (vpqr)
15
16
     checkpoint.append (vpqr)
17
```

$$(D_{r}D_{q} - D_{q}D_{r})v_{p} = h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r} (\nabla_{c} (\nabla_{b}v_{a}) - \nabla_{b} (\nabla_{c}v_{a})) + v_{a} (K_{q}^{\ a}K_{pr} - K_{r}^{\ a}K_{pq})$$

$$= h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}^{\ g}R^{d}_{\ abc}v_{d} + v_{a} (K_{q}^{\ a}K_{pr} - K_{r}^{\ a}K_{pq})$$

$$= h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}^{\ g}R^{d}_{\ abc}v_{d} + v_{a}K_{q}^{\ a}K_{pr} - V_{a}K_{r}^{\ a}K_{pq}$$

$$= h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}^{\ g}R^{d}_{\ abc}h^{e}_{\ d}v_{e} + h^{b}_{\ a}v_{b}K_{q}^{\ a}K_{pr} - h^{b}_{\ a}v_{b}K_{r}^{\ a}K_{pq}$$

$$= h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}^{\ g}R^{d}_{\ abc}h^{e}_{\ d}v_{e} + h^{b}_{\ a}v_{b}K_{q}^{\ a}K_{pr} - h^{b}_{\ a}v_{b}K_{r}^{\ a}K_{pq}$$

$$= h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}^{\ g}R^{d}_{\ abc}h^{e}_{\ d}v_{e} + K_{q}^{\ b}v_{b}K_{pr} - K_{r}^{\ b}v_{b}K_{pq}$$

$$= v_{e}h^{a}_{\ p}h^{b}_{\ q}h^{c}_{\ r}h^{e}_{\ d}^{\ g}R^{d}_{\ abc} + v_{b}K_{q}^{\ b}K_{pr} - v_{b}K_{r}^{\ b}K_{pq}$$

$$= v_{e}h^{b}_{\ p}h^{c}_{\ q}h^{d}_{\ r}h^{e}_{\ e}^{\ g}R^{a}_{\ bcd} + v_{a}K_{q}^{\ a}K_{pr} - v_{a}K_{r}^{\ a}K_{pq}$$

$$= v_{a}h^{b}_{\ p}h^{c}_{\ q}h^{d}_{\ r}h^{a}_{\ e}^{\ g}R^{e}_{\ bcd} + v_{a}K_{q}^{\ a}K_{pr} - v_{a}K_{r}^{\ a}K_{pq}$$

$$= v_{a}(h^{b}_{\ p}h^{c}_{\ q}h^{d}_{\ r}h^{a}_{\ e}^{\ g}R^{e}_{\ bcd} + K_{q}^{\ a}K_{pr} - K_{r}^{\ a}K_{pq}$$

$$= v_{a}(h^{b}_{\ p}h^{c}_{\ q}h^{d}_{\ r}h^{a}_{\ e}^{\ g}R^{e}_{\ bcd} + K_{q}^{\ a}K_{pr} - K_{r}^{\ a}K_{pq}$$

$$= v_{a}(h^{b}_{\ p}h^{c}_{\ q}h^{d}_{\ r}h^{a}_{\ e}^{\ g}R^{e}_{\ bcd} + K_{q}^{\ a}K_{pr} - K_{r}^{\ a}K_{pq}$$

$$= v_{a}(h^{b}_{\ p}h^{c}_{\ q}h^{d}_{\ r}h^{a}_{\ e}^{\ g}R^{e}_{\ bcd} + K_{q}^{\ a}K_{pr} - K_{r}^{\ a}K_{pq}$$

$$= v_{a}(h^{b}_{\ p}h^{c}_{\ q}h^{d}_{\ r}h^{a}_{\ e}^{\ g}R^{e}_{\ bcd} + K_{q}^{\ a}K_{pr} - K_{r}^{\ a}K_{pq}$$

$$= v_{a}(h^{b}_{\ p}h^{c}_{\ q}h^{d}_{\ r}h^{a}_{\ e}^{\ g}R^{e}_{\ bcd} + K_{q}^{\ a}K_{pr} - K_{r}^{\ a}K_{pq}$$

$$= v_{a}(h^{b}_{\ p}h^{c}_{\ q}h^{d}_{\ r}h^{a}_{\ e}^{\ g}R^{e}_{\ bcd} + K_{q}^{\ a}K_{pr} - K_{r}^{\ a}K_{pq}$$

$$= v_{a}(h^{b}_{\ p}h^{c}_{\ r}h^{a}_{\ r}h^{a}_{\$$

(ex-09.111)

 ${}^{h}R^{a}_{par} = h^{a}_{e}h^{b}_{p}h^{c}_{a}h^{d}_{r}{}^{g}R^{e}_{pcd} + K_{a}{}^{a}K_{pr} - K_{r}{}^{a}K_{pa}$

Example 10 The determinant of the metric

Our game here is to compute (the leading terms) in $\det g$ of the metric in RNC form

$$g_{ab}(x) = g_{ab} - \frac{1}{3}x^{c}x^{d}R_{acbd} - \frac{1}{6}x^{c}x^{d}x^{e}\nabla_{c}R_{adbe} + \frac{1}{180}x^{c}x^{d}x^{e}x^{f}\left(8g^{gh}R_{acdg}R_{befh} - 9\nabla_{cd}R_{aebf}\right) + \cdots$$

For the sake of simplicity let's assume that we are working in 3-dimensions. The following analysis is easily generalised to other dimensions (and the final answers for $\det g$ and friends are unchanged).

Define ϵ_{ijk}^{abc} by

$$\epsilon_{ijk}^{abc} = \delta_i^a \delta_j^b \delta_k^c - \delta_i^b \delta_j^a \delta_k^c + \delta_i^c \delta_j^a \delta_k^b - \delta_i^c \delta_j^b \delta_k^a + \delta_i^b \delta_j^c \delta_k^a - \delta_i^a \delta_j^c \delta_k^b \tag{1}$$

It is easy to see that ϵ_{ijk}^{abc} is anti-symmetric in both its upper and lower indices. A trivial computation shows that for any 3×3 square matrix M_{ab} ,

$$\epsilon_{123}^{abc} M_{1a} M_{2b} M_{3c} = \left(\delta_1^a \delta_2^b \delta_3^c - \delta_1^b \delta_2^a \delta_3^c + \delta_1^c \delta_2^a \delta_3^b - \delta_1^c \delta_2^b \delta_3^a + \delta_1^b \delta_2^c \delta_3^a - \delta_1^a \delta_2^c \delta_3^b \right) M_{1a} M_{2b} M_{3c} = \det M \tag{2}$$

This can be easily generalised to

$$\epsilon_{ijk}^{abc} M_{pa} M_{qb} M_{rc} = \begin{cases} \pm \det M & \text{when } (ijk) \text{ and } (pqr) \text{ are permutations of } (123) \\ 0 & \text{otherwise} \end{cases}$$
 (3)

The \pm sign in the above depends on the particular permutations of (ijk) and (pqr). If both permutations are even or both odd then the sign is +1 otherwise the sign is -1. The same arguments can also be applied to a matrix inverse N^{-1} leading to

$$\epsilon_{uvw}^{ijk} N^{pu} N^{qv} M^{rw} = \begin{cases} \pm \det N^{-1} & \text{when } (ijk) \text{ and } (pqr) \text{ are permutations of } (123) \\ 0 & \text{otherwise} \end{cases}$$
(4)

Note that the \pm in this case will match exactly that for the case of det M. Thus, multiplying both expressions and summing over all choices for (ijk) and (pqr) leads to

$$\sum_{\substack{(ijk)\\(pqr)}} \left(\det N^{-1}\right) \det M = \epsilon_{uvw}^{ijk} N^{pu} N^{qv} M^{rw} \epsilon_{ijk}^{abc} M_{pa} M_{qb} M_{rc}$$

$$\tag{5}$$

where the sum on the left hand side includes just those (ijk) and (prq) that are permutations of (123). There are 3! choices for (ijk) and 3! choices for (pqr) and thus the left hand side is easily reduced to $(3!)^2 \det M/\det N$ where $\det N = 1/\det(N^{-1})$. For the right hand side notice that

$$\epsilon_{uvw}^{ijk}\epsilon_{ijk}^{abc} = 3! \,\epsilon_{uvw}^{abc} \tag{6}$$

which leads to

$$\det M = \frac{1}{3!} \det N \epsilon_{uvw}^{abc} M_{pa} M_{qb} M_{rc} N^{pu} N^{qv} N^{rw}$$

$$\tag{7}$$

For our RNC metric we will set $N^{ab} = g^{ab}$ and $M_{ij} = g_{ij}(x)$. Since g^{ab} is of the form diag(-1, 1, 1, 1) we have det g = -1 and thus

$$\det g(x) = -\frac{1}{3!} \epsilon_{ijk}^{abc} g_{pa}(x) g_{qb}(x) g_{rc}(x) g^{ip} g^{jq} g^{kr}$$
(8)

The ϵ_{ijk}^{abc} can be constructed in Cadabra by applying the asym algorithm to the upper indices of $\delta_i^a \delta_j^b \delta_k^c$. Note that asym will include the 1/3! coeffcient as part of its output.

The following code computes $-\det g$ rather than $\det g$.

Note that Calzetta et al. use an opposite sign for R_{abcd} so when comparing the following results against Calzetta do take note of this flipped sign in R_{abcd} .

The determinant of the metric

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Indices(position=independent).
     {a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u\#}::Integer(1..3).
     \nabla{#}::Derivative.
     d{#}::KroneckerDelta.
     g^{a b}::Symmetric.
     g_{a b}::Symmetric.
10
11
     R_{a b c d}::RiemannTensor.
13
     x^{a}::Weight(label=num, value=1).
14
15
     def truncate (obj,n):
16
17
         ans = Ex("0") # create a Cadabra object with value zero
18
19
         for i in range (0,n+1):
20
            foo := @(obj).
21
            bah = Ex("num = " + str(i))
22
            distribute (foo)
23
           keep_weight (foo, bah)
            ans = ans + foo
26
         return ans
27
28
     gab := g_{a b}
29
            - (1/3) x^{c} x^{d} R_{a c b d}
30
            - (1/6) x^{c} x^{d} x^{e} \quad abla_{c}^{R}_{a d b e}
31
            + (1/180) x^{c} x^{d} x^{e} x^{f} (8 g^{g} h) R_{a c d g} R_{b e f h}
32
                                               -9 \n d {R_{a e b f}} ).
                                                                                         # cdb (ex-10.gab.000,gab)
33
34
     iab := g^{a} b
35
            + (1/3) x^{c} x^{d} g^{a} e^{g} f^{B} R_{c}
```

```
+ (1/6) x^{c} x^{d} x^{e} g^{a f} g^{b g} \lambda_{c} {R_{d f e g}}
                        + (1/60) x^{c} x^{d} x^{e} x^{f} g^{a} g} g^{b} h}
                                                                       (4 g^{i} j) R_{c} g d i) R_{e} h f j
                                                                        +3 \nabla_{c d}{R_{e g f h}}).
                                                                                                                                                                                   # cdb(ex-10.iab.000,iab)
40
41
          distribute (gab)
42
          distribute (iab)
44
          gxab := gx_{a} b \rightarrow Q(gab).
46
          eps := d^{a}_{i} d^{b}_{j} d^{c}_{k}. # cdb (ex-10.eps.001,eps) # includes a factor of 1/3!
47
          asym (eps,$^{a},^{b},^{c}$)
                                                                                           # cdb (ex-10.eps.002,eps)
48
49
          # compute negative detg rather than det g, note 1/3! included in eps
          Ndetg := Q(eps) gx_{p a} gx_{q b} gx_{r c} g^{i p} g^{j q} g^{k r}.
                                                                                                                                                         # cdb (ex-10.Ndetg.001,Ndetg)
52
                                             (Ndetg,gxab)
          substitute
                                                                                                                                                         # cdb (ex-10.Ndetg.002,Ndetg)
53
                                             (Ndetg)
                                                                                                                                                         # cdb (ex-10.Ndetg.003,Ndetg)
          distribute
                                                                                                                                                         # cdb (ex-10.Ndetg.004,Ndetg)
          Ndetg = truncate (Ndetg,4)
                                             (Ndetg,g^{a} = b g_{b c} -> d^{a}_{c},repeat=True)
                                                                                                                                                         # cdb (ex-10.Ndetg.005,Ndetg)
          substitute
                                                                                                                                                         # cdb (ex-10.Ndetg.006,Ndetg)
          eliminate_kronecker (Ndetg)
                                            (Ndetg)
                                                                                                                                                         # cdb (ex-10.Ndetg.007,Ndetg)
          sort_product
58
                                                                                                                                                         # cdb (ex-10.Ndetg.008,Ndetg)
          rename_dummies
                                            (Ndetg)
59
          canonicalise
                                             (Ndetg)
                                                                                                                                                         # cdb (ex-10.Ndetg.009,Ndetg)
60
61
          # introduce the Ricci tensor
62
63
                                                                                                   -> R_{b d}$,repeat=True)
          substitute (Ndetg,$R_{a b c d} g^{a c}
                                                                                                                                                                                                 # cdb (ex-10.Ndetg.101,Ndetg)
64
          substitute (Ndetg,\n = 10. Ndetg,\n 
65
          substitute (Ndetg,\n) abla_{a b}{R_{c d e f}} g^{c e} -> \nabla_{a b}{R_{d f}},repeat=True) # cdb (ex-10.Ndetg.103,Ndetg)
66
67
          # the following was based on sqrt-Ndetg.tex
68
69
          \operatorname{sqrtNdetg} := 1/2 + (1/2) @(\operatorname{Ndetg})
70
                                  -(1/8)(1/9) R<sub>{a b}</sub> R<sub>{c d}</sub> x^{a} x^{b} x^{c} x^{d}
71
                                  - (1/4) (1/18) R<sub>{a b} \nabla_{c}{R_{d e}} x^{a} x^{b} x^{c} x^{d} x^{e}.</sub>
72
                                                                                                                                                         # cdb (ex-10.sqrtNdetg.001,sqrtNdetg)
73
74
```

```
sort_product
                      (sqrtNdetg)
                                                                                # cdb (ex-10.sqrtNdetg.002,sqrtNdetg)
75
                                                                                # cdb (ex-10.sqrtNdetg.003,sqrtNdetg)
     rename_dummies (sqrtNdetg)
76
                     (sqrtNdetg)
                                                                                # cdb (ex-10.sqrtNdetg.004,sqrtNdetg)
      canonicalise
77
78
     logNdetg := -1 + @(Ndetg)
79
                 - (1/2) (1/9) R<sub>{a}</sub> b} R<sub>{c</sub> d} x^{a} x^{b} x^{c} x^{d}
80
                 - (1/18) R<sub>{a b} \nabla_{c}{R_{d e}} x^{a} x^{b} x^{c} x^{d} x^{e}.</sub>
81
                                                                                # cdb (ex-10.logNdetg.001,logNdetg)
                     (logNdetg)
                                                                                # cdb (ex-10.logNdetg.002,logNdetg)
      sort_product
84
     rename_dummies (logNdetg)
                                                                                # cdb (ex-10.logNdetg.003,logNdetg)
85
                                                                                # cdb (ex-10.logNdetg.004,logNdetg)
      canonicalise
                      (logNdetg)
86
87
88
      # the remaining code is just for pretty printing
90
      def product_sort (obj):
91
          substitute (obj,$ x^{a}
                                                                -> A000^{a}
                                                                                           $)
92
          substitute (obj,$ g^{a b}
                                                                -> A001^{a b}
                                                                                           $)
          substitute (obj,$ \nabla_{c}{R_{a b}}
                                                                                           $)
                                                                -> A004_{a b c}
          substitute (obj,$ \nabla_{c d}{R_{a b}}
                                                                -> A005_{a b c d}
                                                                                           $)
95
          substitute (obj,$ \nabla_{c d e}{R_{a b}}
                                                                -> A006_{a b c d e}
                                                                                           $)
96
          substitute (obj,$ \nabla_{c d e f}{R_{a b}}
                                                                -> A007_{a b c d e f}
                                                                                           $)
97
          substitute (obj,$ \nabla_{e}{R_{a b c d}}
                                                               -> A008_{a b c d e}
                                                                                           $)
98
          substitute (obj,$ \nabla_{e f}{R_{a b c d}}
                                                                -> A009_{a b c d e f}
                                                                                           $)
          substitute (obj,$ \nabla_{e f g}{R_{a b c d}}
                                                                -> A010_{a b c d e f g}
                                                                                           $)
100
          substitute (obj,$ \nabla_{e f g h}{R_{a b c d}}
                                                                -> A011_{a b c d e f g h} $)
101
          substitute (obj,$ R_{a b}
                                                                -> A002_{a b}
                                                                                           $)
102
          substitute (obj,$ R_{a b c d}
                                                                -> A003_{a b c d}
                                                                                           $)
103
          sort_product (obj)
104
         rename_dummies (obj)
105
          substitute (obj,$ A000^{a}
                                                       \rightarrow x^{a}
                                                                                           $)
106
                                                                                           $)
          substitute (obj,$ A001^{a b}
                                                       -> g^{a b}
107
          substitute (obj,$ A002_{a b}
                                                       -> R_{a b}
                                                                                           $)
108
          substitute (obj,$ A003_{a b c d}
                                                       \rightarrow R<sub>{a b c d}</sub>
                                                                                           $)
109
          substitute (obj,$ A004_{a b c}
                                                       -> \nabla_{c}{R_{a b}}
                                                                                           $)
110
          substitute (obj,$ A005_{a b c d}
                                                       -> \nabla_{c d}{R_{a b}}
                                                                                           $)
111
          substitute (obj,$ A006_{a b c d e}
                                                       -> \nabla_{c d e}{R_{a b}}
                                                                                           $)
112
```

```
substitute (obj,$ A007_{a b c d e f}
                                                        \rightarrow \nabla_{c d e f}{R_{a b}}
                                                                                             $)
113
          substitute (obj,$ A008_{a b c d e}
                                                        -> \nabla_{e}{R_{a b c d}}
                                                                                             $)
114
          substitute (obj,$ A009_{a b c d e f}
                                                        \rightarrow \nabla_{e f}{R_{a b c d}}
                                                                                             $)
          substitute (obj,$ A010_{a b c d e f g}
                                                        -> \nabla_{e f g}{R_{a b c d}}
                                                                                             $)
116
          substitute (obj,$ A011_{a b c d e f g h}
                                                        \rightarrow \nabla_{e f g h}{R_{a b c d}} $)
117
118
      def get_term (obj,n):
119
120
          x^{a}::Weight(label=xnum).
121
122
          foo := @(obj).
123
          bah = Ex("xnum = " + str(n))
124
          keep_weight (foo,bah)
125
126
          return foo
127
128
      def reformat (obj,scale):
129
          foo = Ex(str(scale))
130
          bah := @(foo) @(obj).
131
          distribute
                          (bah)
132
          product_sort (bah)
133
          rename_dummies (bah)
134
          canonicalise (bah)
135
          sort_sum
                          (bah)
136
                          (bah, x^{a?})
          factor_out
137
          ans := 0(bah) / 0(foo).
          return ans
139
140
      def rescale (obj,scale):
141
          foo = Ex(str(scale))
142
          bah := @(foo) @(obj).
143
          distribute (bah)
144
          factor_out (bah,$x^{a?}$)
145
          return bah
146
147
148
      # reformat Ndetg
149
150
```

```
Rterm0 = get_term (Ndetg,0)
                                         # cdb (ex-10.Rterm0.701,Rterm0)
     Rterm1 = get_term (Ndetg,1)
                                         # cdb (ex-10.Rterm1.701,Rterm1)
     Rterm2 = get_term (Ndetg,2)
                                         # cdb (ex-10.Rterm2.701,Rterm2)
     Rterm3 = get_term (Ndetg,3)
                                         # cdb (ex-10.Rterm3.701,Rterm3)
154
     Rterm4 = get_term (Ndetg,4)
                                         # cdb (ex-10.Rterm4.701,Rterm4)
155
156
     Rterm0 = reformat (Rterm0, 1)
                                         # cdb (ex-10.Rterm0.702,Rterm0)
157
     Rterm1 = reformat (Rterm1, 1)
                                         # cdb (ex-10.Rterm1.702,Rterm1)
     Rterm2 = reformat (Rterm2, 3)
                                         # cdb (ex-10.Rterm2.702,Rterm2)
159
     Rterm3 = reformat (Rterm3, 6)
                                        # cdb (ex-10.Rterm3.702,Rterm3)
160
     Rterm4 = reformat (Rterm4,180)
                                        # cdb (ex-10.Rterm4.702,Rterm4)
161
162
     Ndetg := @(Rterm0) + @(Rterm1) + @(Rterm2) + @(Rterm3) + @(Rterm4). # cdb (ex-10.Ndetg.701,Ndetg)
163
164
165
     # reformat sqrtNdetg
166
167
     Rterm0 = get_term (sqrtNdetg,0)
                                         # cdb (ex-10.Rterm0.801,Rterm0)
168
     Rterm1 = get_term (sqrtNdetg,1)
                                         # cdb (ex-10.Rterm1.801,Rterm1)
     Rterm2 = get_term (sqrtNdetg,2)
                                         # cdb (ex-10.Rterm2.801,Rterm2)
     Rterm3 = get_term (sqrtNdetg,3)
                                         # cdb (ex-10.Rterm3.801,Rterm3)
171
     Rterm4 = get_term (sqrtNdetg,4)
                                        # cdb (ex-10.Rterm4.801,Rterm4)
172
173
     Rterm0 = reformat (Rterm0, 1)
                                        # cdb (ex-10.Rterm0.802,Rterm0)
174
     Rterm1 = reformat (Rterm1, 1)
                                        # cdb (ex-10.Rterm1.802,Rterm1)
     Rterm2 = reformat (Rterm2, 6)
                                         # cdb (ex-10.Rterm2.802,Rterm2)
176
     Rterm3 = reformat (Rterm3, 12)
                                         # cdb (ex-10.Rterm3.802,Rterm3)
177
     Rterm4 = reformat (Rterm4,360)
                                        # cdb (ex-10.Rterm4.802,Rterm4)
178
179
     sqrtNdetg := @(Rterm0) + @(Rterm1) + @(Rterm2) + @(Rterm3) + @(Rterm4). # cdb (ex-10.sqrtNdetg.801,sqrtNdetg)
180
181
182
     # reformat logNdetg
183
184
     Rterm0 = get_term (logNdetg,0)
                                         # cdb (ex-10.Rterm0.801,Rterm0)
185
     Rterm1 = get_term (logNdetg,1)
                                        # cdb (ex-10.Rterm1.801,Rterm1)
186
     Rterm2 = get_term (logNdetg,2)
                                        # cdb (ex-10.Rterm2.801,Rterm2)
187
     Rterm3 = get_term (logNdetg,3)
                                        # cdb (ex-10.Rterm3.801,Rterm3)
```

```
Rterm4 = get_term (logNdetg,4) # cdb (ex-10.Rterm4.801,Rterm4)
190
     Rterm0 = reformat (Rterm0, 1)
                                       # cdb (ex-10.Rterm0.802,Rterm0)
191
     Rterm1 = reformat (Rterm1, 1) # cdb (ex-10.Rterm1.802,Rterm1)
192
     Rterm2 = reformat (Rterm2, 3) # cdb (ex-10.Rterm2.802,Rterm2)
193
     Rterm3 = reformat (Rterm3, 6) # cdb (ex-10.Rterm3.802,Rterm3)
194
     Rterm4 = reformat (Rterm4,180) # cdb (ex-10.Rterm4.802,Rterm4)
196
     logNdetg := @(Rterm0) + @(Rterm1) + @(Rterm2) + @(Rterm3) + @(Rterm4). # cdb (ex-10.logNdetg.901, logNdetg)
197
198
     checkpoint.append (Ndetg)
199
     checkpoint.append (sqrtNdetg)
200
     checkpoint.append (logNdetg)
```

The metric determinant in Riemann normal coordinates

$$-\det g(x) = 1 - \frac{1}{3}x^{a}x^{b}R_{ab} - \frac{1}{6}x^{a}x^{b}x^{c}\nabla_{a}R_{bc} + \frac{1}{180}x^{a}x^{b}x^{c}x^{d}\left(-9\nabla_{ab}R_{cd} + 10R_{ab}R_{cd} - 2g^{ef}g^{gh}R_{aebg}R_{cfdh}\right) + \cdots$$

The volume element in RNC

If $-\det g(x)$ is non-negative then we also have

$$\sqrt{-\det g(x)} = 1 - \frac{1}{6}x^a x^b R_{ab} - \frac{1}{12}x^a x^b x^c \nabla_a R_{bc} + \frac{1}{360}x^a x^b x^c x^d \left(-9\nabla_{ab}R_{cd} + 5R_{ab}R_{cd} - 2g^{ef}g^{gh}R_{aebg}R_{cfdh}\right) + \cdots$$

The log of -detg in RNC

$$\log\left(-\det g(x)\right) = -\frac{1}{3}x^{a}x^{b}R_{ab} - \frac{1}{6}x^{a}x^{b}x^{c}\nabla_{a}R_{bc} + \frac{1}{180}x^{a}x^{b}x^{c}x^{d}\left(-9\nabla_{ab}R_{cd} - 2g^{ef}g^{gh}R_{aebg}R_{cfdh}\right) + \cdots$$

Apart from the signs, this matches exactly the expression given by Calzetta et al. (eq. A14)

Example 11 The RNC connection.

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,u\#\}::Indices(position=independent).
     D{#}::PartialDerivative.
     \nabla{#}::Derivative.
     g_{a b}::Metric.
     g^{a b}::InverseMetric.
     g^{a b}::Weight(label=gnum, value=1).
     \delta{#}::KroneckerDelta.
10
11
     R_{a b c d}::RiemannTensor.
     R_{a b c d}::Depends(\nabla{#}).
14
    x^{a}::Depends(D\{\#\}).
15
     x^{a}::Weight(label=xnum, value=1).
16
17
     Dx := D_{a}{x^{b}} -> \beta_{a}. \# cdb (ex-11.000, Dx)
19
     gab := g_{a b} -> g_{a b}
                    - (1/3) x^{c} x^{d} R_{ac} b d
21
                    - (1/6) x^{c} x^{d} x^{e} \quad (1/6)
                    + (1/180) x^{c} x^{d} x^{e} x^{f} (8 g^{g}) R_{a c d g} R_{b e f h}
23
                                                        -9 \ln \{c \ d\} \{R_{a \ e \ b \ f\}\}).
                                                                                             # cdb (ex-11.001,gab)
24
25
     iab := g^{a} b -> g^{a} b
                    + (1/3) x^{c} x^{d} g^{a} e^{g} f^{b} R_{c} e^{g}
27
                    + (1/6) x^{c} x^{d} x^{e} g^{a f} g^{b g} \nabla_{c}{R_{d f e g}}
28
                    + (1/60) x^{c} x^{d} x^{e} x^{f} g^{a} g^{d}
29
                                           ( 4 g^{i j} R_{c g d i} R_{e h f j}
30
                                            +3 \n d {R_{e g f h}} ).
                                                                                             # cdb(ex-11.002,iab)
31
32
     distribute (gab)
33
     distribute (iab)
34
35
     ChrSym := \Gamma_{a}_{b c} \to 1/2 g^{a d} (D_{b}_{g_{d c}})
```

```
+ D_{c}{g_{b d}}
37
                                                   - D_{d}_{g_b} - C_{d}_{g_b} ). # C_{d}_{g_b} (ex-11.003, C_{d}_{g_b}
38
39
     Gamma := \Gamma^{a}_{b c}.
                                         # cdb (ex-11.100, Gamma)
40
41
                     (Gamma, ChrSym)
                                         # cdb (ex-11.101, Gamma)
     substitute
42
                     (Gamma, gab)
                                         # cdb (ex-11.102, Gamma)
     substitute
                     (Gamma, iab)
                                         # cdb (ex-11.103, Gamma)
     substitute
     distribute
                     (Gamma)
                                         # cdb (ex-11.104, Gamma)
                     (Gamma)
                                         # cdb (ex-11.105, Gamma)
     unwrap
46
     product_rule
                     (Gamma)
                                         # cdb (ex-11.106, Gamma)
47
                     (Gamma)
                                         # cdb (ex-11.107, Gamma)
     distribute
                     (Gamma, Dx)
                                         # cdb (ex-11.108, Gamma)
     substitute
     eliminate_kronecker (Gamma)
                                         # cdb (ex-11.109, Gamma)
51
     def truncate (obj,n):
52
53
         ans = Ex("0") # create a Cadabra object with value zero
54
55
         for i in range (0,n+1):
            foo := @(obj).
57
            bah = Ex("xnum = " + str(i))
58
            distribute (foo)
59
            keep_weight (foo, bah)
60
            ans = ans + foo
61
         return ans
63
64
     checkpoint.append (Gamma)
65
66
                       (Gamma) # 52.3 sec, 49 Mbyte
     # sort_product
67
     # rename_dummies (Gamma) # 58.6 sec, 51 Mbyte
     # canonicalise
                       (Gamma) # killed after 20 mins and over 500 Mbyte
69
70
                                    # cdb (ex-11.110, Gamma) # allow up to 3rd order in x^a
     Gamma = truncate (Gamma, 3)
71
72
     sort_product
                     (Gamma)
73
     rename_dummies (Gamma)
```

```
canonicalise
                                                        (Gamma)
 76
               checkpoint.append (Gamma)
 77
  78
  79
               # the remaining code is just for pretty printing
  80
  81
               def product_sort (obj):
  82
                         substitute (obj,$ g^{a b}
                                                                                                                                             -> A001^{a b}
                                                                                                                                                                                                                             $)
                                                                                                                                             -> A002^{a}
                         substitute (obj,$ x^{a}
                                                                                                                                                                                                                             $)
  84
                                                                                                                                              -> A003^{a}
                                                                                                                                                                                                                             $)
                         substitute (obj,$ z^{a}
  85
                                                                                                                                            -> A004_{a b c d}
                                                                                                                                                                                                                             $)
                         substitute (obj,$ R_{a b c d}
  86
                         substitute (obj, \normalfont{$ \normalfont
                                                                                                                                                                                                                             $)
  87
                         substitute (obj,$ \nabla_{e f}{R_{a b c d}} -> A006_{a b c d e f}
                                                                                                                                                                                                                             $)
                                                         (obj)
                         sort_sum
                         sort_product (obj)
  90
                         rename_dummies (obj)
  91
                         substitute (obj,$ A001^{a b}
                                                                                                                                               -> g^{a b}
                                                                                                                                                                                                                             $)
  92
                         substitute (obj,$ A002^{a}
                                                                                                                                              -> x^{a}
                                                                                                                                                                                                                             $)
                         substitute (obj,$ A003^{a}
                                                                                                                                                                                                                             $)
                                                                                                                                              -> z^{a}
                         substitute (obj,$ A004_{a b c d} -> R_{a b c d}
                                                                                                                                                                                                                             $)
  95
                         96
                         substitute (obj,$ A006_{a b c d e f}
                                                                                                                                           -> \nabla_{e f}{R_{a b c d}} $)
  97
  98
               def get_xterm (obj,n):
  99
100
                         foo := @(obj).
101
                         bah = Ex("xnum = " + str(n))
102
                          distribute (foo)
103
                         keep_weight (foo, bah)
104
105
                         return foo
106
107
               def get_gterm (obj,n):
108
109
                         foo := @(obj).
110
                         bah = Ex("gnum = " + str(n))
111
                         distribute (foo)
112
```

```
keep_weight (foo, bah)
113
114
          return foo
115
116
      def reformat (obj,scale):
117
118
         foo = Ex(str(scale))
119
         bah := @(foo) @(obj).
120
121
                         (bah)
         distribute
122
         product_sort
                         (bah)
123
         rename_dummies (bah)
124
         canonicalise
                        (bah)
125
         factor_out
                         (bah,$x^{a?},g^{b? c?}$)
126
         ans := @(bah) / @(foo).
127
128
         return ans
129
130
      gam1 = get_xterm (Gamma, 1)
                                                               # cdb (ex-11.200,gam1)
131
                                                               # cdb (ex-11.201,gam2)
      gam2 = get_xterm (Gamma, 2)
      gam3 = get_xterm (Gamma, 3)
                                                               # cdb (ex-11.202,gam3)
133
134
      gam31 = get_gterm (gam3, 1)
                                                               # cdb (ex-11.210,gam31)
135
      gam32 = get_gterm (gam3, 2)
                                                               # cdb (ex-11.211,gam31)
136
137
      gam1 = reformat (gam1,
                                                               # cdb (ex-11.220,gam1)
      gam2 = reformat (gam2, 12)
                                                               # cdb (ex-11.221,gam2)
139
140
      gam31 = reformat (gam31, 40)
                                                               # cdb (ex-11.222,gam31)
141
      gam32 = reformat (gam32, 45)
                                                               # cdb (ex-11.223,gam32)
142
143
      Gamma := O(gam1) + O(gam2) + O(gam31) + O(gam32).
                                                               # cdb (ex-11.230, Gamma)
144
      Scaled := 360 \text{ @(Gamma)}.
                                                               # cdb (ex-11.231, Scaled)
145
146
      checkpoint.append (Gamma)
147
```

$$\Gamma^{a}_{bc}(x) = \frac{1}{3}g^{ad}x^{e}\left(R_{bdce} + R_{becd}\right) + \frac{1}{12}g^{ad}x^{e}x^{f}\left(-\nabla_{c}R_{bedf} + \nabla_{d}R_{becf} + 2\nabla_{e}R_{bdcf} + 2\nabla_{e}R_{bfcd} - \nabla_{b}R_{cedf}\right)$$

$$+ \frac{1}{40}g^{ad}x^{e}x^{f}x^{g}\left(-\nabla_{ce}R_{bfdg} - \nabla_{ec}R_{bfdg} + \nabla_{de}R_{bfcg} + \nabla_{ed}R_{bfcg} + 2\nabla_{ef}R_{bdcg} + 2\nabla_{ef}R_{bgcd} - \nabla_{be}R_{cfdg} - \nabla_{eb}R_{cfdg}\right)$$

$$+ \frac{1}{45}g^{ad}g^{ef}x^{g}x^{h}x^{i}\left(4R_{becg}R_{dhfi} + 4R_{bgce}R_{dhfi} - 2R_{bdeg}R_{chfi} - R_{bedg}R_{chfi} + R_{bgde}R_{chfi} - 2R_{bgeh}R_{cdfi} - R_{bgeh}R_{cfdi}\right)$$

$$+ R_{bgeh}R_{cidf}\right) \qquad (ex-11.230)$$

$$360\Gamma^{a}{}_{bc}(x) = 120g^{ad}x^{e} \left(R_{bdce} + R_{becd}\right) + 30g^{ad}x^{e}x^{f} \left(-\nabla_{c}R_{bedf} + \nabla_{d}R_{becf} + 2\nabla_{e}R_{bdcf} + 2\nabla_{e}R_{bfcd} - \nabla_{b}R_{cedf}\right)$$

$$+ 9g^{ad}x^{e}x^{f}x^{g} \left(-\nabla_{ce}R_{bfdg} - \nabla_{ec}R_{bfdg} + \nabla_{de}R_{bfcg} + \nabla_{ed}R_{bfcg} + 2\nabla_{ef}R_{bdcg} + 2\nabla_{ef}R_{bgcd} - \nabla_{be}R_{cfdg} - \nabla_{eb}R_{cfdg}\right)$$

$$+ 8g^{ad}g^{ef}x^{g}x^{h}x^{i} \left(4R_{becg}R_{dhfi} + 4R_{bgce}R_{dhfi} - 2R_{bdeg}R_{chfi} - R_{bedg}R_{chfi} + R_{bgde}R_{chfi} - 2R_{bgeh}R_{cdfi} - R_{bgeh}R_{cfdi}\right)$$

$$+ R_{bgeh}R_{cidf}\right) \qquad (ex-11.231)$$

```
jsonfile = 'example-11.json'
cdblib.create (jsonfile)
cdblib.put ('Gamma',Gamma,jsonfile)
```

Example 12 Checking the 2nd and 3rd order terms of Calzetta etal.

The following calculations show that my results for the RNC connection agree with those of Calzetta et al. to third order terms.

Note that I take ∇_{ab} to be $\nabla_a (\nabla_b)$.

Note also that (LCB) $R_{abcd} = -(Calzetta)$ R_{abcd} . Consequently, I replace R_{abcd} with $-R_{abcd}$ in the Calzetta expressions (done as a Cadabra substitution rule).

This is relatively straightforward. We just apply a few carefully chosen applications of the first and second Bianchi identities.

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,u,v#}::Indices("latin",position=independent).
     {\mu,\nu,\rho,\sigma,\tau,\lambda,\xi#}::Indices("greek",position=independent).
     \nabla{#}::Derivative.
     g_{a b}::Metric.
     g^{a b}::InverseMetric.
     g^{a b}::Weight(label=gnum, value=1).
     \delta{#}::KroneckerDelta.
10
11
     R_{a b c d}::RiemannTensor.
     R_{a b c d}::Depends(\nabla{#}).
14
     x^{a}::Weight(label=xnum, value=1).
15
16
     def add_tags (obj,tag):
17
18
        n = 0
19
        ans = Ex('0')
20
21
        for i in obj.top().terms():
22
           foo = obj[i]
           bah = Ex(tag+'_{(n)+'})
           ans := @(ans) + @(bah) @(foo).
           n = n + 1
26
27
        return ans
28
29
     def clear_tags (obj,tag):
30
31
        ans := @(obj).
32
        foo = Ex(tag+'_{a?} -> 1')
33
        substitute (ans,foo)
34
35
        return ans
36
37
     def get_xterm (obj,n):
38
```

```
39
         foo := Q(obj).
40
         bah = Ex("xnum = " + str(n))
41
         distribute (foo)
42
         keep_weight (foo, bah)
43
44
         return foo
45
46
     def get_gterm (obj,n):
48
         foo := @(obj).
49
         bah = Ex("gnum = " + str(n))
50
         distribute (foo)
51
         keep_weight (foo, bah)
53
         return foo
54
55
     def product_sort (obj):
56
         substitute (obj,$ g^{a b}
                                                      -> A001^{a b}
                                                                                     $)
57
         substitute (obj,$ x^{a}
                                                                                     $)
                                                      -> A002^{a}
58
         substitute (obj,$ z^{a}
                                                      -> A003^{a}
                                                                                     $)
59
         substitute (obj,$ R_{a b c d}
                                                      -> A004_{a b c d}
                                                                                     $)
60
         substitute (obj,\normalfont \nabla_{e}{R_{a b c d}} -> A005_{a b c d e}
                                                                                     $)
61
         substitute (obj, \ne f \nabla_{e f}{R_{a b c d}} -> A006_{a b c d e f}
                                                                                     $)
62
         sort_sum
                         (obj)
         sort_product (obj)
         rename_dummies (obj)
65
                                                      -> g^{a b}
         substitute (obj,$ A001^{a b}
                                                                                     $)
66
                                                      -> x^{a}
         substitute (obj,$ A002^{a}
                                                                                     $)
67
         substitute (obj,$ A003^{a}
                                                      \rightarrow z^{a}
                                                                                     $)
68
         substitute (obj,$ A004_{a b c d}
                                                     -> R_{a b c d}
                                                                                     $)
         substitute (obj,$ A005_{a b c d e}
                                                     \rightarrow \nabla_{e}_{R_{a} b c d} $)
70
                                                     -> \nabla_{e f}{R_{a b c d}} $)
         substitute (obj,$ A006_{a b c d e f}
71
72
     def reformat (obj,scaleA,scaleB):
73
74
        foo = Ex(str(scaleA))
75
        moo = Ex(str(scaleB))
```

```
bah := @(foo) @(obj) / @(moo).
77
78
        distribute
                      (bah)
79
        product_sort
                      (bah)
80
        rename_dummies (bah)
81
        canonicalise (bah)
82
        factor_out (bah,$g^{c? d?}$)
83
        factor_out (bah, x^{a?}, z^{b?})
84
        ans := @(moo) @(bah) / @(foo).
        return ans
87
88
     89
     # LCB
91
     import cdblib
92
     Gamma = cdblib.get ('Gamma', 'example-11.json')
                                                                 # cdb(ex-12.100, Gamma)
93
94
     # note that the next two lines require careful inspection of the free indices on Gamma
     # expecting Gamma = \Gamma^{a}_{bc}
     Gamma := z^{b} z^{c} @(Gamma).
97
98
     # lower index ^{a} to _{v}
99
100
     Gamma := g_{v a} @(Gamma).
101
102
     distribute (Gamma)
103
     substitute (Gamma, $g_{a d} g^{d b} -> \delta_{a}^{b}$)
104
     eliminate_kronecker (Gamma)
                                                                 # cdb(ex-12.101, Gamma)
105
106
     # change free index _{v} to _{a}
107
108
     foo := tmp_{v} -> 0(Gamma).
                                                                 # cdb(ex-12.191,foo)
109
     bah := tmp_{a}.
                                                                 # cdb(ex-12.192,bah)
110
     substitute (bah, foo)
                                                                 # cdb(ex-12.193,bah)
111
112
     Gamma := @(bah).
                                                                 # cdb(ex-12.102, Gamma)
113
114
```

```
product_sort (Gamma)
                                                                        # cdb(ex-12.103, Gamma)
115
116
      checkpoint.append (Gamma)
117
118
      gam1 = get_xterm (Gamma,1)
                                                                        # cdb(ex-12.200,gam1)
119
      gam2 = get_xterm (Gamma,2)
                                                                        # cdb(ex-12.201,gam2)
120
      gam3 = get_xterm (Gamma,3)
                                                                        # cdb(ex-12.202,gam3)
121
122
      gam30 = get_gterm (gam3,0)
                                                                        # cdb(ex-12.203,gam30)
123
     gam31 = get_gterm (gam3,1)
                                                                        # cdb(ex-12.204,gam31)
124
125
      gam1 = reformat (gam1, 3,1)
                                                                        # cdb(ex-12.300,gam1)
126
      gam2 = reformat (gam2,12,1)
                                                                        # cdb(ex-12.301,gam2)
127
128
      gam30 = reformat (gam30, 40, 1)
                                                                        # cdb(ex-12.302,gam30)
129
      gam31 = reformat (gam31,45,2)
                                                                        # cdb(ex-12.303,gam31)
130
131
      gam3 := 0(gam30) + 0(gam31).
                                                                        # cdb(ex-12.304,gam3)
132
133
      Gamma := 0(gam1) + 0(gam2) + 0(gam3).
                                                                        # cdb(ex-12.305, Gamma)
134
135
      checkpoint.append (Gamma)
136
```

$$\begin{aligned} \text{ex-12.100} &:= \frac{1}{3} g^{ad} x^e \left(R_{bdce} + R_{becd} \right) + \frac{1}{12} g^{ad} x^e x^f \left(-\nabla_c R_{bedf} + \nabla_d R_{becf} + 2\nabla_e R_{bdcf} + 2\nabla_e R_{bfcd} - \nabla_b R_{cedf} \right) \\ &+ \frac{1}{40} g^{ad} x^e x^f x^g \left(-\nabla_{ce} R_{bfdg} - \nabla_{ec} R_{bfdg} + \nabla_{de} R_{bfcg} + \nabla_{ed} R_{bfcg} + 2\nabla_{ef} R_{bdcg} + 2\nabla_{ef} R_{bgcd} - \nabla_{be} R_{cfdg} - \nabla_{eb} R_{cfdg} \right) \\ &+ \frac{1}{45} g^{ad} g^{ef} x^g x^h x^i \left(4R_{becg} R_{dhfi} + 4R_{bgce} R_{dhfi} - 2R_{bdeg} R_{chfi} - R_{bedg} R_{chfi} + R_{bgde} R_{chfi} - 2R_{bgeh} R_{cfdi} + R_{bgeh} R_{cfdi} \right) \end{aligned}$$

$$\begin{split} & = tmp_v \\ & \rightarrow \frac{1}{3}z^bz^cx^eR_{bvce} + \frac{1}{3}z^bz^cx^eR_{becv} - \frac{1}{12}z^bz^cx^ex^f\nabla_cR_{bevf} + \frac{1}{12}z^bz^cx^ex^f\nabla_vR_{becf} + \frac{1}{6}z^bz^cx^ex^f\nabla_eR_{bvcf} + \frac{1}{6}z^bz^cx^ex^f\nabla_eR_{bfcv} \\ & - \frac{1}{12}z^bz^cx^ex^f\nabla_bR_{cevf} - \frac{1}{40}z^bz^cx^ex^fx^g\nabla_{ce}R_{bfvg} - \frac{1}{40}z^bz^cx^ex^fx^g\nabla_{ec}R_{bfvg} + \frac{1}{40}z^bz^cx^ex^fx^g\nabla_{ve}R_{bfcg} + \frac{1}{40}z^bz^cx^ex^fx^g\nabla_{ve}R_{bfcg} \\ & + \frac{1}{20}z^bz^cx^ex^fx^g\nabla_{ef}R_{bvcg} + \frac{1}{20}z^bz^cx^ex^fx^g\nabla_{ef}R_{bgcv} - \frac{1}{40}z^bz^cx^ex^fx^g\nabla_{be}R_{cfvg} - \frac{1}{40}z^bz^cx^ex^fx^g\nabla_{eb}R_{cfvg} \\ & + \frac{4}{45}z^bz^cg^{ef}x^gx^hx^iR_{becg}R_{vhfi} + \frac{4}{45}z^bz^cg^{ef}x^gx^hx^iR_{bgce}R_{vhfi} - \frac{2}{45}z^bz^cg^{ef}x^gx^hx^iR_{bveg}R_{chfi} - \frac{1}{45}z^bz^cg^{ef}x^gx^hx^iR_{bgve}R_{chfi} \\ & + \frac{1}{45}z^bz^cg^{ef}x^gx^hx^iR_{bgve}R_{chfi} - \frac{2}{45}z^bz^cg^{ef}x^gx^hx^iR_{bgeh}R_{cvfi} - \frac{1}{45}z^bz^cg^{ef}x^gx^hx^iR_{bgeh}R_{cfvi} + \frac{1}{45}z^bz^cg^{ef}x^gx^hx^iR_{bgeh}R_{civf} \end{split}$$

 $ex-12.192 := tmp_a$

$$\begin{split} \text{ex-12.193} &:= \frac{1}{3} z^b z^c x^e R_{bace} + \frac{1}{3} z^b z^c x^e R_{beca} - \frac{1}{12} z^b z^c x^e x^f \nabla_c R_{beaf} + \frac{1}{12} z^b z^c x^e x^f \nabla_a R_{becf} + \frac{1}{6} z^b z^c x^e x^f \nabla_e R_{bacf} + \frac{1}{6} z^b z^c x^e x^f \nabla_e R_{bfca} \\ &- \frac{1}{12} z^b z^c x^e x^f \nabla_b R_{ceaf} - \frac{1}{40} z^b z^c x^e x^f x^g \nabla_{ce} R_{bfag} - \frac{1}{40} z^b z^c x^e x^f x^g \nabla_{ec} R_{bfag} + \frac{1}{40} z^b z^c x^e x^f x^g \nabla_{ae} R_{bfcg} + \frac{1}{40} z^b z^c x^e x^f x^g \nabla_{ee} R_{bfag} - \frac{1}{40} z^b z^c x^e x^f x^g \nabla_{be} R_{cfag} - \frac{1}{40} z^b z^c x^e x^f x^g \nabla_{ee} R_{bfcg} \\ &+ \frac{1}{20} z^b z^c x^e x^f x^g \nabla_{ef} R_{bacg} + \frac{1}{20} z^b z^c x^e x^f x^g \nabla_{ef} R_{bgca} - \frac{1}{40} z^b z^c x^e x^f x^g \nabla_{be} R_{cfag} - \frac{1}{40} z^b z^c x^e x^f x^g \nabla_{eb} R_{cfag} \\ &+ \frac{4}{45} z^b z^c g^{ef} x^g x^h x^i R_{becg} R_{ahfi} + \frac{4}{45} z^b z^c g^{ef} x^g x^h x^i R_{bgce} R_{ahfi} - \frac{2}{45} z^b z^c g^{ef} x^g x^h x^i R_{bgeh} R_{cfai} + \frac{1}{45} z^b z^c g^{ef} x^g x^h x^i R_{bgeh} R_{cfai} \\ &+ \frac{1}{45} z^b z^c g^{ef} x^g x^h x^i R_{bgae} R_{chfi} - \frac{2}{45} z^b z^c g^{ef} x^g x^h x^i R_{bgeh} R_{cfai} - \frac{1}{45} z^b z^c g^{ef} x^g x^h x^i R_{bgeh} R_{cfai} + \frac{1}{45} z^b z^c g^{ef} x^g x^h x^i R_{bgeh} R_{cfai} \end{split}$$

$$\begin{split} \exp - 12.101 &:= \frac{1}{3}z^bz^cx^aR_{bvcc} + \frac{1}{3}z^bz^cx^aR_{bccc} - \frac{1}{12}z^bz^cx^ax^f\nabla_cR_{bccf} + \frac{1}{12}z^bz^cx^ax^f\nabla_cR_{bccf} + \frac{1}{6}z^bz^cx^ax^f\nabla_cR_{bvcf} + \frac{1}{6}z^bz^cx^cx^f\nabla_cR_{bfcv} \\ &- \frac{1}{12}z^bz^cx^cx^f\nabla_bR_{cvcf} - \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfvg} - \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfvg} + \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfvg} + \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfvg} + \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfvg} + \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfvg} + \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfvg} + \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfvg} \\ &+ \frac{1}{20}z^bz^cx^cx^fx^g\nabla_{c}R_{bccg} + \frac{1}{20}z^bz^cx^cx^fx^g\nabla_{c}R_{bcce} - \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bcg} - \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfvg} - \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfvg} \\ &+ \frac{1}{45}z^bz^cg^{cf}x^gx^hx^iR_{bccg}R_{chfi} + \frac{1}{45}z^bz^cg^{cf}x^gx^hx^iR_{bccg}R_{chfi} \\ &+ \frac{1}{45}z^bz^cg^{cf}x^gx^hx^iR_{bccg}R_{chfi} - \frac{2}{42}z^bz^cg^{cf}x^gx^hx^iR_{bgch}R_{cvfi} - \frac{1}{45}z^bz^cg^{cf}x^gx^hx^iR_{bccg}R_{chfi} \\ &+ \frac{1}{45}z^bz^cg^{cf}x^gx^hx^iR_{bccg}R_{chfi} \\ &+ \frac{1}{2}z^bz^cx^cR_{bacc} + \frac{1}{3}z^bz^cx^cR_{bccc} - \frac{1}{12}z^bz^cx^cx^f\nabla_cR_{bcaf} + \frac{1}{12}z^bz^cx^cx^f\nabla_aR_{bccf} + \frac{1}{6}z^bz^cx^cx^f\nabla_cR_{bacf} + \frac{1}{6}z^bz^cx^cx^f\nabla_cR_{bfca} \\ &- \frac{1}{12}z^bz^cx^cx^f\nabla_bR_{ccaf} - \frac{1}{40}z^bz^cx^cx^fx^g\nabla_cR_{bcaf} + \frac{1}{40}z^bz^cx^cx^f\nabla_aR_{bccf} + \frac{1}{6}z^bz^cx^cx^f\nabla_cR_{bcaf} + \frac{1}{40}z^bz^cx^cx^f\nabla_cR_{bfca} \\ &+ \frac{1}{20}z^bz^cx^cx^fx^g\nabla_{c}R_{bacg} + \frac{1}{20}z^bz^cx^cx^fx^g\nabla_{c}R_{bfag} - \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfag} + \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfag} \\ &+ \frac{1}{20}z^bz^cx^cx^fx^g\nabla_{c}R_{bhh} + \frac{1}{4}z^bz^bz^cg^cfx^gx^hx^fR_{bccg}R_{bhf} - \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfag} - \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bfag} \\ &+ \frac{1}{40}z^bz^cx^cx^fx^g\nabla_{c}R_{bhh} + \frac{1}{45}z^bz^gg^fx^gx^hx^fR_{bccg}R_{bhf} - \frac{1}{45}z^bz^gg^fx^gx^hx^fR_{bccg}R_{bhf} \\ &+ \frac{1}{45}z^bz^gg^fx^gx^hx^fR_{bccg}R_{bhf} + \frac{1}{45}z^bz^gg^fx^gx^hx^fR_{bccg}R_{bhf} \\ &+ \frac{1}{45}z^bz^gg^fx^gx^hx^fR_{bccg}R_{bhf} + \frac{1}{45}z^bz^gg^fx^gx^hx^fR_{bccg}R_{b$$

$$\begin{split} & \text{ex-12.200} := \frac{1}{3} x^b z^c z^d R_{cadb} + \frac{1}{3} x^b z^c z^d R_{cbda} \\ & \text{ex-12.201} := \frac{1}{6} x^b x^c z^d z^e \nabla_b R_{daec} - \frac{1}{12} x^b x^c z^d z^e \nabla_e R_{dbac} + \frac{1}{12} x^b x^c z^d z^e \nabla_a R_{dbec} + \frac{1}{6} x^b x^c z^d z^e \nabla_b R_{dcea} - \frac{1}{12} x^b x^c z^d z^e \nabla_d R_{ebac} \end{split}$$

$$\begin{split} \exp&-12,202 := \frac{1}{20} \int_{-\infty}^{b} x^{a} x^{a} z^{c} z^{f} \nabla_{b} R_{ccfd} - \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{b} R_{ccod} - \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{b} R_{ccod} + \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{b} R_{ccfd} + \frac{1}{20} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{b} R_{ccda} - \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{c} R_{fcod} \\ &- \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{f} z^{b} R_{gaba} R_{bccf} - \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{4}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bccf} + \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{bc} R_{ccdf} + \frac{1}{20} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{bc} R_{ccdf} - \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{bc} R_{ccd} + \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{bc} R_{ccd} + \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{bc} R_{ccd} + \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{bc} R_{ccd} + \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{bc} R_{ccd} + \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{bc} R_{ccd} + \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{bc} R_{ccd} + \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{bc} R_{ccd} + \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} \nabla_{bc} R_{ccd} + \frac{1}{40} x^{b} x^{c} x^{d} z^{c} z^{f} R_{gaba} R_{bcc} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bcc} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{g} z^{b} R_{gaba} R_{bcc} + \frac{1}{45} y^{b} x^{d} x^{c} x^{f} z^{$$

```
# Calzetta
     # note: \nabla_{a b} defined as \nabla_{a}\nabla_{b}
     GammaBar := z^{\ln z^{\ln z}} (
                   (2/3) R^{\mu}_{\mu} x^{\sin } x^{\sin }
                 + (1/12) (5 \nabla_{\lambda}{R^{\mu}_{\nu\rho\sigma}}
                            + \nabla_{\nu}_{\nu\lambda} x^{\sigma} x^{\lambda}} x^{\lambda}
                 + (1/6) ( (9/10) \lambda_{R^{\infty}}_{R^{\infty}} \
                           + (3/20) ( \nabla_{\tau}^{R^{\mu}_{sigma}\nu}_{ambda}
10
                                     + \nabla_{\rho\tau}{R^{\mu}_{\sigma\nu\lambda}} )
11
                           + (1/60) ( 21 R^{\mathbb{L}}_{\alpha}xi)^R^{\tilde{\alpha}} R^{\tilde{\alpha}} nu tau
                                     + 48 R^{\mu}_{xi\rho} R^{\pi}_{xi}_{sigma\nu\tau}
13
                                     -37 R^{\mu}_{\sigma}x^{\lambda} R^{\mu}_{\sigma} x^{\lambda} R^{\mu}_{\tau} ) ) x^{\lambda} x^{\lambda} x^{\lambda} ).
14
                                                                       # cdb(ex-12.400,GammaBar)
15
16
     # convert from Greek to Latin indices
17
18
     distribute (GammaBar)
19
     rename_dummies (GammaBar, "greek", "latin")
                                                                       # cdb(ex-12.401, GammaBar)
20
21
     # lower the \mu index
22
     GammaBar := \delta_{a \mu} @(GammaBar).
                                                                       # cdb(ex-12.402,GammaBar)
     distribute (GammaBar)
                                                                       \# cdb(ex-12.403, GammaBar)
     eliminate_kronecker (GammaBar)
                                                                       # cdb(ex-12.404,GammaBar)
26
27
     # sort products
28
29
     product_sort (GammaBar)
                                                                       # cdb(ex-12.405, GammaBar)
30
31
     checkpoint.append (GammaBar)
32
33
     # Replace R with - R (Calzetta uses the non-MTW convention for Riemann)
34
35
     substitute (GammaBar, $R_{a b c d} -> - R_{a b c d}$)
                                                                       # cdb(ex-12.406, GammaBar)
     substitute (GammaBar, R^{a}_{b c d} -> - R^{a}_{b c d})
                                                                       # cdb(ex-12.407,GammaBar)
37
38
```

```
substitute (GammaBar, R^{a}_{b c d} \rightarrow g^{a e} R_{e b c d}) # cdb(ex-12.408, GammaBar)
40
     cal1 = get_xterm (GammaBar,1)
                                                                       # cdb(ex-12.500,cal1)
41
     cal2 = get_xterm (GammaBar,2)
                                                                       # cdb(ex-12.501,cal2)
42
     cal3 = get_xterm (GammaBar,3)
                                                                       # cdb(ex-12.502,cal3)
43
44
     cal1 = reformat (cal1,3,1)
                                                                       # cdb(ex-12.600,cal1)
45
     cal2 = reformat (cal2, 12, 1)
                                                                       # cdb(ex-12.601,cal2)
     # cal3 = reformat (cal3,360,1)
                                                                         # cdb(ex-12.602,cal3)
48
     cal30 = get_gterm (cal3,0)
                                                                       # cdb(ex-12.602,cal30)
49
                                                                       # cdb(ex-12.603, cal31)
     cal31 = get_gterm (cal3,1)
50
51
     cal1 = reformat (cal1, 3,1)
                                                                       # cdb(ex-12.604,cal1)
     cal2 = reformat (cal2, 12, 1)
                                                                       # cdb(ex-12.605,cal2)
54
     cal30 = reformat (cal30,40,1)
                                                                       # cdb(ex-12.606,cal30)
55
     cal31 = reformat (cal31, 360, 1)
                                                                       # cdb(ex-12.607,cal31)
56
57
     cal3 := @(cal30) + @(cal31).
                                                                       # cdb(ex-12.608,cal3)
58
59
     GammaBar := @(cal1) + @(cal2) + @(cal3).
                                                                       # cdb(ex-12.409,GammaBar)
60
61
     checkpoint.append (GammaBar)
62
```

$$\begin{split} \exp - 12.400 &:= z^{\nu} z^{\rho} \left(\frac{2}{3} R^{\mu}{}_{\nu\rho\sigma} x^{\rho} + \frac{1}{12} (5 \nabla_{\lambda} R^{\mu}{}_{\nu\rho\sigma} + \nabla_{\rho} R^{\mu}{}_{\sigma\nu\lambda}) x^{\sigma} x^{\lambda} \right. \\ & + \frac{1}{6} \left(\frac{9}{10} \nabla_{\tau_{\lambda}} R^{\mu}{}_{\rho\sigma\sigma} + \frac{3}{20} \nabla_{\tau_{\rho}} R^{\mu}{}_{\sigma\nu\lambda} + \frac{3}{20} \nabla_{\rho} R^{\mu}{}_{\sigma\nu\lambda} + \frac{7}{20} R^{\mu}{}_{\lambda\rho} R^{\xi}{}_{\sigma\nu\tau} + \frac{4}{5} R^{\mu}{}_{\xi\rho\lambda} R^{\xi}{}_{\sigma\nu\tau} - \frac{37}{60} R^{\mu}{}_{\sigma\xi\lambda} R^{\xi}{}_{\rho\rho\tau} \right) x^{\sigma} x^{\lambda} x^{\rho} \\ & + \frac{1}{6} \left(\frac{9}{10} \nabla_{\tau_{\lambda}} R^{\mu}{}_{\rho\sigma\sigma} + \frac{3}{2} e^{2} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\lambda} + \frac{1}{12} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\nu} + \frac{3}{20} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\nu} x^{\lambda} + \frac{1}{40} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\nu} + \frac{1}{12} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\nu} x^{\lambda} + \frac{3}{16} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\nu} x^{\lambda} + \frac{1}{40} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} x^{\lambda} + \frac{1}{12} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} x^{\lambda} + \frac{1}{40} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} x^{\lambda} + \frac{1}{12} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} x^{\lambda} + \frac{1}{40} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} + \frac{1}{40} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} + \frac{1}{40} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} + \frac{1}{12} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} + \frac{1}{20} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} + \frac{1}{20} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} + \frac{1}{40} z^{\lambda} z^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} + \frac{1}{20} z^{\lambda} x^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} + \frac{1}{20} z^{\lambda} x^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} + \frac{1}{20} z^{\lambda} x^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} x^{\lambda} + \frac{1}{20} z^{\lambda} x^{\lambda} \nabla_{d} R^{\mu}{}_{\sigma\nu\lambda} x^{\mu} x^{\lambda} x^{\lambda} + \frac{1}{20} z^{\lambda} x^{\lambda}$$

$$\begin{split} \text{ex-12.408} &:= -\frac{2}{3} x^b z^c z^d R_{adcb} - \frac{1}{12} x^b x^c z^d z^e \nabla_e R_{acdb} - \frac{5}{12} x^b x^c z^d z^e \nabla_c R_{aedb} - \frac{1}{40} x^b x^c x^d z^e z^f \nabla_{fc} R_{adeb} - \frac{1}{40} x^b x^c x^d z^e z^f \nabla_{cf} R_{adeb} \\ &- \frac{3}{20} x^b x^c x^d z^e z^f \nabla_{cd} R_{afeb} - \frac{37}{360} x^b x^c x^d z^e z^f R_{adgb} g^{gh} R_{hefc} + \frac{2}{15} x^b x^c x^d z^e z^f R_{ageb} g^{gh} R_{hcfd} + \frac{7}{120} x^b x^c x^d z^e z^f R_{adge} g^{gh} R_{hbfc} \end{split}$$

$$\begin{split} & \text{ex-12.500} := -\frac{2}{3} x^b z^c z^d R_{adcb} \\ & \text{ex-12.501} := -\frac{1}{12} x^b x^c z^d z^e \nabla_e R_{acdb} - \frac{5}{12} x^b x^c z^d z^e \nabla_c R_{aedb} \\ & \text{ex-12.502} := -\frac{1}{40} x^b x^c x^d z^e z^f \nabla_{fc} R_{adeb} - \frac{1}{40} x^b x^c x^d z^e z^f \nabla_{cf} R_{adeb} - \frac{3}{20} x^b x^c x^d z^e z^f \nabla_{cd} R_{afeb} \\ & - \frac{37}{360} x^b x^c x^d z^e z^f R_{adgb} g^{gh} R_{hefc} + \frac{2}{15} x^b x^c x^d z^e z^f R_{ageb} g^{gh} R_{hcfd} + \frac{7}{120} x^b x^c x^d z^e z^f R_{adge} g^{gh} R_{hbfc} \end{split}$$

ex-12.600 :=
$$\frac{2}{3}x^bz^cz^dR_{acbd}$$

ex-12.601 :=
$$\frac{1}{12} x^b x^c z^d z^e \left(\nabla_d R_{abce} + 5 \nabla_b R_{adce} \right)$$

$$\text{ex-12.602} := -\frac{1}{40} x^b x^c x^d z^e z^f \nabla_{fc} R_{adeb} - \frac{1}{40} x^b x^c x^d z^e z^f \nabla_{cf} R_{adeb} - \frac{3}{20} x^b x^c x^d z^e z^f \nabla_{cd} R_{afeb}$$

$$\texttt{ex-12.603} := -\frac{37}{360} x^b x^c x^d z^e z^f R_{adgb} g^{gh} R_{hefc} + \frac{2}{15} x^b x^c x^d z^e z^f R_{ageb} g^{gh} R_{hcfd} + \frac{7}{120} x^b x^c x^d z^e z^f R_{adge} g^{gh} R_{hbfc}$$

ex-12.604 :=
$$\frac{2}{3}x^bz^cz^dR_{acbd}$$

ex-12.605 :=
$$\frac{1}{12}x^bx^cz^dz^e (\nabla_d R_{abce} + 5\nabla_b R_{adce})$$

$$\texttt{ex-12.606} := \frac{1}{40} x^b x^c x^d z^e z^f \left(\nabla_{be} R_{acdf} + \nabla_{eb} R_{acdf} + 6 \nabla_{bc} R_{aedf} \right)$$

$$ex-12.607 := \frac{1}{360} g^{bc} x^d x^e x^f z^g z^h \left(37 R_{adbe} R_{cgfh} - 21 R_{adbg} R_{cefh} + 48 R_{abdg} R_{cefh} \right)$$

$$\texttt{ex-12.608} := \frac{1}{40} x^b x^c x^d z^e z^f \left(\nabla_{be} R_{acdf} + \nabla_{eb} R_{acdf} + 6 \nabla_{bc} R_{aedf} \right) + \frac{1}{360} g^{bc} x^d x^e x^f z^g z^h \left(37 R_{adbe} R_{cgfh} - 21 R_{adbg} R_{cefh} + 48 R_{abdg} R_{cefh} \right)$$

$$\begin{split} \text{ex-12.409} &:= \frac{2}{3} x^b z^c z^d R_{acbd} + \frac{1}{12} x^b x^c z^d z^e \left(\nabla_d R_{abce} + 5 \nabla_b R_{adce} \right) + \frac{1}{40} x^b x^c x^d z^e z^f \left(\nabla_{be} R_{acdf} + \nabla_{eb} R_{acdf} + 6 \nabla_{bc} R_{aedf} \right) \\ &+ \frac{1}{360} g^{bc} x^d x^e x^f z^g z^h \left(37 R_{adbe} R_{cgfh} - 21 R_{adbg} R_{cefh} + 48 R_{abdg} R_{cefh} \right) \end{split}$$

The fun begins $\Gamma - \bar{\Gamma}$

It's now time to compute the difference $\Gamma - \bar{\Gamma}$. Here it is.

```
def reformat_diff (obj):
         distribute (obj)
         obj1 = get_xterm (obj,1)
         obj2 = get_xterm (obj,2)
         obj3 = get_xterm (obj,3)
         obj30 = get_gterm (obj3,0)
         obj31 = get_gterm (obj3,1)
10
11
         obj1 = reformat (obj1, 3,1)
12
         obj2 = reformat (obj2,12,1)
13
14
         obj30 = reformat (obj30,40,1)
         obj31 = reformat (obj31,360,1)
16
17
         obj3 := @(obj30) + @(obj31).
18
19
         ans := @(obj1) + @(obj2) + @(obj3).
20
21
         return ans
22
23
     # We could use reformat_diff here but instead we'll do it one step at a time so that
^{24}
     # we can see exactly what's going on. Later on we will use reformat_diff to do the job.
25
     diff := @(Gamma) - @(GammaBar).
                                                                      # cdb(ex-12.diff.100,diff)
27
     distribute (diff)
28
29
     diff1 = get_xterm (diff,1)
                                                                      # cdb(ex-12.diff.200,diff1)
30
     diff2 = get_xterm (diff,2)
                                                                      # cdb(ex-12.diff.201,diff2)
     diff3 = get_xterm (diff,3)
                                                                      # cdb(ex-12.diff.202,diff3)
32
33
     diff30 = get_gterm (diff3,0)
                                                                      # cdb(ex-12.diff.203,diff30)
34
```

```
diff31 = get_gterm (diff3,1)
                                                                       # cdb(ex-12.diff.204,diff31)
36
     diff1 = reformat (diff1, 3,1)
                                                                       # cdb(ex-12.diff.300,diff1)
37
                                                                       # cdb(ex-12.diff.301,diff2)
     diff2 = reformat (diff2,12,1)
38
39
     diff30 = reformat (diff30, 40, 1)
                                                                       # cdb(ex-12.diff.302,diff30)
40
     diff31 = reformat (diff31,360,1)
                                                                       # cdb(ex-12.diff.303.diff31)
42
     diff3 := 0(diff30) + 0(diff31).
                                                                       # cdb(ex-12.diff.304,diff3)
44
     diff := @(diff1) + @(diff2) + @(diff3).
                                                                       # cdb(ex-12.diff.305,diff)
45
```

$$\begin{split} \text{ex-12.diff.100} &:= \frac{1}{12} x^b x^c z^d z^e \left(4 \nabla_b R_{adce} + 2 \nabla_d R_{abce} + \nabla_a R_{bdce} \right) + \frac{1}{40} x^b x^c x^d z^e z^f \left(4 \nabla_{bc} R_{aedf} + 2 \nabla_{be} R_{acdf} + 2 \nabla_{eb} R_{acdf} + \nabla_{ab} R_{cedf} + \nabla_{ba} R_{cedf} \right) \\ &+ \frac{2}{45} g^{bc} x^d x^e x^f z^g z^h \left(4 R_{adbe} R_{cgfh} - 2 R_{agbd} R_{cefh} - R_{adbg} R_{cefh} + R_{abdg} R_{cefh} \right) - \frac{1}{12} x^b x^c z^d z^e \left(\nabla_d R_{abce} + 5 \nabla_b R_{adce} \right) \\ &- \frac{1}{40} x^b x^c x^d z^e z^f \left(\nabla_{be} R_{acdf} + \nabla_{eb} R_{acdf} + 6 \nabla_{bc} R_{aedf} \right) - \frac{1}{360} g^{bc} x^d x^e x^f z^g z^h \left(37 R_{adbe} R_{cgfh} - 21 R_{adbg} R_{cefh} + 48 R_{abdg} R_{cefh} \right) \end{split}$$

$$\begin{aligned} & \text{ex-}12.\text{diff.} 200 \coloneqq 0 \\ & \text{ex-}12.\text{diff.} 201 \coloneqq -\frac{1}{12}x^bx^cz^dz^e\nabla_bR_{adce} + \frac{1}{12}x^bx^cz^dz^e\nabla_dR_{abce} + \frac{1}{12}x^bx^cz^dz^e\nabla_aR_{bdce} \\ & \text{ex-}12.\text{diff.} 202 \coloneqq -\frac{1}{20}x^bx^cx^dz^ez^f\nabla_{bc}R_{aedf} + \frac{1}{40}x^bx^cx^dz^ez^f\nabla_{be}R_{acdf} + \frac{1}{40}x^bx^cx^dz^ez^f\nabla_{eb}R_{acdf} + \frac{1}{40}x^bx^cx^dz^ez^f\nabla_{ab}R_{cedf} + \frac{1}{40}x^bx^cx^dz^ez^f\nabla_{ba}R_{cedf} \\ & + \frac{3}{40}g^{bc}x^dx^ex^fz^gz^hR_{adbe}R_{cgfh} - \frac{4}{45}g^{bc}x^dx^ex^fz^gz^hR_{agbd}R_{cefh} + \frac{1}{72}g^{bc}x^dx^ex^fz^gz^hR_{adbg}R_{cefh} - \frac{4}{45}g^{bc}x^dx^ex^fz^gz^hR_{abdg}R_{cefh} \\ & \text{ex-}12.\text{diff.} 203 \coloneqq -\frac{1}{20}x^bx^cx^dz^ez^f\nabla_{bc}R_{aedf} + \frac{1}{40}x^bx^cx^dz^ez^f\nabla_{be}R_{acdf} + \frac{1}{40}x^bx^cx^dz^ez^f\nabla_{ab}R_{cedf} + \frac{1}{40}x^bx^cx^dz^ez^f\nabla_{ab}R_{cedf} \\ & \text{ex-}12.\text{diff.} 204 \coloneqq \frac{3}{40}g^{bc}x^dx^ex^fz^gz^hR_{adbe}R_{cgfh} - \frac{4}{45}g^{bc}x^dx^ex^fz^gz^hR_{agbd}R_{cefh} + \frac{1}{72}g^{bc}x^dx^ex^fz^gz^hR_{adbg}R_{cefh} - \frac{4}{45}g^{bc}x^dx^ex^fz^gz^hR_{adbg}R_{cefh} \end{aligned}$$

$$ex-12.diff.300 := 0$$

$$\texttt{ex-12.diff.301} := \frac{1}{12} x^b x^c z^d z^e \left(\nabla_d R_{abce} - \nabla_b R_{adce} + \nabla_a R_{bdce} \right)$$

$$\texttt{ex-12.diff.302} := \frac{1}{40} x^b x^c x^d z^e z^f \left(\nabla_{be} R_{acdf} + \nabla_{eb} R_{acdf} - 2 \nabla_{bc} R_{aedf} + \nabla_{ab} R_{cedf} + \nabla_{ba} R_{cedf} \right)$$

$$ex-12.diff.303 := \frac{1}{360} g^{bc} x^d x^e x^f z^g z^h \left(-32 R_{abdg} R_{cefh} + 27 R_{adbe} R_{cgfh} + 5 R_{adbg} R_{cefh} - 32 R_{agbd} R_{cefh} \right)$$

$$\begin{aligned} \text{ex-12.diff.304} &:= \frac{1}{40} x^b x^c x^d z^e z^f \left(\nabla_{be} R_{acdf} + \nabla_{eb} R_{acdf} - 2 \nabla_{bc} R_{aedf} + \nabla_{ab} R_{cedf} + \nabla_{ba} R_{cedf} \right) \\ &+ \frac{1}{360} g^{bc} x^d x^e x^f z^g z^h \left(-32 R_{abdg} R_{cefh} + 27 R_{adbe} R_{cgfh} + 5 R_{adbg} R_{cefh} - 32 R_{agbd} R_{cefh} \right) \end{aligned}$$

$$\begin{aligned} \texttt{ex-12.diff.305} &:= \frac{1}{12} x^b x^c z^d z^e \left(\nabla_d R_{abce} - \nabla_b R_{adce} + \nabla_a R_{bdce} \right) + \frac{1}{40} x^b x^c x^d z^e z^f \left(\nabla_{be} R_{acdf} + \nabla_{eb} R_{acdf} - 2 \nabla_{bc} R_{aedf} + \nabla_{ab} R_{cedf} + \nabla_{ba} R_{cedf} \right) \\ &+ \frac{1}{360} g^{bc} x^d x^e x^f z^g z^h \left(-32 R_{abdg} R_{cefh} + 27 R_{adbe} R_{cgfh} + 5 R_{adbg} R_{cefh} - 32 R_{agbd} R_{cefh} \right) \end{aligned}$$

Second order terms

```
diff2 = get_xterm (diff,2)
    diff2 := 12 @(diff2).
                                                                                  # cdb (ex-12.701, diff2)
     distribute (diff2)
                                                                                  # cdb (ex-12.702, diff2)
     diff2 = add_tags (diff2,'\\mu')
                                                                                  # cdb (ex-12.711, diff2)
     # swap indices on middle term, then apply 2nd Bianchi identity
                (diff2, $\mu_{1} Q??$)
                                                                                  # cdb (ex-12.712, diff2)
     ZOOM
     substitute (diff2, \alpha c e) -> - \nabla_{b}{R_{d a c e}}  # cdb (ex-12.713, diff2)
                (diff2)
     unzoom
11
     substitute (diff2, $\mu_{1} -> \mu_{0}, \mu_{2} -> \mu_{0}$)
                                                                                  # cdb (ex-12.714, diff2)
     substitute (diff2, $\mu_{0} -> 0$)
                                                                                  # cdb (ex-12.715, diff2)
14
     diff2 = clear_tags (diff2,'\\mu')
                                                                                  # cdb (ex-12.716, diff2)
17
     diff2 := 0(diff2) / 12.
     diff := O(diff1) + O(diff2) + O(diff3).
20
21
     diff = reformat_diff (diff)
                                                                                  # cdb(ex-12.diff.306,diff)
```

$$\begin{split} &\text{ex-12.701} := x^b x^c z^d z^e \nabla_d R_{abce} - x^b x^c z^d z^e \nabla_b R_{adce} + x^b x^c z^d z^e \nabla_a R_{bdce} \\ &\text{ex-12.702} := x^b x^c z^d z^e \nabla_d R_{abce} - x^b x^c z^d z^e \nabla_b R_{adce} + x^b x^c z^d z^e \nabla_a R_{bdce} \end{split}$$

$$\begin{split} & \text{ex-12.711} := \mu_0 x^b x^c z^d z^e \nabla_d R_{abce} - \mu_1 x^b x^c z^d z^e \nabla_b R_{adce} + \mu_2 x^b x^c z^d z^e \nabla_a R_{bdce} \\ & \text{ex-12.712} := \ldots - \mu_1 x^b x^c z^d z^e \nabla_b R_{adce} + \ldots \\ & \text{ex-12.713} := \ldots + \mu_1 x^b x^c z^d z^e \nabla_b R_{dace} + \ldots \\ & \text{ex-12.714} := \mu_0 x^b x^c z^d z^e \nabla_d R_{abce} + \mu_0 x^b x^c z^d z^e \nabla_b R_{dace} + \mu_0 x^b x^c z^d z^e \nabla_a R_{bdce} \\ & \text{ex-12.715} := 0 \\ & \text{ex-12.716} := 0 \end{split}$$

$$\begin{split} \text{ex-12.diff.306} &:= \frac{1}{40} x^b x^c x^d z^e z^f \left(\nabla_{be} R_{acdf} + \nabla_{eb} R_{acdf} - 2 \nabla_{bc} R_{aedf} + \nabla_{ab} R_{cedf} + \nabla_{ba} R_{cedf} \right) \\ &+ \frac{1}{360} g^{bc} x^d x^e x^f z^g z^h \left(-32 R_{abdg} R_{cefh} + 27 R_{adbe} R_{cgfh} + 5 R_{adbg} R_{cefh} - 32 R_{agbd} R_{cefh} \right) \end{split}$$

Third order terms, commute $\nabla \nabla R$ terms

```
diff3 = get_xterm (diff,3)
     diff3 := 360 @(diff3).
                                                        # cdb (ex-12.801, diff3)
     distribute (diff3)
                                                       # cdb (ex-12.802, diff3)
     # commutation rule for covariant derivs on Rabcd, see exrecise 3.6
     # note: \nabla_{a b} defined as \nabla_{a}\nabla_{b}
     + g^{u} v R_{u} a e f R_{v} b c d
                                                     + g^{u v} R_{u b e f} R_{a v c d}
9
                                                     + g^{u v} R_{u c e f} R_{a b v d}
10
                                                     + g^{u} v R_{u} d e f R_{a} b c v.
11
12
     diff3 = add_tags (diff3,'\\mu')
                                                       # cdb (ex-12.901, diff3)
13
14
     # commute derivs on Rabcd so that each double deriv is of the form \nabla_{b*}
15
16
     substitute (diff3, $\mu_{3} -> \mu_{1}$)
                                                       # cdb (ex-12.902, diff3)
17
18
               (diff3, $\mu_{1} Q??$)
     zoom
                                                       # cdb (ex-12.903, diff3)
     substitute (diff3, CommuteNablaRiemann)
                                                       # cdb (ex-12.904, diff3)
                (diff3)
     unzoom
21
22
     diff3 = clear_tags (diff3,'\\mu')
     diff3 := 0(diff3) / 360.
25
     distribute (diff3)
26
     canonicalise (diff3)
                                                       # cdb (ex-12.905, diff3)
27
28
     diff := \mathbb{Q}(diff1) + \mathbb{Q}(diff2) + \mathbb{Q}(diff3).
30
    diff = reformat_diff (diff)
                                                       # cdb(ex-12.diff.307,diff)
31
```

$$\begin{split} \text{ex-12.801} &:= 9x^bx^cx^dz^ez^f\nabla_{be}R_{acdf} + 9x^bx^cx^dz^ez^f\nabla_{eb}R_{acdf} - 18x^bx^cx^dz^ez^f\nabla_{bc}R_{aedf} + 9x^bx^cx^dz^ez^f\nabla_{ab}R_{cedf} + 9x^bx^cx^dz^ez^f\nabla_{ba}R_{cedf} \\ &- 32g^{bc}x^dx^ex^fz^gz^hR_{abdg}R_{cefh} + 27g^{bc}x^dx^ex^fz^gz^hR_{adbe}R_{cgfh} + 5g^{bc}x^dx^ex^fz^gz^hR_{adbg}R_{cefh} - 32g^{bc}x^dx^ex^fz^gz^hR_{agbd}R_{cefh} \\ &\text{ex-12.802} := 9x^bx^cx^dz^ez^f\nabla_{be}R_{acdf} + 9x^bx^cx^dz^ez^f\nabla_{eb}R_{acdf} - 18x^bx^cx^dz^ez^f\nabla_{bc}R_{aedf} + 9x^bx^cx^dz^ez^f\nabla_{ab}R_{cedf} + 9x^bx^cx^dz^ez^f\nabla_{ba}R_{cedf} \\ &- 32g^{bc}x^dx^ex^fz^gz^hR_{abdg}R_{cefh} + 27g^{bc}x^dx^ex^fz^gz^hR_{adbe}R_{cgfh} + 5g^{bc}x^dx^ex^fz^gz^hR_{adbg}R_{cefh} - 32g^{bc}x^dx^ex^fz^gz^hR_{agbd}R_{cefh} \end{split}$$

$$\begin{split} \text{ex-12.901} &:= 9\mu_0 x^b x^c x^d z^e z^f \nabla_{be} R_{acdf} + 9\mu_1 x^b x^c x^d z^e z^f \nabla_{eb} R_{acdf} - 18\mu_2 x^b x^c x^d z^e z^f \nabla_{bc} R_{aedf} + 9\mu_3 x^b x^c x^d z^e z^f \nabla_{ab} R_{cedf} + 9\mu_4 x^b x^c x^d z^e z^f \nabla_{ba} R_{cedf} \\ &- 32\mu_5 g^{bc} x^d x^e x^f z^g z^h R_{abdg} R_{cefh} + 27\mu_6 g^{bc} x^d x^e x^f z^g z^h R_{adbe} R_{cgfh} + 5\mu_7 g^{bc} x^d x^e x^f z^g z^h R_{adbg} R_{cefh} - 32\mu_8 g^{bc} x^d x^e x^f z^g z^h R_{agbd} R_{cefh} \\ &\text{ex-12.902} := 9\mu_0 x^b x^c x^d z^e z^f \nabla_{be} R_{acdf} + 9\mu_1 x^b x^c x^d z^e z^f \nabla_{eb} R_{acdf} - 18\mu_2 x^b x^c x^d z^e z^f \nabla_{bc} R_{aedf} + 9\mu_1 x^b x^c x^d z^e z^f \nabla_{ab} R_{cedf} + 9\mu_4 x^b x^c x^d z^e z^f \nabla_{ba} R_{cedf} \\ &- 32\mu_5 g^{bc} x^d x^e x^f z^g z^h R_{abdg} R_{cefh} + 27\mu_6 g^{bc} x^d x^e x^f z^g z^h R_{adbe} R_{cgfh} + 5\mu_7 g^{bc} x^d x^e x^f z^g z^h R_{adbg} R_{cefh} - 32\mu_8 g^{bc} x^d x^e x^f z^g z^h R_{agbd} R_{cefh} \end{split}$$

$$\texttt{ex-12.903} := \ldots + 9\mu_1 x^b x^c x^d z^e z^f \nabla_{eb} R_{acdf} + \ldots + 9\mu_1 x^b x^c x^d z^e z^f \nabla_{ab} R_{cedf} + \ldots$$

$$\begin{split} \text{ex-12.904} := \ldots + 9 \mu_1 x^b x^c x^d z^e z^f \left(\nabla_{be} R_{acdf} + g^{uv} R_{uabe} R_{vcdf} + g^{uv} R_{ucbe} R_{avdf} + g^{uv} R_{udbe} R_{acvf} + g^{uv} R_{ufbe} R_{acvf} \right) + \ldots \\ + 9 \mu_1 x^b x^c x^d z^e z^f \left(\nabla_{ba} R_{cedf} + g^{uv} R_{ucba} R_{vedf} + g^{uv} R_{ueba} R_{cvdf} + g^{uv} R_{udba} R_{cevf} + g^{uv} R_{ufba} R_{cedv} \right) + \ldots \end{split}$$

$$\begin{split} \text{ex-12.905} := \frac{1}{20} x^b x^c x^d z^e z^f \nabla_{be} R_{acdf} + \frac{3}{40} x^b x^c x^d z^e z^f g^{uv} R_{abeu} R_{cfdv} - \frac{3}{40} x^b x^c x^d z^e z^f g^{uv} R_{abcu} R_{defv} - \frac{1}{20} x^b x^c x^d z^e z^f \nabla_{bc} R_{aedf} + \frac{1}{20} x^b x^c x^d z^e z^f \nabla_{ba} R_{cedf} \\ - \frac{4}{45} g^{bc} x^d x^e x^f z^g z^h R_{abdg} R_{cefh} + \frac{3}{40} g^{bc} x^d x^e x^f z^g z^h R_{adbe} R_{cgfh} + \frac{1}{72} g^{bc} x^d x^e x^f z^g z^h R_{adbg} R_{cefh} - \frac{4}{45} g^{bc} x^d x^e x^f z^g z^h R_{agbd} R_{cefh} \end{split}$$

Third order terms, use 2nd Bianchi identity on $\nabla \nabla R$ terms

```
diff3 = get_xterm (diff,3)
    diff3 := 360 @(diff3).
                                                                                        # cdb (ex-12.910, diff3)
     distribute (diff3)
                                                                                        # cdb (ex-12.911, diff3)
     diff3 = add_tags (diff3,'\\mu')
                                                                                        # cdb (ex-12.912, diff3)
     # swap indices on middle second deriv term, then apply 2nd Bianchi identity
                (diff3, $\mu_{1} Q??$)
                                                                                        # cdb (ex-12.913, diff3)
     ZOOM
     substitute (diff3, \alpha_{b c}{R_{a e d f}} \rightarrow - \alpha_{b c}{R_{e a d f}}) # cdb (ex-12.914, diff3)
                (diff3)
     unzoom
11
     substitute (diff3, $\mu_{1} -> \mu_{0}, \mu_{2} -> \mu_{0}$)
                                                                                        # cdb (ex-12.915, diff3)
     substitute (diff3, $\mu_{0} -> 0$)
                                                                                        # cdb (ex-12.916, diff3)
14
15
     diff3 = clear_tags (diff3,'\\mu')
     diff3 := 0(diff3) / 360.
18
     distribute (diff3)
     canonicalise (diff3)
                                                                                        # cdb (ex-12.917, diff3)
20
21
     diff := O(diff1) + O(diff2) + O(diff3).
22
23
     diff = reformat_diff (diff)
                                                                                        # cdb(ex-12.diff.308,diff)
```

$$\begin{split} \text{ex-12.910} := 18x^b x^c x^d z^e z^f \nabla_{be} R_{acdf} - 18x^b x^c x^d z^e z^f \nabla_{bc} R_{aedf} + 18x^b x^c x^d z^e z^f \nabla_{ba} R_{cedf} \\ - 32g^{bc} x^d x^e x^f z^g z^h R_{abdg} R_{cefh} + 32g^{bc} x^d x^e x^f z^g z^h R_{adbg} R_{cefh} - 32g^{bc} x^d x^e x^f z^g z^h R_{agbd} R_{cefh} \end{split}$$

$$\begin{split} \text{ex-12.911} := 18x^b x^c x^d z^e z^f \nabla_{be} R_{acdf} - 18x^b x^c x^d z^e z^f \nabla_{bc} R_{aedf} + 18x^b x^c x^d z^e z^f \nabla_{ba} R_{cedf} \\ - 32g^{bc} x^d x^e x^f z^g z^h R_{abdg} R_{cefh} + 32g^{bc} x^d x^e x^f z^g z^h R_{adbg} R_{cefh} - 32g^{bc} x^d x^e x^f z^g z^h R_{agbd} R_{cefh} \end{split}$$

$$\begin{split} \text{ex-12.912} := 18 \mu_0 x^b x^c x^d z^e z^f \nabla_{be} R_{acdf} - 18 \mu_1 x^b x^c x^d z^e z^f \nabla_{bc} R_{aedf} + 18 \mu_2 x^b x^c x^d z^e z^f \nabla_{ba} R_{cedf} \\ - 32 \mu_3 g^{bc} x^d x^e x^f z^g z^h R_{abdg} R_{cefh} + 32 \mu_4 g^{bc} x^d x^e x^f z^g z^h R_{adbg} R_{cefh} - 32 \mu_5 g^{bc} x^d x^e x^f z^g z^h R_{agbd} R_{cefh} \end{split}$$

ex-12.913 := ...
$$-18\mu_1 x^b x^c x^d z^e z^f \nabla_{bc} R_{aedf} + ...$$

ex-12.914 := ... +
$$18\mu_1 x^b x^c x^d z^e z^f \nabla_{bc} R_{eadf} + ...$$

$$\begin{split} \text{ex-12.915} &:= 18 \mu_0 x^b x^c x^d z^e z^f \nabla_{be} R_{acdf} + 18 \mu_0 x^b x^c x^d z^e z^f \nabla_{bc} R_{eadf} + 18 \mu_0 x^b x^c x^d z^e z^f \nabla_{ba} R_{cedf} \\ &- 32 \mu_3 g^{bc} x^d x^e x^f z^g z^h R_{abdg} R_{cefh} + 32 \mu_4 g^{bc} x^d x^e x^f z^g z^h R_{adbg} R_{cefh} - 32 \mu_5 g^{bc} x^d x^e x^f z^g z^h R_{agbd} R_{cefh} \end{split}$$

$$\texttt{ex-12.916} := -32 \mu_3 g^{bc} x^d x^e x^f z^g z^h R_{abdg} R_{cefh} + 32 \mu_4 g^{bc} x^d x^e x^f z^g z^h R_{adbg} R_{cefh} - 32 \mu_5 g^{bc} x^d x^e x^f z^g z^h R_{agbd} R_{cefh}$$

$$\texttt{ex-12.917} := -\frac{4}{45} g^{bc} x^d x^e x^f z^g z^h R_{abdg} R_{cefh} + \frac{4}{45} g^{bc} x^d x^e x^f z^g z^h R_{adbg} R_{cefh} - \frac{4}{45} g^{bc} x^d x^e x^f z^g z^h R_{agbd} R_{cefh}$$

$$\text{ex-12.diff.308} := \frac{1}{360} g^{bc} x^d x^e x^f z^g z^h \left(-32 R_{abdg} R_{cefh} + 32 R_{adbg} R_{cefh} - 32 R_{agbd} R_{cefh} \right)$$

Third order terms, use 1st Bianchi identity on RR terms

```
diff3 = get_xterm (diff,3)
     diff3 := 360 @(diff3).
     distribute (diff3)
     diff3 = add_tags (diff3,'\\mu')
                                                                                   # cdb (ex-12.921, diff3)
     # swap indices on middle term, then apply 1st Bianchi identity
                (diff3, $\mu_{1} Q??$)
                                                                                   # cdb (ex-12.922, diff3)
     ZOOM
     substitute (diff3, R_{a d b g} R_{c e f h} -> - R_{a d g b} R_{c e f h}) # cdb (ex-12.923, diff3)
                (diff3)
     unzoom
11
     substitute (diff3, $\mu_{1} -> \mu_{0}, \mu_{2} -> \mu_{0}$)
                                                                                   # cdb (ex-12.924, diff3)
     substitute (diff3, $\mu_{0} -> 0$)
                                                                                   # cdb (ex-12.925, diff3)
14
     diff3 = clear_tags (diff3,'\\mu')
                                                                                   # cdb (ex-12.926, diff3)
17
     diff := 0(diff1) + 0(diff2) + 0(diff3).
     diff = reformat_diff (diff)
                                                                                   # cdb(ex-12.diff.309,diff)
```

$$\begin{split} & \text{ex-}12.921 := -32\mu_0 g^{bc} x^d x^e x^f z^g z^h R_{abdg} R_{cefh} + 32\mu_1 g^{bc} x^d x^e x^f z^g z^h R_{adbg} R_{cefh} - 32\mu_2 g^{bc} x^d x^e x^f z^g z^h R_{agbd} R_{cefh} \\ & \text{ex-}12.922 := \ldots + 32\mu_1 g^{bc} x^d x^e x^f z^g z^h R_{adbg} R_{cefh} + \ldots \\ & \text{ex-}12.923 := \ldots - 32\mu_1 g^{bc} x^d x^e x^f z^g z^h R_{adgb} R_{cefh} + \ldots \\ & \text{ex-}12.924 := -32\mu_0 g^{bc} x^d x^e x^f z^g z^h R_{abdg} R_{cefh} - 32\mu_0 g^{bc} x^d x^e x^f z^g z^h R_{adgb} R_{cefh} - 32\mu_0 g^{bc} x^d x^e x^f z^g z^h R_{agbd} R_{cefh} \\ & \text{ex-}12.925 := 0 \\ & \text{ex-}12.926 := 0 \end{split}$$

ex-12.diff.309 := 0

Example 13a The Weyl tensor vanishes in 3d – direct proof

```
{x,y,z}::Coordinate.
     \{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,u,v,w\#\}::Indices\ (values=\{x,y,z\},position=independent).
     \partial{#}::PartialDerivative.
     g_{a b}::Metric.
     g^{a b}::InverseMetric.
     {\hat{a}}_{g_{c}}  {\partial_{a}}g_{b c}, \partial_{a}}::SortOrder.
10
     GammaU := Gamma^{a}_{b c} \rightarrow 1/2 g^{a d} ( partial_{b}_{g_{d c}})
11
                                                    + \partial_{c}{g_{b d}}
12
                                                    - \partial_{d}{g_{b c}}). # cdb(Gamma.000,GammaU)
13
14
     GammaD := \Gamma_{a b c} -> 1/2 ( \partial_{b}_{g_{a c}})
15
                                         + \partial_{c}{g_{b a}}
16
                                         - \partial_{a}{g_{b c}}).
                                                                               # cdb(Gamma.010,GammaD)
17
18
     Rabcd := R_{a b c d} \rightarrow partial_{c}{Gamma_{a b d}}
                              - \partial_{d}{\Gamma_{a b c}}
20
                              + \Gamma_{e a d} \Gamma^{e}_{b c}
21
                              - \Gamma_{e a c} \Gamma^{e}_{b d}.
                                                                                # cdb (Rabcd.000, Rabcd)
22
23
             := R_{a b} -> g^{c d} R_{a c b d}.
                                                                                # cdb (Rab.000, Rab)
     Rab
24
25
     Rscalar := R \rightarrow g^{a} b R_{a} b.
                                                                                # cdb (R.000,Rscalar)
26
27
     # Weyl in 3-dimensions
28
29
     Cabcd := R_{a b c d} - (R_{a c} g_{b d} - R_{a d} g_{b c})
30
                           - (g_{a c} R_{b d} - g_{a d} R_{b c})
31
                    + 1/2 R (g_{a c} g_{b d} - g_{a d} g_{b c}).
                                                                               # cdb (ex-13a.100, Cabcd)
32
33
     EightCabcd := 8 @(Cabcd). # cdb (ex-13a.110,EightCabcd)
34
35
                     (Cabcd, Rscalar)
     substitute
```

```
(Cabcd, Rab)
                      substitute
                      substitute
                                                                                           (Cabcd, Rabcd)
                      substitute
                                                                                          (Cabcd, GammaU)
39
                      substitute
                                                                                          (Cabcd, GammaD)
40
41
                      distribute
                                                                                          (Cabcd)
42
43
                      sort_product
                                                                                           (Cabcd)
44
                      rename_dummies (Cabcd)
45
                      canonicalise
                                                                                          (Cabcd)
                                                                                                                                               # cdb (ex-13a.101, Cabcd)
46
47
                      EightCabcd := 8 @(Cabcd). # cdb (ex-13a.111,EightCabcd)
48
49
                      gab := \{g_{x} = gx, g_{x} = 
                                                         g_{y} = gxy, g_{y} = gyy, g_{y} = gyz,
51
                                                         g_{z} = gxz, g_{z} = gyz, g_{z} = gzz.
52
 53
                      complete (gab, $g^{a b}$)
54
                      evaluate (Cabcd,gab)
                                                                                                                                               # cdb (ex-13a.102,Cabcd)
                      evaluate (EightCabcd,gab) # cdb (ex-13a.112,EightCabcd)
```

$$C_{abcd} = R_{abcd} - R_{ac}g_{bd} + R_{ad}g_{bc} - g_{bc}R_{bd} + g_{ad}R_{bc} + \frac{1}{2}R\left(g_{ac}g_{bd} - g_{ad}g_{bc}\right)$$

$$= \frac{1}{2}\partial_{bc}g_{ad} - \frac{1}{2}\partial_{ac}g_{bd} - \frac{1}{2}\partial_{ad}g_{ac} + \frac{1}{2}\partial_{ad}g_{bc} + \frac{1}{4}\partial_{a}g_{ac}\partial_{b}g_{c}f^{ef} + \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bf}f^{ef} + \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bf}g_{bf}f^{ef} + \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bf}g_{bf}f^{ef} + \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bf}g_{bf}f^{ef} + \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bf}g_{bf}f^{ef} + \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bf}g_{bf}g^{ef} + \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bf}g_{bf}g^{ef} - \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bf}g_{bf}f^{ef} + \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bf}g_{bg}f^{ef} + \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bg}g_{bg}g^{ef} - \frac{1}{2}\partial_{a}g_{ac}\partial_{c}g_{bg}g_{bg}g^{ef} - \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bg}g_{bg}g^{ef} - \frac{1}{4}\partial_{a}g_{ac}\partial_{c}g_{bg}g_{bg}g^{ef} - \frac{1}{2}\partial_{a}g_{ac}\partial_{c}g_{bg}g_{bg}g_{ag}g^{ef} - \frac{1}{2}\partial_{a}g_{ac}\partial_{c}g_{bg}g_{bg}g_{ag}g^{ef} - \frac{1}{2}\partial_{a}g_{ac}\partial_{c}g_{bg}g_{bg}g_{ag}g^{ef} - \frac{1}{2}\partial_{a}g_{ac}\partial_{c}g_{bg}g_{bg}g_{ag}g^{ef} - \frac{1}{2}\partial_{a}g_{ac}\partial_{c}g_{bg}g_{bg}g_{ag}g^{ef} - \frac{1}{2}\partial_{a}g_{ac}\partial_{c}g_{bg}g_{bg}g_{ag}g^{ef} - \frac{1}{2}\partial_{a}g_{af}g_{bg}g_{ag}g^{ef} - \frac{1}{2}\partial_{a}g_{af}g_{bg}g_{ag}g^{ef} - \frac{1}{2}\partial_{a}g_{af}g_{bg}g_{ag}g^{ef} - \frac$$

 $8C_{abcd} = 8R_{abcd} - 8R_{ac}g_{bd} + 8R_{ad}g_{bc} - 8g_{ac}R_{bd} + 8g_{ad}R_{bc} + 4R(g_{ac}g_{bd} - g_{ad}g_{bc})$ (ex-13a.110) $=4\partial_{bc}g_{ad}-4\partial_{ac}g_{bd}-4\partial_{bd}g_{ac}+4\partial_{ad}g_{bc}+2\partial_{a}g_{de}\partial_{b}g_{cf}g^{ef}+2\partial_{a}g_{de}\partial_{c}g_{bf}g^{ef}-2\partial_{a}g_{de}\partial_{f}g_{bc}g^{ef}+2\partial_{b}g_{ce}\partial_{d}g_{af}g^{ef}+2\partial_{c}g_{be}\partial_{d}g_{af}g^{ef}$ $-2\partial_{d}g_{ae}\partial_{f}g_{bc}g^{ef}-2\partial_{b}g_{ce}\partial_{f}g_{ad}g^{ef}-2\partial_{c}g_{be}\partial_{f}g_{ad}g^{ef}+2\partial_{e}g_{ad}\partial_{f}g_{bc}g^{ef}-2\partial_{a}g_{ce}\partial_{b}g_{df}g^{ef}-2\partial_{a}g_{ce}\partial_{d}g_{bf}g^{ef}+2\partial_{a}g_{ce}\partial_{f}g_{bd}g^{ef}-2\partial_{b}g_{de}\partial_{c}g_{af}g^{ef}$ $-2\partial_c g_{ae}\partial_d g_{bf}g^{ef} + 2\partial_c g_{ae}\partial_f g_{bd}g^{ef} + 2\partial_b g_{de}\partial_f g_{ac}g^{ef} + 2\partial_d g_{be}\partial_f g_{ac}g^{ef} - 2\partial_e g_{ac}\partial_f g_{bd}g^{ef} - 4\partial_{ce}g_{af}g_{bd}g^{ef} + 4\partial_{ac}g_{ef}g_{bd}g^{ef} + 4\partial_{ef}g_{ac}g_{bd}g^{ef}$ $-4 \partial_{ae} g_{cf} g_{bd} g^{ef} -2 \partial_{a} g_{ef} \partial_{c} g_{gh} g_{bd} g^{eg} g^{fh} -4 \partial_{e} g_{af} \partial_{g} g_{ch} g_{bd} g^{eg} g^{fh} +4 \partial_{e} g_{af} \partial_{g} g_{ch} g_{bd} g^{eh} g^{fg} +4 \partial_{a} g_{ce} \partial_{f} g_{gh} g_{bd} g^{eg} g^{fh} -2 \partial_{a} g_{ce} \partial_{f} g_{gh} g_{bd} g^{ef} g^{gh} g_{bd} g^{ef} g^{gh}$ $+4\partial_c g_{ae}\partial_f g_{gh}g_{bd}g^{eg}g^{fh}-2\partial_c g_{ae}\partial_f g_{gh}g_{bd}g^{ef}g^{gh}-4\partial_e g_{ac}\partial_f g_{gh}g_{bd}g^{eg}g^{fh}+2\partial_e g_{ac}\partial_f g_{gh}g_{bd}g^{ef}g^{gh}+4\partial_{de}g_{af}g_{bc}g^{ef}-4\partial_{ad}g_{ef}g_{bc}g^{ef}$ $-4\partial_{ef}g_{ad}g_{bc}g^{ef} + 4\partial_{ae}g_{df}g_{bc}g^{ef} + 2\partial_{a}g_{ef}\partial_{d}g_{gh}g_{bc}g^{eg}g^{fh} + 4\partial_{e}g_{af}\partial_{g}g_{dh}g_{bc}g^{eg}g^{fh} - 4\partial_{e}g_{af}\partial_{g}g_{dh}g_{bc}g^{eh}g^{fg} - 4\partial_{a}g_{de}\partial_{f}g_{gh}g_{bc}g^{eg}g^{fh}$ $+2\partial_{a}g_{de}\partial_{f}g_{gh}g_{bc}g^{ef}g^{gh}-4\partial_{d}g_{ae}\partial_{f}g_{gh}g_{bc}g^{eg}g^{fh}+2\partial_{d}g_{ae}\partial_{f}g_{gh}g_{bc}g^{ef}g^{gh}+4\partial_{e}g_{ad}\partial_{f}g_{gh}g_{bc}g^{eg}g^{fh}-2\partial_{e}g_{ad}\partial_{f}g_{gh}g_{bc}g^{ef}g^{gh}-4\partial_{de}g_{bf}g_{ac}g^{ef}g^{gh}$ $+4\partial_{bd}g_{ef}g_{ac}g^{ef}+4\partial_{ef}g_{bd}g_{ac}g^{ef}-4\partial_{be}g_{df}g_{ac}g^{ef}-2\partial_{b}g_{ef}\partial_{d}g_{gh}g_{ac}g^{eg}g^{fh}-4\partial_{e}g_{bf}\partial_{g}g_{dh}g_{ac}g^{eg}g^{fh}+4\partial_{e}g_{bf}\partial_{g}g_{dh}g_{ac}g^{eh}g^{fg}+4\partial_{b}g_{de}\partial_{f}g_{gh}g_{ac}g^{eg}g^{fh}$ $-2\partial_b g_{de}\partial_f g_{gh}g_{ac}g^{ef}g^{gh}+4\partial_d g_{be}\partial_f g_{gh}g_{ac}g^{eg}g^{fh}-2\partial_d g_{be}\partial_f g_{gh}g_{ac}g^{ef}g^{gh}-4\partial_e g_{bd}\partial_f g_{gh}g_{ac}g^{eg}g^{fh}+2\partial_e g_{bd}\partial_f g_{gh}g_{ac}g^{ef}g^{gh}+4\partial_{ce} g_{bf}g_{ad}g^{ef}g^{gh}$ $-4 \partial_{bc} g_{ef} g_{ad} g^{ef} -4 \partial_{ef} g_{bc} g_{ad} g^{ef} +4 \partial_{be} g_{cf} g_{ad} g^{ef} +2 \partial_{b} g_{ef} \partial_{c} g_{gh} g_{ad} g^{eg} g^{fh} +4 \partial_{e} g_{bf} \partial_{g} g_{ch} g_{ad} g^{eg} g^{fh} -4 \partial_{e} g_{bf} \partial_{g} g_{ch} g_{ad} g^{eh} g^{fg} -4 \partial_{b} g_{ce} \partial_{f} g_{gh} g_{ad} g^{eg} g^{fh} -4 \partial_{e} g_{bf} \partial_{g} g_{ch} g_{ad} g^{eh} g^{fg} -4 \partial_{b} g_{ce} \partial_{f} g_{gh} g_{ad} g^{eg} g^{fh} -4 \partial_{e} g_{bf} \partial_{g} g_{ch} g_{ad} g^{eh} g^{fg} -4 \partial_{b} g_{ce} \partial_{f} g_{gh} g_{ad} g^{eg} g^{fh} -4 \partial_{e} g_{bf} \partial_{g} g_{ch} g_{ad} g^{eh} g^{fg} -4 \partial_{b} g_{ce} \partial_{f} g_{gh} g_{ad} g^{eg} g^{fh} -4 \partial_{e} g_{bf} \partial_{g} g_{ch} g_{ad} g^{eh} g^{fg} -4 \partial_{b} g_{ce} \partial_{f} g_{gh} g_{ad} g^{eg} g^{fh} -4 \partial_{e} g_{bf} \partial_{g} g_{ch} g_{ad} g^{eh} g^{fg} -4 \partial_{b} g_{ce} \partial_{f} g_{gh} g_{ad} g^{eg} g^{fh} -4 \partial_{e} g_{bf} \partial_{g} g_{ch} g_{ad} g^{eh} g^{fg} -4 \partial_{b} g_{ce} \partial_{f} g_{gh} g_{ad} g^{eg} g^{fh} -4 \partial_{e} g_{bf} \partial_{g} g_{ch} g_{ad} g^{eh} g^{fg} -4 \partial_{b} g_{ce} \partial_{f} g_{gh} g_{ad} g^{eg} g^{fh} g_{ad} g^{eg} g_{gh} g_{ad} g^{eg} g^{fh} g$ $+2\partial_b g_{ce}\partial_f g_{gh}g_{ad}g^{ef}g^{gh}-4\partial_c g_{be}\partial_f g_{gh}g_{ad}g^{eg}g^{fh}+2\partial_c g_{be}\partial_f g_{gh}g_{ad}g^{ef}g^{gh}+4\partial_e g_{bc}\partial_f g_{gh}g_{ad}g^{eg}g^{fh}-2\partial_e g_{bc}\partial_f g_{gh}g_{ad}g^{ef}g^{gh}+4\partial_{ef}g_{gh}g_{ac}g_{bd}g^{eg}g^{fh}$ $-4 \partial_{ef} g_{gh} g_{ad} g_{bc} g^{eg} g^{fh} -4 \partial_{ef} g_{gh} g_{ac} g_{bd} g^{ef} g^{gh} +4 \partial_{ef} g_{gh} g_{ad} g_{bc} g^{ef} g^{gh} -2 \partial_{e} g_{fg} \partial_{h} g_{ij} g_{ac} g_{bd} g^{ei} g^{fh} g^{gj} +2 \partial_{e} g_{fg} \partial_{h} g_{ij} g_{ad} g_{bc} g^{ei} g^{fh} g^{gj}$ $+3\partial_{e}g_{fg}\partial_{h}g_{ij}g_{ac}g_{bd}g^{eh}g^{fi}g^{gj}-3\partial_{e}g_{fg}\partial_{h}g_{ij}g_{ad}g_{bc}g^{eh}g^{fi}g^{gj}-4\partial_{e}g_{fg}\partial_{h}g_{ij}g_{ac}g_{bd}g^{ef}g^{gi}g^{hj}+4\partial_{e}g_{fg}\partial_{h}g_{ij}g_{ad}g_{bc}g^{ef}g^{gi}g^{hj}$ $+ 4 \partial_e g_{fg} \partial_h g_{ij} g_{ac} g_{bd} g^{ef} g^{gh} g^{ij} - 4 \partial_e g_{fg} \partial_h g_{ij} g_{ad} g_{bc} g^{ef} g^{gh} g^{ij} - \partial_e g_{fg} \partial_h g_{ij} g_{ac} g_{bd} g^{eh} g^{fg} g^{ij} + \partial_e g_{fg} \partial_h g_{ij} g_{ad} g_{bc} g^{eh} g^{fg} g^{ij}$ (ex-13a.111) = 0(ex-13a.112)

Example 13b The Weyl tensor vanishes in 3d – orthonormal basis

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
              g_{a b}::Metric.
              g^{a b}::InverseMetric.
              R_{a b c d}::RiemannTensor.
              ex{#}::LaTeXForm{"e_x"}.
              ey{#}::LaTeXForm{"e_y"}.
              ez{#}::LaTeXForm{"e_z"}.
10
11
              {R_{a b c d}, g_{a b}, g^{a b}}::SortOrder.
13
                                      := R_{a b} -> g^{c d} R_{a c b d}.
              Rab
14
15
              Rscalar := R \rightarrow g^{a} b R_{a} b.
16
17
              gab := g^{a} = g^{a} = e^{a} = e^{a}
19
              ortho := \{ex^{a} ex^{b} g_{a} = 0\} -> 1, ey^{a} ey^{b} g_{a} > 1, ez^{a} ez^{b} g_{a} > 1,
20
                                           ex^{a} ey^{b} g_{a} \to 0, ex^{a} ez^{b} g_{a} \to 0,
21
                                           ey^{a} ex^{b} g_{a} = 0, ey^{a} ez^{b} g_{a} = 0,
                                           ez^{a} ex^{b} g_{a} \to 0, ez^{a} ey^{b} g_{a} \to 0.
23
24
               # Weyl in 3-dimensions
26
              Cabcd := R_{a b c d} - (R_{a c} g_{b d} - R_{a d} g_{b c})
27
                                                                           - (g_{a c} R_{b d} - g_{a d} R_{b c})
28
                                                         + 1/2 R (g_{a c} g_{b d} - g_{a d} g_{b c}).  # cdb (ex-13b.100, Cabcd)
29
30
31
                                                          (Cabcd, Rscalar)
                                                                                                                                                                                                  # cdb(ex-13b.101, Cabcd)
               substitute
32
                                                                                                                                                                                                  # cdb(ex-13b.102, Cabcd)
               substitute
                                                          (Cabcd, Rab)
33
              distribute
                                                          (Cabcd)
                                                                                                                                                                                                   # cdb(ex-13b.103, Cabcd)
34
35
              Cabcd := C_{a b c d} \rightarrow O(Cabcd).
```

```
37
     Cxyxy := C_{a b c d} ex^{a} ey^{b} ex^{c} ey^{d}.
                                                                     # cdb(ex-13b.104,Cxyxy)
38
39
                     (Cxyxy, Cabcd)
                                                                     # cdb(ex-13b.105,Cxyxy)
     substitute
40
     distribute
                    (Cxyxy)
                                                                     # cdb(ex-13b.106,Cxyxy)
41
42
     substitute
                     (Cxyxy, ortho, repeat=True)
                                                                     # cdb(ex-13b.107,Cxyxy)
43
44
                                                                     # cdb(ex-13b.108,Cxyxy)
                     (Cxyxy, gab)
     substitute
45
                     (Cxyxy)
                                                                     # cdb(ex-13b.109,Cxyxy)
     distribute
46
47
                     (Cxyxy)
                                                                     # cdb(ex-13b.110,Cxyxy)
     sort_product
48
     rename_dummies (Cxyxy)
                                                                     # cdb(ex-13b.111,Cxyxy)
49
                                                                     # cdb(ex-13b.112,Cxyxy)
     canonicalise
                     (Cxyxy)
```

$$\begin{split} & \text{ex-13b.101} := R_{abcd} - R_{ac}g_{bd} + R_{ad}g_{bc} - g_{ac}R_{bd} + g_{ad}R_{bc} + \frac{1}{2}g^{ef}R_{ef}\left(g_{ac}g_{bd} - g_{ad}g_{bc}\right) \\ & \text{ex-13b.102} := R_{abcd} - g^{ef}R_{aecf}g_{bd} + g^{fe}R_{afde}g_{bc} - g_{ac}g^{fe}R_{bfde} + g_{ad}g^{ef}R_{becf} + \frac{1}{2}g^{ef}g^{gh}R_{egfh}\left(g_{ac}g_{bd} - g_{ad}g_{bc}\right) \\ & \text{ex-13b.103} := R_{abcd} - g^{ef}R_{aecf}g_{bd} + g^{fe}R_{afde}g_{bc} - g_{ac}g^{fe}R_{bfde} + g_{ad}g^{ef}R_{becf} + \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ac}g_{bd} - \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc} \end{split}$$

$$\begin{split} C_{abcd} e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} &= \left(R_{abcd} - g^{ef} R_{accf} g_{bd} + g^{fe} R_{afd} e_{gbc} - g_{ac} g^{fe} R_{bfde} + g_{ad} g^{ef} R_{becef} + \frac{1}{2} g^{ef} g^{gh} R_{egfh} g_{ac} g_{bd} - \frac{1}{2} g^{ef} g^{gh} R_{egfh} g_{ad} g_{bc} \right) e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} &= (\text{ex-13b.105}) \\ &= R_{abcd} e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} - g^{ef} R_{accf} g_{bd} e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} + g^{fe} R_{afde} g_{bc} e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} - g_{ac} g^{fe} R_{bfde} e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} + g_{ad} g^{ef} R_{bccf} e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} \\ &+ \frac{1}{2} g^{ef} g^{gh} R_{egfh} g_{ac} g_{bd} e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} - \frac{1}{2} g^{ef} g^{gh} R_{egfh} g_{ad} g_{bc} e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} \\ &+ \frac{1}{2} g^{ef} g^{gh} R_{egfh} g_{ac} g_{bd} e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} - \frac{1}{2} g^{ef} g^{gh} R_{egfh} g_{ad} g_{bc} e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} \\ &+ \frac{1}{2} g^{ef} g^{gh} R_{egfh} g_{ac} g_{bd} e_{x}^{a} e_{y}^{b} e_{x}^{c} e_{y}^{d} \\ &+ \frac{1}{2} g^{ef} g^{gh} R_{egfh} g_{ad} g_{bc} e_{x}^{a} e_{y}^{b} e_{x}^{d} e_{y}^{d} \\ &+ \frac{1}{2} g^{ef} g^{gh} R_{egfh} g_{ad} e_{x}^{a} e_{y}^{b} e_{x}^{e} e_{y}^{d} \\ &+ \frac{1}{2} g^{ef} g^{gh} R_{egfh} g_{ad} e_{x}^{a} e_{y}^{b} e_{x}^{e} e_{y}^{d} \\ &+ \frac{1}{2} g^{ef} g^{gh} R_{egfh} e_{x}^{a} e_{y}^{e} e_{y}^{e} e_{y}^{d} \\ &+ \frac{1}{2} g^{ef} g^{gh} R_{egfh} e_{x}^{a} e_{y}^{e} e_{y}^{e} e_{y}^{d} e_{y}^{d} \\ &+ \frac{1}{2} g^{ef} g^{gh} R_{egfh} e_{x}^{a} e_{y}^{e} e_{y}^{e} e_{y}^{d} e_{y}^{d} \\ &+ \frac{1}{2} g^{ef} g^{gh} R_{egfh} e_{x}^{e} e_{y}^{e} \\ &+ \frac{1}{2} g^{ef} g^{gh} R_{egfh} e_{y}^{e} e_{y}^{$$

Example 13c The Weyl tensor vanishes in 3d – orthonormal basis

```
Cxyxz := C_{a b c d} ex^{a} ey^{b} ex^{c} ez^{d}.
                                                                    # cdb(ex-13c.101,Cxyxz)
                    (Cxyxz,Cabcd)
                                                                    # cdb(ex-13c.102,Cxyxz)
     substitute
     distribute
                    (Cxyxz)
                                                                    # cdb(ex-13c.103,Cxyxz)
                    (Cxyxz, ortho, repeat=True)
                                                                    # cdb(ex-13c.104,Cxyxz)
     substitute
     substitute
                    (Cxyxz, gab)
                                                                    # cdb(ex-13c.105,Cxyxz)
                    (Cxyxz)
                                                                    # cdb(ex-13c.106,Cxyxz)
     distribute
10
11
                                                                    # cdb(ex-13c.107,Cxyxz)
                    (Cxyxz)
     sort_product
     rename_dummies (Cxyxz)
                                                                    # cdb(ex-13c.108,Cxyxz)
13
                    (Cxyxz)
                                                                    # cdb(ex-13c.109,Cxyxz)
     canonicalise
```

$$\begin{split} C_{abcd}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d} &= \left(R_{abcd} - g^{ef}R_{aecf}g_{bd} + g^{fe}R_{afde}g_{bc} - g_{ac}g^{fe}R_{bfde} + g_{ad}g^{ef}R_{becf} + \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ac}g_{bd} - \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}\right)e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d} \quad (\text{ex-13c.102})\\ &= R_{abcd}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d} - g^{ef}R_{aecf}g_{bd}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d} + g^{fe}R_{afde}g_{bc}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d} - g_{ac}g^{fe}R_{bfde}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d} + g_{ad}g^{ef}R_{becf}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ac}g_{bd}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d} - \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ac}g_{bd}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d} - \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ac}g_{bd}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d} - \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ac}g_{bd}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}e_{x}^{a}e_{y}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}e_{x}^{a}e_{x}^{b}e_{x}^{c}e_{z}^{d}\\ &+ \frac{1}{2}g^{ef}g^{gh}R_{egfh}g_{ad}g_{bc}e_{x}^{e}e_{x}^{d}e_{$$

Example 14 The Weyl tensor is conformally invariant

This example shows that the Weyl tensor is conformally invariant. That is, for a pair of metrics g and \overline{g} related by a conformal transformation, $\overline{g}_{ab} = \phi g_{ab}$ then $\overline{C}^a_{bcd} = C^a_{bcd}$ or equally $\overline{C}_{abcd} = \phi C_{abcd}$.

```
{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,u,v,w#}::Indices (position=independent).
               \partial{#}::PartialDerivative.
               g_{a b}::Metric.
               g^{a b}::InverseMetric.
               g_{a}^{b}::KroneckerDelta.
               GammaU := Gamma^{a}_{b c} \rightarrow 1/2 g^{a d} ( partial_{b}_{g_{d c}})
                                                                                                                                                        + \partial_{c}{g_{b d}}
10
                                                                                                                                                         - \partial_{d}{g_{b c}}).
11
12
               GammaD := \Gamma_{a b c} -> 1/2 ( \partial_{b}_{g_{a c}})
13
                                                                                                                          + \partial_{c}{g_{b a}}
14
                                                                                                                          - \partial_{a}{g_{b c}}).
15
16
               Rabcd := R_{a b c d} \rightarrow partial_{c}{\sigma_{a b d}}
17
                                                                                        - \partial_{d}{\Gamma_{a b c}}
18
                                                                                         + \Gamma_{e a d} \Gamma^{e}_{b c}
19
                                                                                         - \Gamma_{e a c} \Gamma^{e}_{b d}.
20
21
                                       := R_{a b} -> g^{c d} R_{a c b d}.
               Rab
22
23
               Rscalar := R \rightarrow g^{a} b R_{a} b.
24
^{25}
               # Weyl in 4-dimensions
26
27
               Cabcd := R_{a b c d} - (1/2) (R_{a c} g_{b d} - R_{a d} g_{b c})
28
                                                                               -(1/2) (g_{a c} R_{b d} - g_{a d} R_{b c})
29
                                                                              + (R/6) (g_{a c} g_{b d} - g_{a d} g_{b c}).
30
31
               {\partial_{a b}{\phi},\partial_{a}{\phi},\phi}::SortOrder.
32
               {\hat{a}}_{g_{b_{1}},p_{a_{1}}}(a_{a_{1}},p_{a_{1}},a_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_{1}},g_{a_
```

```
34
     substitute (Cabcd, Rscalar)
     substitute (Cabcd,Rab)
     substitute (Cabcd, Rabcd)
37
     substitute (Cabcd, GammaU)
38
     substitute (Cabcd, GammaD)
39
40
     distribute
                     (Cabcd)
41
42
     sort_product
                     (Cabcd)
43
     rename_dummies (Cabcd)
44
     canonicalise
                     (Cabcd)
45
46
     # this is the Weyl tensor on the base metric
47
     baseC := @(Cabcd).
48
49
     conformal := \{g_{a b} \rightarrow \phi_{a b}, g^{a b} \rightarrow (1/phi) g^{a b}\}.
50
51
     substitute
                     (Cabcd, conformal)
     product_rule (Cabcd)
     distribute
                     (Cabcd)
54
     product_rule (Cabcd)
55
     distribute
                     (Cabcd)
56
57
                     (Cabcd, "simplify")
     map_sympy
58
     sort_product
                     (Cabcd)
60
     rename_dummies (Cabcd)
61
     canonicalise
                     (Cabcd)
62
63
     # this is the Weyl tensor on the conformal metric
64
     confC := @(Cabcd).
66
     # their difference, should be zero
67
     diff := @(confC) - \phi @(baseC). # cdb (ex-14.diff.100,diff)
68
69
     distribute
                     (diff)
70
     sort_product (diff)
```

```
rename_dummies (diff)
     canonicalise (diff) # cdb (ex-14.diff.101,diff)
73
74
     # this trick is not essential but it does reduce the number of terms in diff
75
                    (diff, \alpha_{a}{\beta_{a}}) = (diff, \alpha_{a}) -> g_{c} d b a
     substitute
76
                    (diff, \alpha_{a}\{g_{b c}\} \rightarrow 0)
     substitute
77
                    (diff, g_{c d}) + cdb (ex-14.diff.102, diff)
     substitute
79
     # standard expressions in 4-d
                    (diff,$g_{a b} g^{a b} -> 4$,repeat=True)
                                                                       # cdb (ex-14.diff.201,diff)
     substitute
81
                    (diff, g_{a b} g^{c b} -> g_{a}^{c}, repeat=True) # cdb (ex-14.diff.202, diff)
     substitute
82
                    (diff, g_{b a} g^{b c} -> g_{a}^{c}, repeat=True) # cdb (ex-14.diff.203, diff)
     substitute
                    (diff, g_{a}^{a} -> 4, repeat=True)
                                                                       # cdb (ex-14.diff.204,diff)
     substitute
                    (diff,$g^{a}_{a} -> 4$,repeat=True)
                                                                       # cdb (ex-14.diff.205,diff)
     substitute
     eliminate_kronecker (diff)
                                                                       # cdb (ex-14.diff.206,diff)
87
     # need a second round since the above block introduces new terms that match those just eliminated
88
                    (diff, g_{a b} g^{a b} \rightarrow 4, repeat=True)
                                                                       # cdb (ex-14.diff.301,diff)
     substitute
                    (diff, g_{a b} g^{c b} -> g_{a}^{c}, repeat=True) # cdb (ex-14.diff.302, diff)
     substitute
                    (diff, $g_{b a} g^{b c} -> g_{a}^{c}$, repeat=True) # cdb (ex-14.diff.303, diff)
     substitute
                    (diff, g_{a}^{a} -> 4, repeat=True)
                                                                       # cdb (ex-14.diff.304,diff)
     substitute
92
                    (diff,$g^{a}_{a} -> 4$,repeat=True)
                                                                       # cdb (ex-14.diff.305,diff)
     substitute
93
     eliminate_kronecker (diff)
                                                                       # cdb (ex-14.diff.306,diff)
94
95
     sort_product
                    (diff)
     rename_dummies (diff)
                    (diff) # cdb (ex-14.diff.400,diff)
     canonicalise
98
99
     checkpoint.append (baseC)
100
     checkpoint.append (confC)
```

$$\Delta = \frac{1}{2} \partial_{bc} \phi g_{ad} - \frac{1}{2} \partial_{ac} \phi g_{bd} - \frac{1}{2} \partial_{bd} \phi g_{ac} + \frac{1}{2} \partial_{ad} \phi g_{bc} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{bc} g_{df} g^{ef} - \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{bc} g_{df} g^{ef} + \frac{1}{4} \partial_{b} \phi \partial_{d} \phi^{-1} g_{ac} g_{ef} g^{ef} \\ - \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{af} g_{bc} g^{ef} - \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ad} g_{ef} g^{ef} - \frac{1}{4} \partial_{c} \phi \partial_{c} \phi^{-1} g_{ad} g_{ef} g^{ef} - \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ad} g_{ef} g^{ef} - \frac{1}{4} \partial_{c} \phi \partial_{c} \phi^{-1} g_{ad} g_{ef} g^{ef} + \frac{1}{4} \partial_{c} \phi \partial_{c} \phi^{-1} g_{ad} g_{bc} g^{ef} - \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ac} g_{df} g^{ef} + \frac{1}{4} \partial_{c} \phi \partial_{c} \phi^{-1} g_{ae} g_{df} g^{ef} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{df} g^{ef} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{df} g^{ef} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{df} g^{ef} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{df} g^{ef} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{df} g^{ef} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{dg} g^{ef} - \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{df} g^{ef} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{dg} g^{ef} - \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{dg} g^{ef} g^{ef} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{dg} g^{ef} - \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{dg} g^{ef} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{dg} g_{ef} g^{ef} - \frac{1}{8} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{dg} g^{ef} g^{ef} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{dg} g_{ef} g^{ef} - \frac{1}{8} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{dg} g_{ef} g^{ef} g^{ef} + \frac{1}{4} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{dg} g_{ef} g^{ef} g^{ef} - \frac{1}{8} \partial_{a} \phi \partial_{c} \phi^{-1} g_{ae} g_{dg} g_{ef} g^{ef} g^{ef} h$$

$$+ \frac{1}{4} \partial_{c} \phi \partial_{e} \phi \partial_{e} \partial$$

$$\Delta = -\frac{1}{2}\partial_{bc}\phi g_{ad} + \frac{1}{2}\partial_{ac}\phi g_{bd} + \frac{1}{2}\partial_{bd}\phi g_{ac} - \frac{1}{2}\partial_{ad}\phi g_{bc} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bc}g_{df}g^{ef} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{cf}g^{ef} + \frac{1}{4}\partial_{d}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{cf}g^{ef} + \frac{1}{4}\partial_{d}\phi\partial_{c}\phi\phi^{-1}g_{ad}g_{bf}g^{ef} - \frac{1}{12}\partial_{c}\phi\partial_{f}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{bc}g_{cf}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ad}g_{bf}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ad}g_{bf}g^{ef} - \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{df}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{df}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{df}g^{ef} - \frac{1}{4}\partial_$$

$$\Delta = -\frac{1}{2}\partial_{bc}\phi g_{ad} + \frac{1}{2}\partial_{ac}\phi g_{bd} + \frac{1}{2}\partial_{bd}\phi g_{ac} - \frac{1}{2}\partial_{ad}\phi g_{bc} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{be}g_{d}^{e} + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{be}g_{d}^{e} + \frac{1}{4}\partial_{b}\phi\partial_{d}\phi\phi^{-1}g_{ae}g_{c}^{e} + \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ae}^{e}g_{bc} \\ + \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{c}^{e} + \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{b}^{e} - \frac{1}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{be}g_{c}^{e} - \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{b}^{e}g^{e} \\ - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{a}^{e}g_{bd} - \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ae}g_{d}^{e} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{b}^{e} + \frac{1}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi g_{a}^{e}g_{bd} - \frac{1}{6}\partial_{ef}\phi g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{ae}\phi g_{bg}g^{e} \\ - \frac{1}{8}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd}g_{ef}g_{g}^{f}g^{eg} - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ag}g_{bd}g_{c}^{e}g^{ef} + \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{a}^{e}g_{bd}g_{c}^{ef} + \frac{1}{4}\partial_{e}\phi\partial_{e}\phi\phi^{-1}g_{bd}g_{ef}g_{g}^{f}g^{eg} \\ + \frac{1}{6}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g_{g}^{f}g^{eg} + \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ag}g_{bd}g_{c}^{ef} + \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g_{e}^{ef}g_{g}^{ef} \\ - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g_{g}^{f}g^{eg} - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g_{c}^{ef}g_{ef} + \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bc}g_{g}^{ef}g_{g}^{ef} \\ - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g_{g}^{f}g^{eg} - \frac{1}{4}\partial_{e}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bg}g_{g}^{ef}g_{ef} \\ - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g_{g}^{ef}g_{g}^{$$

$$\Delta = -\frac{1}{2}\partial_{bc}\phi g_{ad} + \frac{1}{2}\partial_{ac}\phi g_{bd} + \frac{1}{2}\partial_{bd}\phi g_{ac} - \frac{1}{2}\partial_{ad}\phi g_{bc} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{be}g_{d}^{e} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bc}g_{d}^{e} + \frac{1}{4}\partial_{b}\phi\partial_{d}\phi\phi^{-1}g_{ae}g_{c}^{e} + \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ae}^{e}g_{bc} + \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{b}^{e} - \frac{1}{12}\partial_{c}\phi\partial_{f}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{bc}g_{c}^{e} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd}g_{c}^{e} - \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{d}^{e} - \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{d}^{e} - \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ae}g_{bd}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{bd}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{bg}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{bg}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{bg$$

$$\Delta = -\frac{1}{2}\partial_{bc}\phi g_{ad} + \frac{1}{2}\partial_{ac}\phi g_{bd} + \frac{1}{2}\partial_{bd}\phi g_{ac} - \frac{1}{2}\partial_{ad}\phi g_{bc} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{be}g_{d}^{e} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bc}g_{d}^{e} + \frac{1}{4}\partial_{b}\phi\partial_{d}\phi\phi^{-1}g_{ae}g_{c}^{e} + \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ae}^{e}g_{bc} + \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{b}^{e} - \frac{1}{12}\partial_{c}\phi\partial_{f}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{bc}g_{c}^{e} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd}g_{c}^{e} - \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{d}^{e} - \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{d}^{e} - \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ae}g_{bd}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{bd}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{bg}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{bg}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{bg$$

$$\Delta = -\frac{1}{2}\partial_{bc}\phi g_{ad} + \frac{1}{2}\partial_{ac}\phi g_{bd} + \frac{1}{2}\partial_{bd}\phi g_{ac} - \frac{1}{2}\partial_{ad}\phi g_{bc} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{be}g_{d}^{e} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bc}g_{d}^{e} + \frac{1}{4}\partial_{b}\phi\partial_{d}\phi\phi^{-1}g_{ae}g_{c}^{e} + \frac{1}{4}\partial_{d}\phi\partial_{c}\phi\phi^{-1}g_{ad}^{e}g_{bc}$$

$$+ \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{c}^{e} + \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{b}^{e} - \frac{1}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{be}g_{c}^{e} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd}g_{c}^{e} - \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ae}g_{d}^{e}$$

$$- \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{a}^{e}g_{bd} - \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ae}g_{d}^{e} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{b}^{e} + \frac{1}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi g_{a}^{e}g_{bd} - \frac{1}{6}\partial_{e}f\phi g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{ae}\phi g_{bg}g^{e}$$

$$- \frac{1}{8}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd}g_{f}^{g}g_{g}^{f} - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ag}g_{bd}g^{e}g^{ef} + \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{a}^{e}g_{bd}g^{e}f + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{bd}g_{f}g^{e}g^{e}g + \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ag}g_{bd}g^{e}g^{e}g + \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{a}^{e}g_{bd}g^{e}f + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{bd}g_{f}g^{e}g^{e}g + \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ag}g_{bd}g^{e}g^{e}g + \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{a}^{e}g_{bd}g^{e}g^{e}f + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{bd}g_{f}g^{e}g^{e}g + \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ag}g_{b}g^{e}g^{e}g + \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{b}g_{g}g^{e}g^{e}g + \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{b}g_{g}g^{e}g^{e}g + \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{b}g_{g}g^{e}g^{e}g - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{b}g_{g}g^{e}g^{e}g - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{b}g_{g}g^{e}g^{e}g - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{g}g_{g}g^{e}g + \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{b}g_{g}g^{e}g^{e}g - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{b}g_{g}g^{e}g^{e}g - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{b}g_{g}g^{e}g^{e}g - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{b}g_{g}g^{e}g^{e}g - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{b}g_{g}g^{e}g^{e}g - \frac{1}{4}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ae}g_{b}g_{g}g^{e}g^{e}g - \frac{1}{4}\partial_{e}\phi\partial_{f$$

$$\Delta = -\frac{1}{4}\partial_{bc}\phi g_{ad} + \frac{1}{4}\partial_{ac}\phi g_{bd} + \frac{1}{4}\partial_{bd}\phi g_{ac} - \frac{1}{4}\partial_{ad}\phi g_{bc} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd} - \frac{1}{4}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{bc} + \frac{1}{4}\partial_{b}\phi\partial_{d}\phi\phi^{-1}g_{ac} + \frac{1}{4}\partial_{d}\phi\partial_{a}\phi\phi^{-1}g_{bc} - \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ad} + \frac{1}{4}\partial_{c}\phi\partial_{b}\phi\phi^{-1}g_{ad} + \frac{5}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{a}\phi\phi^{-1}g_{bd} - \frac{1}{4}\partial_{d}\phi\partial_{b}\phi\phi^{-1}g_{ac} - \frac{5}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{a}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} + \frac{1}{6}\partial_{e}\phi\partial_{g}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} + \frac{1}{4}\partial_{a}\phi\partial_{g}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{6}\partial_{e}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{6}\partial_{e}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{6}\partial_{e}$$

$$\Delta = -\frac{1}{4}\partial_{bc}\phi g_{ad} + \frac{1}{4}\partial_{ac}\phi g_{bd} + \frac{1}{4}\partial_{bd}\phi g_{ac} - \frac{1}{4}\partial_{ad}\phi g_{bc} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd} - \frac{1}{4}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{bc} + \frac{1}{4}\partial_{b}\phi\partial_{d}\phi\phi^{-1}g_{ac} + \frac{1}{4}\partial_{d}\phi\partial_{a}\phi\phi^{-1}g_{bc} - \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ad} + \frac{1}{4}\partial_{c}\phi\partial_{b}\phi\phi^{-1}g_{ad} + \frac{5}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{a}\phi\phi^{-1}g_{bd} - \frac{1}{4}\partial_{d}\phi\partial_{b}\phi\phi^{-1}g_{ac} - \frac{5}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\phi_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{a}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} + \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ag}g_{bd}g^{eg} + \frac{1}{6}\partial_{e}\phi\partial_{g}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} + \frac{1}{8}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} - \frac{1}{6}\partial_{e}\phi\partial_{g}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{6}\partial_{e}\phi\partial_{g}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{6}\partial_{e}\phi\partial_{g}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{6}\partial_{e}\phi\partial_{g}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{6}\partial_{e}\phi\partial_{g}\phi\phi^{-1}$$

$$\Delta = -\frac{1}{4}\partial_{bc}\phi g_{ad} + \frac{1}{4}\partial_{ac}\phi g_{bd} + \frac{1}{4}\partial_{bd}\phi g_{ac} - \frac{1}{4}\partial_{ad}\phi g_{bc} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd} - \frac{1}{4}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{bc} + \frac{1}{4}\partial_{b}\phi\partial_{d}\phi\phi^{-1}g_{ac} + \frac{1}{4}\partial_{d}\phi\partial_{a}\phi\phi^{-1}g_{bc} - \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ad}$$

$$+ \frac{1}{4}\partial_{c}\phi\partial_{b}\phi\phi^{-1}g_{ad} + \frac{5}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{a}\phi\phi^{-1}g_{bd} - \frac{1}{4}\partial_{d}\phi\partial_{b}\phi\phi^{-1}g_{ac} - \frac{5}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{ca}\phi g_{bd} - \frac{1}{6}\partial_{ef}\phi g_{ac}g_{bd}g^{ef}$$

$$- \frac{1}{8}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd}g_{f}^{f} + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{bd}g_{c}^{e} + \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{a}^{e}g_{bd} + \frac{1}{6}\partial_{e}\phi\partial_{g}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} + \frac{1}{4}\partial_{a}\phi\phi_{bc} + \frac{1}{6}\partial_{ef}\phi g_{ad}g_{bc}g^{ef} + \frac{1}{8}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{bc}g_{f}^{f}$$

$$- \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{bc}g_{e}^{e} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{a}^{e}g_{bc} - \frac{1}{6}\partial_{e}\phi\partial_{g}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{d}\phi\phi_{ac} - \frac{1}{8}\partial_{b}\phi\partial_{d}\phi\phi^{-1}g_{ac}g_{f}^{f} + \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{be}^{e} + \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{be}^{e} + \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}^{e} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g$$

$$\Delta = -\frac{1}{4}\partial_{bc}\phi g_{ad} + \frac{1}{4}\partial_{ac}\phi g_{bd} + \frac{1}{4}\partial_{bd}\phi g_{ac} - \frac{1}{4}\partial_{ad}\phi g_{bc} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd} - \frac{1}{4}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{bc} + \frac{1}{4}\partial_{b}\phi\partial_{d}\phi\phi^{-1}g_{ac} + \frac{1}{4}\partial_{d}\phi\partial_{a}\phi\phi^{-1}g_{bc} - \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ad} + \frac{1}{4}\partial_{c}\phi\partial_{b}\phi\phi^{-1}g_{ad} + \frac{5}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{a}\phi\phi^{-1}g_{bd} - \frac{1}{4}\partial_{d}\phi\partial_{b}\phi\phi^{-1}g_{ac} - \frac{5}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{a}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{bd}g_{c}g^{ef} + \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ae}g_{bd} + \frac{1}{6}\partial_{e}\phi\partial_{g}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} + \frac{1}{4}\partial_{a}\phi\phi_{bc}g^{ef} + \frac{1}{8}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{bc}g_{f}f - \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bc}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bc}g^{eg} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bf}g^{ef} - \frac{1}{4}\partial_{b}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bc}g^{ef} - \frac{1}{4}\partial_{d}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bc}g^{ef} - \frac{1}{4}\partial_{e}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bc}g^{ef} - \frac{1}$$

$$\Delta = -\frac{1}{4}\partial_{bc}\phi g_{ad} + \frac{1}{4}\partial_{ac}\phi g_{bd} + \frac{1}{4}\partial_{bd}\phi g_{ac} - \frac{1}{4}\partial_{ad}\phi g_{bc} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd} + \frac{1}{4}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{bc} - \frac{1}{4}\partial_{b}\phi\partial_{d}\phi\phi^{-1}g_{ac} + \frac{1}{4}\partial_{d}\phi\partial_{a}\phi\phi^{-1}g_{bc} + \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ad} + \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ac} + \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ac} + \frac{1}{4}\partial_{c}\phi\partial_{a}\phi\phi^{-1}g_{ac} + \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ac} + \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} + \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g$$

$$\Delta = -\frac{1}{4}\partial_{bc}\phi g_{ad} + \frac{1}{4}\partial_{ac}\phi g_{bd} + \frac{1}{4}\partial_{bd}\phi g_{ac} - \frac{1}{4}\partial_{ad}\phi g_{bc} - \frac{1}{4}\partial_{a}\phi\partial_{c}\phi\phi^{-1}g_{bd} + \frac{1}{4}\partial_{a}\phi\partial_{d}\phi\phi^{-1}g_{bc} - \frac{1}{4}\partial_{b}\phi\partial_{d}\phi\phi^{-1}g_{ac} + \frac{1}{4}\partial_{d}\phi\partial_{a}\phi\phi^{-1}g_{bc} + \frac{1}{4}\partial_{b}\phi\partial_{c}\phi\phi^{-1}g_{ad} + \frac{1}{4}\partial_{c}\phi\partial_{b}\phi\phi^{-1}g_{ac} + \frac{1}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{c}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{a}\phi\phi^{-1}g_{bd} - \frac{1}{4}\partial_{d}\phi\partial_{b}\phi\phi^{-1}g_{ac} + \frac{1}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{c}\phi\partial_{g}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} + \frac{1}{4}\partial_{a}\phi\partial_{b}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} + \frac{1}{4}\partial_{a}\phi\partial_{e}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{a}$$

$$\begin{split} \Delta &= -\frac{1}{4}\partial_{bc}\phi g_{ad} + \frac{1}{4}\partial_{ac}\phi g_{bd} + \frac{1}{4}\partial_{bd}\phi g_{ac} - \frac{1}{4}\partial_{ad}\phi g_{bc} - \frac{1}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ad}g_{bc}g^{ef} + \frac{1}{12}\partial_{e}\phi\partial_{f}\phi\phi^{-1}g_{ac}g_{bd}g^{ef} - \frac{1}{4}\partial_{ca}\phi g_{bd} - \frac{1}{6}\partial_{ef}\phi g_{ac}g_{bd}g^{ef} \\ &- \frac{1}{12}\partial_{e}\phi\partial_{g}\phi\phi^{-1}g_{ac}g_{bd}g^{eg} + \frac{1}{4}\partial_{da}\phi g_{bc} + \frac{1}{6}\partial_{ef}\phi g_{ad}g_{bc}g^{ef} + \frac{1}{12}\partial_{e}\phi\partial_{g}\phi\phi^{-1}g_{ad}g_{bc}g^{eg} - \frac{1}{4}\partial_{db}\phi g_{ac} + \frac{1}{4}\partial_{cb}\phi g_{ad} + \frac{1}{6}\partial_{eg}\phi g_{ac}g_{bd}g^{eg} \\ &- \frac{1}{6}\partial_{eg}\phi g_{ad}g_{bc}g^{eg} \end{split}$$
 (ex-14.diff.306)

$$\Delta = 0 \tag{ex-14.diff.400}$$

Example 15 Verifying the BSSN equations

This is short examplem verifies two of the main equations in the Phys Rev D paper by Miguel Alcubierre, Bernd Brugmann et al. (Phys.Rev.D. (62) 044034 (2000)).

The code for the full set of BSSN equations can be found at https://github.com/leo-brewin/adm-bssn-equations

```
\{a,b,c,d,e,f,i,j,k,l,m,n,o,p,q,r,s,u\#\}::Indices(position=independent,values=\{t,x,y,z\}).
     {t,x,y,z}::Coordinate.
     \partial{#}::PartialDerivative.
    D{#}::Derivative.
     DBar{#}::Derivative.
    N::Depends(t,x,y,z).
     g_{a b}::Symmetric.
10
     g^{a b}::Symmetric.
     g_{a}^{b}::KroneckerDelta.
     g^{a}_{b}::KroneckerDelta.
13
14
     g_{a b}::Depends(t,x,y,z).
15
     g^{a} = b::Depends(t,x,y,z).
16
17
     gBar_{a b}::Symmetric.
     gBar^{a b}::Symmetric.
     gBar_{a}^{b}::KroneckerDelta.
20
     gBar^{a}_{b}::KroneckerDelta.
21
     gBar_{a b}::Depends(t,x,y,z).
     gBar^{a b}::Depends(t,x,y,z).
24
25
     trK::LaTeXForm("K").
26
     detg::LaTeXForm("g").
27
     ABar{#}::LaTeXForm("{\bar{A}}}").
28
     DBar{#}::LaTeXForm("{\bar{D}}").
```

15.1 Evolution equation for ϕ

```
phi
           := \phi - (1/12) \log(detg).
    gdotK := g^{i} j K_{i} -> trK.
    DgijDt := \left\{ g_{i,j} \right\} \rightarrow -2 \ K_{i,j}.
           := \partial_{a?}{\log(A?)} -> (1/A?)\partial_{a?}{A?}.
    dlog
           := \operatorname{[A?}_{a?}_{a?}_{a?}^{->} \exp(A?)\operatorname{[A?]}_{a?}_{A?}.
    dexp
    dotphi := \partial_{t}{\phi}.
10
11
    substitute (dotphi, phi)
                                         # cdb (ex-15-02.101,dotphi)
    substitute (dotphi, dlog)
                              # cdb (ex-15-02.102,dotphi)
    substitute (dotphi, DdetgDt)
                                        # cdb (ex-15-02.103,dotphi)
14
                                     # cdb (ex-15-02.104,dotphi)
    substitute (dotphi, DgijDt)
    substitute (dotphi, gdotK)
                               # cdb (ex-15-02.105,dotphi)
    map_sympy (dotphi, "simplify") # cdb (ex-15-02.106,dotphi)
17
18
    DphiDt := \partial_{t}{\phi} -> @(dotphi).
19
20
    checkpoint.append (dotphi)
21
```

$$\frac{d\phi}{dt} = \frac{1}{12}\partial_t (\log(g)) \tag{ex-15-02.101}$$

$$= \frac{1}{12}g^{-1}\partial_t g \tag{ex-15-02.102}$$

$$= \frac{1}{12}g^{-1}gg^{ij}\partial_t g_{ij}$$
 (ex-15-02.103)

$$= -\frac{1}{6}g^{-1}gg^{ij}NK_{ij} \tag{ex-15-02.104}$$

$$= -\frac{1}{6}g^{-1}gKN \tag{ex-15-02.105}$$

$$= -\frac{1}{6}KN \tag{ex-15-02.106}$$

15.2 Evolution equation for \bar{g}_{ij}

```
gBarij := gBar_{i j} \rightarrow \exp(-4\phi) g_{i j}.
    Kij := K_{ij} -> A_{ij} + (1/3) g_{ij} trK.
    A2ABar := \exp(-4\pi) A_{i j} -> ABar_{i j}.
     ABar2A := ABar_{i j} \rightarrow \exp(-4\pi) A_{i j}.
     dotgBarij := \partial_{t}{gBar_{i j}}.
     substitute (dotgBarij, gBarij)
                                            # cdb (ex-15-03.101,dotgBarij)
                                            # cdb (ex-15-03.102,dotgBarij)
     product_rule (dotgBarij)
     substitute (dotgBarij, dexp)
                                            # cdb (ex-15-03.103,dotgBarij)
10
     substitute (dotgBarij, DgijDt)
                                            # cdb (ex-15-03.104,dotgBarij)
11
     substitute (dotgBarij, DphiDt)
                                            # cdb (ex-15-03.105,dotgBarij)
     substitute
                (dotgBarij, Kij)
                                     # cdb (ex-15-03.106,dotgBarij)
                                           # cdb (ex-15-03.107,dotgBarij)
    distribute (dotgBarij)
14
                 (dotgBarij, "simplify")
    map_sympy
                                           # cdb (ex-15-03.108,dotgBarij)
     substitute
                (dotgBarij, A2ABar)
                                       # cdb (ex-15-03.109,dotgBarij)
17
     DgBarijDt := \partial_{t}{gBar_{i j}} -> @(dotgBarij).
18
19
     checkpoint.append (dotgBarij)
20
```

$$\frac{d\bar{g}_{ij}}{dt} = \partial_t \left(\exp\left(-4\phi \right) g_{ij} \right) \tag{ex-15-03.101}$$

$$=\partial_t \left(\exp\left(-4\phi\right)\right) g_{ij} + \exp\left(-4\phi\right) \partial_t g_{ij} \tag{ex-15-03.102}$$

$$= -4\exp(-4\phi)\,\partial_t\phi g_{ij} + \exp(-4\phi)\,\partial_t g_{ij} \tag{ex-15-03.103}$$

$$= -4\exp(-4\phi)\,\partial_t\phi g_{ij} - 2\exp(-4\phi)\,NK_{ij} \tag{ex-15-03.104}$$

$$= \frac{2}{3} \exp(-4\phi) K N g_{ij} - 2 \exp(-4\phi) N K_{ij}$$
 (ex-15-03.105)

$$= \frac{2}{3} \exp(-4\phi) K N g_{ij} - 2 \exp(-4\phi) N \left(A_{ij} + \frac{1}{3} g_{ij} K \right)$$
 (ex-15-03.106)

$$= \frac{2}{3} \exp(-4\phi) K N g_{ij} - 2 \exp(-4\phi) N A_{ij} - \frac{2}{3} \exp(-4\phi) N g_{ij} K$$
 (ex-15-03.107)

$$= -2N \exp(-4\phi) A_{ij}$$
 (ex-15-03.108)

$$= -2N\bar{A}_{ij} \tag{ex-15-03.109}$$