## Convert from rnc to generic coordinates

The following code is based on the gen2rnc.tex code.

It is common to do some computations in a local RNC. Doing so makes various parts of the computations much easier to manage than in the original non-RNC coordinates. One simple example is the proof of the second Bianchi identities.

This code develops the inverse transformation, that is from the local RNC coordinates back to generic coordinates. The key equation (drawn form gen2rnc.tex) is

$$x_j^a = x_i^a + y^a - \sum_{k=2}^{\infty} \frac{1}{k!} \Gamma_{\underline{b}_k}^a y^{\underline{b}_k}$$
 (1)

In gen2rnc.tex this equation was solved for the RNC coordinates y given the generic coordinates  $x_j$  and  $x_i$ . Here we will instead take  $x_i$  and y as given and use this equation to compute  $x_j$ . The first change we will make is to replace  $x_j$  with x (as the subscript j serves no useful purpose).

Thus our job will be to compute

$$x^{a} = x_{i}^{a} + y^{a} - \sum_{k=2}^{\infty} \frac{1}{k!} \Gamma_{\underline{b}_{k}}^{a} y^{\underline{b}_{k}}$$
 (2)

given  $x_i$  and y. The generalised connections will be computed recursively by

$$\Gamma^{a}{}_{b\underline{c}d} = \Gamma^{a}{}_{(b\underline{c},d)} - (n+1)\Gamma^{a}{}_{p(\underline{c}}\Gamma^{p}{}_{bd)} \tag{3}$$

As noted in gen2rnc.tex, the generalised connections will scale with the expensions parameter  $\epsilon$  according to

$$\Gamma^{a}_{bc} = \mathcal{O}\left(\epsilon\right)$$
,  $\Gamma^{a}_{bcd} = \mathcal{O}\left(\epsilon^{2}\right)$ ,  $\Gamma^{a}_{bcde} = \mathcal{O}\left(\epsilon^{3}\right)$ , etc.

```
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
D{#}::Derivative.
\nabla{#}::Derivative.
\partial{#}::PartialDerivative.
g_{a b}::Metric.
g^{a b}::InverseMetric.
g_{a}^{b}::KroneckerDelta.
g^{a}_{b}::KroneckerDelta.
\delta^{a}_{b}::KroneckerDelta.
\delta_{a}^{b}::KroneckerDelta.
R_{a b c d}::RiemannTensor.
R^{a}_{b c d}::RiemannTensor.
R_{a b c}^{d}::RiemannTensor.
A^{a}::Depends(\partial{#}).
g_{a b}::Depends(\partial{#}).
R_{a b c d}::Depends(\partial{#}).
R^{a}_{b c d}::Depends(\partial{#}).
Q^{a}_{b c}::Depends(\partial{#}).
Q^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
Q^{a}_{b c d}::TableauSymmetry(shape={3}, indices={1,2,3}).
Q^{a}_{b c d e}::TableauSymmetry(shape={4}, indices={1,2,3,4}).
Q^{a}_{b c d e f}::TableauSymmetry(shape={5}, indices={1,2,3,4,5}).
Q^{a}_{b} c d e f g}::TableauSymmetry(shape={6}, indices={1,2,3,4,5,6}).
Q^{p}_{a b}::Weight(label=numQ, value=1).
Q^{p}_{a b c}::Weight(label=numQ, value=2).
Q^{p}_{a b c d}::Weight(label=numQ, value=3).
Q^{p}_{a b c d e}::Weight(label=numQ, value=4).
Q^{p}_{a b c d e f}::Weight(label=numQ, value=5).
def product_sort (obj):
```

```
substitute (obj,$ A^{a}
                                                -> A001^{a}
                                                                          $)
    substitute (obj,$ x^{a}
                                                                          $)
                                               -> A002^{a}
    substitute (obj,$ g^{a b}
                                               -> A003^{a} b
                                                                          $)
    substitute (obj,$ Q^{p}_{a b}
                                               -> A004^{p}_{a b}
                                                                          $)
    substitute (obj,$ Q^{p}_{a b c}
                                               -> A005^{p}_{a b c}
                                                                          $)
    substitute (obj,$ Q^{p}_{a b c d}
                                               -> A006^{p}_{a b c d}
                                                                          $)
                                               -> A007^{p}_{a b c d e}
    substitute (obj,$ Q^{p}_{a b c d e}
                                                                          $)
    substitute (obj,$ Q^{p}_{a b c d e f}
                                               -> A008^{p}_{a b c d e f} $)
    sort_product (obj)
   rename_dummies (obj)
    substitute (obj,$ A001^{a}
                                               -> A^{a}
                                                                          $)
    substitute (obj,$ A002^{a}
                                               \rightarrow x^{a}
                                                                          $)
                                               -> g^{a b}
                                                                          $)
    substitute (obj,$ A003^{a b}
    substitute (obj,$ A004^{p}_{a b}
                                              -> Q^{p}_{a b}
                                                                          $)
    substitute (obj,$ A005^{p}_{a b c}
                                              -> Q^{p}_{a b c}
                                                                          $)
    substitute (obj,$ A006^{p}_{a b c d}
                                              -> Q^{p}_{a b c d}
                                                                          $)
    substitute (obj,$ A007^{p}_{a b c d e}
                                              -> Q^{p}_{a b c d e}
                                                                          $)
    substitute (obj,$ A008^{p}_{a b c d e f}
                                               -> Q^{p}_{a b c d e f}
                                                                          $)
    return obj
def truncateQ (obj,n):
   ans = Ex(0)
   for i in range (0,n+1):
      foo := @(obj).
      bah = Ex("numQ = " + str(i))
      keep_weight (foo, bah)
       ans = ans + foo
    return ans
\# A^{a} = dx^{a}/ds
Gamma := Q^{d}_{ab} A^{a} A^{b}.
dAds := A^{c} \operatorname{d}_{c}(A^{d}) -> - O(Gamma).
```

```
# cdb (eq0.000,eq0)
eq0 := @(Gamma).
eq1 := A^{c} \neq A^{c} = A^{c}.
                                       # cdb (eq1.000,eq1)
distribute
               (eq1)
                                       # cdb (eq1.001,eq1)
               (eq1)
                                       # cdb (eq1.002,eq1)
unwrap
product_rule
               (eq1)
                                       # cdb (eq1.003,eq1)
distribute
               (eq1)
                                       # cdb (eq1.004,eq1)
               (eq1,dAds)
                                       # cdb (eq1.005,eq1)
substitute
               (eq1)
distribute
                                       # cdb (eq1.006,eq1)
eq1 = truncateQ (eq1,5)
                                       # cdb (eq1.007,eq1)
                                       # cdb (eq1.008,eq1)
sort_product
               (eq1)
rename_dummies (eq1)
                                       # cdb (eq1.009,eq1)
canonicalise
               (eq1)
                                       # cdb (eq1.010,eq1)
eq2 := A^{c} \neq A^{c}.
                                       # cdb (eq2.000, eq2)
               (eq2)
                                       # cdb (eq2.001,eq2)
distribute
               (eq2)
                                       # cdb (eq2.002,eq2)
unwrap
product_rule
               (eq2)
                                       # cdb (eq2.003,eq2)
distribute
               (eq2)
                                       # cdb (eq2.004,eq2)
               (eq2,dAds)
                                       # cdb (eq2.005,eq2)
substitute
               (eq2)
                                       # cdb (eq2.006, eq2)
distribute
eq2 = truncateQ (eq2,5)
                                       # cdb (eq2.007,eq2)
sort_product
               (eq2)
                                       # cdb (eq2.008, eq2)
rename_dummies (eq2)
                                       # cdb (eq2.009, eq2)
               (eq2)
                                       # cdb (eq2.010,eq2)
canonicalise
eq3 := A^{c} \neq A^{c}.
                                       # cdb (eq3.000,eq3)
               (eq3)
                                       # cdb (eq3.001,eq3)
distribute
               (eq3)
                                       # cdb (eq3.002,eq3)
unwrap
product_rule
               (eq3)
                                       # cdb (eq3.003,eq3)
```

```
distribute
               (eq3)
                                       # cdb (eq3.004,eq3)
substitute
               (eq3,dAds)
                                       # cdb (eq3.005,eq3)
               (eq3)
                                       # cdb (eq3.006,eq3)
distribute
eq3 = truncateQ (eq3,5)
                                       # cdb (eq3.007,eq3)
                                       # cdb (eq3.008,eq3)
sort_product
               (eq3)
rename_dummies (eq3)
                                       # cdb (eq3.009,eq3)
canonicalise
               (eq3)
                                       # cdb (eq3.010,eq3)
eq4 := A^{c} \neq A^{c}.
                                       # cdb (eq4.000, eq4)
                                       # cdb (eq4.001,eq4)
distribute
               (eq4)
               (eq4)
                                       # cdb (eq4.002,eq4)
unwrap
product_rule
               (eq4)
                                       # cdb (eq4.003, eq4)
distribute
               (eq4)
                                       # cdb (eq4.004,eq4)
substitute
               (eq4,dAds)
                                       # cdb (eq4.005, eq4)
               (eq4)
                                       # cdb (eq4.006,eq4)
distribute
eq4 = truncateQ (eq4,5)
                                       # cdb (eq4.007,eq4)
                                       # cdb (eq4.008, eq4)
sort_product
               (eq4)
rename_dummies (eq4)
                                       # cdb (eq4.009, eq4)
canonicalise
               (eq4)
                                       # cdb (eq4.010,eq4)
```

$$\mathrm{eq0.000} := Q^d{}_{ab}A^aA^b$$

$$\mathsf{eq1.000} := A^c \partial_c \left( Q^d{}_{ab} A^a A^b \right)$$

$$\mathsf{eq1.001} := A^c \partial_c \left( Q^d{}_{ab} A^a A^b \right)$$

$$\texttt{eq1.002} := A^c \partial_c \left( Q^d{}_{ab} A^a A^b \right)$$

$$\texttt{eq1.003} := A^c \left( \partial_c Q^d{}_{ab} A^a A^b + Q^d{}_{ab} \partial_c A^a A^b + Q^d{}_{ab} A^a \partial_c A^b \right)$$

$$\mathsf{eq1.004} \coloneqq A^c \partial_c Q^d{}_{ab} A^a A^b + A^c Q^d{}_{ab} \partial_c A^a A^b + A^c Q^d{}_{ab} A^a \partial_c A^b$$

$${\tt eq1.005} := A^c \partial_c Q^d{}_{ab} A^a A^b - Q^a{}_{ce} A^c A^e Q^d{}_{ab} A^b - Q^b{}_{ec} A^e A^c Q^d{}_{ab} A^a$$

$${\tt eq1.006} := A^c \partial_c Q^d{}_{ab} A^a A^b - Q^a{}_{ce} A^c A^e Q^d{}_{ab} A^b - Q^b{}_{ec} A^e A^c Q^d{}_{ab} A^a$$

$${\tt eq1.007} := A^c \partial_c Q^d{}_{ab} A^a A^b - Q^a{}_{ce} A^c A^e Q^d{}_{ab} A^b - Q^b{}_{ec} A^e A^c Q^d{}_{ab} A^a$$

$${\tt eq1.008} := A^a A^b A^c \partial_c Q^d{}_{ab} - A^b A^c A^e Q^a{}_{ce} Q^d{}_{ab} - A^a A^c A^e Q^b{}_{ec} Q^d{}_{ab}$$

$${\tt eq1.009} := A^a A^b A^c \partial_c Q^d{}_{ab} - A^a A^b A^c Q^e{}_{bc} Q^d{}_{ea} - A^a A^b A^c Q^e{}_{cb} Q^d{}_{ae}$$

$${\tt eq1.010} := A^a A^b A^c \partial_a Q^d{}_{bc} - 2 A^a A^b A^c Q^d{}_{ae} Q^e{}_{bc}$$

eq2.000 := 
$$A^c \partial_c \left( A^a A^b A^f \partial_a Q^d_{bf} - 2 A^a A^b A^f Q^d_{ae} Q^e_{bf} \right)$$

$$eq2.001 := A^c \partial_c \left( A^a A^b A^f \partial_a Q^d_{bf} \right) - 2A^c \partial_c \left( A^a A^b A^f Q^d_{ae} Q^e_{bf} \right)$$

$$\operatorname{eq2.002} := A^c \partial_c \left( A^a A^b A^f \partial_a Q^d_{\ bf} \right) - 2 A^c \partial_c \left( A^a A^b A^f Q^d_{\ ae} Q^e_{\ bf} \right)$$

$$\begin{split} \mathsf{eq2.003} \coloneqq A^c \left( \partial_c A^a A^b A^f \partial_a Q^d_{\phantom{d}bf} + A^a \partial_c A^b A^f \partial_a Q^d_{\phantom{d}bf} + A^a A^b \partial_c A^f \partial_a Q^d_{\phantom{d}bf} + A^a A^b A^f \partial_{ca} Q^d_{\phantom{d}bf} \right) \\ - 2 A^c \left( \partial_c A^a A^b A^f Q^d_{\phantom{d}ae} Q^e_{\phantom{d}bf} + A^a \partial_c A^b A^f Q^d_{\phantom{d}ae} Q^e_{\phantom{d}bf} + A^a A^b \partial_c A^f Q^d_{\phantom{d}ae} Q^e_{\phantom{d}bf} + A^a A^b A^f \partial_c Q^d_{\phantom{d}ae} Q^e_{\phantom{d}bf} + A^a A^b A^f Q^d_{\phantom{d}ae} \partial_c Q^e_{\phantom{d}bf} \right) \end{split}$$

$$\begin{split} \operatorname{eq2.004} &:= A^c \partial_c A^a A^b A^f \partial_a Q^d_{\phantom{d}bf} + A^c A^a \partial_c A^b A^f \partial_a Q^d_{\phantom{d}bf} + A^c A^a A^b \partial_c A^f \partial_a Q^d_{\phantom{d}bf} + A^c A^a A^b A^f \partial_{ca} Q^d_{\phantom{d}bf} - 2 A^c \partial_c A^a A^b A^f Q^d_{\phantom{d}ae} Q^e_{\phantom{e}bf} \\ &- 2 A^c A^a \partial_c A^b A^f Q^d_{\phantom{d}ae} Q^e_{\phantom{e}bf} - 2 A^c A^a A^b \partial_c A^f Q^d_{\phantom{d}ae} Q^e_{\phantom{e}bf} - 2 A^c A^a A^b A^f \partial_c Q^d_{\phantom{d}ae} Q^e_{\phantom{e}bf} - 2 A^c A^a A^b A^f Q^d_{\phantom{d}ae} \partial_c Q^e_{\phantom{e}bf} \end{split}$$

$$\begin{split} \mathsf{eq2.005} &:= -Q^a{}_{ce}A^cA^eA^bA^f\partial_aQ^d{}_{bf} - Q^b{}_{ec}A^eA^cA^aA^f\partial_aQ^d{}_{bf} - Q^f{}_{ce}A^cA^eA^aA^b\partial_aQ^d{}_{bf} + A^cA^aA^bA^f\partial_{ca}Q^d{}_{bf} + 2Q^a{}_{cg}A^cA^gA^bA^fQ^d{}_{ae}Q^e{}_{bf} \\ &+ 2Q^b{}_{gc}A^gA^cA^aA^fQ^d{}_{ae}Q^e{}_{bf} + 2Q^f{}_{cg}A^cA^gA^aA^bQ^d{}_{ae}Q^e{}_{bf} - 2A^cA^aA^bA^f\partial_cQ^d{}_{ae}Q^e{}_{bf} - 2A^cA^aA^bA^fQ^d{}_{ae}\partial_cQ^e{}_{bf} \end{split}$$

$$\begin{split} \text{eq2.006} := -Q^{a}{}_{ce}A^{c}A^{e}A^{b}A^{f}\partial_{a}Q^{d}{}_{bf} - Q^{b}{}_{ec}A^{e}A^{c}A^{a}A^{f}\partial_{a}Q^{d}{}_{bf} - Q^{f}{}_{ce}A^{c}A^{e}A^{a}A^{b}\partial_{a}Q^{d}{}_{bf} + A^{c}A^{a}A^{b}A^{f}\partial_{ca}Q^{d}{}_{bf} + 2Q^{a}{}_{cg}A^{c}A^{g}A^{b}A^{f}Q^{d}{}_{ae}Q^{e}{}_{bf} \\ + 2Q^{b}{}_{gc}A^{g}A^{c}A^{a}A^{f}Q^{d}{}_{ae}Q^{e}{}_{bf} + 2Q^{f}{}_{cg}A^{c}A^{g}A^{a}A^{b}Q^{d}{}_{ae}Q^{e}{}_{bf} - 2A^{c}A^{a}A^{b}A^{f}\partial_{c}Q^{d}{}_{ae}Q^{e}{}_{bf} - 2A^{c}A^{a}A^{b}A^{f}Q^{d}{}_{ae}\partial_{c}Q^{e}{}_{bf} \end{split}$$

$$\begin{split} \text{eq2.007} &:= A^c A^a A^b A^f \partial_{ca} Q^d_{\ bf} - Q^a_{\ ce} A^c A^e A^b A^f \partial_a Q^d_{\ bf} - Q^b_{\ ec} A^e A^c A^a A^f \partial_a Q^d_{\ bf} - Q^f_{\ ce} A^c A^e A^a A^b \partial_a Q^d_{\ bf} - 2 A^c A^a A^b A^f \partial_c Q^d_{\ ae} Q^e_{\ bf} \\ &- 2 A^c A^a A^b A^f Q^d_{\ ae} \partial_c Q^e_{\ bf} + 2 Q^a_{\ cg} A^c A^g A^b A^f Q^d_{\ ae} Q^e_{\ bf} + 2 Q^b_{\ gc} A^g A^c A^a A^f Q^d_{\ ae} Q^e_{\ bf} + 2 Q^f_{\ cg} A^c A^g A^a A^b Q^d_{\ ae} Q^e_{\ bf} \end{split}$$

$$\begin{split} \text{eq2.008} := A^a A^b A^c A^f \partial_{ca} Q^d_{\ bf} - A^b A^c A^e A^f Q^a_{\ ce} \partial_a Q^d_{\ bf} - A^a A^c A^e A^f Q^b_{\ ec} \partial_a Q^d_{\ bf} - A^a A^b A^c A^e Q^f_{\ ce} \partial_a Q^d_{\ bf} - 2 A^a A^b A^c A^f Q^e_{\ bf} \partial_c Q^d_{\ ae} \\ - 2 A^a A^b A^c A^f Q^d_{\ ae} \partial_c Q^e_{\ bf} + 2 A^b A^c A^f A^g Q^a_{\ ca} Q^d_{\ ae} Q^e_{\ bf} + 2 A^a A^c A^f A^g Q^b_{\ ae} Q^d_{\ ae} Q^e_{\ bf} + 2 A^a A^b A^c A^g Q^d_{\ ae} Q^e_{\ bf} Q^f_{\ cg} \end{split}$$

$$\begin{split} \text{eq2.009} := A^a A^b A^c A^e \partial_{ca} Q^d_{\ be} - A^a A^b A^c A^e Q^f_{\ bc} \partial_f Q^d_{\ ae} - A^a A^b A^c A^e Q^f_{\ cb} \partial_a Q^d_{\ fe} - A^a A^b A^c A^e Q^f_{\ ce} \partial_a Q^d_{\ bf} - 2 A^a A^b A^c A^e Q^f_{\ be} \partial_c Q^d_{\ af} \\ - 2 A^a A^b A^c A^e Q^d_{\ af} \partial_c Q^f_{\ be} + 2 A^a A^b A^c A^e Q^f_{\ be} Q^d_{\ fg} Q^g_{\ ac} + 2 A^a A^b A^c A^e Q^f_{\ eb} Q^d_{\ ag} Q^g_{\ fc} + 2 A^a A^b A^c A^e Q^d_{\ af} Q^f_{\ bg} Q^g_{\ ce} \end{split}$$

$$\begin{split} \text{eq2.010} := A^a A^b A^c A^e \partial_{ab} Q^d_{\phantom{d}ce} - A^a A^b A^c A^e Q^f_{\phantom{f}ab} \partial_f Q^d_{\phantom{d}ce} - 4 A^a A^b A^c A^e Q^f_{\phantom{f}ab} \partial_c Q^d_{\phantom{d}ef} \\ - 2 A^a A^b A^c A^e Q^d_{\phantom{d}af} \partial_b Q^f_{\phantom{f}ce} + 2 A^a A^b A^c A^e Q^d_{\phantom{d}fg} Q^f_{\phantom{f}ab} Q^g_{\phantom{g}ce} + 4 A^a A^b A^c A^e Q^d_{\phantom{d}af} Q^f_{\phantom{f}bg} Q^g_{\phantom{g}ce} \end{split}$$

$$\begin{split} \text{eq3.010} &:= A^a A^b A^c A^e A^f \partial_{abc} Q^d_{\ ef} - A^a A^b A^c A^e A^f \partial_g Q^d_{\ ab} \partial_c Q^g_{\ ef} - 6A^a A^b A^c A^e A^f \partial_a Q^d_{\ bg} \partial_c Q^g_{\ ef} - 3A^a A^b A^c A^e A^f Q^g_{\ ab} \partial_{cg} Q^d_{\ ef} \\ &- 6A^a A^b A^c A^e A^f Q^g_{\ ab} \partial_{ce} Q^d_{\ fg} - 2A^a A^b A^c A^e A^f Q^d_{\ ag} \partial_{bc} Q^g_{\ ef} + 2A^a A^b A^c A^e A^f Q^g_{\ ab} Q^h_{\ cg} \partial_h Q^d_{\ ef} + 6A^a A^b A^c A^e A^f Q^g_{\ ab} Q^h_{\ ce} \partial_g Q^d_{\ fh} \\ &+ 12A^a A^b A^c A^e A^f Q^g_{\ ab} Q^h_{\ cg} \partial_e Q^d_{\ fh} + 6A^a A^b A^c A^e A^f Q^g_{\ ab} Q^h_{\ ce} \partial_f Q^d_{\ gh} + 6A^a A^b A^c A^e A^f Q^d_{\ gh} Q^g_{\ ab} \partial_c Q^h_{\ ef} \\ &+ 2A^a A^b A^c A^e A^f Q^d_{\ ag} Q^h_{\ bc} \partial_h Q^g_{\ ef} + 8A^a A^b A^c A^e A^f Q^d_{\ ag} Q^h_{\ bc} \partial_e Q^g_{\ fh} + 4A^a A^b A^c A^e A^f Q^d_{\ ag} Q^g_{\ bh} \partial_c Q^h_{\ ef} \\ &- 12A^a A^b A^c A^e A^f Q^d_{\ gh} Q^g_{\ ab} Q^h_{\ ci} Q^i_{\ ef} - 4A^a A^b A^c A^e A^f Q^d_{\ ag} Q^g_{\ hi} Q^h_{\ bc} Q^i_{\ ef} - 8A^a A^b A^c A^e A^f Q^d_{\ ag} Q^g_{\ bh} Q^h_{\ ci} Q^i_{\ ef} \end{split}$$

 $\mathsf{eq4.010} := A^a A^b A^c A^e A^f A^g \partial_{abce} Q^d{}_{fg} - 4A^a A^b A^c A^e A^f A^g \partial_a Q^h{}_{bc} \partial_{eh} Q^d{}_{fg} - A^a A^b A^c A^e A^f A^g \partial_h Q^d{}_{ab} \partial_{ce} Q^h{}_{fg} - 12A^a A^b A^c A^e A^f A^g \partial_a Q^h{}_{bc} \partial_{ef} Q^d{}_{gh}$  $-8A^aA^bA^cA^eA^fA^g\partial_aQ^d_{\ bh}\partial_{ce}Q^h_{\ fa}-6A^aA^bA^cA^eA^fA^gQ^h_{\ ab}\partial_{ceh}Q^d_{\ fa}-8A^aA^bA^cA^eA^fA^gQ^h_{\ ab}\partial_{cef}Q^d_{\ ah}$  $+8A^aA^bA^cA^eA^fA^gQ^h_{ab}\partial_iQ^d_{ch}\partial_eQ^i_{fa}+A^aA^bA^cA^eA^fA^gQ^h_{ab}\partial_iQ^d_{ce}\partial_hQ^i_{fa}+4A^aA^bA^cA^eA^fA^gQ^h_{ab}\partial_iQ^d_{ce}\partial_fQ^i_{ab}$  $+12A^aA^bA^cA^eA^fA^gQ^h_{ab}\partial_hQ^d_{ci}\partial_eQ^i_{fg}+24A^aA^bA^cA^eA^fA^gQ^h_{ab}\partial_cQ^d_{hi}\partial_eQ^i_{fg}+8A^aA^bA^cA^eA^fA^gQ^h_{ab}\partial_cQ^d_{ei}\partial_hQ^i_{fg}$  $+32A^aA^bA^cA^eA^fA^gQ^h_{\ ab}\partial_cQ^d_{\ ei}\partial_fQ^i_{\ ah}-2A^aA^bA^cA^eA^fA^gQ^d_{\ ah}\partial_{bce}Q^h_{\ fg}+2A^aA^bA^cA^eA^fA^gQ^h_{\ ai}\partial_hQ^d_{\ bc}\partial_eQ^i_{\ fg}$  $+16A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ai}\partial_{b}Q^{d}{}_{ch}\partial_{e}Q^{i}{}_{fg}+6A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{hi}\partial_{a}Q^{h}{}_{bc}\partial_{e}Q^{i}{}_{fg}+2A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ah}\partial_{b}Q^{i}{}_{ce}\partial_{i}Q^{h}{}_{fg}$  $+12A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ah}\partial_{b}Q^{h}{}_{ci}\partial_{e}Q^{i}{}_{fg} +8A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ch}\partial_{ei}Q^{d}{}_{fg} +3A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ce}\partial_{hi}Q^{d}{}_{fg}$  $+24A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ce}\partial_{fh}Q^{d}{}_{ai}+24A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ch}\partial_{ef}Q^{d}{}_{ai}+12A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ce}\partial_{fg}Q^{d}{}_{hi}$  $+8A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}_{bi}Q^{h}_{ab}\partial_{ce}Q^{i}_{fa}+6A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}_{ab}Q^{i}_{bc}\partial_{ei}Q^{h}_{fa}+12A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}_{ab}Q^{i}_{bc}\partial_{ef}Q^{h}_{ai}$  $+4A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ah}Q^{h}{}_{bi}\partial_{ce}Q^{i}{}_{fg}-4A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ch}Q^{j}{}_{ei}\partial_{i}Q^{d}{}_{fg}-2A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ce}Q^{j}{}_{hi}\partial_{i}Q^{d}{}_{fg}$  $-16A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ce}Q^{j}{}_{fh}\partial_{i}Q^{d}{}_{ai}-24A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ce}Q^{j}{}_{fh}\partial_{i}Q^{d}{}_{ai}-12A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ce}Q^{j}{}_{fa}\partial_{h}Q^{d}{}_{ii}$  $-32A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ch}Q^{j}{}_{ei}\partial_{f}Q^{d}{}_{ai}-16A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ce}Q^{j}{}_{hi}\partial_{f}Q^{d}{}_{ai}-48A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{h}{}_{ab}Q^{i}{}_{ce}Q^{j}{}_{fh}\partial_{a}Q^{d}{}_{ii}$  $-24A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}_{hi}Q^{h}_{aj}Q^{j}_{bc}\partial_{e}Q^{i}_{fg} - 8A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}_{hi}Q^{h}_{ab}Q^{j}_{ce}\partial_{j}Q^{i}_{fg} - 32A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}_{hi}Q^{h}_{ab}Q^{j}_{ce}\partial_{f}Q^{i}_{gj}$  $-4A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ah}Q^{i}{}_{bc}Q^{j}{}_{ei}\partial_{j}Q^{h}{}_{fg}-12A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ah}Q^{i}{}_{bc}Q^{j}{}_{ef}\partial_{i}Q^{h}{}_{qi}-24A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ah}Q^{i}{}_{bc}Q^{j}{}_{ei}\partial_{f}Q^{h}{}_{qi}$  $-12A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ah}Q^{i}{}_{bc}Q^{j}{}_{ef}\partial_{a}Q^{h}{}_{ij}-16A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{hi}Q^{h}{}_{ab}Q^{i}{}_{cj}\partial_{e}Q^{j}{}_{fg}-12A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ah}Q^{h}{}_{ij}Q^{i}{}_{bc}\partial_{e}Q^{j}{}_{fg}$  $-4A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ab}Q^{h}{}_{bi}Q^{j}{}_{ce}\partial_{i}Q^{i}{}_{fg}-16A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ab}Q^{h}{}_{bi}Q^{j}{}_{ce}\partial_{f}Q^{i}{}_{gi}-8A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ab}Q^{h}{}_{bi}Q^{i}{}_{ci}\partial_{e}Q^{j}{}_{fg}$  $+24A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ah}Q^{h}{}_{ij}Q^{i}{}_{bc}Q^{j}{}_{ek}Q^{k}{}_{fg}+8A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ah}Q^{h}{}_{bi}Q^{i}{}_{jk}Q^{j}{}_{ce}Q^{k}{}_{fg}+16A^{a}A^{b}A^{c}A^{e}A^{f}A^{g}Q^{d}{}_{ah}Q^{h}{}_{bi}Q^{i}{}_{cj}Q^{j}{}_{ek}Q^{k}{}_{fg}$ 

```
def reformat (obj):
  bah := @(obj).
  distribute
               (bah)
  bah = product_sort (bah)
  rename_dummies (bah)
  canonicalise (bah)
  factor_out (bah,$A^{a?}$)
  substitute (bah,$A^{a}->y^{a}$)
  ans := 0(bah).
  return ans
eq0 = reformat(eq0) # cdb (eq0.100,eq0)
eq1 = reformat(eq1) # cdb (eq1.100,eq1)
eq2 = reformat(eq2) # cdb (eq2.100,eq2)
eq3 = reformat(eq3) # cdb (eq3.100,eq3)
eq4 = reformat(eq4) # cdb (eq4.100,eq4)
checkpoint.append (eq0)
checkpoint.append (eq1)
checkpoint.append (eq2)
checkpoint.append (eq3)
checkpoint.append (eq4)
```

## Convert from local RNC coords (y) to generic (x)

$$x^{a} = x_{i}^{a} + x^{0}a - x^{1}a - x^{2}a - x^{3}a - x^{4}a - x^{5}a$$

$$\begin{array}{c} \mathring{v}^{a} = y^{a} \\ 2! \overset{1}{x}^{a} = y^{a}y^{b} \Gamma^{d}_{ab} \\ 3! \overset{2}{x}^{a} = y^{a}y^{b} y^{c} \left( \partial_{a} \Gamma^{d}_{bc} - 2 \Gamma^{d}_{ac} \Gamma^{e}_{bc} \right) \\ 4! \overset{3}{x}^{a} = y^{a}y^{b} y^{c} y^{c} \left( \partial_{ab} \Gamma^{d}_{ce} - \Gamma^{f}_{ab} \partial_{f} \Gamma^{d}_{ce} - 4 \Gamma^{f}_{ab} \partial_{c} \Gamma^{d}_{ef} - 2 \Gamma^{d}_{af} \partial_{b} \Gamma^{f}_{ce} + 2 \Gamma^{f}_{ff} \Gamma^{f}_{ab} \Gamma^{g}_{cc} + 4 \Gamma^{d}_{af} \Gamma^{f}_{bg} \Gamma^{g}_{cc} \right) \\ 5! \overset{3}{x}^{a} = y^{a} y^{b} y^{c} y^{c} y^{f} \left( \partial_{ab} \Gamma^{d}_{ef} - \partial_{g} \Gamma^{d}_{ab} \partial_{c} \Gamma^{g}_{ef} - 6 \partial_{a} \Gamma^{d}_{bg} \partial_{c} \Gamma^{g}_{ef} - 3 \Gamma^{g}_{ab} \partial_{cg} \Gamma^{d}_{ef} - 6 \Gamma^{g}_{ab} \partial_{cc} \Gamma^{f}_{fg} - 2 \Gamma^{d}_{ag} \partial_{bc} \Gamma^{g}_{ef} + 2 \Gamma^{g}_{ab} \Gamma^{h}_{cg} \partial_{h} \Gamma^{d}_{ef} + 6 \Gamma^{g}_{ab} \Gamma^{h}_{cc} \partial_{g} \Gamma^{d}_{h} + 12 \Gamma^{g}_{ab} \Gamma^{h}_{cg} \partial_{e} \Gamma^{d}_{fh} + 6 \Gamma^{g}_{ab} \Gamma^{h}_{ce} \partial_{f} \Gamma^{d}_{gh} + 6 \Gamma^{d}_{gh} \Gamma^{g}_{ab} \partial_{c} \Gamma^{h}_{ef} + 2 \Gamma^{d}_{ag} \Gamma^{h}_{bc} \partial_{h} \Gamma^{g}_{ef} + 8 \Gamma^{d}_{ag} \Gamma^{h}_{bc} \partial_{e} \Gamma^{g}_{ff} + 4 \Gamma^{d}_{ag} \Gamma^{g}_{bb} \partial_{c} \Gamma^{h}_{ef} - 12 \Gamma^{d}_{gh} \Gamma^{g}_{ab} \partial_{c} \Gamma^{h}_{ef} - 4 \Gamma^{h}_{ab} \partial_{e} \Gamma^{h}_{ef} - 8 \Gamma^{h}_{ag} \Gamma^{h}_{bc} \partial_{e} \Gamma^{g}_{ff} + 4 \Gamma^{h}_{ag} \Gamma^{g}_{bb} \partial_{c} \Gamma^{h}_{ef} - 8 \Gamma^{h}_{ag} \Gamma^{h}_{bc} \partial_{e} \Gamma^{h}_{ef} - 8 \Gamma^{h}_$$