#### The inverse metric tensor in Riemann normal coordinates

Here we calculate the Riemann normal expansion of the inverse metric,  $g^{ab}$ , by developing the recursive sequences

$$g^{ab}_{,\underline{d\underline{e}}} = -\left(g^{cb}\Gamma^{a}_{c(d)},\underline{e}\right) - \left(g^{ac}\Gamma^{b}_{c(d)},\underline{e}\right) \tag{1}$$

$$(n+3)\Gamma^a{}_{d(b,c\underline{e})} = (n+1)\left(R^a{}_{(bc\dot{d},\underline{e})} - \left(\Gamma^a{}_{f(c}\Gamma^f{}_{b\dot{d}}\right),\underline{e}\right)$$

$$(2)$$

for  $n = 1, 2, 3, \cdots$ . Note in these equations that the (extended) index  $\underline{e}$  contains n normal indices.

We then construct a Taylor series for the metric using

$$g^{ab}(x) = g^{ab} + g^{ab}_{,c}x^{c} + \frac{1}{2!}g^{ab}_{,cd}x^{c}x^{d} + \frac{1}{3!}g^{ab}_{,cde}x^{c}x^{d}x^{e} + \cdots$$
$$= g^{ab} + \sum_{n=1}^{\infty} \frac{1}{n!} g^{ab}_{,\underline{c}} x^{\underline{c}}$$

## Stage 1: Symmetrised partial derivatives of $g^{ab}$

In this stage, equation (1) is used to express the symmetrised partial derivatives of the metric in terms of the symmetrised partial derivatives of the connection.

$$g^{ab}_{,c}A^{c} = 0$$

$$g^{ab}_{,cd}A^{c}A^{d} = -g^{cb}\partial_{e}\Gamma^{a}_{cd}A^{d}A^{e} - g^{ac}\partial_{e}\Gamma^{b}_{cd}A^{d}A^{e}$$

$$g^{ab}_{,cde}A^{c}A^{d}A^{e} = -g^{cb}\partial_{fe}\Gamma^{a}_{cd}A^{d}A^{e}A^{f} - g^{ac}\partial_{fe}\Gamma^{b}_{cd}A^{d}A^{e}A^{f}$$

### Stage 2: Replace derivatives of $\Gamma$ with partial derivs of R

Now we use the results from dGamma to replace derivatives of  $\Gamma$  with partial derivatives of R. These were computed in dGamma using equation (2) above.

$$\begin{split} g^{ab}{}_{,c}A^c &= 0 \\ g^{ab}{}_{,cd}A^cA^d &= -\frac{1}{3}g^{cb}A^dA^eR^a{}_{dec} - \frac{1}{3}g^{ac}A^dA^eR^b{}_{dec} \\ g^{ab}{}_{,cde}A^cA^dA^e &= -\frac{1}{2}g^{cb}A^eA^dA^f\partial_eR^a{}_{dfc} - \frac{1}{2}g^{ac}A^eA^dA^f\partial_eR^b{}_{dfc} \end{split}$$

#### Stage 3: Replace partial derivs of R with covariant derivs of R

Next we use the results from dRabcd to replace the partial derivatives of R with covariant derivatives.

$$\begin{split} g^{ab}{}_{,c}A^c &= 0 \\ g^{ab}{}_{,cd}A^cA^d &= -\frac{1}{3}A^cA^dR^a{}_{cd}{}^b - \frac{1}{3}A^cA^dR^b{}_{cd}{}^a \\ g^{ab}{}_{,cde}A^cA^dA^e &= -\frac{1}{2}g^{cb}A^dA^fA^e\nabla_dR_{cfeg}g^{ag} - \frac{1}{2}g^{ac}A^dA^fA^e\nabla_dR_{cfeg}g^{bg} \end{split}$$

## Stage 4: Build the Taylor series for $g_{ab}$ , reformatting and output

Each of the above expressions constitutues one term in the Taylor series for the metric. We also make the trivial change  $A \to x$ . Then we do some trivial reformatting.

$$g_{ab}(x) = g^{ab} + g^{ab}_{,c}x^{c} + \frac{1}{2!}g^{ab}_{,cd}x^{c}x^{d} + \frac{1}{3!}g^{ab}_{,cde}x^{c}x^{d}x^{e} + \mathcal{O}\left(\epsilon^{4}\right)$$

$$= g^{ab} + \frac{1}{3}x^{c}x^{d}R_{cedf}g^{ae}g^{bf} + \frac{1}{6}x^{c}x^{d}x^{e}\nabla_{c}R_{dfeg}g^{af}g^{bg} + \mathcal{O}\left(\epsilon^{4}\right)$$

#### Shared properties

```
import time
def flatten_Rabcd (obj):
   substitute (obj,R^{a}_{b c d} \rightarrow g^{a e} R_{e b c d}
   substitute (obj,R_{a}^{c} = c d -> g^{b} = R_{a} e c d)
   substitute (obj,R_{a b}^{c} = g^{c e} R_{a b e d}
   substitute (obj,R_{a b c}^{d} -> g^{d e} R_{a b c e})
   unwrap
               (obj)
   sort_product (obj)
   rename_dummies (obj)
   return obj
def impose_rnc (obj):
    # hide the derivatives of Gamma
   substitute (obj,$\partial_{d}{\Gamma^{a}_{b c}} -> zzz_{d}^{a}_{b c}$,repeat=True)
   substitute (obj,$\partial_{d e}{\Gamma^{a}_{b c}} -> zzz_{d e}^{a}_{b c}$,repeat=True)
   substitute (obj,$\partial_{d e f}{\Gamma^{a}_{b c}} -> zzz_{d e f}^{a}_{b c}$,repeat=True)
   substitute (obj,$\partial_{d e f g}{\Gamma^{a}_{b c}} -> zzz_{d e f g}^{a}_{b c},repeat=True)
   substitute (obj, $\partial_{d e f g h}{\Gamma^{a}_{b c}} -> zzz_{d e f g h}^{a}_{b c}, repeat=True)
    # set Gamma to zero
   substitute (obj,$\Gamma^{a}_{b c} -> 0$,repeat=True)
    # recover the derivatives Gamma
   substitute (obj,$zzz_{d}^{a}_{b c} -> \partial_{d}{\Gamma^{a}_{b c}}$,repeat=True)
   substitute (obj,$zzz_{d e}^{a}_{b c} -> \partial_{d e}{\Gamma^{a}_{b c}}$,repeat=True)
   substitute (obj,$zzz_{d e f}^{a}_{b c} -> \partial_{d e f}_{\Gamma^{a}_{b c}}$,repeat=True)
   substitute (obj,$zzz_{d e f g}^{a}_{b c} -> \partial_{d e f g}{\Gamma^{a}_{b c}}$,repeat=True)
   substitute (obj,$zzz_{d e f g h}^{a}_{b c} -> \partial_{d e f g h}{\Gamma^{a}_{b c}}$,repeat=True)
   return obj
def get_xterm (obj,n):
   x^{a}::Weight(label=numx).
   foo := \mathbb{Q}(obj).
   bah = Ex("numx = " + str(n))
   keep_weight (foo,bah)
```

#### return foo

```
# note: keeping numbering as is (out of order) to ensure R appears before \nabla R etc.
def product_sort (obj):
    substitute (obj,$ A^{a}
                                                         -> A001^{a}
                                                                                       $)
    substitute (obj,$ x^{a}
                                                         -> A002^{a}
                                                                                       $)
    substitute (obj,$ g_{a b}
                                                         -> A003_{a b}
                                                                                       $)
    substitute (obj,$ g^{a b}
                                                                                       $)
                                                         -> A004^{a} b
    substitute (obj,$ \nabla_{e f g h}{R_{a b c d}}
                                                         -> A010_{a b c d e f g h}
                                                                                       $)
                                                         -> A009_{a b c d e f g}
    substitute (obj,$ \nabla_{e f g}{R_{a b c d}}
                                                                                       $)
    substitute (obj,$ \nabla_{e f}{R_{a b c d}}
                                                         -> A008_{a b c d e f}
                                                                                       $)
                                                         -> A007_{a b c d e}
                                                                                       $)
    substitute (obj,$ \nabla_{e}{R_{a b c d}}
    substitute (obj,$ \partial_{e f g h}{R_{a b c d}}
                                                        -> A014_{a b c d e f g h}
                                                                                       $)
                                                         -> A013_{a b c d e f g}
    substitute (obj,$ \partial_{e f g}{R_{a b c d}}
                                                                                       $)
    substitute (obj,$ \partial_{e f}{R_{a b c d}}
                                                         -> A012_{a b c d e f}
                                                                                       $)
                                                                                       $)
    substitute (obj,$ \partial_{e}{R_{a b c d}}
                                                         -> A011_{a b c d e}
    substitute (obj,\ \partial_{e f g h}{R^{a}_{b c d}} -> A018^{a}_{b c d e f g h}
                                                                                       $)
                                                       -> A017^{a}_{b} c d e f g
    substitute (obj,$ \partial_{e f g}{R^{a}_{b c d}}
                                                                                       $)
    substitute (obj,$ \partial_{e f}{R^{a}_{b c d}}
                                                         -> A016^{a}_{b c d e f}
                                                                                       $)
    substitute (obj,$ \partial_{e}{R^{a}_{b c d}}
                                                         -> A015^{a}_{bc} c d e
                                                                                       $)
    substitute (obj,$ R_{a b c d}
                                                         -> A005_{a} b c d
                                                                                       $)
    substitute (obj,$ R^{a}_{b c d}
                                                         -> A006^{a}_{b} c d
                                                                                       $)
    sort_product (obj)
    rename_dummies (obj)
    substitute (obj,$ A001^{a}
                                                 -> A^{a}
                                                                                       $)
    substitute (obj,$ A002^{a}
                                                 \rightarrow x^{a}
                                                                                       $)
                                                                                       $)
                                                 -> g_{a b}
    substitute (obj,$ A003_{a b}
    substitute (obj,$ A004^{a b}
                                                 -> g^{a b}
                                                                                       $)
    substitute (obj,$ A005_{a b c d}
                                                 \rightarrow R<sub>{a b c d}</sub>
                                                                                       $)
                                                 -> R^{a}_{b c d}
    substitute (obj,$ A006^{a}_{b c d}
                                                                                       $)
    substitute (obj,$ A007_{a b c d e}
                                                 \rightarrow \nabla_{e}{R_{a} b c d}
                                                                                       $)
                                                                                       $)
    substitute (obj,$ A008_{a b c d e f}
                                                 -> \nabla_{e f}{R_{a b c d}}
    substitute (obj,$ A009_{a b c d e f g}
                                                 \rightarrow \nabla_{e f g}{R_{a b c d}}
                                                                                       $)
    substitute (obj,$ A010_{a b c d e f g h}
                                                 -> \nabla_{e f g h}{R_{a b c d}}
                                                                                       $)
    substitute (obj,$ A011_{a b c d e}
                                                 -> \partial_{e}{R_{a b c d}}
                                                                                       $)
    substitute (obj,$ A012_{a b c d e f}
                                                 -> \partial_{e f}{R_{a b c d}}
                                                                                       $)
                                                 -> \partial_{e f g}{R_{a b c d}}
    substitute (obj,$ A013_{a b c d e f g}
                                                                                       $)
```

```
substitute (obj,$ A014_{a b c d e f g h}
                                                                                                                                                 -> \partial_{e f g h}{R_{a b c d}}
                                                                                                                                              -> \partial_{e}{R^{a}_{b c d}}
            substitute (obj,$ A015^{a}_{b c d e}
                                                                                                                                                                                                                                                                   $)
           substitute (obj,$ A016^{a}_{b c d e f}
                                                                                                                                              -> \partial_{e f}{R^{a}_{b c d}}
                                                                                                                                                                                                                                                                   $)
            substitute (obj, $A017^{a}_{b} c d e f g -> \partial_{e f g}{R^{a}_{b} c d}}
            substitute (obj, A018^{a}_{b c d e f g h} \rightarrow \beta_{R^{a}_{b c d}} 
            return obj
def reformat_xterm (obj,scale):
        foo = Ex(str(scale))
        bah := @(foo) @(obj).
        distribute
                                                     (bah)
        bah = product_sort (bah)
       rename_dummies (bah)
        canonicalise (bah)
       factor_out (bah,$x^{a?}$)
        ans := @(bah) / @(foo).
         return ans
def rescale_xterm (obj,scale):
        foo = Ex(str(scale))
        bah := @(foo) @(obj).
        distribute (bah)
        factor_out (bah,$x^{a?}$)
        return bah
def add_tags (obj,tag):
        n = 0
        ans = Ex('0')
        for i in obj.top().terms():
                foo = obj[i]
                 bah = Ex(tag+'_{(1)}, true + true +
                 ans := @(ans) + @(bah) @(foo).
                 n = n + 1
         return ans
def clear_tags (obj,tag):
        ans := @(obj).
```

```
foo = Ex(tag+'_{a?} -> 1')
   substitute (ans,foo)
   return ans
\{a,b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u,v,w\#\}::Indices(position=independent).
\nabla{#}::Derivative.
\partial{#}::PartialDerivative.
g_{a b}::Metric.
g^{a b}::InverseMetric.
g_{a}^{b}::KroneckerDelta.
g^{a}_{b}::KroneckerDelta.
R_{a b c d}::RiemannTensor.
R^{a}_{b c d}::RiemannTensor.
R_{a b c}^{d}::RiemannTensor.
\Gamma^{a}_{b c}::TableauSymmetry(shape={2}, indices={1,2}).
g_{a b}::Depends(\partial{#}).
R_{a b c d}::Depends(\partial{#}).
R^{a}_{b c d}::Depends(\partial{#}).
\Gamma^{a}_{b c}::Depends(\partial{#}).
R_{a b c d}::Depends(\nabla{#}).
R^{a}_{b \ c \ d}::Depends(\hat{\#}).
```

## Stage 1: Symmetrised partial derivatives of $g^{ab}$

```
beg_stage_1 = time.time()
# symmetrised partial derivatives of g^{ab}
gab00:=g^{a}b.
                                                             # cdb (gab00.101,gab00)
gab01:= - g^{c} b}\Gamma^{a}_{c} - g^{a} c}\Gamma^{b}_{c} + cdb (gab01.101,gab01)
gab02:=\partial_{e}{ @(gab01) }.
                                                             # cdb (gab02.101,gab02)
            (gab02)
                                                             # cdb (gab02.102,gab02)
distribute
                                                             # cdb (gab02.103,gab02)
product_rule (gab02)
           (gab02, $\partial_{d}{g^{a b}} -> @(gab01)$)
                                                             # cdb (gab02.104,gab02)
substitute
distribute (gab02)
                                                             # cdb (gab02.105,gab02)
gab03:=\partial_{f}{ @(gab02) }.
                                                             # cdb (gab03.101,gab03)
distribute
             (gab03)
                                                             # cdb (gab03.102,gab03)
product_rule (gab03)
                                                             # cdb (gab03.103,gab03)
             (gab03, $\partial_{d}{g^{a b}} -> @(gab01)$)
substitute
                                                             # cdb (gab03.104,gab03)
            (gab03)
                                                             # cdb (gab03.105,gab03)
distribute
gab04:=\partial_{g}{ @(gab03) }.
                                                             # cdb (gab04.101,gab04)
                                                             # cdb (gab04.102,gab04)
distribute
            (gab04)
product_rule (gab04)
                                                             # cdb (gab04.103,gab04)
            (gab04, $\partial_{d}{g^{a b}} -> @(gab01)$)
                                                             # cdb (gab04.104,gab04)
substitute
            (gab04)
                                                             # cdb (gab04.105,gab04)
distribute
gab05:=\partial_{h}{ @(gab04) }.
                                                             # cdb (gab05.101,gab05)
                                                             # cdb (gab05.102,gab05)
distribute (gab05)
                                                             # cdb (gab05.103,gab05)
product_rule (gab05)
             (gab05, \frac{qab01}{g^{a b}} -> 0(gab01)
                                                             # cdb (gab05.104,gab05)
substitute
distribute
            (gab05)
                                                             # cdb (gab05.105,gab05)
gab00 = impose_rnc (gab00) # cdb (gab00.102,gab00)
gab01 = impose_rnc (gab01) # cdb (gab01.102,gab01)
gab02 = impose_rnc (gab02) # cdb (gab02.106,gab02)
```

```
gab03 = impose_rnc (gab03)  # cdb (gab03.106,gab03)

gab04 = impose_rnc (gab04)  # cdb (gab04.106,gab04)

gab05 = impose_rnc (gab05)  # cdb (gab05.106,gab05)
```

$$\begin{split} \text{gab00.101} &:= g^{ab} \\ \text{gab00.102} &:= g^{ab} \\ \text{gab01.101} &:= -g^{cb}\Gamma^a{}_{cd} - g^{ac}\Gamma^b{}_{cd} \\ \text{gab01.102} &:= 0 \end{split}$$

$$\begin{split} & \text{gab02.101} := \partial_e \left( -g^{cb} \Gamma^a{}_{cd} - g^{ac} \Gamma^b{}_{cd} \right) \\ & \text{gab02.102} := -\partial_e \left( g^{cb} \Gamma^a{}_{cd} \right) - \partial_e \left( g^{ac} \Gamma^b{}_{cd} \right) \\ & \text{gab02.103} := -\partial_e g^{cb} \Gamma^a{}_{cd} - g^{cb} \partial_e \Gamma^a{}_{cd} - \partial_e g^{ac} \Gamma^b{}_{cd} - g^{ac} \partial_e \Gamma^b{}_{cd} \\ & \text{gab02.104} := - \left( -g^{fb} \Gamma^c{}_{fe} - g^{cf} \Gamma^b{}_{fe} \right) \Gamma^a{}_{cd} - g^{cb} \partial_e \Gamma^a{}_{cd} - \left( -g^{fc} \Gamma^a{}_{fe} - g^{af} \Gamma^c{}_{fe} \right) \Gamma^b{}_{cd} - g^{ac} \partial_e \Gamma^b{}_{cd} \\ & \text{gab02.105} := g^{fb} \Gamma^c{}_{fe} \Gamma^a{}_{cd} + g^{cf} \Gamma^b{}_{fe} \Gamma^a{}_{cd} - g^{cb} \partial_e \Gamma^a{}_{cd} + g^{fc} \Gamma^a{}_{fe} \Gamma^b{}_{cd} + g^{af} \Gamma^c{}_{fe} \Gamma^b{}_{cd} - g^{ac} \partial_e \Gamma^b{}_{cd} \\ & \text{gab02.106} := -g^{cb} \partial_e \Gamma^a{}_{cd} - g^{ac} \partial_e \Gamma^b{}_{cd} \end{split}$$

$$\begin{split} \text{gab03.101} &:= \partial_f \left( g^{gb} \Gamma^c_{\ ge} \Gamma^a_{\ cd} + g^{cg} \Gamma^b_{\ ge} \Gamma^a_{\ cd} - g^{cb} \partial_e \Gamma^a_{\ cd} + g^{gc} \Gamma^a_{\ ge} \Gamma^b_{\ cd} + g^{ag} \Gamma^c_{\ ge} \Gamma^b_{\ cd} - g^{ac} \partial_e \Gamma^b_{\ cd} \right) \\ \text{gab03.102} &:= \partial_f \left( g^{gb} \Gamma^c_{\ ge} \Gamma^a_{\ cd} \right) + \partial_f \left( g^{cg} \Gamma^b_{\ ge} \Gamma^a_{\ cd} \right) - \partial_f \left( g^{cb} \partial_e \Gamma^a_{\ cd} \right) + \partial_f \left( g^{gc} \Gamma^a_{\ ge} \Gamma^b_{\ cd} \right) + \partial_f \left( g^{ag} \Gamma^c_{\ ge} \Gamma^b_{\ cd} \right) - \partial_f \left( g^{ac} \partial_e \Gamma^b_{\ cd} \right) \\ \text{gab03.103} &:= \partial_f g^{gb} \Gamma^c_{\ ge} \Gamma^a_{\ cd} + g^{gb} \partial_f \Gamma^c_{\ ge} \Gamma^a_{\ cd} + g^{gb} \Gamma^c_{\ ge} \partial_f \Gamma^a_{\ cd} + \partial_f g^{cg} \Gamma^b_{\ ge} \Gamma^a_{\ cd} + g^{cg} \partial_f \Gamma^b_{\ ge} \Gamma^a_{\ cd} + g^{cg} \Gamma^b_{\ ge} \partial_f \Gamma^a_{\ cd} - \partial_f g^{cb} \partial_e \Gamma^a_{\ cd} - g^{cb} \partial_f e^{c} \Gamma^a_{\ cd} \\ &\quad + \partial_f g^{gc} \Gamma^a_{\ ge} \Gamma^b_{\ cd} + g^{gc} \Gamma^a_{\ ge} \partial_f \Gamma^b_{\ cd} + \partial_f g^{ag} \Gamma^c_{\ ge} \Gamma^b_{\ cd} + g^{ag} \partial_f \Gamma^c_{\ ge} \Gamma^b_{\ cd} + g^{ag} \Gamma^c_{\ ge} \partial_f \Gamma^b_{\ cd} - \partial_f g^{ac} \partial_e \Gamma^b_{\ cd} - g^{ac} \partial_f e^{c} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_$$

$$\begin{split} \text{gab03.104} \coloneqq \left( -g^{hb}\Gamma^g_{\ hf} - g^{gh}\Gamma^b_{\ hf} \right) \Gamma^c_{\ ge}\Gamma^a_{\ cd} + g^{gb}\partial_f\Gamma^c_{\ ge}\Gamma^a_{\ cd} + g^{gb}\Gamma^c_{\ ge}\partial_f\Gamma^a_{\ cd} + \left( -g^{hg}\Gamma^c_{\ hf} - g^{ch}\Gamma^g_{\ hf} \right) \Gamma^b_{\ ge}\Gamma^a_{\ cd} + g^{cg}\partial_f\Gamma^b_{\ ge}\Gamma^a_{\ cd} \\ + g^{cg}\Gamma^b_{\ ge}\partial_f\Gamma^a_{\ cd} - \left( -g^{gb}\Gamma^c_{\ gf} - g^{cg}\Gamma^b_{\ gf} \right) \partial_e\Gamma^a_{\ cd} - g^{cb}\partial_f\epsilon\Gamma^a_{\ cd} + \left( -g^{hc}\Gamma^g_{\ hf} - g^{gh}\Gamma^c_{\ hf} \right) \Gamma^a_{\ ge}\Gamma^b_{\ cd} + g^{gc}\partial_f\Gamma^a_{\ ge}\Gamma^b_{\ cd} \\ + g^{gc}\Gamma^a_{\ ge}\partial_f\Gamma^b_{\ cd} + \left( -g^{hg}\Gamma^a_{\ hf} - g^{ah}\Gamma^g_{\ hf} \right) \Gamma^c_{\ ge}\Gamma^b_{\ cd} + g^{ag}\partial_f\Gamma^c_{\ ge}\Gamma^b_{\ cd} + g^{ag}\Gamma^c_{\ ge}\partial_f\Gamma^b_{\ cd} - \left( -g^{gc}\Gamma^a_{\ gf} - g^{ag}\Gamma^c_{\ gf} \right) \partial_e\Gamma^b_{\ cd} - g^{ac}\partial_{fe}\Gamma^b_{\ cd} \end{split}$$

$$\begin{split} \text{gab03.105} &:= -g^{hb}\Gamma^g_{\ hf}\Gamma^c_{\ ge}\Gamma^a_{\ cd} - g^{gh}\Gamma^b_{\ hf}\Gamma^c_{\ ge}\Gamma^a_{\ cd} + g^{gb}\partial_f\Gamma^c_{\ ge}\Gamma^a_{\ cd} + g^{gb}\Gamma^c_{\ ge}\partial_f\Gamma^a_{\ cd} - g^{hg}\Gamma^c_{\ hf}\Gamma^b_{\ ge}\Gamma^a_{\ cd} - g^{ch}\Gamma^g_{\ hf}\Gamma^b_{\ ge}\Gamma^a_{\ cd} + g^{cg}\partial_f\Gamma^b_{\ ge}\Gamma^a_{\ cd} \\ &\quad + g^{cg}\Gamma^b_{\ ge}\partial_f\Gamma^a_{\ cd} + g^{gb}\Gamma^c_{\ gf}\partial_e\Gamma^a_{\ cd} + g^{cg}\Gamma^b_{\ gf}\partial_e\Gamma^a_{\ cd} - g^{cb}\partial_f\epsilon^a_{\ cd} - g^{hc}\Gamma^g_{\ hf}\Gamma^a_{\ ge}\Gamma^b_{\ cd} - g^{gh}\Gamma^c_{\ hf}\Gamma^a_{\ ge}\Gamma^b_{\ cd} + g^{gc}\partial_f\Gamma^a_{\ ge}\Gamma^b_{\ cd} + g^{gc}\Gamma^a_{\ ge}\partial_f\Gamma^b_{\ cd} \\ &\quad - g^{hg}\Gamma^a_{\ hf}\Gamma^c_{\ ge}\Gamma^b_{\ cd} - g^{ah}\Gamma^g_{\ hf}\Gamma^c_{\ ge}\Gamma^b_{\ cd} + g^{ag}\partial_f\Gamma^c_{\ ge}\Gamma^b_{\ cd} + g^{ag}\Gamma^c_{\ ge}\partial_f\Gamma^b_{\ cd} + g^{gc}\Gamma^a_{\ gf}\partial_e\Gamma^b_{\ cd} + g^{ag}\Gamma^c_{\ gf}\partial_e\Gamma^b_{\ cd} - g^{ac}\partial_f\epsilon^b_{\ cd} \end{split}$$

gab03.106 
$$:= -g^{cb}\partial_{fe}\Gamma^a{}_{cd} - g^{ac}\partial_{fe}\Gamma^b{}_{cd}$$

```
\begin{split} \text{gab04.101} &:= \partial_g \left( -g^{hb} \Gamma^i_{\ hf} \Gamma^c_{\ ie} \Gamma^a_{\ cd} - g^{ih} \Gamma^b_{\ hf} \Gamma^c_{\ ie} \Gamma^a_{\ cd} + g^{ib} \partial_f \Gamma^c_{\ ie} \Gamma^a_{\ cd} + g^{ib} \Gamma^c_{\ ie} \partial_f \Gamma^a_{\ cd} - g^{hi} \Gamma^c_{\ hf} \Gamma^b_{\ ie} \Gamma^a_{\ cd} - g^{ch} \Gamma^i_{\ hf} \Gamma^b_{\ ie} \Gamma^a_{\ cd} + g^{ci} \partial_f \Gamma^b_{\ ie} \Gamma^a_{\ cd} + g^{ci} \partial_f \Gamma^b_{\ ie} \Gamma^a_{\ cd} + g^{ci} \Gamma^b_{\ ie} \Gamma^a_{\ cd} - g^{cb} \partial_f \Gamma^a_{\ ie} \Gamma^b_{\ cd} - g^{hc} \Gamma^i_{\ hf} \Gamma^a_{\ ie} \Gamma^b_{\ cd} - g^{ih} \Gamma^c_{\ hf} \Gamma^a_{\ ie} \Gamma^b_{\ cd} + g^{ic} \partial_f \Gamma^a_{\ ie} \Gamma^b_{\ cd} + g^{ic} \Gamma^a_{\ ie} \partial_f \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ic} \Gamma^a_{\ if} \partial_e \Gamma^b_{\ cd} + g^{ai} \Gamma^c_{\ if} \partial_e \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ai} \Gamma^c_{\ ie} \partial_f \Gamma^b_{\ cd} + g^{ai} \Gamma^c_{\ ie} \partial_f \Gamma^b_{\ cd} + g^{ai} \Gamma^c_{\ if} \partial_e \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ai} \Gamma^c_{\ if} \partial_e \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ai} \Gamma^c_{\ if} \partial_e \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ai} \Gamma^c_{\ if} \partial_e \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ai} \Gamma^c_{\ if} \partial_e \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ai} \Gamma^c_{\ if} \partial_e \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} + g^{ac} \Gamma^b_{\ cd} - g^{ac} \partial_f \Gamma^b_{\ cd} + g^{ac} \Gamma^b_
```

$$\begin{split} \mathsf{gab04.102} &:= -\partial_g \left( g^{hb} \Gamma^i{}_{hf} \Gamma^c{}_{ie} \Gamma^a{}_{cd} \right) - \partial_g \left( g^{ih} \Gamma^b{}_{hf} \Gamma^c{}_{ie} \Gamma^a{}_{cd} \right) + \partial_g \left( g^{ib} \partial_f \Gamma^c{}_{ie} \Gamma^a{}_{cd} \right) + \partial_g \left( g^{ib} \Gamma^c{}_{ie} \partial_f \Gamma^a{}_{cd} \right) - \partial_g \left( g^{hi} \Gamma^c{}_{hf} \Gamma^b{}_{ie} \Gamma^a{}_{cd} \right) \\ &- \partial_g \left( g^{ch} \Gamma^i{}_{hf} \Gamma^b{}_{ie} \Gamma^a{}_{cd} \right) + \partial_g \left( g^{ci} \partial_f \Gamma^b{}_{ie} \Gamma^a{}_{cd} \right) + \partial_g \left( g^{ci} \Gamma^b{}_{ie} \partial_f \Gamma^a{}_{cd} \right) + \partial_g \left( g^{ib} \Gamma^c{}_{if} \partial_e \Gamma^a{}_{cd} \right) + \partial_g \left( g^{ci} \Gamma^b{}_{if} \partial_e \Gamma^a{}_{cd} \right) - \partial_g \left( g^{cb} \partial_f \Gamma^a{}_{ie} \Gamma^b{}_{cd} \right) \\ &- \partial_g \left( g^{hc} \Gamma^i{}_{hf} \Gamma^a{}_{ie} \Gamma^b{}_{cd} \right) + \partial_g \left( g^{ai} \partial_f \Gamma^c{}_{ie} \Gamma^b{}_{cd} \right) + \partial_g \left( g^{ai} \Gamma^c{}_{ie} \partial_f \Gamma^b{}_{cd} \right) + \partial_g \left( g^{ai} \Gamma^a{}_{ie} \partial_f \Gamma^b{}_{cd} \right) + \partial_g \left( g^{ai} \Gamma^c{}_{ie} \Gamma^b{}_{cd} \right) \\ &- \partial_g \left( g^{ah} \Gamma^i{}_{hf} \Gamma^c{}_{ie} \Gamma^b{}_{cd} \right) + \partial_g \left( g^{ai} \partial_f \Gamma^c{}_{ie} \Gamma^b{}_{cd} \right) + \partial_g \left( g^{ai} \Gamma^c{}_{ie} \partial_f \Gamma^b{}_{cd} \right) + \partial_g \left( g^{ai} \Gamma^c{}_{ie} \partial_f \Gamma^b{}_{cd} \right) - \partial_g \left( g^{ai} \Gamma^c{}_{ie} \Gamma^b{}_{cd} \right) - \partial_g \left( g^{ai} \partial_f \Gamma^c{}_{ie} \Gamma^b{}_{cd} \right) - \partial_g \left( g^{ai} \Gamma^a{}_{ie} \Gamma^b{}_{cd} \right) - \partial_g \left( g^{ai} \Gamma^a{}_{ie} \Gamma^b{}_{cd} \right) - \partial_g \left($$

$$\begin{split} \mathsf{gab04.103} &:= -\partial_g g^{hb} \Gamma^i_{hf} \Gamma^c_{ie} \Gamma^a_{cd} - g^{hb} \partial_g \Gamma^i_{hf} \Gamma^c_{ie} \Gamma^a_{cd} - g^{hb} \Gamma^i_{hf} \partial_g \Gamma^c_{ie} \Gamma^a_{cd} - g^{hb} \Gamma^i_{hf} \Gamma^c_{ie} \partial_g \Gamma^a_{cd} - \partial_g g^{ih} \Gamma^b_{hf} \Gamma^c_{ie} \Gamma^a_{cd} - g^{ih} \partial_g \Gamma^b_{hf} \Gamma^c_{ie} \Gamma^a_{cd} - g^{ih} \Gamma^b_{hf} \Gamma^c_{ie} \partial_g \Gamma^a_{cd} + \partial_g g^{ib} \partial_f \Gamma^c_{ie} \Gamma^a_{cd} + g^{ib} \partial_g \Gamma^c_{ie} \Gamma^a_{cd} + g^{ib} \partial_f \Gamma^c_{ie} \partial_g \Gamma^a_{cd} + \partial_g g^{ib} \Gamma^c_{ie} \partial_f \Gamma^a_{cd} + g^{ib} \partial_g \Gamma^c_{ie} \Gamma^a_{cd} + g^{ib} \partial_f \Gamma^c_{ie} \partial_g \Gamma^a_{cd} + \partial_g g^{ib} \Gamma^c_{ie} \partial_f \Gamma^a_{cd} + g^{ib} \partial_g \Gamma^c_{ie} \partial_g \Gamma^a_{cd} + g^{ib} \partial_f \Gamma^c_{ie} \partial_g \Gamma^a_{cd} - g^{hi} \Gamma^c_{hf} \Gamma^b_{ie} \Gamma^a_{cd} - g^{hi} \Gamma^c_{hf} \Gamma^b_{ie} \Gamma^a_{cd} - g^{hi} \Gamma^c_{hf} \partial_g \Gamma^b_{ie} \Gamma^a_{cd} - g^{hi} \Gamma^c_{hf} \Gamma^b_{ie} \partial_g \Gamma^a_{cd} + g^{ii} \partial_g \Gamma^b_{ie} \Gamma^a_{cd} - g^{hi} \Gamma^c_{hf} \Gamma^b_{ie} \partial_g \Gamma^a_{cd} + g^{ii} \partial_g \Gamma^b_{ie} \Gamma^a_{cd} - g^{hi} \Gamma^b_{ie} \partial_g \Gamma^a_{cd} + g^{ii} \partial_g \Gamma^b_{ie} \Gamma^a_{cd} - g^{hi} \Gamma^b_{ie} \partial_g \Gamma^a_{cd} + g^{ii} \partial_g \Gamma^b_{ie} \Gamma^a_{cd} + g^{ii} \partial_g \Gamma^b_{ie} \partial_g \partial_g \Gamma^b$$

 $\mathsf{gab}04.104 := -\left(-q^{jb}\Gamma^h_{\ ia} - q^{hj}\Gamma^b_{\ ia}\right)\Gamma^i_{\ hf}\Gamma^c_{\ ie}\Gamma^a_{\ cd} - q^{hb}\partial_a\Gamma^i_{\ hf}\Gamma^c_{\ ie}\Gamma^a_{\ cd} - q^{hb}\Gamma^i_{\ hf}\partial_a\Gamma^c_{\ ie}\Gamma^a_{\ cd} - q^{hb}\Gamma^i_{\ hf}\Gamma^c_{\ ie}\partial_a\Gamma^a_{\ cd} - \left(-q^{jh}\Gamma^i_{\ ia} - q^{ij}\Gamma^h_{\ ia}\right)\Gamma^b_{\ hf}\Gamma^c_{\ ie}\Gamma^a_{\ cd}$  $-q^{ih}\partial_a\Gamma^b_{\ hf}\Gamma^c_{\ ie}\Gamma^a_{\ cd}-q^{ih}\Gamma^b_{\ hf}\partial_a\Gamma^c_{\ ie}\Gamma^a_{\ cd}-q^{ih}\Gamma^b_{\ hf}\Gamma^c_{\ ie}\partial_a\Gamma^a_{\ cd}+\left(-q^{hb}\Gamma^i_{\ ha}-q^{ih}\Gamma^b_{\ ha}\right)\partial_f\Gamma^c_{\ ie}\Gamma^a_{\ cd}+q^{ib}\partial_{af}\Gamma^c_{\ ie}\Gamma^a_{\ cd}$  $+q^{ib}\partial_f\Gamma^c_{ie}\partial_a\Gamma^a_{cd}+\left(-q^{hb}\Gamma^i_{ha}-q^{ih}\Gamma^b_{ha}\right)\Gamma^c_{ie}\partial_f\Gamma^a_{cd}+q^{ib}\partial_a\Gamma^c_{ie}\partial_f\Gamma^a_{cd}+q^{ib}\Gamma^c_{ie}\partial_af\Gamma^a_{cd}-\left(-q^{ji}\Gamma^h_{ia}-q^{hj}\Gamma^i_{ja}\right)\Gamma^c_{hf}\Gamma^b_{ie}\Gamma^a_{cd}$  $-q^{hi}\partial_a\Gamma^c_{\ hf}\Gamma^b_{\ ie}\Gamma^a_{\ cd}-q^{hi}\Gamma^c_{\ hf}\partial_a\Gamma^b_{\ ie}\Gamma^a_{\ cd}-q^{hi}\Gamma^c_{\ hf}\Gamma^b_{\ ie}\partial_a\Gamma^a_{\ cd}-\left(-q^{jh}\Gamma^c_{\ ia}-q^{cj}\Gamma^h_{\ ia}\right)\Gamma^i_{\ hf}\Gamma^b_{\ ie}\Gamma^a_{\ cd}-q^{ch}\partial_a\Gamma^i_{\ hf}\Gamma^b_{\ ie}\Gamma^a_{\ cd}$  $-q^{ch}\Gamma^{i}_{bf}\partial_{a}\Gamma^{b}_{ie}\Gamma^{a}_{cd}-q^{ch}\Gamma^{i}_{bf}\Gamma^{b}_{ie}\partial_{a}\Gamma^{a}_{cd}+\left(-q^{hi}\Gamma^{c}_{ba}-q^{ch}\Gamma^{i}_{ba}\right)\partial_{f}\Gamma^{b}_{ie}\Gamma^{a}_{cd}+q^{ci}\partial_{af}\Gamma^{b}_{ie}\Gamma^{a}_{cd}+q^{ci}\partial_{f}\Gamma^{b}_{ie}\partial_{a}\Gamma^{a}_{cd}$  $+\left(-q^{hi}\Gamma^{c}_{\ \ ha}-q^{ch}\Gamma^{i}_{\ \ ha}\right)\Gamma^{b}_{\ \ ie}\partial_{f}\Gamma^{a}_{\ \ cd}+q^{ci}\partial_{a}\Gamma^{b}_{\ \ ie}\partial_{f}\Gamma^{a}_{\ \ cd}+q^{ci}\Gamma^{b}_{\ \ ie}\partial_{af}\Gamma^{a}_{\ \ cd}+\left(-q^{hb}\Gamma^{i}_{\ \ ha}-q^{ih}\Gamma^{b}_{\ \ ha}\right)\Gamma^{c}_{\ \ if}\partial_{e}\Gamma^{a}_{\ \ cd}+q^{ib}\partial_{a}\Gamma^{c}_{\ \ if}\partial_{e}\Gamma^{a}_{\ \ cd}$  $+g^{ib}\Gamma^{c}_{if}\partial_{ae}\Gamma^{a}_{cd} + \left(-g^{hi}\Gamma^{c}_{hg} - g^{ch}\Gamma^{i}_{hg}\right)\Gamma^{b}_{if}\partial_{e}\Gamma^{a}_{cd} + g^{ci}\partial_{a}\Gamma^{b}_{if}\partial_{e}\Gamma^{a}_{cd} + g^{ci}\Gamma^{b}_{if}\partial_{ae}\Gamma^{a}_{cd} - \left(-g^{hb}\Gamma^{c}_{hg} - g^{ch}\Gamma^{b}_{hg}\right)\partial_{fe}\Gamma^{a}_{cd} - g^{cb}\partial_{afe}\Gamma^{a}_{cd}$  $-\left(-q^{jc}\Gamma^{h}{}_{ia}-q^{hj}\Gamma^{c}{}_{ia}\right)\Gamma^{i}{}_{hf}\Gamma^{a}{}_{ie}\Gamma^{b}{}_{cd}-q^{hc}\partial_{a}\Gamma^{i}{}_{hf}\Gamma^{a}{}_{ie}\Gamma^{b}{}_{cd}-q^{hc}\Gamma^{i}{}_{hf}\partial_{a}\Gamma^{a}{}_{ie}\Gamma^{b}{}_{cd}-q^{hc}\Gamma^{i}{}_{hf}\Gamma^{a}{}_{ie}\partial_{a}\Gamma^{b}{}_{cd}-\left(-q^{jh}\Gamma^{i}{}_{ia}-q^{ij}\Gamma^{h}{}_{ia}\right)\Gamma^{c}{}_{hf}\Gamma^{a}{}_{ie}\Gamma^{b}{}_{cd}$  $-q^{ih}\partial_a\Gamma^c_{\ bf}\Gamma^a_{\ ie}\Gamma^b_{\ cd}-q^{ih}\Gamma^c_{\ bf}\partial_a\Gamma^a_{\ ie}\Gamma^b_{\ cd}-q^{ih}\Gamma^c_{\ bf}\Gamma^a_{\ ie}\partial_a\Gamma^b_{\ cd}+\left(-q^{hc}\Gamma^i_{\ ba}-q^{ih}\Gamma^c_{\ ba}\right)\partial_f\Gamma^a_{\ ie}\Gamma^b_{\ cd}+q^{ic}\partial_{af}\Gamma^a_{\ ie}\Gamma^b_{\ cd}$  $+g^{ic}\partial_{f}\Gamma^{a}{}_{ie}\partial_{a}\Gamma^{b}{}_{cd} + \left(-g^{hc}\Gamma^{i}{}_{hg} - g^{ih}\Gamma^{c}{}_{hg}\right)\Gamma^{a}{}_{ie}\partial_{f}\Gamma^{b}{}_{cd} + g^{ic}\partial_{a}\Gamma^{a}{}_{ie}\partial_{f}\Gamma^{b}{}_{cd} + g^{ic}\Gamma^{a}{}_{ie}\partial_{af}\Gamma^{b}{}_{cd} - \left(-g^{ji}\Gamma^{h}{}_{ia} - g^{hj}\Gamma^{i}{}_{ia}\right)\Gamma^{a}{}_{hf}\Gamma^{c}{}_{ie}\Gamma^{b}{}_{cd}$  $-g^{hi}\partial_a\Gamma^a{}_{hf}\Gamma^c{}_{ie}\Gamma^b{}_{cd} - g^{hi}\Gamma^a{}_{hf}\partial_a\Gamma^c{}_{ie}\Gamma^b{}_{cd} - g^{hi}\Gamma^a{}_{hf}\Gamma^c{}_{ie}\partial_a\Gamma^b{}_{cd} - \left(-g^{jh}\Gamma^a{}_{jq} - g^{aj}\Gamma^h{}_{jq}\right)\Gamma^i{}_{hf}\Gamma^c{}_{ie}\Gamma^b{}_{cd} - g^{ah}\partial_a\Gamma^i{}_{hf}\Gamma^c{}_{ie}\Gamma^b{}_{cd}$  $-q^{ah}\Gamma^{i}{}_{hf}\partial_{a}\Gamma^{c}{}_{ie}\Gamma^{b}{}_{cd}-q^{ah}\Gamma^{i}{}_{hf}\Gamma^{c}{}_{ie}\partial_{a}\Gamma^{b}{}_{cd}+\left(-q^{hi}\Gamma^{a}{}_{hg}-q^{ah}\Gamma^{i}{}_{hg}\right)\partial_{f}\Gamma^{c}{}_{ie}\Gamma^{b}{}_{cd}+q^{ai}\partial_{af}\Gamma^{c}{}_{ie}\Gamma^{b}{}_{cd}+q^{ai}\partial_{f}\Gamma^{c}{}_{ie}\partial_{a}\Gamma^{b}{}_{cd}$  $+\left(-g^{hi}\Gamma^{a}_{\ \ ha}-g^{ah}\Gamma^{i}_{\ \ ha}\right)\Gamma^{c}_{\ \ ie}\partial_{f}\Gamma^{b}_{\ \ cd}+g^{ai}\partial_{a}\Gamma^{c}_{\ \ cd}+g^{ai}\Gamma^{c}_{\ \ ie}\partial_{af}\Gamma^{b}_{\ \ cd}+\left(-g^{hc}\Gamma^{i}_{\ \ ha}-g^{ih}\Gamma^{c}_{\ \ ha}\right)\Gamma^{a}_{\ \ if}\partial_{e}\Gamma^{b}_{\ \ cd}+g^{ic}\partial_{a}\Gamma^{a}_{\ \ if}\partial_{e}\Gamma^{b}_{\ \ cd}$  $+q^{ic}\Gamma^{a}{}_{if}\partial_{ae}\Gamma^{b}{}_{cd} + \left(-q^{hi}\Gamma^{a}{}_{ha} - q^{ah}\Gamma^{i}{}_{ha}\right)\Gamma^{c}{}_{if}\partial_{e}\Gamma^{b}{}_{cd} + q^{ai}\partial_{a}\Gamma^{c}{}_{if}\partial_{e}\Gamma^{b}{}_{cd} + q^{ai}\Gamma^{c}{}_{if}\partial_{ae}\Gamma^{b}{}_{cd} - \left(-q^{hc}\Gamma^{a}{}_{ha} - q^{ah}\Gamma^{c}{}_{ha}\right)\partial_{fe}\Gamma^{b}{}_{cd} - q^{ac}\partial_{afe}\Gamma^{b}{}_{cd}$  $\mathsf{gab04.105} := q^{jb}\Gamma^h{}_{ia}\Gamma^i{}_{bf}\Gamma^c{}_{ie}\Gamma^a{}_{cd} + q^{hj}\Gamma^b{}_{ia}\Gamma^i{}_{bf}\Gamma^c{}_{ie}\Gamma^a{}_{cd} - q^{hb}\partial_a\Gamma^i{}_{bf}\Gamma^c{}_{ie}\Gamma^a{}_{cd} - q^{hb}\Gamma^i{}_{bf}\partial_a\Gamma^c{}_{ie}\Gamma^a{}_{cd} - q^{hb}\Gamma^i{}_{bf}\Gamma^c{}_{ie}\partial_a\Gamma^a{}_{cd} + q^{jh}\Gamma^i{}_{ia}\Gamma^b{}_{bf}\Gamma^c{}_{ie}\Gamma^a{}_{cd}$  $+q^{ij}\Gamma^h_{\phantom{h}ig}\Gamma^b_{\phantom{b}f}\Gamma^c_{\phantom{c}ie}\Gamma^a_{\phantom{a}cd}-q^{ih}\partial_a\Gamma^b_{\phantom{b}f}\Gamma^c_{\phantom{c}ie}\Gamma^a_{\phantom{a}cd}-q^{ih}\Gamma^b_{\phantom{b}f}\partial_a\Gamma^c_{\phantom{c}ie}\Gamma^a_{\phantom{a}cd}-q^{ih}\Gamma^b_{\phantom{b}f}\Gamma^c_{\phantom{c}ie}\partial_a\Gamma^a_{\phantom{c}cd}-q^{ih}\Gamma^b_{\phantom{b}f}\partial_a\Gamma^c_{\phantom{c}ie}\Gamma^a_{\phantom{c}cd}-q^{ih}\Gamma^b_{\phantom{b}f}\partial_a\Gamma^c_{\phantom{c}ie}\Gamma^a_{\phantom{c}cd}-q^{ih}\Gamma^b_{\phantom{b}f}\partial_a\Gamma^c_{\phantom{c}ie}\Gamma^a_{\phantom{c}cd}-q^{ih}\Gamma^b_{\phantom{b}f}\partial_a\Gamma^c_{\phantom{c}ie}\Gamma^a_{\phantom{c}cd}-q^{ih}\Gamma^b_{\phantom{c}ie}\Gamma^a_{\phantom{c}cd} + q^{ib}\partial_{af}\Gamma^{c}_{ie}\Gamma^{a}_{cd} + q^{ib}\partial_{f}\Gamma^{c}_{ie}\partial_{a}\Gamma^{a}_{cd} - q^{hb}\Gamma^{i}_{ha}\Gamma^{c}_{ie}\partial_{f}\Gamma^{a}_{cd} - q^{ih}\Gamma^{b}_{ha}\Gamma^{c}_{ie}\partial_{f}\Gamma^{a}_{cd} + q^{ib}\partial_{a}\Gamma^{c}_{ie}\partial_{f}\Gamma^{a}_{cd} + q^{ji}\Gamma^{b}_{ie}\Gamma^{a}_{cd} + q^{ji}\Gamma^{a}_{cd} + q^{ji}\Gamma^{b}_{ie}\Gamma^{a}_{cd} + q^{ji}\Gamma^{a}_{cd} + q^{ji}\Gamma^{a$  $+g^{hj}\Gamma^{i}{}_{ig}\Gamma^{c}{}_{hf}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}-g^{hi}\partial_{a}\Gamma^{c}{}_{hf}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}-g^{hi}\Gamma^{c}{}_{hf}\partial_{a}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}-g^{hi}\Gamma^{c}{}_{hf}\Gamma^{b}{}_{ie}\partial_{a}\Gamma^{a}{}_{cd}+g^{jh}\Gamma^{c}{}_{ig}\Gamma^{i}{}_{hf}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}+g^{cj}\Gamma^{h}{}_{ig}\Gamma^{i}{}_{hf}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}$  $-g^{ch}\partial_{g}\Gamma^{i}{}_{hf}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}-g^{ch}\Gamma^{i}{}_{hf}\partial_{g}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}-g^{ch}\Gamma^{i}{}_{hf}\Gamma^{b}{}_{ie}\partial_{g}\Gamma^{a}{}_{cd}-g^{hi}\Gamma^{c}{}_{hg}\partial_{f}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}-g^{ch}\Gamma^{i}{}_{hg}\partial_{f}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}-g^{ch}\Gamma^{i}{}_{hg}\partial_{f}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}+g^{ci}\partial_{g}\Gamma^{b}{}_{cd}+g^{ci}\partial_{g}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}+g^{ci}\partial_{g}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}+g^{ci}\partial_{g}\Gamma^{b}{}_{cd}+g^{ci}\partial_{g}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}+g^{ci}\partial_{g}\Gamma^{b}{}_{ie}\Gamma^{a}{}_{cd}+g^{ci}\partial_{g}\Gamma^{b}{}_{cd}+g^{$  $+q^{ci}\partial_{f}\Gamma^{b}{}_{ie}\partial_{a}\Gamma^{a}{}_{cd}-q^{hi}\Gamma^{c}{}_{ha}\Gamma^{b}{}_{ie}\partial_{f}\Gamma^{a}{}_{cd}-q^{ch}\Gamma^{i}{}_{ha}\Gamma^{b}{}_{ie}\partial_{f}\Gamma^{a}{}_{cd}+q^{ci}\partial_{a}\Gamma^{b}{}_{ie}\partial_{f}\Gamma^{a}{}_{cd}+q^{ci}\Gamma^{b}{}_{ie}\partial_{af}\Gamma^{a}{}_{cd}-q^{hb}\Gamma^{i}{}_{ha}\Gamma^{c}{}_{if}\partial_{e}\Gamma^{a}{}_{cd}$  $-q^{ih}\Gamma^{b}{}_{ba}\Gamma^{c}{}_{if}\partial_{e}\Gamma^{a}{}_{cd}+q^{ib}\partial_{a}\Gamma^{c}{}_{if}\partial_{e}\Gamma^{a}{}_{cd}+q^{ib}\Gamma^{c}{}_{if}\partial_{ae}\Gamma^{a}{}_{cd}-q^{hi}\Gamma^{c}{}_{ba}\Gamma^{b}{}_{if}\partial_{e}\Gamma^{a}{}_{cd}-q^{ch}\Gamma^{i}{}_{ba}\Gamma^{b}{}_{if}\partial_{e}\Gamma^{a}{}_{cd}+q^{ci}\partial_{a}\Gamma^{b}{}_{if}\partial_{e}\Gamma^{a}{}_{cd}$  $+q^{ci}\Gamma^{b}_{if}\partial_{ae}\Gamma^{a}_{cd}+q^{bb}\Gamma^{c}_{ba}\partial_{fe}\Gamma^{a}_{cd}+q^{cb}\Gamma^{b}_{ba}\partial_{fe}\Gamma^{a}_{cd}-q^{cb}\partial_{afe}\Gamma^{a}_{cd}+q^{jc}\Gamma^{b}_{ia}\Gamma^{i}_{bf}\Gamma^{a}_{ie}\Gamma^{b}_{cd}+q^{hj}\Gamma^{c}_{ia}\Gamma^{i}_{bf}\Gamma^{a}_{ie}\Gamma^{b}_{cd}-q^{hc}\partial_{a}\Gamma^{i}_{bf}\Gamma^{a}_{ie}\Gamma^{b}_{cd}$  $-g^{hc}\Gamma^{i}_{hf}\partial_{a}\Gamma^{a}_{ie}\Gamma^{b}_{cd} - g^{hc}\Gamma^{i}_{hf}\Gamma^{a}_{ie}\partial_{a}\Gamma^{b}_{cd} + g^{jh}\Gamma^{i}_{ia}\Gamma^{c}_{hf}\Gamma^{a}_{ie}\Gamma^{b}_{cd} + g^{ij}\Gamma^{h}_{ia}\Gamma^{c}_{hf}\Gamma^{a}_{ie}\Gamma^{b}_{cd} - g^{ih}\partial_{a}\Gamma^{c}_{hf}\Gamma^{a}_{ie}\Gamma^{b}_{cd} - g^{ih}\Gamma^{c}_{hf}\partial_{a}\Gamma^{a}_{ie}\Gamma^{b}_{cd}$  $-g^{ih}\Gamma^{c}_{\ hf}\Gamma^{a}_{\ ie}\partial_{a}\Gamma^{b}_{\ cd}-g^{hc}\Gamma^{i}_{\ hg}\partial_{f}\Gamma^{a}_{\ ie}\Gamma^{b}_{\ cd}-g^{ih}\Gamma^{c}_{\ hg}\partial_{f}\Gamma^{a}_{\ ie}\Gamma^{b}_{\ cd}+g^{ic}\partial_{gf}\Gamma^{a}_{\ ie}\Gamma^{b}_{\ cd}+g^{ic}\partial_{f}\Gamma^{a}_{\ ie}\partial_{g}\Gamma^{b}_{\ cd}-g^{hc}\Gamma^{i}_{\ hg}\Gamma^{a}_{\ ie}\partial_{f}\Gamma^{b}_{\ cd}$  $-g^{ih}\Gamma^{c}_{\phantom{c}ha}\Gamma^{a}_{\phantom{a}ie}\partial_{f}\Gamma^{b}_{\phantom{b}cd}+g^{ic}\partial_{a}\Gamma^{a}_{\phantom{a}ie}\partial_{f}\Gamma^{b}_{\phantom{b}cd}+g^{ic}\Gamma^{a}_{\phantom{a}ie}\partial_{af}\Gamma^{b}_{\phantom{b}cd}+g^{ji}\Gamma^{h}_{\phantom{h}ja}\Gamma^{a}_{\phantom{a}hf}\Gamma^{c}_{\phantom{c}ie}\Gamma^{b}_{\phantom{b}cd}+g^{hj}\Gamma^{i}_{\phantom{i}ja}\Gamma^{a}_{\phantom{a}hf}\Gamma^{c}_{\phantom{c}ie}\Gamma^{b}_{\phantom{b}cd}-g^{hi}\partial_{a}\Gamma^{a}_{\phantom{a}hf}\Gamma^{c}_{\phantom{c}ie}\Gamma^{b}_{\phantom{b}cd}$  $-g^{hi}\Gamma^a{}_{hf}\partial_g\Gamma^c{}_{ie}\Gamma^b{}_{cd} - g^{hi}\Gamma^a{}_{hf}\Gamma^c{}_{ie}\partial_g\Gamma^b{}_{cd} + g^{jh}\Gamma^a{}_{jg}\Gamma^i{}_{hf}\Gamma^c{}_{ie}\Gamma^b{}_{cd} + g^{aj}\Gamma^h{}_{jg}\Gamma^i{}_{hf}\Gamma^c{}_{ie}\Gamma^b{}_{cd} - g^{ah}\partial_g\Gamma^i{}_{hf}\Gamma^c{}_{ie}\Gamma^b{}_{cd} - g^{ah}\Gamma^i{}_{hf}\partial_a\Gamma^c{}_{ie}\Gamma^b{}_{cd}$  $-q^{ah}\Gamma^{i}_{hf}\Gamma^{c}_{ie}\partial_{a}\Gamma^{b}_{cd}-q^{hi}\Gamma^{a}_{ha}\partial_{f}\Gamma^{c}_{ie}\Gamma^{b}_{cd}-q^{ah}\Gamma^{i}_{ha}\partial_{f}\Gamma^{c}_{ie}\Gamma^{b}_{cd}+q^{ai}\partial_{af}\Gamma^{c}_{ie}\Gamma^{b}_{cd}+q^{ai}\partial_{f}\Gamma^{c}_{ie}\partial_{a}\Gamma^{b}_{cd}-q^{hi}\Gamma^{a}_{ha}\Gamma^{c}_{ie}\partial_{f}\Gamma^{b}_{cd}$  $-q^{hi}\Gamma^{a}_{\ \ ha}\Gamma^{c}_{\ \ if}\partial_{e}\Gamma^{b}_{\ \ cd}-q^{ah}\Gamma^{i}_{\ \ ha}\Gamma^{c}_{\ \ if}\partial_{e}\Gamma^{b}_{\ \ cd}+q^{ai}\partial_{a}\Gamma^{c}_{\ \ if}\partial_{e}\Gamma^{b}_{\ \ cd}+q^{ai}\Gamma^{c}_{\ \ if}\partial_{ae}\Gamma^{b}_{\ \ cd}+q^{hc}\Gamma^{a}_{\ \ ha}\partial_{fe}\Gamma^{b}_{\ \ cd}+q^{ah}\Gamma^{c}_{\ \ ha}\partial_{fe}\Gamma^{b}_{\ \ cd}-q^{ac}\partial_{afe}\Gamma^{b}_{\ \ cd}$ 

```
 \mathsf{gab04.106} := g^{ib} \partial_f \Gamma^c{}_{ie} \partial_g \Gamma^a{}_{cd} + g^{ib} \partial_g \Gamma^c{}_{ie} \partial_f \Gamma^a{}_{cd} + g^{ci} \partial_f \Gamma^b{}_{ie} \partial_g \Gamma^a{}_{cd} + g^{ci} \partial_g \Gamma^b{}_{ie} \partial_f \Gamma^a{}_{cd} + g^{ib} \partial_g \Gamma^c{}_{if} \partial_e \Gamma^a{}_{cd} + g^{ci} \partial_g \Gamma^b{}_{if} \partial_e \Gamma^a{}_{cd} - g^{cb} \partial_g F^a{}_{cd} \\ + g^{ic} \partial_f \Gamma^a{}_{ie} \partial_g \Gamma^b{}_{cd} + g^{ic} \partial_g \Gamma^a{}_{ie} \partial_f \Gamma^b{}_{cd} + g^{ai} \partial_f \Gamma^c{}_{ie} \partial_g \Gamma^b{}_{cd} + g^{ai} \partial_g \Gamma^c{}_{ie} \partial_f \Gamma^b{}_{cd} + g^{ai} \partial_g \Gamma^c{}_{if} \partial_e \Gamma^a{}_{cd} + g^{ai} \partial_g \Gamma^a{}_{cd} + g^{
```

```
# prepare first six terms in the Taylor series expansion of g^{ab}(x)
term0:= @(gab00).
distribute (term0)
                                                # cdb(term0.200,term0)
term1:= @(gab01) A^d.
distribute (term1)
                                                # cdb(term1.200,term1)
term2:= @(gab02) A^d A^e.
distribute (term2)
                                                # cdb(term2.200,term2)
term3:= @(gab03) A^d A^e A^f.
                                                # cdb(term3.200,term3)
distribute (term3)
term4:= @(gab04) A^d A^e A^f A^g.
distribute (term4)
                                                # cdb(term4.200,term4)
term5:= @(gab05) A^d A^e A^f A^g A^h.
distribute (term5)
                                                # cdb(term5.200,term5)
end_stage_1 = time.time()
```

$$\begin{split} \text{term0.200} &:= g^{ab} \\ \text{term1.200} &:= 0 \\ \text{term2.200} &:= -g^{cb}\partial_e\Gamma^a{}_{cd}A^dA^e - g^{ac}\partial_e\Gamma^b{}_{cd}A^dA^e \\ \text{term3.200} &:= -g^{cb}\partial_{fe}\Gamma^a{}_{cd}A^dA^eA^f - g^{ac}\partial_{fe}\Gamma^b{}_{cd}A^dA^eA^f \end{split}$$

#### Stage 2: Replace derivatives of $\Gamma$ with partial derivs of R

```
import cdblib
beg_stage_2 = time.time()
dGamma01 = cdblib.get ('dGamma01','dGamma.json')
                                           # cdb(dGamma01.300,dGamma01)
dGamma02 = cdblib.get ('dGamma02', 'dGamma.json')
                                           # cdb(dGamma02.300,dGamma02)
dGamma03 = cdblib.get ('dGamma03', 'dGamma.json')
                                           # cdb(dGamma03.300,dGamma03)
dGamma04 = cdblib.get ('dGamma04', 'dGamma.json')
                                           # cdb(dGamma04.300,dGamma04)
dGamma05 = cdblib.get ('dGamma05', 'dGamma.json')
                                           # cdb(dGamma05.300,dGamma05)
# replace partial derivs of \Gamma with products and derivs of Riemann tensor
substitute (term2,$\partial_{c}{\Gamma^{a}_{b} d}}A^{c}A^{b} -> @(dGamma01)$,repeat=True)
                                                                                               # cdb(term2.301,term2)
substitute (term2,$\partial_{c}{\Gamma^{a}_{d} b}}A^{c}A^{b} -> @(dGamma01)$,repeat=True)
                                                                                               # cdb(term2.302,term2)
                                                                                               # cdb(term2.303,term2)
distribute (term2)
substitute (term3,$\partial_{c e}{\Gamma^{a}_{d b}}A^{c}A^{b}A^{e} -> @(dGamma02)$,repeat=True)
                                                                                               # cdb(term3.301,term3)
substitute (term3,$\partial_{c e}{\Gamma^{a}_{b d}}A^{c}A^{b}A^{e} -> @(dGamma02)$,repeat=True)
                                                                                               # cdb(term3.302,term3)
substitute (term3,$\partial_{c}{\Gamma^{a}_{b} d}}A^{c}A^{b} -> @(dGamma01)$,repeat=True)
                                                                                               # cdb(term3.303,term3)
substitute (term3,$\partial_{c}{\Gamma^{a}_{d b}}A^{c}A^{b} -> @(dGamma01)$,repeat=True)
                                                                                               # cdb(term3.304.term3)
distribute (term3)
                                                                                               # cdb(term3.305, term3)
substitute (term4,$\partial_{c e f}{\Gamma^{a}_{d b}}A^{c}A^{b}A^{e}A^{f} -> @(dGamma03)$,repeat=True)
                                                                                               # cdb(term4.301,term4)
substitute (term4,$\partial_{c e f}{\Gamma^{a}_{b d}}A^{c}A^{b}A^{e}A^{f} -> @(dGamma03)$,repeat=True)
                                                                                               # cdb(term4.302,term4)
substitute (term4,$\partial_{c e}{\Gamma^{a}_{d b}}A^{c}A^{b}A^{e} -> @(dGamma02)$,repeat=True)
                                                                                               # cdb(term4.303,term4)
substitute (term4,\pi_{a}_{c} = {\sigma_{a}^{b}}A^{c}A^{b}A^{e} \rightarrow (dGamma02),repeat=True)
                                                                                               # cdb(term4.304,term4)
substitute (term4,$\partial_{c}{\Gamma^{a}_{b} d}}A^{c}A^{b} -> @(dGamma01)$,repeat=True)
                                                                                               # cdb(term4.305,term4)
substitute (term4,$\partial_{c}{\Gamma^{a}_{d} b}}A^{c}A^{b} -> @(dGamma01)$,repeat=True)
                                                                                               # cdb(term4.306,term4)
                                                                                               # cdb(term4.307,term4)
distribute (term4)
# cdb(term5.301,term5)
# cdb(term5.302,term5)
# cdb(term5.303,term5)
# cdb(term5.304,term5)
substitute (term5,$\partial_{c e}{\Gamma^{a}_{d b}}A^{c}A^{b}A^{e} -> @(dGamma02)$,repeat=True)
                                                                                               # cdb(term5.305, term5)
substitute (term5,$\partial_{c e}{\Gamma^{a}_{b d}}A^{c}A^{b}A^{e} -> @(dGamma02)$,repeat=True)
                                                                                               # cdb(term5.306,term5)
```

```
substitute (term5,$\partial_{c}{\Gamma^{a}_{b} -> @(dGamma01)$,repeat=True)
                                                                                                               # cdb(term5.307,term5)
substitute (term5,$\partial_{c}{\Gamma^{a}_{d}} -> @(dGamma01)$,repeat=True)
                                                                                                               # cdb(term5.308,term5)
distribute (term5)
                                                                                                               # cdb(term5.309,term5)
# this block only produces formatted output, it is not part of the main computation
# the metric in terms of partial derivatives of Rabcd
metric:=@(term0)
     + (1/1) @(term1)
     + (1/2) @(term2)
     + (1/6) @(term3)
     + (1/24) @(term4)
     + (1/120) @(term5). # cdb(metric.301,metric)
substitute (metric,$A^{a} -> x^{a}$) # cdb (metric.302,metric)
# reformat and tidy up
Xterm0 := @(term0).
Xterm1 := (1/1) @(term1).
                              # zero
Xterm2 := (1/2) @(term2).
X \text{term3} := (1/6) @(\text{term3}).
Xterm4 := (1/24) @(term4).
Xterm5 := (1/120) @(term5).
substitute (Xterm0,$A^{a} -> x^{a}$)
substitute (Xterm1,$A^{a} -> x^{a}$)
substitute (Xterm2,$A^{a} -> x^{a}$)
substitute (Xterm3,$A^{a} -> x^{a}$)
substitute (Xterm4,$A^{a} -> x^{a}$)
substitute (Xterm5,$A^{a} -> x^{a}$)
# Manipulating these expressions is hampered by the presence of the partial derivative on Rabcd.
# Thus we can't freely rasie/lower indices on the dRabcd terms. But we can do so on the first
# derivatives (since these are evaluated at x=0 where the connection vanishes).
```

```
(Xterm2, g^{a} b) R^{c}_{d} e b} -> R^{c}_{d} e^{a})
substitute
                                                                # cdb(Xterm2.301,Xterm2)
               (Xterm3, g^{a} b) R^{c}_{d} e b} -> R^{c}_{d} e^{a})
                                                               # cdb(Xterm3.301,Xterm3)
substitute
               (Xterm4, g^{a} b) R^{c}_{d} e b} -> R^{c}_{d} e^{a})
substitute
                                                                # cdb(Xterm4.301,Xterm4)
               (Xterm5, g^{a} b) R^{c}_{d} e b} -> R^{c}_{d} e^{a})
                                                                # cdb(Xterm5.301,Xterm5)
substitute
               (Xterm2, g^{b} a) R^{c}_{d} e b} -> R^{c}_{d} e^{a})
substitute
                                                                # cdb(Xterm2.302,Xterm2)
               (Xterm3, g^{b} a) R^{c}_{d} e b) -> R^{c}_{d} e^{a})
                                                                # cdb(Xterm3.302,Xterm3)
substitute
               (Xterm4, g^{b} a) R^{c}_{d} e b) -> R^{c}_{d} e^{a})
                                                                # cdb(Xterm4.302,Xterm4)
substitute
               (Xterm5, \$g^{b} a) R^{c}_{d} e b \rightarrow R^{c}_{d} e^{a}) # cdb(Xterm5.302, Xterm5)
substitute
                (Xterm2, g^{a b} \beta_{c}^{a}) - \beta_{c}^{a}) - \beta_{c}^{a}) 
                                                                                        # cdb(Xterm2.303,Xterm2)
substitute
               # cdb(Xterm3.303,Xterm3)
substitute
               # cdb(Xterm4.303,Xterm4)
substitute
               (Xterm5, g^{a b} \operatorname{c}_{R^{d}_{e f b}} -> \operatorname{c}_{R^{d}_{e f b}})
substitute
                                                                                       # cdb(Xterm5.303,Xterm5)
                (Xterm2, g^{b a} \hat{c}_{R^{d}_{e f b}} -> \hat{c}_{R^{d}_{e f b}}) - \\
                                                                                        # cdb(Xterm2.304,Xterm2)
substitute
                (Xterm3, g^{b a} \hat{c}_{R^{d}_{e f b}} -> \hat{c}_{R^{d}_{e f b}}) - \\
                                                                                        # cdb(Xterm3.304,Xterm3)
substitute
               # cdb(Xterm4.304,Xterm4)
substitute
               (Xterm5, g^{b a} \beta_{c}{R^{d}_{e f b}} -> \beta_{c}{R^{d}_{e f b}})
substitute
                                                                                       # cdb(Xterm5.304,Xterm5)
sort_product
               (Xterm2)
                        # cdb(Xterm2.305,Xterm2)
sort_product
               (Xterm3)
                        # cdb(Xterm3.305,Xterm3)
sort_product
               (Xterm4)
                        # cdb(Xterm4.305, Xterm4)
sort_product
               (Xterm5)
                        # cdb(Xterm5.305,Xterm5)
                        # cdb(Xterm2.306,Xterm2)
rename_dummies
               (Xterm2)
                        # cdb(Xterm3.306,Xterm3)
rename_dummies
               (Xterm3)
rename_dummies
               (Xterm4)
                        # cdb(Xterm4.306, Xterm4)
rename_dummies
               (Xterm5)
                        # cdb(Xterm5.306, Xterm5)
canonicalise
               (Xterm2)
                         # cdb(Xterm2.307, Xterm2)
canonicalise
               (Xterm3)
                         # cdb(Xterm3.307,Xterm3)
               (Xterm4)
                        # cdb(Xterm4.307, Xterm4)
canonicalise
                        # cdb(Xterm5.307,Xterm5)
canonicalise
               (Xterm5)
# We can simplify Xterm2 and Xterm3 by careful juggling of the indices (swapping free indices on selected terms)
```

```
tmp = add_tags (Xterm2,'\\mu') # cdb (tmp.001,tmp)
                      # cdb (tmp.002,tmp)
zoom (tmp, $\mu_{1} Q??$)
substitute (tmp, R^{b}_{c} x^{c} x^{d} -> R^{a}_{c} x^{c} x^{d}) # cdb (tmp.003,tmp)
unzoom (tmp)
Xterm2 = clear_tags (tmp, '\\mu')
                              # cdb (Xterm2.401, Xterm2)
tmp = add_tags (Xterm3,'\\mu')
                             # cdb (tmp.011,tmp)
                       # cdb (tmp.012,tmp)
zoom (tmp, $\mu_{1} Q??$)
unzoom (tmp)
Xterm3 = clear_tags (tmp,'\\mu')
                              # cdb (Xterm3.401,Xterm3)
Xterm0 = reformat_xterm (Xterm0, 1)
                                  # cdb(Xterm0.308,Xterm0)
Xterm2 = reformat_xterm (Xterm2, 3)
                                  # cdb(Xterm2.308,Xterm2)
Xterm3 = reformat_xterm (Xterm3, 6)
                                  # cdb(Xterm3.308,Xterm3)
Xterm4 = reformat_xterm (Xterm4,360)
                                  # cdb(Xterm4.308, Xterm4)
                                  # cdb(Xterm5.308,Xterm5)
Xterm5 = reformat_xterm (Xterm5,360)
# metric to 4th and 6th order terms in powers of x^a
Metric3 := @(Xterm0) + @(Xterm2).
                                                            # cdb (Metric3.301,Metric3)
Metric4 := Q(Xterm0) + Q(Xterm2) + Q(Xterm3).
                                                            # cdb (Metric4.301,Metric4)
Metric5 := @(Xterm0) + @(Xterm2) + @(Xterm3) + @(Xterm4). # cdb (Metric5.301, Metric5)
Metric6 := @(Xterm0) + @(Xterm2) + @(Xterm3) + @(Xterm4) + @(Xterm5). # cdb (Metric6.301, Metric6)
# end of format block
end_stage_2 = time.time()
```

$$\begin{split} & \text{term2.301} := -g^{cb} \partial_e \Gamma^a{}_{cd} A^d A^e - g^{ac} \partial_e \Gamma^b{}_{cd} A^d A^e \\ & \text{term2.302} := -\frac{1}{3} g^{cb} A^d A^e R^a{}_{dec} - \frac{1}{3} g^{ac} A^d A^e R^b{}_{dec} \\ & \text{term2.303} := -\frac{1}{3} g^{cb} A^d A^e R^a{}_{dec} - \frac{1}{3} g^{ac} A^d A^e R^b{}_{dec} \end{split}$$

$$\begin{split} & \text{term3.301} := -\frac{1}{2} g^{cb} A^e A^d A^f \partial_e R^a{}_{dfc} - \frac{1}{2} g^{ac} A^e A^d A^f \partial_e R^b{}_{dfc} \\ & \text{term3.302} := -\frac{1}{2} g^{cb} A^e A^d A^f \partial_e R^a{}_{dfc} - \frac{1}{2} g^{ac} A^e A^d A^f \partial_e R^b{}_{dfc} \\ & \text{term3.303} := -\frac{1}{2} g^{cb} A^e A^d A^f \partial_e R^a{}_{dfc} - \frac{1}{2} g^{ac} A^e A^d A^f \partial_e R^b{}_{dfc} \\ & \text{term3.304} := -\frac{1}{2} g^{cb} A^e A^d A^f \partial_e R^a{}_{dfc} - \frac{1}{2} g^{ac} A^e A^d A^f \partial_e R^b{}_{dfc} \\ & \text{term3.305} := -\frac{1}{2} g^{cb} A^e A^d A^f \partial_e R^a{}_{dfc} - \frac{1}{2} g^{ac} A^e A^d A^f \partial_e R^b{}_{dfc} \end{split}$$

$$\begin{split} \text{term4.301} &:= g^{ib} \partial_f \Gamma^c{}_{ie} \partial_g \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ib} \partial_g \Gamma^c{}_{ie} \partial_f \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ci} \partial_f \Gamma^b{}_{ie} \partial_g \Gamma^a{}_{cd} A^d A^e A^f A^g \\ &+ g^{ci} \partial_g \Gamma^b{}_{ie} \partial_f \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ib} \partial_g \Gamma^c{}_{if} \partial_e \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ci} \partial_g \Gamma^b{}_{if} \partial_e \Gamma^a{}_{cd} A^d A^e A^f A^g \\ &- g^{cb} \left( \frac{3}{5} A^d A^g A^f A^e \partial_{ef} R^a{}_{dgc} - \frac{1}{15} A^d A^g A^f A^e R^a{}_{gfh} R^h{}_{dec} - \frac{1}{15} A^d A^g A^f A^e R^a{}_{geh} R^h{}_{dfc} \right) + g^{ic} \partial_f \Gamma^a{}_{ie} \partial_g \Gamma^b{}_{cd} A^d A^e A^f A^g \\ &+ g^{ic} \partial_g \Gamma^a{}_{ie} \partial_f \Gamma^b{}_{cd} A^d A^e A^f A^g + g^{ai} \partial_f \Gamma^c{}_{ie} \partial_g \Gamma^b{}_{cd} A^d A^e A^f A^g + g^{ai} \partial_g \Gamma^c{}_{ie} \partial_f \Gamma^b{}_{cd} A^d A^e A^f A^g + g^{ic} \partial_g \Gamma^a{}_{if} \partial_e \Gamma^b{}_{cd} A^d A^e A^f A^g \\ &+ g^{ai} \partial_g \Gamma^c{}_{if} \partial_e \Gamma^b{}_{cd} A^d A^e A^f A^g - g^{ac} \left( \frac{3}{5} A^d A^g A^f A^e \partial_{ef} R^b{}_{dgc} - \frac{1}{15} A^d A^g A^f A^e R^b{}_{gfh} R^h{}_{dec} - \frac{1}{15} A^d A^g A^f A^e R^b{}_{geh} R^h{}_{dfc} \right) \end{split}$$

$$\begin{split} \text{term4.302} &:= g^{ib} \partial_f \Gamma^c{}_{ie} \partial_g \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ib} \partial_g \Gamma^c{}_{ie} \partial_f \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ci} \partial_f \Gamma^b{}_{ie} \partial_g \Gamma^a{}_{cd} A^d A^e A^f A^g \\ &+ g^{ci} \partial_g \Gamma^b{}_{ie} \partial_f \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ib} \partial_g \Gamma^c{}_{if} \partial_e \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ci} \partial_g \Gamma^b{}_{if} \partial_e \Gamma^a{}_{cd} A^d A^e A^f A^g \\ &- g^{cb} \left( \frac{3}{5} A^d A^g A^f A^e \partial_{ef} R^a{}_{dgc} - \frac{1}{15} A^d A^g A^f A^e R^a{}_{gfh} R^h{}_{dec} - \frac{1}{15} A^d A^g A^f A^e R^a{}_{geh} R^h{}_{dfc} \right) + g^{ic} \partial_f \Gamma^a{}_{ie} \partial_g \Gamma^b{}_{cd} A^d A^e A^f A^g \\ &+ g^{ic} \partial_g \Gamma^a{}_{ie} \partial_f \Gamma^b{}_{cd} A^d A^e A^f A^g + g^{ai} \partial_f \Gamma^c{}_{ie} \partial_g \Gamma^b{}_{cd} A^d A^e A^f A^g + g^{ai} \partial_g \Gamma^c{}_{ie} \partial_f \Gamma^b{}_{cd} A^d A^e A^f A^g + g^{ic} \partial_g \Gamma^a{}_{if} \partial_e \Gamma^b{}_{cd} A^d A^e A^f A^g \\ &+ g^{ai} \partial_g \Gamma^c{}_{if} \partial_e \Gamma^b{}_{cd} A^d A^e A^f A^g - g^{ac} \left( \frac{3}{5} A^d A^g A^f A^e \partial_{ef} R^b{}_{dgc} - \frac{1}{15} A^d A^g A^f A^e R^b{}_{gfh} R^h{}_{dec} - \frac{1}{15} A^d A^g A^f A^e R^b{}_{geh} R^h{}_{dfc} \right) \end{split}$$

$$\begin{split} \text{term4.303} &:= g^{ib} \partial_f \Gamma^c{}_{ie} \partial_g \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ib} \partial_g \Gamma^c{}_{ie} \partial_f \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ci} \partial_f \Gamma^b{}_{ie} \partial_g \Gamma^a{}_{cd} A^d A^e A^f A^g \\ &+ g^{ci} \partial_g \Gamma^b{}_{ie} \partial_f \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ib} \partial_g \Gamma^c{}_{if} \partial_e \Gamma^a{}_{cd} A^d A^e A^f A^g + g^{ci} \partial_g \Gamma^b{}_{if} \partial_e \Gamma^a{}_{cd} A^d A^e A^f A^g \\ &- g^{cb} \left( \frac{3}{5} A^d A^g A^f A^e \partial_{ef} R^a{}_{dgc} - \frac{1}{15} A^d A^g A^f A^e R^a{}_{gfh} R^h{}_{dec} - \frac{1}{15} A^d A^g A^f A^e R^a{}_{geh} R^h{}_{dfc} \right) + g^{ic} \partial_f \Gamma^a{}_{ie} \partial_g \Gamma^b{}_{cd} A^d A^e A^f A^g \\ &+ g^{ic} \partial_g \Gamma^a{}_{ie} \partial_f \Gamma^b{}_{cd} A^d A^e A^f A^g + g^{ai} \partial_f \Gamma^c{}_{ie} \partial_g \Gamma^b{}_{cd} A^d A^e A^f A^g + g^{ai} \partial_g \Gamma^c{}_{ie} \partial_f \Gamma^b{}_{cd} A^d A^e A^f A^g + g^{ic} \partial_g \Gamma^a{}_{if} \partial_e \Gamma^b{}_{cd} A^d A^e A^f A^g \\ &+ g^{ai} \partial_g \Gamma^c{}_{if} \partial_e \Gamma^b{}_{cd} A^d A^e A^f A^g - g^{ac} \left( \frac{3}{5} A^d A^g A^f A^e \partial_{ef} R^b{}_{dgc} - \frac{1}{15} A^d A^g A^f A^e R^b{}_{gfh} R^h{}_{dec} - \frac{1}{15} A^d A^g A^f A^e R^b{}_{geh} R^h{}_{dfc} \right) \end{split}$$

$$\begin{split} \text{term4.304} &:= g^{ib}\partial_f\Gamma^c{}_{ie}\partial_g\Gamma^a{}_{cd}A^dA^eA^fA^g + g^{ib}\partial_g\Gamma^c{}_{ie}\partial_f\Gamma^a{}_{cd}A^dA^eA^fA^g + g^{ci}\partial_f\Gamma^b{}_{ie}\partial_g\Gamma^a{}_{cd}A^dA^eA^fA^g \\ &+ g^{ci}\partial_g\Gamma^b{}_{ie}\partial_f\Gamma^a{}_{cd}A^dA^eA^fA^g + g^{ib}\partial_g\Gamma^c{}_{if}\partial_e\Gamma^a{}_{cd}A^dA^eA^fA^g + g^{ci}\partial_g\Gamma^b{}_{if}\partial_e\Gamma^a{}_{cd}A^dA^eA^fA^g \\ &- g^{cb}\left(\frac{3}{5}A^dA^gA^fA^e\partial_{ef}R^a{}_{dgc} - \frac{1}{15}A^dA^gA^fA^eR^a{}_{gfh}R^h{}_{dec} - \frac{1}{15}A^dA^gA^fA^eR^a{}_{geh}R^h{}_{dfc}\right) + g^{ic}\partial_f\Gamma^a{}_{ie}\partial_g\Gamma^b{}_{cd}A^dA^eA^fA^g \\ &+ g^{ic}\partial_g\Gamma^a{}_{ie}\partial_f\Gamma^b{}_{cd}A^dA^eA^fA^g + g^{ai}\partial_f\Gamma^c{}_{ie}\partial_g\Gamma^b{}_{cd}A^dA^eA^fA^g + g^{ai}\partial_g\Gamma^c{}_{ie}\partial_f\Gamma^b{}_{cd}A^dA^eA^fA^g + g^{ic}\partial_g\Gamma^a{}_{if}\partial_e\Gamma^b{}_{cd}A^dA^eA^fA^g \\ &+ g^{ai}\partial_g\Gamma^c{}_{if}\partial_e\Gamma^b{}_{cd}A^dA^eA^fA^g - g^{ac}\left(\frac{3}{5}A^dA^gA^fA^e\partial_{ef}R^b{}_{dgc} - \frac{1}{15}A^dA^gA^fA^eR^b{}_{gfh}R^h{}_{dec} - \frac{1}{15}A^dA^gA^fA^eR^b{}_{geh}R^h{}_{dfc}\right) \end{split}$$

$$\begin{split} \text{term4.305} &:= g^{ib} \partial_f \Gamma^c_{\ ie} \partial_g \Gamma^a_{\ cd} A^d A^e A^f A^g + g^{ib} \partial_g \Gamma^c_{\ ie} \partial_f \Gamma^a_{\ cd} A^d A^e A^f A^g + g^{ci} \partial_f \Gamma^b_{\ ie} \partial_g \Gamma^a_{\ cd} A^d A^e A^f A^g \\ &\quad + g^{ci} \partial_g \Gamma^b_{\ ie} \partial_f \Gamma^a_{\ cd} A^d A^e A^f A^g + g^{ib} \partial_g \Gamma^c_{\ if} \partial_e \Gamma^a_{\ cd} A^d A^e A^f A^g + g^{ci} \partial_g \Gamma^b_{\ if} \partial_e \Gamma^a_{\ cd} A^d A^e A^f A^g \\ &\quad - g^{cb} \left( \frac{3}{5} A^d A^g A^f A^e \partial_{ef} R^a_{\ dgc} - \frac{1}{15} A^d A^g A^f A^e R^a_{\ gfh} R^h_{\ dec} - \frac{1}{15} A^d A^g A^f A^e R^a_{\ geh} R^h_{\ dfc} \right) + g^{ic} \partial_f \Gamma^a_{\ ie} \partial_g \Gamma^b_{\ cd} A^d A^e A^f A^g \\ &\quad + g^{ic} \partial_g \Gamma^a_{\ ie} \partial_f \Gamma^b_{\ cd} A^d A^e A^f A^g + g^{ai} \partial_f \Gamma^c_{\ ie} \partial_g \Gamma^b_{\ cd} A^d A^e A^f A^g + g^{ai} \partial_g \Gamma^c_{\ ie} \partial_f \Gamma^b_{\ cd} A^d A^e A^f A^g + g^{ic} \partial_g \Gamma^a_{\ if} \partial_e \Gamma^b_{\ cd} A^d A^e A^f A^g \\ &\quad + g^{ai} \partial_g \Gamma^c_{\ if} \partial_e \Gamma^b_{\ cd} A^d A^e A^f A^g - g^{ac} \left( \frac{3}{5} A^d A^g A^f A^e \partial_{ef} R^b_{\ dgc} - \frac{1}{15} A^d A^g A^f A^e R^b_{\ gfh} R^h_{\ dec} - \frac{1}{15} A^d A^g A^f A^e R^b_{\ geh} R^h_{\ dfc} \right) \end{split}$$

$$\begin{split} \text{term4.306} &:= \frac{1}{9} g^{ib} A^e A^f R^c{}_{efi} A^d A^g R^a{}_{dgc} + \frac{1}{9} g^{ib} A^e A^g R^c{}_{egi} A^d A^f R^a{}_{dfc} + \frac{1}{9} g^{ci} A^e A^f R^b{}_{efi} A^d A^g R^a{}_{dgc} \\ &+ \frac{1}{9} g^{ci} A^e A^g R^b{}_{egi} A^d A^f R^a{}_{dfc} + \frac{1}{9} g^{ib} A^f A^g R^c{}_{fgi} A^d A^e R^a{}_{dec} + \frac{1}{9} g^{ci} A^f A^g R^b{}_{fgi} A^d A^e R^a{}_{dec} \\ &- g^{cb} \left( \frac{3}{5} A^d A^g A^f A^e \partial_{ef} R^a{}_{dgc} - \frac{1}{15} A^d A^g A^f A^e R^a{}_{gfh} R^h{}_{dec} - \frac{1}{15} A^d A^g A^f A^e R^a{}_{geh} R^h{}_{dfc} \right) + \frac{1}{9} g^{ic} A^e A^f R^a{}_{efi} A^d A^g R^b{}_{dgc} \\ &+ \frac{1}{9} g^{ic} A^e A^g R^a{}_{egi} A^d A^f R^b{}_{dfc} + \frac{1}{9} g^{ai} A^e A^f R^c{}_{efi} A^d A^g R^b{}_{dgc} + \frac{1}{9} g^{ai} A^e A^g R^c{}_{egi} A^d A^f R^b{}_{dfc} + \frac{1}{9} g^{ic} A^f A^g R^a{}_{fgi} A^d A^e R^b{}_{dec} \\ &+ \frac{1}{9} g^{ai} A^f A^g R^c{}_{fgi} A^d A^e R^b{}_{dec} - g^{ac} \left( \frac{3}{5} A^d A^g A^f A^e \partial_{ef} R^b{}_{dgc} - \frac{1}{15} A^d A^g A^f A^e R^b{}_{gfh} R^h{}_{dec} - \frac{1}{15} A^d A^g A^f A^e R^b{}_{geh} R^h{}_{dfc} \right) \end{split}$$

$$\begin{split} \text{term4.307} &:= \frac{1}{9} g^{ib} A^e A^f R^c{}_{efi} A^d A^g R^a{}_{dgc} + \frac{1}{9} g^{ib} A^e A^g R^c{}_{egi} A^d A^f R^a{}_{dfc} + \frac{1}{9} g^{ci} A^e A^f R^b{}_{efi} A^d A^g R^a{}_{dgc} + \frac{1}{9} g^{ci} A^e A^g R^b{}_{egi} A^d A^f R^a{}_{dfc} \\ &\quad + \frac{1}{9} g^{ib} A^f A^g R^c{}_{fgi} A^d A^e R^a{}_{dec} + \frac{1}{9} g^{ci} A^f A^g R^b{}_{fgi} A^d A^e R^a{}_{dec} - \frac{3}{5} g^{cb} A^d A^g A^f A^e \partial_{ef} R^a{}_{dgc} + \frac{1}{15} g^{cb} A^d A^g A^f A^e R^a{}_{gfh} R^h{}_{dec} \\ &\quad + \frac{1}{15} g^{cb} A^d A^g A^f A^e R^a{}_{geh} R^h{}_{dfc} + \frac{1}{9} g^{ic} A^e A^f R^a{}_{efi} A^d A^g R^b{}_{dgc} + \frac{1}{9} g^{ic} A^e A^g R^a{}_{egi} A^d A^f R^b{}_{dfc} \\ &\quad + \frac{1}{9} g^{ai} A^e A^f R^c{}_{efi} A^d A^g R^b{}_{dgc} + \frac{1}{9} g^{ai} A^e A^g R^c{}_{egi} A^d A^f R^b{}_{dfc} + \frac{1}{9} g^{ic} A^f A^g R^a{}_{fgi} A^d A^e R^b{}_{dec} + \frac{1}{9} g^{ai} A^f A^g R^c{}_{fgi} A^d A^e R^b{}_{dec} \\ &\quad - \frac{3}{5} g^{ac} A^d A^g A^f A^e \partial_{ef} R^b{}_{dgc} + \frac{1}{15} g^{ac} A^d A^g A^f A^e R^b{}_{gfh} R^h{}_{dec} + \frac{1}{15} g^{ac} A^d A^g A^f A^e R^b{}_{geh} R^h{}_{dfc} \end{split}$$

$$\begin{split} g^{ab}(x) &= g^{ab} - \frac{1}{3} x^c x^d R^a{}_{cd}{}^b \\ g^{ab}(x) &= g^{ab} - \frac{1}{3} x^c x^d R^a{}_{cd}{}^b - \frac{1}{6} x^c x^d x^e \partial_c R^a{}_{de}{}^b \\ g^{ab}(x) &= g^{ab} - \frac{1}{3} x^c x^d R^a{}_{cd}{}^b - \frac{1}{6} x^c x^d x^e \partial_c R^a{}_{de}{}^b + \frac{1}{360} x^c x^d x^e x^f \left( 7 R^a{}_{cdg} R^g{}_{ef}{}^b + 10 R^a{}_{cdg} R^b{}_{ef}{}^g - 9 g^{bg} \partial_{cd} R^a{}_{efg} + 7 R^b{}_{cdg} R^g{}_{ef}{}^a - 9 g^{ag} \partial_{cd} R^b{}_{efg} \right) \\ g^{ab}(x) &= g^{ab} - \frac{1}{3} x^c x^d R^a{}_{cd}{}^b - \frac{1}{6} x^c x^d x^e \partial_c R^a{}_{de}{}^b + \frac{1}{360} x^c x^d x^e x^f \left( 7 R^a{}_{cdg} R^g{}_{ef}{}^b + 10 R^a{}_{cdg} R^b{}_{ef}{}^g - 9 g^{bg} \partial_{cd} R^a{}_{efg} + 7 R^b{}_{cdg} R^g{}_{ef}{}^a - 9 g^{ag} \partial_{cd} R^b{}_{efg} \right) \\ &+ \frac{1}{360} x^c x^d x^e x^f x^g \left( 3 R^a{}_{cdh} \partial_e R^h{}_{fg}{}^b + 4 \partial_c R^a{}_{deh} R^h{}_{fg}{}^b + 5 \partial_c R^b{}_{deh} R^a{}_{fg}{}^h + 5 \partial_c R^a{}_{deh} R^b{}_{fg}{}^h - 2 g^{bh} \partial_{cde} R^a{}_{fgh} + 3 R^b{}_{cdh} \partial_e R^h{}_{fg}{}^a + 4 \partial_c R^b{}_{deh} R^h{}_{fg}{}^a \\ &- 2 g^{ah} \partial_{cde} R^b{}_{fgh} \right) \end{split}$$

## Stage 3: Replace partial derivs of R with covariant derivs of R

```
beg_stage_3 = time.time()
# now convert partial derivs of Rabcd to covariant derivs
dRabcd01 = cdblib.get ('dRabcd01', 'dRabcd.json') # cdb(dRabcd01.400, dRabcd01)
dRabcd02 = cdblib.get ('dRabcd02', 'dRabcd.json') # cdb(dRabcd02.400, dRabcd02)
dRabcd03 = cdblib.get ('dRabcd03', 'dRabcd.json') # cdb(dRabcd03.400, dRabcd03)
# term1 & term2 need no special care, just a bit of tidying
eliminate_metric (term1)
                     # cdb(term1.401,term1)
sort_product
             (term1)
                     # cdb(term1.402,term1)
                     # cdb(term1.403,term1)
rename_dummies (term1)
                     # cdb(term1.404,term1)
canonicalise
             (term1)
eliminate_metric (term2)
                     # cdb(term2.401,term2)
             (term2)
                     # cdb(term2.402,term2)
sort_product
                     # cdb(term2.403,term2)
rename_dummies (term2)
canonicalise
             (term2)
                     # cdb(term2.404,term2)
# replace partial derivatives of Riemann tensor in term3, term4 etc. with covariant derivatives of Rabcd
tmp01 := @(dRabcd01).
                     # cdb(tmp01.403,tmp01)
                     # cdb(tmp02.403,tmp02)
tmp02 := @(dRabcd02).
tmp03 := @(dRabcd03).
                     # cdb(tmp03.403,tmp03)
# cdb(term3.401,term3)
# cdb(term3.402,term3)
distribute (term3)
                                                                            # cdb(term3.403,term3)
# cdb(term4.401,term4)
# cdb(term4.402,term4)
substitute (term4,A^{c}A^{d}A^{e}\operatorname{True}) = 0(tmp01)$,repeat=True)
                                                                            # cdb(term4.403,term4)
substitute (term4,A^{c}A^{d}A^{e}\operatorname{True}) = 0 (tmp01)$,repeat=True)
                                                                            # cdb(term4.404,term4)
distribute (term4)
                                                                            # cdb(term4.405,term4)
```

$$\begin{split} & \text{tmp01.403} := A^c A^d A^e \nabla_c R_{bdef} g^{af} \\ & \text{tmp02.403} := A^c A^d A^e A^f \nabla_{cd} R_{befg} g^{ag} \\ & \text{tmp03.403} := -\frac{1}{2} A^c A^d A^e A^f A^g R_{bcdh} \nabla_e R_{figj} g^{ai} g^{hj} + \frac{1}{2} A^c A^d A^e A^f A^g R_{chdi} \nabla_e R_{bfgj} g^{ah} g^{ij} + A^c A^d A^e A^f A^g \nabla_{cde} R_{bfgh} g^{ah} \end{split}$$

$$\begin{split} \text{term2.401} &:= -\frac{1}{3} A^d A^e R^a{}_{de}{}^b - \frac{1}{3} A^d A^e R^b{}_{de}{}^a \\ \text{term2.402} &:= -\frac{1}{3} A^d A^e R^a{}_{de}{}^b - \frac{1}{3} A^d A^e R^b{}_{de}{}^a \\ \text{term2.403} &:= -\frac{1}{3} A^c A^d R^a{}_{cd}{}^b - \frac{1}{3} A^c A^d R^b{}_{cd}{}^a \\ \text{term2.404} &:= -\frac{1}{3} A^c A^d R^a{}_{cd}{}^b - \frac{1}{3} A^c A^d R^b{}_{cd}{}^a \end{split}$$

$$\begin{split} & \text{term3.401} := -\frac{1}{2} g^{cb} A^d A^f A^e \nabla_d R_{cfeg} g^{ag} - \frac{1}{2} g^{ac} A^d A^f A^e \nabla_d R_{cfeg} g^{bg} \\ & \text{term3.402} := -\frac{1}{2} g^{cb} A^d A^f A^e \nabla_d R_{cfeg} g^{ag} - \frac{1}{2} g^{ac} A^d A^f A^e \nabla_d R_{cfeg} g^{bg} \\ & \text{term3.403} := -\frac{1}{2} g^{cb} A^d A^f A^e \nabla_d R_{cfeg} g^{ag} - \frac{1}{2} g^{ac} A^d A^f A^e \nabla_d R_{cfeg} g^{bg} \end{split}$$

$$\begin{split} \text{term4.401} &:= \frac{1}{9} g^{ib} A^e A^f R^c{}_{efi} A^d A^g R^a{}_{dgc} + \frac{1}{9} g^{ib} A^e A^g R^c{}_{egi} A^d A^f R^a{}_{dfc} + \frac{1}{9} g^{ci} A^e A^f R^b{}_{efi} A^d A^g R^a{}_{dgc} + \frac{1}{9} g^{ci} A^e A^g R^b{}_{egi} A^d A^f R^a{}_{dfc} \\ &\quad + \frac{1}{9} g^{ib} A^f A^g R^c{}_{fgi} A^d A^e R^a{}_{dec} + \frac{1}{9} g^{ci} A^f A^g R^b{}_{fgi} A^d A^e R^a{}_{dec} - \frac{3}{5} g^{cb} A^d A^g A^e A^f \nabla_{dg} R_{cefh} g^{ah} \\ &\quad + \frac{1}{15} g^{cb} A^d A^g A^f A^e R^a{}_{gfh} R^h{}_{dec} + \frac{1}{15} g^{cb} A^d A^g A^f A^e R^a{}_{geh} R^h{}_{dfc} + \frac{1}{9} g^{ic} A^e A^f R^a{}_{efi} A^d A^g R^b{}_{dgc} + \frac{1}{9} g^{ic} A^e A^g R^a{}_{egi} A^d A^f R^b{}_{dfc} \\ &\quad + \frac{1}{9} g^{ai} A^e A^f R^c{}_{efi} A^d A^g R^b{}_{dgc} + \frac{1}{9} g^{ai} A^e A^g R^c{}_{egi} A^d A^f R^b{}_{dfc} + \frac{1}{9} g^{ic} A^f A^g R^a{}_{fgi} A^d A^e R^b{}_{dec} + \frac{1}{9} g^{ai} A^f A^g R^c{}_{fgi} A^d A^e R^b{}_{dec} \\ &\quad - \frac{3}{5} g^{ac} A^d A^g A^e A^f \nabla_{dg} R_{cefh} g^{bh} + \frac{1}{15} g^{ac} A^d A^g A^f A^e R^b{}_{gfh} R^h{}_{dec} + \frac{1}{15} g^{ac} A^d A^g A^f A^e R^b{}_{geh} R^h{}_{dfc} \end{split}$$

$$\begin{aligned} \text{term4.402} &:= \frac{1}{9} g^{ib} A^c A^f R^c{}_{efi} A^d A^g R^a{}_{dge} + \frac{1}{9} g^{ib} A^c A^g R^c{}_{egi} A^d A^f R^a{}_{dfe} + \frac{1}{9} g^{ci} A^c A^f R^b{}_{efi} A^d A^g R^a{}_{dge} + \frac{1}{9} g^{ci} A^c A^g R^b{}_{egi} A^d A^f R^a{}_{dfe} \\ &+ \frac{1}{9} g^{ib} A^f A^g R^c{}_{fgi} A^d A^e R^a{}_{dee} + \frac{1}{9} g^{ci} A^f A^g R^f{}_{fgi} A^d A^g R^a{}_{dee} - \frac{3}{5} g^{cb} A^d A^g A^g A^g A^f \nabla_{dg} R_{eefh} g^{ah} \\ &+ \frac{1}{15} g^{cb} A^d A^g A^f A^e R^a{}_{gfh} R^h{}_{dee} + \frac{1}{15} g^{cb} A^d A^g A^f A^e R^a{}_{geh} R^h{}_{dfe} + \frac{1}{9} g^{ic} A^c A^f R^a{}_{efi} A^d A^g R^b{}_{dge} + \frac{1}{9} g^{ic} A^c A^g R^a{}_{egi} A^d A^f R^b{}_{dfe} \\ &+ \frac{1}{9} g^{ai} A^c A^f R^e{}_{efi} A^d A^g R^b{}_{dge} + \frac{1}{9} g^{ai} A^c A^g R^a{}_{egi} A^d A^f R^b{}_{dfe} \\ &+ \frac{1}{9} g^{ai} A^c A^f R^e{}_{efi} A^d A^g R^b{}_{dge} + \frac{1}{9} g^{ai} A^c A^g R^a{}_{egi} A^d A^f R^b{}_{dfe} \\ &- \frac{3}{3} g^{ac} A^d A^g A^c A^f \nabla_{dg} R_{eefh} g^{bh} + \frac{1}{15} g^{ac} A^d A^g A^f A^c R^b{}_{gfh} R^b{}_{dee} \\ &- \frac{1}{15} g^{ac} A^d A^g A^a A^f \nabla_{dg} R^a{}_{egi} A^d A^f R^a{}_{dfe} \\ &+ \frac{1}{9} g^{bi} A^c A^f R^c{}_{efi} A^d A^g R^a{}_{dge} + \frac{1}{9} g^{bi} A^c A^g R^a{}_{egi} A^d A^f R^a{}_{dfe} \\ &+ \frac{1}{9} g^{bi} A^c A^f R^a{}_{efi} A^d A^g R^a{}_{dee} + \frac{1}{9} g^{ci} A^c A^g R^a{}_{egi} A^d A^f R^a{}_{dfe} \\ &+ \frac{1}{15} g^{bc} A^d A^g A^a A^c R^a{}_{dee} + \frac{1}{9} g^{ci} A^c A^g R^a{}_{fgi} A^d A^a R^a{}_{dee} \\ &+ \frac{1}{9} g^{bi} A^c A^f R^a{}_{efi} A^d A^g R^a{}_{dee} + \frac{1}{9} g^{ci} A^d A^g R^a{}_{fgi} A^d A^g R^a{}_{dee} \\ &+ \frac{1}{9} g^{bi} A^c A^g A^g A^a A^e R^a{}_{gfh} R^h{}_{dee} + \frac{1}{15} g^{bc} A^d A^g A^f A^c R^a{}_{geh} R^h{}_{dfe} \\ &+ \frac{1}{9} g^{bi} A^c A^f R^a{}_{efi} A^d A^g R^b{}_{dge} \\ &+ \frac{1}{15} g^{cb} A^d A^g A^f A^c R^a{}_{gfh} R^h{}_{dee} \\ &+ \frac{1}{15} g^{cb} A^d A^g A^a A^f \nabla_{dg} R^c{}_{egi} A^d A^f R^a{}_{egi} A^d A^f R^a{}_{efi} \\ &+ \frac{1}{9} g^{ci} A^c A^f R^a{}_{efi} A^d A^g R^b{}_{dge} \\ &+ \frac{1}{15} g^{ci} A^d A^g R^a{}_{egi} A^d A^g R^a{}_{egi} A^d A^f R^a{}_{egi} \\ &+ \frac{1}{15} g^{ci} A^d$$

$$\begin{split} \text{term4.405} &:= \frac{1}{9} g^{ib} A^e A^f R^c{}_{efi} A^d A^g R^a{}_{dgc} + \frac{1}{9} g^{ib} A^e A^g R^c{}_{egi} A^d A^f R^a{}_{dfc} + \frac{1}{9} g^{ci} A^e A^f R^b{}_{efi} A^d A^g R^a{}_{dgc} + \frac{1}{9} g^{ci} A^e A^g R^b{}_{egi} A^d A^f R^a{}_{dfc} \\ &\quad + \frac{1}{9} g^{ib} A^f A^g R^c{}_{fgi} A^d A^e R^a{}_{dec} + \frac{1}{9} g^{ci} A^f A^g R^b{}_{fgi} A^d A^e R^a{}_{dec} - \frac{3}{5} g^{cb} A^d A^g A^e A^f \nabla_{dg} R_{cefh} g^{ah} \\ &\quad + \frac{1}{15} g^{cb} A^d A^g A^f A^e R^a{}_{gfh} R^h{}_{dec} + \frac{1}{15} g^{cb} A^d A^g A^f A^e R^a{}_{geh} R^h{}_{dfc} + \frac{1}{9} g^{ic} A^e A^f R^a{}_{efi} A^d A^g R^b{}_{dgc} + \frac{1}{9} g^{ic} A^e A^g R^a{}_{egi} A^d A^f R^b{}_{dfc} \\ &\quad + \frac{1}{9} g^{ai} A^e A^f R^c{}_{efi} A^d A^g R^b{}_{dgc} + \frac{1}{9} g^{ai} A^e A^g R^c{}_{egi} A^d A^f R^b{}_{dfc} + \frac{1}{9} g^{ic} A^f A^g R^a{}_{fgi} A^d A^e R^b{}_{dec} + \frac{1}{9} g^{ai} A^f A^g R^c{}_{fgi} A^d A^e R^b{}_{dec} \\ &\quad - \frac{3}{5} g^{ac} A^d A^g A^e A^f \nabla_{dg} R_{cefh} g^{bh} + \frac{1}{15} g^{ac} A^d A^g A^f A^e R^b{}_{gfh} R^h{}_{dec} + \frac{1}{15} g^{ac} A^d A^g A^f A^e R^b{}_{geh} R^h{}_{dfc} \end{split}$$

#### Stage 4: Build the Taylor series for $g_{ab}$ , reformatting and output

```
beg_stage_4 = time.time()
# final housekeeping
# lower the ^{ab} indices to _{uv}
tmp0 := g_{a u} g_{b v} @(term0).
tmp1 := g_{a} u g_{b} v c(term1).
tmp2 := g_{a} u g_{b} v (term2).
tmp3 := g_{a} u g_{b} v (term3).
tmp4 := g_{a} u g_{b} v c(term4).
tmp5 := g_{a u} g_{b v} @(term5).
distribute
                     (tmp1) # cdb(tmp1.501,tmp1)
                            # cdb(tmp1.502,tmp1)
eliminate_metric
                    (tmp1)
eliminate_kronecker (tmp1) # cdb(tmp1.503,tmp1)
tmp1 = flatten_Rabcd (tmp1)
                     (tmp1) # cdb(tmp1.506,tmp1)
canonicalise
                    (tmp2) # cdb(tmp2.501, tmp2)
distribute
                    (tmp2) # cdb(tmp2.502,tmp2)
eliminate_metric
                            # cdb(tmp2.503,tmp2)
eliminate_kronecker (tmp2)
tmp2 = flatten_Rabcd (tmp2)
canonicalise
                     (tmp2) # cdb(tmp2.506, tmp2)
                    (tmp3) # cdb(tmp3.501,tmp3)
distribute
                    (tmp3) # cdb(tmp3.502, tmp3)
eliminate_metric
                    (tmp3)
                            # cdb(tmp3.503,tmp3)
eliminate_kronecker
tmp3 = flatten_Rabcd (tmp3)
                     (tmp3) # cdb(tmp3.506,tmp3)
canonicalise
distribute
                    (tmp4)
                            # cdb(tmp4.501,tmp4)
                            # cdb(tmp4.502,tmp4)
                    (tmp4)
eliminate_metric
                    (tmp4)
                            # cdb(tmp4.503,tmp4)
eliminate_kronecker
tmp4 = flatten_Rabcd (tmp4)
                     (tmp4) # cdb(tmp4.506, tmp4)
canonicalise
```

```
distribute
                    (tmp5) # cdb(tmp5.501, tmp5)
                    (tmp5) # cdb(tmp5.502, tmp5)
eliminate_metric
eliminate_kronecker (tmp5) # cdb(tmp5.503,tmp5)
tmp5 = flatten_Rabcd (tmp5)
canonicalise
                    (tmp5) # cdb(tmp5.506, tmp5)
# this is out final answer
# raise the _{uv} indices to ^{ab}
metric:= g^{a u} g^{b v} ( @(tmp0)
                          + (1/1) @(tmp1)
                          + (1/2) @(tmp2)
                          + (1/6) @(tmp3)
                          + (1/24) @(tmp4)
                          + (1/120) @(tmp5) ). # cdb(metric.500,metric)
                                 # cdb(metric.501,metric)
distribute
                      (metric)
                      (metric) # cdb(metric.502,metric)
eliminate_metric
eliminate_kronecker
                      (metric) # cdb(metric.503,metric)
metric = flatten_Rabcd (metric) # cdb(metric.504,metric)
                      (metric) # cdb(metric.505,metric)
canonicalise
                    (metric, g_{a b} g^{b c} -> g_{a}^{c})
substitute
                    (metric, g_{b a} g^{b c} -> g_{a}^{c})
substitute
                    (metric, g_{b a} g^{c b} -> g_{a}^{c})
substitute
                   (metric, g_{a b} g^{c b} -> g_{a}^{c})
substitute
eliminate_kronecker (metric) # cdb(metric.506,metric)
canonicalise
                   (metric) # cdb(metric.507,metric)
substitute (metric,$A^{a} -> x^{a}$) # cdb (metric.508,metric)
cdblib.create ('metric-inv.json')
cdblib.put ('g^ab',metric,'metric-inv.json')
\# extract the terms of the metric in powers of x
```

```
term0 = get_xterm (metric,0)
                               # cdb(term0.501,term0)
term1 = get_xterm (metric,1)
                               # cdb(term1.501,term1)
term2 = get_xterm (metric,2)
                               # cdb(term2.501,term2)
term3 = get_xterm (metric,3)
                               # cdb(term3.501,term3)
                               # cdb(term4.501,term4)
term4 = get_xterm (metric,4)
term5 = get_xterm (metric,5)
                               # cdb(term5.501,term5)
cdblib.put ('g^ab_0',term0,'metric-inv.json')
cdblib.put ('g^ab_1',term1,'metric-inv.json')
cdblib.put ('g^ab_2',term2,'metric-inv.json')
cdblib.put ('g^ab_3',term3,'metric-inv.json')
cdblib.put ('g^ab_4',term4,'metric-inv.json')
cdblib.put ('g^ab_5',term5,'metric-inv.json')
# this version of "metric" is used only in the commentary at the start of this notebook
metric4:=0(term0) + 0(term1) + 0(term2) + 0(term3). # cdb(metric4.501,metric4)
```

$$\mathtt{term0.501} \coloneqq g^{ab}$$

$$term1.501 := 0$$

$$\texttt{term2.501} := \frac{1}{3} x^c x^d R_{cedf} g^{ae} g^{bf}$$

$$\texttt{term3.501} := \frac{1}{6} x^c x^d x^e \nabla_c R_{dfeg} g^{af} g^{bg}$$

$$\texttt{term4.501} := \frac{1}{15} x^c x^d x^e x^f R_{cgdh} R_{eifj} g^{ag} g^{bi} g^{hj} + \frac{1}{20} x^c x^d x^e x^f \nabla_{cd} R_{egfh} g^{ag} g^{bh}$$

$$\texttt{term5.501} := \frac{1}{30} x^c x^d x^e x^f x^g R_{chdi} \nabla_e R_{fjgk} g^{ah} g^{bj} g^{ik} + \frac{1}{30} x^c x^d x^e x^f x^g R_{chdi} \nabla_e R_{fjgk} g^{aj} g^{bh} g^{ik} + \frac{1}{90} x^c x^d x^e x^f x^g \nabla_{cde} R_{fhgi} g^{ah} g^{bi}$$

$$\begin{split} & \text{tmp2.501} := -\frac{1}{3} g_{au} g_{bv} A^c A^d R^a{}_{cd}{}^b - \frac{1}{3} g_{au} g_{bv} A^c A^d R^b{}_{cd}{}^a \\ & \text{tmp2.502} := -\frac{1}{3} g_{bv} A^c A^d R_{ucd}{}^b - \frac{1}{3} g_{bv} A^c A^d R^b{}_{cdu} \\ & \text{tmp2.503} := -\frac{1}{3} g_{bv} A^c A^d R_{ucd}{}^b - \frac{1}{3} g_{bv} A^c A^d R^b{}_{cdu} \\ & \text{tmp2.506} := -\frac{2}{3} A^a A^b R_{uabc} g_{vd} g^{cd} \end{split}$$

$$\begin{split} & \text{tmp3.501} := -\frac{1}{2} g_{au} g_{bv} g^{cb} A^d A^f A^e \nabla_d R_{cfeg} g^{ag} - \frac{1}{2} g_{au} g_{bv} g^{ac} A^d A^f A^e \nabla_d R_{cfeg} g^{bg} \\ & \text{tmp3.502} := -\frac{1}{2} g_{bv} g^{cb} A^d A^f A^e \nabla_d R_{cfeg} g_u{}^g - \frac{1}{2} g_{bv} g_u{}^c A^d A^f A^e \nabla_d R_{cfeg} g^{bg} \\ & \text{tmp3.503} := -\frac{1}{2} g_{bv} g^{cb} A^d A^f A^e \nabla_d R_{cfeu} - \frac{1}{2} g_{bv} A^d A^f A^e \nabla_d R_{ufeg} g^{bg} \\ & \text{tmp3.506} := -A^a A^b A^c \nabla_a R_{ubcd} g_{ve} g^{de} \end{split}$$

$$\begin{split} & \text{tmp4}.501 := \frac{1}{9} g_{aa} g_{bc} g^{ib} A^c A^J R^c_{efi} A^d A^g R^a_{ege} + \frac{1}{9} g_{aa} g_{bc} g^{ib} A^c A^g R^c_{egi} A^d A^f R^a_{eff} + \frac{1}{9} g_{aa} g_{bc} g^{ci} A^c A^f R^b_{efi} A^d A^g R^a_{dge} \\ & + \frac{1}{9} g_{aa} g_{bc} g^{ci} A^c A^g R^b_{egi} A^d A^f R^a_{efe} + \frac{1}{9} g_{aa} g_{bc} g^{ib} A^d A^g R^a_{ege} + \frac{1}{9} g_{aa} g_{bc} g^{ci} A^f A^g R^b_{fgi} A^d A^g R^a_{ege} \\ & - \frac{3}{5} g_{aa} g_{bc} g^{ci} A^d A^g A^a A^f \nabla_{dg} R_{egfi} g^{di} A^d A^g A^g A^f A^g R^a_{egfi} A^d A^g R^a_{egf} R^b_{dge} \\ & + \frac{1}{9} g_{aa} g_{bc} g^{ci} A^d A^g A^g A^f A^g R^a_{eff} A^d A^g R^b_{ege} + \frac{1}{9} g_{aa} g_{bc} g^{ci} A^d A^g A^f R^a_{eff} R^b_{efe} \\ & + \frac{1}{9} g_{aa} g_{bc} g^{ci} A^c A^g R^c_{egf} A^d A^g R^b_{ege} + \frac{1}{9} g_{aa} g_{bc} g^{ci} A^d A^g R^b_{ege} \\ & + \frac{1}{9} g_{aa} g_{bc} g^{ci} A^c A^g R^c_{egf} A^d A^g R^b_{ege} \\ & + \frac{1}{9} g_{aa} g_{bc} g^{ci} A^c A^g R^c_{egf} A^d A^g R^b_{ege} + \frac{1}{9} g_{aa} g_{bc} g^{ci} A^d A^g R^b_{ege} \\ & + \frac{1}{9} g_{aa} g_{bc} g^{ci} A^c A^g R^c_{egf} A^d A^g R^b_{ege} A^g R^b_{ege} A^d A^g R^b_{ege} A^d A^g R^b_{ege} A^d A^g R^b_{ege} A^g R^b_{ege} A^d A^g R^b_{ege} A^g R^b_{ege} A^d A^g R^b_{ege} A^g R^b_$$

 $\mathsf{tmp5.506} := -4A^aA^bA^cA^dA^eR_{uabf}\nabla_cR_{dgeh}g_{vi}g^{fg}g^{hi} - 4A^aA^bA^cA^dA^eR_{afbg}\nabla_cR_{udeh}g_{vi}g^{fh}g^{gi} - \frac{4}{3}A^aA^bA^cA^dA^e\nabla_{abc}R_{udef}g_{vg}g^{fg}$ 

$$\begin{split} \mathtt{metric.500} \coloneqq g^{au}g^{bv} \left( g_{cu}g_{dv}g^{cd} - \frac{1}{3}A^eA^fR_{uefc}g_{vd}g^{cd} - \frac{1}{6}A^fA^gA^c\nabla_fR_{ugcd}g_{ve}g^{de} - \frac{1}{15}A^iA^jA^cA^dR_{uije}R_{cfdg}g_{vh}g^{ef}g^{gh} - \frac{1}{20}A^iA^jA^cA^d\nabla_{ij}R_{ucde}g_{vf}g^{ef} - \frac{1}{30}A^jA^kA^cA^dA^eR_{ujkf}\nabla_cR_{dgeh}g_{vi}g^{fg}g^{hi} - \frac{1}{30}A^jA^kA^cA^dA^eR_{jfkg}\nabla_cR_{udeh}g_{vi}g^{fh}g^{gi} - \frac{1}{90}A^jA^kA^cA^dA^e\nabla_{jkc}R_{udef}g_{vg}g^{fg} \right) \end{split}$$

$$\begin{split} \text{metric.501} &:= g^{au}g^{bv}g_{cu}g_{dv}g^{cd} - \frac{1}{3}g^{au}g^{bv}A^eA^fR_{uefc}g_{vd}g^{cd} - \frac{1}{6}g^{au}g^{bv}A^fA^gA^c\nabla_fR_{ugcd}g_{ve}g^{de} - \frac{1}{15}g^{au}g^{bv}A^iA^jA^cA^dR_{uije}R_{cfdg}g_{vh}g^{ef}g^{gh} \\ &- \frac{1}{20}g^{au}g^{bv}A^iA^jA^cA^d\nabla_{ij}R_{ucde}g_{vf}g^{ef} - \frac{1}{30}g^{au}g^{bv}A^jA^kA^cA^dA^eR_{ujkf}\nabla_cR_{dgeh}g_{vi}g^{fg}g^{hi} \\ &- \frac{1}{30}g^{au}g^{bv}A^jA^kA^cA^dA^eR_{jfkg}\nabla_cR_{udeh}g_{vi}g^{fh}g^{gi} - \frac{1}{90}g^{au}g^{bv}A^jA^kA^cA^dA^e\nabla_{jkc}R_{udef}g_{vg}g^{fg} \end{split}$$

$$\begin{split} \text{metric.502} &:= g^{bv} g_c{}^a g_{dv} g^{cd} - \frac{1}{3} g^{bv} A^e A^f R^a{}_{efc} g_{vd} g^{cd} - \frac{1}{6} g^{bv} A^f A^g A^c \nabla_f R^a{}_{gcd} g_{ve} g^{de} - \frac{1}{15} g^{bv} A^i A^j A^c A^d R^a{}_{ije} R_{cfdg} g_{vh} g^{ef} g^{gh} \\ &- \frac{1}{20} g^{bv} A^i A^j A^c A^d \nabla_{ij} R^a{}_{cde} g_{vf} g^{ef} - \frac{1}{30} g^{bv} A^j A^k A^c A^d A^e R^a{}_{jkf} \nabla_c R_{dgeh} g_{vi} g^{fg} g^{hi} \\ &- \frac{1}{30} g^{bv} A^j A^k A^c A^d A^e R_{jfkg} \nabla_c R^a{}_{deh} g_{vi} g^{fh} g^{gi} - \frac{1}{90} g^{bv} A^j A^k A^c A^d A^e \nabla_{jkc} R^a{}_{def} g_{vg} g^{fg} \end{split}$$

$$\begin{split} \text{metric.503} &:= g^{bv} g_{dv} g^{ad} - \frac{1}{3} g^{bv} A^e A^f R^a{}_{efc} g_{vd} g^{cd} - \frac{1}{6} g^{bv} A^f A^g A^c \nabla_f R^a{}_{gcd} g_{ve} g^{de} - \frac{1}{15} g^{bv} A^i A^j A^c A^d R^a{}_{ije} R_{cfdg} g_{vh} g^{ef} g^{gh} \\ &- \frac{1}{20} g^{bv} A^i A^j A^c A^d \nabla_{ij} R^a{}_{cde} g_{vf} g^{ef} - \frac{1}{30} g^{bv} A^j A^k A^c A^d A^e R^a{}_{jkf} \nabla_c R_{dgeh} g_{vi} g^{fg} g^{hi} \\ &- \frac{1}{30} g^{bv} A^j A^k A^c A^d A^e R_{jfkg} \nabla_c R^a{}_{deh} g_{vi} g^{fh} g^{gi} - \frac{1}{90} g^{bv} A^j A^k A^c A^d A^e \nabla_{jkc} R^a{}_{def} g_{vg} g^{fg} \end{split}$$

$$\begin{split} \text{metric.504} &:= g^{bc} g_{dc} g^{ad} - \frac{1}{3} A^c A^d R_{ecdf} g^{ae} g^{bg} g_{gh} g^{fh} - \frac{1}{6} A^c A^d A^e \nabla_d R_{fecg} g^{af} g^{bh} g_{hi} g^{gi} - \frac{1}{15} A^c A^d A^e A^f R_{cgdh} R_{iefj} g^{ai} g^{bk} g_{kl} g^{jg} g^{hl} \\ &- \frac{1}{20} A^c A^d A^e A^f \nabla_{ef} R_{gcdh} g^{ag} g^{bi} g_{ij} g^{hj} - \frac{1}{30} A^c A^d A^e A^f A^g R_{hfgi} \nabla_c R_{djek} g^{ah} g^{bl} g_{lm} g^{ij} g^{km} \\ &- \frac{1}{30} A^c A^d A^e A^f A^g R_{fhgi} \nabla_c R_{jdek} g^{aj} g^{bl} g_{lm} g^{hk} g^{im} - \frac{1}{90} A^c A^d A^e A^f A^g \nabla_{fgc} R_{hdei} g^{ah} g^{bj} g_{jk} g^{ik} \end{split}$$

$$\begin{split} \text{metric.505} &:= g^{ac}g_{cd}g^{bd} + \frac{1}{3}A^cA^dR_{cedf}g^{ae}g^{bg}g_{gh}g^{fh} + \frac{1}{6}A^cA^dA^e\nabla_cR_{dfeg}g^{af}g^{bh}g_{hi}g^{gi} + \frac{1}{15}A^cA^dA^eA^fR_{cgdh}R_{eifj}g^{ag}g^{bk}g_{kl}g^{hi}g^{jl} \\ &+ \frac{1}{20}A^cA^dA^eA^f\nabla_{cd}R_{egfh}g^{ag}g^{bi}g_{ij}g^{hj} + \frac{1}{30}A^cA^dA^eA^fA^gR_{chdi}\nabla_eR_{fjgk}g^{ah}g^{bl}g_{lm}g^{ij}g^{km} \\ &+ \frac{1}{30}A^cA^dA^eA^fA^gR_{chdi}\nabla_eR_{fjgk}g^{aj}g^{bl}g_{lm}g^{hk}g^{im} + \frac{1}{90}A^cA^dA^eA^fA^g\nabla_{cde}R_{fhgi}g^{ah}g^{bj}g_{jk}g^{ik} \end{split}$$

$$\begin{split} \text{metric.506} &:= g^{ba} + \frac{1}{3}A^cA^dR_{cedf}g^{ae}g^{fb} + \frac{1}{6}A^cA^dA^e\nabla_cR_{dfeg}g^{af}g^{gb} + \frac{1}{15}A^cA^dA^eA^fR_{cgdh}R_{eifj}g^{ag}g^{hi}g^{jb} + \frac{1}{20}A^cA^dA^eA^f\nabla_{cd}R_{egfh}g^{ag}g^{hb} \\ &+ \frac{1}{30}A^cA^dA^eA^fA^gR_{chdi}\nabla_eR_{fjgk}g^{ah}g^{ij}g^{kb} + \frac{1}{30}A^cA^dA^eA^fA^gR_{chdi}\nabla_eR_{fjgk}g^{aj}g^{hk}g^{ib} + \frac{1}{90}A^cA^dA^eA^fA^g\nabla_{cde}R_{fhgi}g^{ah}g^{ib} \\ \text{metric.507} &:= g^{ab} + \frac{1}{3}A^cA^dR_{cedf}g^{ae}g^{bf} + \frac{1}{6}A^cA^dA^e\nabla_cR_{dfeg}g^{af}g^{bg} + \frac{1}{15}A^cA^dA^eA^fR_{cgdh}R_{eifj}g^{ag}g^{bi}g^{hj} + \frac{1}{20}A^cA^dA^eA^f\nabla_{cd}R_{egfh}g^{ag}g^{bh} \\ &+ \frac{1}{30}A^cA^dA^eA^fA^gR_{chdi}\nabla_eR_{fjgk}g^{ah}g^{bj}g^{ik} + \frac{1}{30}A^cA^dA^eA^fA^gR_{chdi}\nabla_eR_{fjgk}g^{aj}g^{bh}g^{ik} + \frac{1}{90}A^cA^dA^eA^fA^g\nabla_{cde}R_{fhgi}g^{ah}g^{bi} \\ \text{metric.508} &:= g^{ab} + \frac{1}{3}x^cx^dR_{cedf}g^{ae}g^{bf} + \frac{1}{6}x^cx^dx^e\nabla_cR_{dfeg}g^{af}g^{bg} + \frac{1}{15}x^cx^dx^ex^fR_{cgdh}R_{eifj}g^{ag}g^{bi}g^{hj} + \frac{1}{20}x^cx^dx^ex^f\nabla_{cd}R_{egfh}g^{ag}g^{bh} \\ &+ \frac{1}{30}x^cx^dx^ex^fx^gR_{chdi}\nabla_eR_{fjgk}g^{ah}g^{bj}g^{ik} + \frac{1}{30}x^cx^dx^ex^fx^gR_{chdi}\nabla_eR_{fjgk}g^{aj}g^{bh}g^{ik} + \frac{1}{90}x^cx^dx^ex^fx^g\nabla_{cde}R_{fhgi}g^{ah}g^{bi} \end{split}$$

```
RtermO := @(termO).
Rterm1 := @(term1). # zero
Rterm2 := 0(term2).
Rterm3 := 0(term3).
Rterm4 := 0(term4).
Rterm5 := 0(term5).
Rterm0 = reformat_xterm (Rterm0, 1)
                                        # cdb(Rterm0.601,Rterm0)
Rterm2 = reformat_xterm (Rterm2, 3)
                                        # cdb(Rterm2.601,Rterm2)
Rterm3 = reformat_xterm (Rterm3, 6)
                                        # cdb(Rterm3.601,Rterm3)
Rterm4 = reformat_xterm (Rterm4, 60)
                                        # cdb(Rterm4.601,Rterm4)
Rterm5 = reformat_xterm (Rterm5, 90)
                                        # cdb(Rterm5.601,Rterm5)
Metric := @(Rterm0) + @(Rterm2) + @(Rterm3) + @(Rterm4) + @(Rterm5). # cdb (Metric.601, Metric)
scaled0 = rescale_xterm (Rterm0, 1)
                                        # cdb(scaled0.601,scaled0)
scaled2 = rescale_xterm (Rterm2, 3)
                                        # cdb(scaled2.601,scaled2)
scaled3 = rescale_xterm (Rterm3, 6)
                                        # cdb(scaled3.601,scaled3)
scaled4 = rescale_xterm (Rterm4, 60)
                                        # cdb(scaled4.601,scaled4)
scaled5 = rescale_xterm (Rterm5, 90)
                                        # cdb(scaled5.601,scaled5)
end_stage_4 = time.time()
```

## The inverse metric in Riemann normal coordinates

$$g^{ab}(x) = g^{ab} + \frac{1}{3}x^{c}x^{d}g^{ae}g^{bf}R_{cedf} + \frac{1}{6}x^{c}x^{d}x^{e}g^{af}g^{bg}\nabla_{c}R_{dfeg} + \frac{1}{60}x^{c}x^{d}x^{e}x^{f}\left(4g^{ag}g^{bh}g^{ij}R_{cgdi}R_{ehfj} + 3g^{ag}g^{bh}\nabla_{cd}R_{egfh}\right) + \frac{1}{90}x^{c}x^{d}x^{e}x^{f}x^{g}\left(3g^{ah}g^{bi}g^{jk}R_{chdj}\nabla_{e}R_{figk} + 3g^{ah}g^{bi}g^{jk}R_{cidj}\nabla_{e}R_{fhgk} + g^{ah}g^{bi}\nabla_{cde}R_{fhgi}\right) + \mathcal{O}\left(\epsilon^{6}\right)$$

## Curvature expansion of the inverse metric

$$g^{ab}(x) = g^{ab} + G(\epsilon^{6})$$

$$g^{ab} = g^{ab}$$

$$3g^{ab} = x^{c}x^{d}g^{ae}g^{bf}R_{cedf}$$

$$6g^{ab} = x^{c}x^{d}x^{e}g^{af}g^{bg}\nabla_{c}R_{dfeg}$$

$$60g^{ab} = x^{c}x^{d}x^{e}x^{f} (4g^{ag}g^{bh}g^{ij}R_{cgdi}R_{ehfj} + 3g^{ag}g^{bh}\nabla_{cd}R_{egfh})$$

$$90g^{ab} = x^{c}x^{d}x^{e}x^{f}x^{g} (3g^{ah}g^{bi}g^{jk}R_{chdj}\nabla_{e}R_{figk} + 3g^{ah}g^{bi}g^{jk}R_{cidj}\nabla_{e}R_{fhgk} + g^{ah}g^{bi}\nabla_{cde}R_{fhgi})$$

```
cdblib.create ('metric-inv.export')
cdblib.put ('g^ab_3',Metric3,'metric-inv.export') # R and \partial R
cdblib.put ('g^ab_4',Metric4,'metric-inv.export')
cdblib.put ('g^ab_5',Metric5,'metric-inv.export')
cdblib.put ('g^ab_6',Metric6,'metric-inv.export')
cdblib.put ('g^ab', Metric, 'metric-inv.export') # R and \nabla R
cdblib.put ('g^ab_scaled0',scaled0,'metric-inv.export')
cdblib.put ('g^ab_scaled2',scaled2,'metric-inv.export')
cdblib.put ('g^ab_scaled3',scaled3,'metric-inv.export')
cdblib.put ('g^ab_scaled4',scaled4,'metric-inv.export')
cdblib.put ('g^ab_scaled5',scaled5,'metric-inv.export')
checkpoint.append (Metric4)
checkpoint.append (Metric6)
checkpoint.append (Metric)
checkpoint.append (scaled0)
checkpoint.append (scaled2)
checkpoint.append (scaled3)
checkpoint.append (scaled4)
checkpoint.append (scaled5)
# cdbBeg (timing)
print ("Stage 1: {:7.1f} secs\\hfill\\break".format(end_stage_1-beg_stage_1))
print ("Stage 2: {:7.1f} secs\\hfill\\break".format(end_stage_2-beg_stage_2))
print ("Stage 3: {:7.1f} secs\\hfill\\break".format(end_stage_3-beg_stage_3))
print ("Stage 4: {:7.1f} secs".format(end_stage_4-beg_stage_4))
# cdbEnd (timing)
```

# Timing

Stage 1: 3.2 secs

Stage 2: 5.5 secs

Stage 3: 93.9 secs

Stage 4: 7.0 secs