

# Digital Lab Marking System

Heriot-Watt University

Deliverable 1: Final Year Dissertation

MEng Software Engineering

Lewis Francis McNeill  
supervised by Peter J King

April 5, 2017

# Declaration

I, Lewis Francis McNeill, confirm that this work submitted for assessment is my own and is expressed in my own words. Any references, made within it, of the works of other authors in any way (e.g., ideas, equations, figures, text, tables, programs) are properly acknowledged at any point of their use. A list of the references employed is included.

Signed: Lewis McNeill

Date: April 5, 2017

## **Abstract**

The aim of this dissertation project is to replace the current system for the marking of computer labs with a new digital system. This will enable lecturers to create a marking scheme online. Lab helpers will select the student they are marking and the marking scheme will then be loaded, marks will be entered and then made immediately available to both student and lecturers to view. It will also provide useful statistics for both student and lecturers.

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Aims and Objectives</b>	<b>2</b>
2.1	Aim . . . . .	2
2.2	Objectives . . . . .	2
<b>3</b>	<b>Literature Review</b>	<b>3</b>
3.1	Marking Systems . . . . .	3
3.1.1	Lecturer Based . . . . .	3
3.1.2	Peer Based . . . . .	3
3.2	Digital Marking Systems . . . . .	4
3.2.1	Reasons for Digital Marking . . . . .	4
3.2.2	TurnItIn . . . . .	5
3.2.3	BOSS System . . . . .	5
3.3	User Access Views . . . . .	6
3.3.1	Social Media . . . . .	6
3.3.2	Database Controlled Access . . . . .	6
3.4	Custom Input Forms . . . . .	6
3.4.1	SurveyMonkey . . . . .	6
3.4.2	Customizing Forms In Electronic Mail Systems . . . . .	7
3.5	Development Tools . . . . .	7
3.5.1	D3 . . . . .	7
3.5.2	CakePHP . . . . .	8
<b>4</b>	<b>Requirements</b>	<b>9</b>
4.1	Functional . . . . .	9
4.1.1	User Requirements . . . . .	9
4.2	Non-Functional Requirements . . . . .	12

<b>5</b>	<b>Strategy for testing and evaluation</b>	<b>14</b>
5.1	Testing . . . . .	14
5.2	Evaluating . . . . .	14
<b>6</b>	<b>Project Plan and Risk Analysis</b>	<b>15</b>
6.1	Project Plan . . . . .	15
6.2	Risk Analysis . . . . .	17
<b>7</b>	<b>P.L.E.S Issues</b>	<b>20</b>
7.1	Professional Issues . . . . .	20
7.2	Legal Issues . . . . .	20
7.3	Ethical Issues . . . . .	21
7.4	Social Issues . . . . .	21
	<b>References</b>	<b>22</b>
	<b>Appendix A Project Plan</b>	<b>25</b>
A.1	Gantt Chart . . . . .	25
A.2	Task List . . . . .	26

# 1 Introduction

The current system for marking of computing science lab is to use multiple lab helpers, each given a list of students and the marking scheme for them. Generally marking schemes are a selection of tasks students must have completed and lab helpers tick them off when they have completed them.. The biggest problem with this part of the marking is the time it takes lab helpers to locate the students on the list. This causes frustration with increased wait times for students. Multiple other issues can also arise from this: students can be marked by two helpers and obtain different grade from both; the lab helper omits to tick off a completed task; they assign marks for the wrong student on the sheet or simply they misplace the actual marking sheet.

After the lab helpers have completed their marking, the sheets are provided to the lecturer who collates them all together into one spreadsheet to calculate marks. After that it is entered it into vision. This too can cause its own set of problems- it increases the chances of transcription errors as the lecturer may misread marks when they are transferring them across. The lecturer may not enter the marks immediately into the spreadsheet increasing the chance that a marking sheet goes missing, and finally this system means that students are having to wait even longer to receive their results.

The objective is to develop a system that will reduce and hopefully eliminate the problems of the current system. Along with this, it should attempt to reduce the amount of time taken to mark students work and therefore speed up labs in general. It should also enable students to see their grades immediately, allow lecturer to see the result of the assignments as they are being marked and make marking quicker for lab helpers.

## **2 Aims and Objectives**

### **2.1 Aim**

The aim of this dissertation is to design and implement a system for the digital marking and analysis of computer labs and to help improve the speed at which they are marked. The system will also provide useful statistics for both lecturers and students.

### **2.2 Objectives**

- Simplify the way that labs marks are currently processed.
- Allow lecturers to create marking schemes online that lab helpers can access.
- Lab helpers can mark students in labs using marking schemes.
- Lab helpers able to mark labs using an online application.
- Allow students to see the mark they achieved from the lab instantly.
- Provide useful statistics and graphs for lecturers and students.
- Provide different views for student, lab helpers and lecturer.

## **3 Literature Review**

This section contains the summaries of literature relating to the topic and should help to create a context for the development of a digital marking system . It will cover what marking systems are currently being used, what current digital marking systems actually exist and why they are an improvement. Along with this it will also cover how to control what users are allowed to see, as well as explaining systems for creation of custom website forms, and finally it will cover the graphical displaying of statistics.

### **3.1 Marking Systems**

#### **3.1.1 Lecturer Based**

The way lecturer based marking works is that students complete their assignment, the lecturer or tutor marks it and provides result in a timely manner with useful feedback which can be majorly important in helping students improve there skills [17].

The advantage of this style of marking is that students can get useful feedback from their lecturer that can help improve their learning. An article study [10] found that of the students, when surveyed 82% agreed to the question "I pay close attention to the comments I get" in response to assignment feedback.

A downside to this style of marking is that as the number of students increases on courses the amount of time required to mark assignments consequently takes longer and in some cases this can actually cause marked assessments to be scrapped completely as they take too long to get feedback to students [3].

#### **3.1.2 Peer Based**

To cope with increasing class sizes some courses are beginning to move towards peer marking. Peer marking system works by having students assess each other and in some cases the students produced their own marking criteria [15].

This style allows students to gain experience in evaluating other people's work, which some



graduates feel is a necessary skill to possess. [14]. Peer marking also deals with increasing amounts of students very well- this is because as the number students increase the number of markers also increases!

Peer marking however has its own set of problems - for example, "Students may have a less well developed sense of the criteria compared to the lecturer which could lead to a lack of reliability of student marking." [15].

## **3.2 Digital Marking Systems**

### **3.2.1 Reasons for Digital Marking**

Digital marking systems are designed to mirror the current paper based marking systems but with the advantage of the electronic environment [9]. These systems help to reduce the increasing workload caused by more and more students taking courses. Along with this it also allows administrative tasks associated with coursework to be automated enabling more time for other tasks.[13].

For students digital marking is great as it allows for quick feedback as the assessor is able provide students feedback immediately after they have written it up, instead of having to wait for a class to receive it. In one study[5] they found that 78% of students would like get their feedback electronically .

According to the highlighted article [6] plagiarism is on the rise amongst student. This is where digital marking can help to reduce plagiarism as the programme can do what a human marker cannot. They can compare a submission thousands of documents and judge if a person has plagiarised. They can also help to show patterns in assignments and marks that normally might go unnoticed.

### **3.2.2 TurnItIn**

There currently exists an on-line electronic plagiarism system called TurnItIn, [19] currently being used by many universities around the world. It allows students to upload their essay assignments online. It then checks for plagiarism in the document by searching the internet and using a large database of documents. After it processes the document it assigns a plagiarism percentage and highlights any areas that were plagiarised. Lecturers can then login and view all the submitted documents and mark them .

Current research highlighted [5] conducted a questionnaire and found that students felt that the system was easy to use and more convenient than having to provide paper copies. It also found that 50% of students strongly agreed and 33.3% just agreed that they preferred to have their grade shown online rather than have a cover sheet.

### **3.2.3 BOSS System**

The BOSS system was developed at the University of Warwick to help deal with their problem of having too many students for the number of staff and yet wanting students to have accurate and quickly available feedback [12]. It is an electronic submission and assessment system created to allow computing science students to submit their programming assignments and have them tested and marked online [13]. The system is not designed to remove human markers completely, instead simply "assist the instructor in achieving a quicker, more accurate and more consistent assessment of programming assignment"[12].

When a file is first submitted it is run through a plagiarism check to make sure that the submission is actually the students own work. It also checks that the submission passes pre-set tests to make sure it works. After this it goes into the evaluations stage, since evaluation attributes of code can be very subjective what the second step does is generate metrics about the submitted program. Some of these metric are a number of comments and percentage of methods declared [13], which will help human markers evaluate the submission quicker.

### **3.3 User Access Views**

#### **3.3.1 Social Media**

Controlling the view that users have, based on their access level, is common practice. Social media websites for instance allow users to limit what others can see, through the use of a privacy setting [18]. This means that another user's view is determined by the access level they are given for example, a user that is a friend will have a higher access and be allowed to see their whole feed, while an other users access may only allow them see the profile name.

#### **3.3.2 Database Controlled Access**

The patent highlighted [1], describes a system of limiting user web page access through the use of relation databases. The system would work by using two databases; one would hold a list of all the url's and associated access level, while the second database would hold all the user id's along with their assigned access level. When a user requests a webpage, the access level for that webpage and the user are looked up. If the users do not have the appropriate access they are denied permission to load the page and depending on implementation may be redirected to another webpage. The design of this system is well suited for scalability since no matter how large the two datasets are only one piece of data is need from each database to confirm whether a user is allowed access.

### **3.4 Custom Input Forms**

#### **3.4.1 SurveyMonkey**

Survey Monkey [8] is an example of custom web forms being created by users. Founded by Ryan Finley in 1999 Survey Monkey enables users to create their own surveys and easily distribute them. It builds the surveys by letting the user select the contents of the question and what the response type will be: The user can also decide if the responses are completely anonymous by default and the participants ip address is stored when they complete the survey. The users can continue to add as many questions as they would like, even after the survey is initially created. After designing the survey the user chooses how they would like to have their survey distributed. The available

options that can be selected are a web link, social media, email or embeddable on a website [20] .

When participants complete the survey their results are immediately stored and the results of the survey are visible to the user by login into their account on surveymonkey. They can choose to look at the responses individually or look at metrics about how participants responded.

### 3.4.2 Customizing Forms In Electronic Mail Systems

A patent [11] describes a process for user-customisable forms in an e-mail system where the administrator selects custom field types and behaviours. For example current e-mail forms have a field for address, subject and one for the the actual message to be sent. While an example of what the patent is suggesting can be seen in figure 1, it shows the adding of additional fields allowing for wide variety of form to be created and not limit the users to use the few forms that are precreated.

Figure 1: Example Form (Patent [11])

The diagram shows a 'Send Screen' interface with the following components:

- To:** A text input field with a dropdown arrow, labeled 305.
- Address:** A text input field, labeled 306.
- Library Request:** A header or title for the form, labeled 300.
- Subject:** A text input field, labeled 301.
- Request:** A large text input area, labeled 307.
- Sources:** A section with checkboxes for 'Journals', 'Reference books', 'Other', 'Data services', and 'Manuals', labeled 308.
- Delivery:** A section with radio buttons for 'Pick up', 'Interoffice', and 'Electronic Mail', labeled 309.
- Enclosure:** A section with a checkbox and a 'Send' button, labeled 310.

This increased flexibility in email forms would allow for easier interpretation of messages, making responding or providing information via email a lot simpler and quicker.

## 3.5 Development Tools

### 3.5.1 D3

D3 [2] is a javascript library, which was designed for the creation of interactive visualisations of data and was first developed in 2011. D3 uses precreated Javascript functions to create scalable vector graphics (SVG's) which are embedded into the html of websites."SVG is a language for describing two-dimensional graphics in XML" [7] and can have displays changed using Cascading Style Sheet (CSS).

Datasets can also be bound to an SVG allowing for a visual way to interpret the dataset, and as the dataset changes the SVG will be changed allowing for a dynamic display.

### 3.5.2 CakePHP

CakePHP is an open source framework for php, it is developed to help with rapid development of web application and make them simpler,fast and less complex to build [4]. It allows the development of well structured and robust web applications [16], and its latest version is version 3.3 called "Red Velvet" it can be downloaded from (<https://cakephp.org/>).

The usefulness of the framework come in the form of its predefined functions, it allows for more secure code, since you cannot accidentally forget to escape character from input as the functions do this anyway. Cakephp helps to improve the maintainability of systems as it is easy to understand with plenty of comments.

A downside to cakephp is its testability, compared to other web frameworks it lacks in testing tools and does not contain a testing environment [16].

## 4 Requirements

### 4.1 Functional

Requirements for the system are each given an idea depending on the type of requirement: FR for functional requirements and NFR for non-functional requirements.

Along with this, each requirement has a description stating what the requirement is and a priority. The priority value can be low, medium or high, which shows which requirements will be implemented first into the system.

For this project I will be attempting to implementing all of the high priority functional and nonfunctional requirements, I will also try and implement as many medium and low priority requirements that I can starting with ones that best improve the system.

#### 4.1.1 User Requirements

Functional requirements also include an access column which defines what users should be able to use. Some items are restricted to lecturers as some requirements should only be be usable by lecturers and lab-helpers and not by students. The table is sorted first by access level starting with widest allowed access then sorted in access order 1 - 4, it is secondly sorted by priority.

The access levels are: 1-Admin, 2-Lecturers, 3-Lab Helpers and 4-Students

Table 1: Functional User Requirements

ID	Requirement	Access	Priority
FR-01	Should have to login to view system	1,2,3,4	High
FR-02	Should have accounts created for them	1,2,3,4	High
FR-03	Should be able to change password	1,2,3,4	High
FR-04	Should be able to login using university ID	1,2,3,4	Low
FR-05	Should be able to logout	1,2,3,4	High

FR-06	Should be able to remove students from courses	1, 2	High
FR-07	Should be able to update student accounts	1,3	Low
FR-08	Should be able to look up students in lab	2,3	High
FR-09	Should be able to select students from lab list	2,3	High
FR-10	Should be able to leave comments about students	2,3	High
SR-11	Should be able to save marks	2,3	High
SR-12	Should be able to update marks	2,3	High
SR-13	Should be able to delete marks	2,3	High
FR-14	Should be able to search for student by name	2,3	Medium
FR-15	Should be able to mark student even if they are not in the system	2,3	Medium
FR-16	Should be able to assign students to courses	1	Medium
FR-17	Should be able to assign lectures to courses	1	Medium
FR-18	Should be able to create marking schemes	2	High
FR-19	Should display generated stats	2	High
FR-20	Should be able to see submitted marks	2	High
FR-21	Should be able to generate end of year spread sheets	2	Medium
FR-22	Should allow editing of students in class	2	Medium
FR-23	Should be able to create peer marking scheme	2	Medium
FR-24	Should be able to look at students stats	2	Medium

FR-25	Should be able to set what parts of the marking scheme students can see	2	Medium
FR-26	Should be able to update marking scheme	2	Medium
FR-27	Should be able to delete marking schemes	2	Medium
FR-28	Should be able to able to assign students to set labs	2	Low
FR-29	Should be able to set penalties for late marking	2	Low
FR-30	Should able to export to vision	2	Low
FR-31	Should be able to access Marking Scheme	3	High
FR-32	Should be able to enter selected students mark	3	High
FR-33	Should be able to submit student mark	3	High
FR-34	Should be able to select the lab they are helping in	3	High
FR-35	Should be able to see current mark	4	High
FR-36	Should show different displays depending on access level		High
FR-37	Should load students current lab mark scheme		High
FR-38	Should apply penalty for late lab completion		High
FR-39	Should create a set of useful stats based on lab		High
FR-40	Should store what class student belong too		High
FR-41	Should have a list of all students in class		High

Each sprint will have set requirements that are to be implemented by the end of the sprint.



## 4.2 Non-Functional Requirements

Table 2 lists all the non-functional requirements for the development of the system, they are ranked in order of priority.

Table 2: Non-Function Requirements

ID	Requirement	Priority
NFR-01	Should have all person data encrypted	High
NFR-02	Should update stats as marks are entered	High
NFR-03	Should take less than 2 seconds to generate stats	High
NFR-04	PHP Should use prepared statements	High
NFR-05	Should be dynamically designed	High
NFR-06	HTML, CSS and Javascript should be validated	High
NFR-07	Should make sure inputs are valid	High
NFR-08	Should prevent SQL Injection	High
NFR-09	Should function on a wide variety of smartphones and tablets	Medium
NFR-10	Should be able to handle a large number of users without any faults	Medium
NFR-11	Should make sure passwords contain alphanumerics and have a minimum and maximum length	Medium
NFR-12	Should autosave marks as they are entered	Medium
NFR-13	Should record what lab help marked what student	Medium
NFR-14	Should list all students that did not attend the lab	Medium
NFR-15	Should track how long it takes to mark a student	Medium

NFR-16	Should have disability options (Increase text size, colour layout)	Low
NFR-17	Should be readable by screen readers	Low
NFR-18	Should take less than 2 second to load student marking scheme	Low
NFR-19	Should be able to group marked people	Low
NFR-20	Should retrieve student images from university system	Low
NFR-21	Should backup database regularly	Low

## **5 Strategy for testing and evaluation**

### **5.1 Testing**

During each sprint unit tests will be created and run on modules of code to make sure that they function correctly, and can deal with a wide variety of unexpected or extreme cases. It will help test if the function is robust enough and the system is ready for the next module to be developed.

Each of the requirements defined in section 4 can be tested, to set for a requirement being successfully implemented into the system they should be full testable without any errors occurring.

### **5.2 Evaluating**

To evaluate properly how successful I have been at developing a new Lab Marking System I will conduct a usability case study. Lecturers, lab helpers and students will be asked to use the systems and provide feedback, to help evaluate the system and discover what improvements can be made.

To evaluate how effective the code is I will create test cases. These will test how efficient the code is at running functions and help find areas for future improvement in the system.

To evaluate the whole system I will use the objectives I defines in section 2.2, each of the objectives is testable and testing them will help evaluate successful I was at implementing the completed system and what will need future improvement.

## 6 Project Plan and Risk Analysis

### 6.1 Project Plan

The Gantt chart and its accompanied task table for this dissertation can be seen in appendix (A), I used gantt project to create it unfortunately it does not allow tasks to stop at weekends leaving gaps between tasks which should not be there. It is broken down into 5 stages: Design, Development, Evaluation, Dissertation and Poster. Each of these stages has multiple tasks that are expected to be completed during the course of the stage. A summary of each stage and their key tasks are stated below.

**Design Stage** Starts at the end of semester 1 to allow myself time to complete other course work. In this stage I will create mock-ups for the user interface, a database schema and Unified Modeling Language (UML) diagram, to help improve the development time of the system and create an idea of what the system will look like. Also along with this I will also be deciding requirements will be added in each of my sprints in the next stage.

**Development Stage:** Starts once the holidays are over. It is consists of five sprints, four of which are one week long and one that is two weeks long, each sprint has its own aim.

Sprint 1 - will be aimed toward developing the basic user interface that will be used for the other sprints.

Sprint 2 - Is for develop the back-end of the system, developing the database login system and any other functionality that will be needed for the next sprint.

Sprint 3 - This is the two week sprint this is because the aim is to enable the creation of custom marking schemes and I do not know what exact functionality will be required to make it work so I gave myself more time to develop it.

Sprint 4 - Aims to build on the previous sprint by developing lab helpers functionality.

Sprint 5 - Is for general improvements of the system mostly to focus on the user interface.

After sprints 2 and 5 there is a planned week for evaluation and documentation for the functionality implemented in the sprints that have occurred.

**Evaluation Stage:** This stage occurs at the final two weeks before the draft handin, I will consist of the creation of a usability case study (UCS) using the final result of the development stage, The UCS will be run and using the evaluated results to develop improvements for the system in the future. During the course of this stage I will also be completing the draft of my dissertation ready for the handin at the start of the next stage

**Final Deliverable Stage:** This stage start with the handin of my draft dissertation, it is followed by a week's break to allow for my supervisor to assess my draft. After that using the feedback I receive from both my supervisor and my second reader I will go about improving my dissertation so that it is of a high enough standard for the final handin.

**Poster Stage:** This stage will be entirely dedicated to the design and creation of my dissertation poster.

## 6.2 Risk Analysis

The risks relating to this dissertation are shown in table(3), each risk has an associated Likelihood, Impact and a Mitigation Strategy. Likelihood values are low, moderate and high, Impact values can be low, moderate or severe. The table is sorted by likelihood and then by the impact.

Table 3: Risk Analysis

ID	Risk	Likelihood	Impact	Mitigation Strategy
R-01	Browsers compatibility	High	Server	Constantly test browser compatibility after each sprint
R-02	Other university course-work deadlines	High	Moderate	Make sure to allocate adequate amount of time to other courses.
R-03	Lecturers cant create custom marking schemes	Moderate	Severe	Create selectable forms that lecturers can edit.
R-04	Requirements changed	Moderate	Moderate	Evaluate requirements before starting development phase and evaluate requirements regularly during project to notice any required changes before it causes a major issue
R-05	System speed is slow	Moderate	Moderate	Make sure system is well factored and follow coding standards
R-06	Users cannot understand the system	Moderate	Moderate	Usability Study is being run at the end of the project to evaluation future improvements

R-07	Used library get updated and causes error	Moderate	Moderate	Read update information before upgrading to understand where errors might occur
R-08	Admins cant assign courses	Moderate	Moderate	Assign courses as part of test data and make note as a future improvement to the system
R-09	Supervisor unable to make meeting	Moderate	Low	Contact supervisor and arrange another meeting time
R-10	Cannot get D3 to work	Moderate	Low	Just display stats as plain text
R-11	Personal Injury	Low	severe	Development would have to be delayed and discussions made with supervisor about how to continue
R-12	Loss of data	Low	severe	Back-ups will be stored throughout the project
R-13	Family Issue	Low	severe	Inform MACS and discuss what options are available depending on the situation
R-14	Users can't login	Low	severe	Major testing will be done of the login functionality including multiple unit tests
R-15	Users can't log out	Low	Moderate	Login will be using sessions which will timeout after a set time so if the user cannot log out then the system do it for them

R-16	Server hosting the project crashes	Low	Moderate	Contact the host and enquire about what has happened
R-17	Supervisor Leaves	Low	Moderate	Inform alisdair and request a new supervisor
R-18	Software Licences Expire	Low	Low	Check licences for all software i will be using during the project to make sure they are valid for length of project
R-19	Issues with transport to university	Low	Low	Use SSH to access any required information at the university



## **7 P.L.E.S Issues**

### **7.1 Professional Issues**

The professional part of this project will be done by following coding standards for the languages that I decide to use.

As this project will be a web application I will use external website to make sure that both the html and css in the system are both fully validated.

I will do my best to make sure that any personal information stored about people in the system will secure and encrypted, to make sure users feel safe in using the system.

Another issue I will have to deal with is to the readability of my code. To do this I will have to make sure that my code is well commented and has a well defined structure to allow for easy understanding.

The project will be provided with a user guide for the system so that people unfamiliar with it will be able to pick it up and use it quickly. I will also create a developer guide, that will detail how the system is designed, what structures are used and describe what method is the system do. This is to help future development of the system by other people, as it gives them an

### **7.2 Legal Issues**

There are multiple legal issues relating to this project. The most important one is the Data Protection Act. Since the systems will be designed to store data about students I will have to make sure that all data is encrypted and securely stored.

I will make sure that I follow the terms and services for any software or libraries I used as part of the project, to ensure I am using it in a legal fashion.

The system will be made open source, this is to allow other people to look at and improve the system once I have completed it.

### **7.3 Ethical Issues**

An ethical requirement of this project is to do with the storage of students personal information on a digital system; to deal with this issue I should consult the data protection act.

The largest ethical issue I will have to deal with is my usability case study, which will be after the development stage. All participants will be required to fill out a consent form before they take part, to make sure they know what they are taking part in. I will also have to make sure that I am impartial and that none of the questions in the case study are leading, so that useful data can be received from the study to help future development.

Another issue that is raised by this project is making sure that students are not deceived and that the marks they see are actually the ones they have received.

I will also have to deal with the ethics of having bugs in my system, at the end of development as part of the developer guild I will write up about know bugs so that people attempting to use the system know about any issues in it.

The last ethical issue relating to this project is privacy. I have to ensure that students, when they are online, are able to see only their own mark and cannot see another student's mark. It should also be made such that final grades are only visible to the lecture and student keeping it confidential from lab helpers.

### **7.4 Social Issues**

A few social issues are raised by this project. Such as if students can see the mark they have received straight away, will lab helpers feel pressurised into giving higher grades.

Will this system result in a reduction of lab helpers being required to mark labs? If the system speeds up the time to mark students work, less lab helpers may be required to run labs, resulting in people looking for work.

## References


- [1] B. S. Baker and E. Grosse. “System and method for restricting user access rights on the internet based on rating information stored in a relational database”. Pat. US5678041 A. U.S. Classification 1/1, 726/5, 709/229, 707/999.009, 707/999.001, 707/999.01; International Classification G06F1/00, G06F21/00, H04L29/06; Cooperative Classification G06F21/6218, Y10S707/99939, Y10S707/99931, H04L63/102, G06F2221/2141, H04L29/06, G06F21/604; European Classification G06F21/60B, H04L63/10B, H04L29/06. Oct. 1997. URL: <http://www.google.com/patents/US5678041> (visited on 11/22/2016).
- [2] M. Bostock. *D3.js - Data-Driven Documents*. URL: <https://d3js.org/> (visited on 11/20/2016).
- [3] S. A. Brown and A. Glasner, eds. *Assessment matters in higher education: choosing and using diverse approaches*. Chapter 4. Buckingham [England] ; Philadelphia, PA: Society for Research into Higher Education & Open University Press, 1999. ISBN: 978-0-335-20243-0 978-0-335-20242-3. URL: [https://books.google.co.uk/books?id=KVblAAAAQBAJ&pg=PA1&lr=&source=gbs\\_toc\\_r&cad=4#v=onepage&q&f=false](https://books.google.co.uk/books?id=KVblAAAAQBAJ&pg=PA1&lr=&source=gbs_toc_r&cad=4#v=onepage&q&f=false).
- [4] *CakePHP at a Glance*. URL: <http://book.cakephp.org/3.0/en/intro.html> (visited on 11/24/2016).
- [5] S. Dahl. “Turnitin The student perspective on using plagiarism detection software”. en. In: *Active Learning in Higher Education* 8.2 (July 2007), pp. 173–191. ISSN: 1469-7874, 1741-2625. DOI: 10.1177/1469787407074110. URL: <http://alh.sagepub.com/content/8/2/173> (visited on 11/21/2016).
- [6] B. Derby. “Duplication and plagiarism increasing among students”. en. In: *Nature* 452.7183 (Mar. 2008), pp. 29–29. ISSN: 0028-0836. DOI: 10.1038/452029c. URL: <http://www.nature.com/nature/journal/v452/n7183/full/452029c.html> (visited on 11/24/2016).
- [7] J. Ferraiolo, F. Jun, and D. Jackson. *Scalable vector graphics (SVG) 1.0 specification*. iuniverse, 2000. URL: <https://www.w3.org/TR/2001/REC-SVG-20010904/REC-SVG-20010904.pdf> (visited on 11/21/2016).

- [8] R. Finley. *SurveyMonkey*. 1999. URL: <https://www.surveymonkey.com/home/> (visited on 11/04/2016).
- [9] E. Heinrich and Y. Wang. “Online marking of essay-type assignments”. In: *In*. 2003, p. 768772. URL: <http://www-ist.massey.ac.nz/MarkTool/Publications/EdMedia20030nscreen.pdf>.
- [10] R. Higgins, P. Hartley, and A. Skelton. “The Conscientious Consumer: Reconsidering the role of assessment feedback in student learning”. en. In: *Studies in Higher Education* 27.1 (Feb. 2002), pp. 53–64. ISSN: 0307-5079, 1470-174X. DOI: 10.1080/03075070120099368. URL: <http://www.tandfonline.com/doi/abs/10.1080/03075070120099368> (visited on 11/23/2016).
- [11] N. Holt and S. Thomas. “Customizing forms in an electronic mail system utilizing custom field behaviors and user defined operations”. Pat. US7051273 B1. U.S. Classification 715/226; International Classification G06F17/00, G06F15/00; Cooperative Classification G06Q10/107; European Classification G06Q10/107. May 2006. URL: <http://www.google.com/patents/US7051273> (visited on 11/19/2016).
- [12] M. Joy, N. Griffiths, and R. Boyatt. “The Boss Online Submission and Assessment System”. In: *J. Educ. Resour. Comput.* 5.3 (Sept. 2005). ISSN: 1531-4278. DOI: 10.1145/1163405.1163407. URL: <http://doi.acm.org/10.1145/1163405.1163407> (visited on 11/23/2016).
- [13] M. Joy and M. Luck. “Effective electronic marking for on-line assessment”. en. In: *ACM SIGCSE Bulletin* 30.3 (Sept. 1998), pp. 134–138. ISSN: 00978418. DOI: 10.1145/290320.283096. URL: <http://portal.acm.org/citation.cfm?doid=290320.283096> (visited on 11/15/2016).
- [14] A Langan and C Wheeler. *Some Insights into Peer Assessment \textbackslash LTiA Issue 4 \textbackslash CeLT \textbackslash MMU*. URL: <http://www.celt.mmu.ac.uk/ltia/issue4/langanwheater.shtml> (visited on 11/21/2016).
- [15] P. Orsmond, S. Merry, and K. Reiling. “The Use of Student Derived Marking Criteria in Peer and Self-assessment”. In: *Assessment & Evaluation in Higher Education* 25.1 (Mar. 2000),

- pp. 23–38. ISSN: 0260-2938. DOI: 10.1080/02602930050025006. URL: <http://dx.doi.org/10.1080/02602930050025006> (visited on 11/16/2016).
- [16] J. Plekhanova. “Evaluating web development frameworks: Django, Ruby on Rails and CakePHP”. In: *Institute for Business and Information Technology* (2009). URL: <https://ibit.temple.edu/wp-content/uploads/2011/03/IBITWebframeworks.pdf> (visited on 11/23/2016).
- [17] J. Tang and C. Harrison. “Investigating university tutor perceptions of assessment feedback: three types of tutor beliefs”. In: *Assessment & Evaluation in Higher Education* 36.5 (Aug. 2011), pp. 583–604. ISSN: 0260-2938. DOI: 10.1080/02602931003632340. URL: <http://dx.doi.org/10.1080/02602931003632340> (visited on 11/23/2016).
- [18] Z. Tufekci. “Can You See Me Now? Audience and Disclosure Regulation in Online Social Network Sites”. en. In: *Bulletin of Science, Technology & Society* 28.1 (Feb. 2008), pp. 20–36. ISSN: 0270-4676, 1552-4183. DOI: 10.1177/0270467607311484. URL: <http://bst.sagepub.com/content/28/1/20> (visited on 11/24/2016).
- [19] *Turnitin - Home*. URL: [http://turnitin.com/en\\_us/home](http://turnitin.com/en_us/home) (visited on 11/21/2016).
- [20] E. Waclawski. “How I Use It: Survey Monkey”. en. In: *Occupational Medicine* 62.6 (Sept. 2012), pp. 477–477. ISSN: 0962-7480, 1471-8405. DOI: 10.1093/occmed/kqs075. URL: <http://occmed.oxfordjournals.org/content/62/6/477> (visited on 11/22/2016).

# Appendix A Project Plan

## A.1 Gantt Chart



## A.2 Task List

### Dissertation

23-Nov-2016

### Tasks

2

Name	Begin date	End date
Handin Deliverable 1	24/11/16	24/11/16
Finish Semester 1	25/11/16	09/12/16
Design	12/12/16	23/12/16
Draft Mock-up	12/12/16	16/12/16
Database Plan	19/12/16	21/12/16
Design Sprint Content	22/12/16	23/12/16
System diagrams	12/12/16	23/12/16
Holiday	26/12/16	30/12/16
Development	02/01/17	24/02/17
Sprint 1: UI Development	02/01/17	06/01/17
Sprint 2: Backend	09/01/17	13/01/17
Evaluate & Document	16/01/17	20/01/17
Sprint 3: Custom Form Making	23/01/17	03/02/17
Sprint 4: Lab Helper Functions	06/02/17	10/02/17
Sprint 5: UI Improvements	13/02/17	17/02/17
Evaluate & Document	20/02/17	24/02/17
Evaluation	28/02/17	17/03/17
Create Usability Case Study	28/02/17	06/03/17
Run Usability Case Study	07/03/17	13/03/17
Evaluate Case Study	14/03/17	17/03/17
Final Deliverable	20/03/17	24/04/17
Dissertation Draft Handin	20/03/17	20/03/17
Evaluate Feedback	27/03/17	29/03/17
Finalise Disertation	30/03/17	21/04/17
Dissertation Handin	24/04/17	24/04/17
Poster	25/04/17	05/05/17
Create Poster	25/04/17	03/05/17
Print Poster	04/05/17	04/05/17
Poster Session	05/05/17	05/05/17