

Membership Overview

This deck is available in your [LFX Organizational Dashboard](#)



Antitrust Policy Notice

Linux Foundation meetings involve participation by industry competitors, and it is the intention of the Linux Foundation to conduct all of its activities in accordance with applicable antitrust and competition laws. It is therefore extremely important that attendees adhere to meeting agendas, and be aware of, and not participate in, any activities that are prohibited under applicable US state, federal or foreign antitrust and competition laws.

Examples of types of actions that are prohibited at Linux Foundation meetings and in connection with Linux Foundation activities are described in the Linux Foundation Antitrust Policy available at linuxfoundation.org/antitrust-policy. If you have questions about these matters, please contact your company counsel, or if you are a member of the Linux Foundation, feel free to contact Andrew Updegrove of the firm of Gesmer Updegrove LLP, which provides legal counsel to the Linux Foundation.



Antitrust Policy Notice

Linux Foundation meetings involve participation by industry competitors, and it is the intention of the applicable antitrust laws that attendees adhere to pre-competitive platform that enables cooperation and leveraged development.

Examples of typical Linux Foundation meetings and in connection with Linux Foundation activities are described in the Linux Foundation Antitrust Policy available at linuxfoundation.org/antitrust-policy. If you have questions about these matters, please contact your company counsel, or if you are a member of the Linux Foundation, feel free to contact Andrew Updegrove of the firm of Gesmer Updegrove LLP, which provides legal counsel to the Linux Foundation.



LF Energy accelerates the energy transition by
building communities to develop open
technologies and standards.

Generation

Nuclear Power Import



Cross-Border Interconnection



Local Generation




Power Network


Telecommunication

Transmission & Distribution


Remote Control / Condition Monitoring / Wide-Area Monitoring



Grid Automation



Intelligent Substation



Smart Switch & Distribution Automation

Residential

Smart Control/ Smart Applications



Home Display Unit



Energy Storage



Smart Meter/ Advanced Metering Infrastructure

Commercial & Industrial



Car Park with Electric Vehicle Charging



Energy Storage



Distributed Generation



Distributed Energy Management System



Smart Building

LF Energy Members

LF ENERGY

LF Energy Member - Strategic (5) +1



LF Energy Member - General (21) +3

Artelys
OPTIMIZATION SOLUTIONS

aspentech

AVEVA

chargebyte

d-fine

ENERGINET

FUTUREWE
technologie



Hydro Quebec

LUTECH

PIONIX

RECURVE

**Savoir-faire
LINUX**

**REPLY
SENSE**

Statnett

tennet

Utilidata

UTILITYAPI

VATTENFALL

WattCarbon

**WELOTEC
SUSTAINABILITY**

LF Energy Member - Associate (39) +3

**Carbon
Co-op**

centerdenmark

CRESYM

TU Delft

EDSN
energiedata voor bedrijven

ElaadNL

EPRI ELECTRIC POWER
RESEARCH INSTITUTE

ENACCESS

ENERGY FOUNDATION

EnergyAI.Berlin

EnergyTag

entsoe

EPFL

FIWARE

**Fraunhofer
IIS**

**FAU
FRIEDRICH-ALEXANDER
UNIVERSITÄT
ERLANGEN-NÜRNBERG**

**IOWA STATE
UNIVERSITY**

**KTH
KTH ROYAL
INSTITUTE
OF TECHNOLOGY**

Lorraine University of
Applied Sciences and Arts
**HOCHSCHULE
LUZERN**

M-RETS

NREL
NATIONAL RESEARCH ENERGY CENTER

**OPEN
CLIMATE
FIX**

**OPEN EARTH
FOUNDATION**

**openADR
ALLIANCE**

OpenUK

**OwnTech
Fondation**

PECAN STREET

**Project
Haystack**

**RWTH AACHEN
UNIVERSITY**

Stanford

**The Alan Turing
Institute**

**theEnergy
Coalition**

**TRUSTED[®]
COMPUTING
GROUP**

**UNIVERSITÄT
TEKNOLOGI
MARA**

**UNIKASSE
VERSITÄT**

**V
VANDERBILT
UNIVERSITY**

**VF
VOLTA
FOUNDATION**

**WASHINGTON STATE
UNIVERSITY**

WattTime[®]

LF Energy Projects



SIG - Digital Substations Automation Systems (DSAS) (4)



SIG - EV Charging (2)



SIG - Grid Operations (8)



SIG - Grid Simulation and Modeling (8)



SIG - Data Standards and Tooling (6)



LF Energy Landscape

lfenergy.org

1,343 projects,
market cap of
\$7.5T and
funding of
\$17B.



lfenergy.org

LF Energy Landscape
1.0

See the interactive landscape at lfenergy.org

LF ENERGY Landscape

LF ENERGY Landscape is a community-driven initiative where various entities, innovators, and others can use it as a resource to connect with each other and the ecosystem.

lfenergy.org

The LF Energy Landscape is a comprehensive map of energy projects, from renewables to efficiency, vehicles, innovation, and others. It's designed to facilitate connections between entities involved in the energy transition.


Key sections include:

- Renewable Energy:** Solar, Wind, Hydro, Geothermal, Bioenergy.
- Battery and Hydrogen:** Storage, Fuel Cells.
- Modeling and Optimization:** Energy Systems, Buildings and Heating, Mobility and Transportation, Production and Industry, Computation and Communication.
- Monitoring and Control:** Distribution and Grids, Datasets on Energy Systems.
- Conservation of Energy and Resources:** Carbon Intensity and Accounting, Carbon Capture and Removal, Emission Observation and Modeling, Emissions.
- Industrial and Infrastructure:** Industries, Infrastructure.
- Geosphere:** Atmosphere, Cryosphere, Hydrosphere.
- Earth Systems:** Climate and Earth Science, Earth and Climate Modeling, Radiative Transfer, Metabolical Processes and Soil, Climate Data Processing and Access, Integrated Assessment.
- Nature References:** Air Quality, Water Supply and Quality, Soil and Land, Agriculture and Nutrition, Natural Hazard and Disaster.
- Sustainable Development:** Sustainable Development, Sustainable Investment, Knowledge Platforms, Data Catalogs and Interfaces, Curated Lists.

Governance

QLF ENERGY

Governance at a Glance



Governing Board overview

Comprised of one (1) voting representative from each Strategic LF Energy member, two (2) annually elected General member, the TAC Chairperson, the Governing Board's responsibilities include:

- Deciding on strategic business orientations, approving budget and new projects
- Electing a Chair to preside over Governing Board meetings, authorize expenditures approved by the budget and manage any day-to-day operations
- Overseeing all Project business, marketing, outreach and trademark matters



Governing Board voting representatives



Lucian Balea

Chair

Open Source
Program Director
RTE (Reseau de
Transport
d'Electricite)



Antonello Monti

Professor

RWTH Aachen
University



Arjan Stam

Treasurer

Value Stream Lead
Alliander



Audrey Lee

Senior Director,
Energy Strategy

Microsoft
Corporation



Bryce Bartmann

Chief Digital
Technology Advisor
Shell International
Exploration &
Production, Inc.



**Christophe
VILLEMER**

Executive Vice
President
Savoir-faire Linux



Jordan Hughes

Senior Software
Engineer
Apple Inc.



Marco Möller

CEO
Pionix GmbH



**Savannah
Goodman**

Data and Software
Climate Solutions
Google LLC

Appointing your Governing Board representative

(*Strategic Member benefit*)

As a Strategic Member, you are entitled to appoint a representative from your organization to serve on the Governing Board.

Expectations of this role:

- Attend monthly Governing Board meetings (1st Wednesday of the month at 8:00 am US Pacific Time)
- Participate in membership recruitment activities, including monthly membership pipeline review call.
- Be available from time-to-time for strategic discussions and calls.

ACTION: To appoint your representative, please file a request at members.lfenergy.org, and have the representative create an [LF ID](#).

You can change your representative at any time by making a request at members.lfenergy.org.

Governing Board representative election (General Member benefit)

Per the [LF Energy charter](#), Section 2(c):

General Members, acting as a class, will be entitled to annually elect one representative to the Governing Board for every ten General Members, up to a maximum of three representatives, provided that there will always be at least one General Member representative, even if there are less than ten General Members. The Governing Board determines the election process.

The General Member class elects new representative(s) during the month of June to serve a term from July 1st through June 30th the following year.

ACTION: Look for details regarding the election in April/May.
If you have any questions about this process or the role, please contact us at members.lfenergy.org.



CEO AT PIONIX GMBH
Marco Möller



EXECUTIVE VICE PRESIDENT AT SAVOIR-FAIRE
LINUX

Christophe VILLEMER

Technical Advisory Council (TAC) overview

The TAC is the technical governance heart and soul of LF Energy. As new projects get contributed to LF Energy they get reviewed and approved by this committee.

TAC members consist of Strategic members as well as the project leads for all active projects. Anyone in the community can attend TAC meetings.

The TAC meets every 3 weeks on Tuesdays, and members are invited to attend these calls. Subscribe to the technical mailing list at lists.lfenergy.org/g/tac for more information and add the [TAC Meeting to your Calendar Now.](#)



Technical Advisory Council (TAC) voting representatives



| | | | | | | | |
|---|---|---|--|---|--|---|--|
|  | Antonello Monti Chair Professor RWTH Aachen University |  | Anne Tilloy Project manager RTE (Reseau de Transport d'Electricite) |  | Art Pope Member of Technical Staff Google LLC |  | Boris DOLLEY Director of OSPO and Sustainable IT Strategy RTE (Reseau de Transport d'Electricite) |
|  | Bryce Bartmann Chief Digital Technology Advisor Shell International |  | Jonas van den Bogaard Open Source Office Lead Alliander |  | Maarten Mulder PO IoT Field Device Platforms Alliander |  | Travis Sikes Data Science Manager Recurve |
|  | Yixing Xu Senior Program Manager, Energy Strategy Microsoft Corporation | | | | | | |

Appointing your TAC representative

(*Strategic Member benefit*)

As a Strategic Member, you are entitled to appoint a representative from your organization to serve on the TAC. Expectations of this role:


- Attend TAC meetings held every three weeks on Tuesday at 8:00am US Pacific Time.
- Be available to serve as a TAC mentor to new projects coming into LF Energy
- Participate in out of meeting discussions.
- Be available from time-to-time for strategic discussions and calls.

ACTION: To appoint your representative, please file a request at members.lfenergy.org, and have the representative create an [LF ID](#).

You can change your representative at any time by making a request at members.lfenergy.org.

LF Energy project lifecycle

- Projects can become part of LF Energy through the submission of a mature code base.
- Projects can also be formed through working groups or special interests groups that submit a proposal and then form as a project.
- Learn more at lfenergy.org/host-your-project



Marketing Advisory Committee (MAC)

Member Representatives (**bold** indicates voting member)

The MAC advises on marketing and communications strategies including events and campaigns.

The MAC is made up of representatives from all members. There is no cap on the number of committee members.

The MAC meets the 4th Thursday of each month at 7 am US Pacific, and members are invited to appoint a representative to attend these calls.

Recordings and minutes from prior meetings are [available publicly](#).

| Name | Company/organization |
|--------------------------------------|-----------------------|
| Daniel Lazaro | AVEVA |
| Duncan Johnston-Watt / Csilla Zsigri | BTP |
| Jonas van den Bogaard | Alliander |
| Chris Xie (Chair) | Futurewei |
| Mark Caine | Google |
| Matt Fawcett | Carbon Co-op |
| Christophe VILLEMER | Savoir-faire Linux |
| VACANT | Microsoft |
| Louisa Durkin | Open Earth Foundation |
| Nate Kinsey | UtilityAPI |
| Kelli Littleton | WattCarbon |
| Aarthi Thyagarajan | Shell |
| Morten Småstuen | Statnett SF |
| Sheii Lindley | Recurve Analytics |
| Tim Krentz | Vanderbilt University |
| Jessica Ridlen | Utilidata |
| Ben Mosler | PIONIX GmbH |
| Katia Di Pace | Areti |
| Boris Dolley | RTE |
| Fabian Kolley | d-fine |

Appointing your MAC representative

(*Open to all members*)

As an LF Energy Member, you are entitled to appoint a representative from your organization to serve on the MAC. Expectations of this role:

- Attend MAC meetings held the 4th Thursday of each month at 7 am US Pacific / 10 am US Eastern / 16:00 Central European Time
- Participate in out-of-meeting discussions.
- Be available from time-to-time for strategic discussions and calls.

ACTION: To appoint your representative, please complete this [form](#) (select “Marketing/PR” then “Add or Change Marketing Committee Member”).

You can change your representative at any time by making a request at the same link.

LF Energy staff

- [Alex Thornton](#), LF Energy Executive Director
- [Dan Brown](#), Marketing Director
- [John Mertic](#), Program Director
- [Yarille Ortiz](#), Sr. Project Coordinator



*Support requests for the staff can be made at
support.lfenergy.org.*


LFX Organization Dashboard

[LFX Organization Dashboard](#) provides access to key membership materials, including...

- Member contacts, which you can change at any time (look under 'Users' > and then under the 'Key People' tab)
- Membership details (look under 'Membership' > 'LF Energy Foundation'), including...
 - Membership Overview Deck and High Level Overview Deck (look under the 'Resources' tab)
 - Your fully executed membership agreement (look under the 'Membership' tab)
 - Details on how to leverage membership benefits (look under the 'Benefits' tab)
 - Insights on contributors from your organization (look under the 'Project Contributors' tab)

ACTION: Request access to LFX Organizational Dashboard [here](#).

Make sure you are following us on social!



Follow us on LinkedIn at
linkedin.com/company/lf-energy-foundation

And sign up for the [LF Energy newsletter](#) to keep up to date on project happenings

LF ENERGY



Leveraging your membership benefits



Announcing your membership

We will include your company in an upcoming momentum press announcement. These are typically done quarterly and timed around events for maximum impact.

ACTION: Please provide 1-2 sentences on your company, name of a spokesperson, and a quote to include in the press announcement. Submit request to members.lfenergy.org.

Please note that these announcements are often picked up by press and media, and there may be requests for briefings.

APR
11

LF Energy Adds New Software and Specifications Projects, Significantly Growing Membership

By LF Energy |

LF Energy, the open source foundation focused on harnessing the power of collaborative software and hardware technologies to decarbonize our global economies, announces five new software projects and 19 new Strategic, General and Associate members.

Read More

Marketing and Event Benefits

The LF Energy staff is here to help you get connected with hosted projects and other members, ensuring value for your investment in the LF Energy Foundation.

All members receive the following benefits:

- Support for member announcements and member PRs
- If member requests, LF Energy will provide quote for member press release or blog
- Logo on the website once your membership has been announced
- Discount on Event Sponsorship packages

ACTION: Contact us at members.lfenergy.org for more details.




You can get LF Energy member logos to use on your website and materials at artwork.lfenergy.org/other/lf-energy-member/

Participate in Standards Development

LF Energy Members can contribute to the specifications being driven under LF Energy Standards and Specifications by completing the membership agreement at joinnow.lfess.energy.

- As an LF Energy Strategic Member, you receive representation on the LFESS Steering Committee
- As an LF Energy General Member, you can run for election to serve on the LFESS Steering Committee.

More information on LFESS Governance at
<https://github.com/lf-energy/lfess-resources/blob/main/GOVERNANCE.md>



Additional Benefits for Strategic Members

Strategic members are key partners in driving the direction of the LF Energy Foundation, and we partner closely with in driving the mission and vision of the foundation.

Exclusive benefits for Strategic members include:

- Send signal that you are committed and serious about the energy transition and 100% planetary decarbonization
- Guaranteed seat on the LF Energy Governing Board and LF Energy Technical Advisory Council, where your organization can shape where funds are directed, direction of project investments, branding, messaging, PR, marketing, developer events, training
- Placement of member brand at forefront of LF Energy web properties and promotion in top news outlets
- Participation in Linux Foundation Member Summit (Additional Seat)
- Direct assistance with your open source strategy activities, and R&D portfolio, with premium access to the project ED to understand business goals help you succeed in those goals any way possible and premium access to the LF Energy open source leadership to advise member of advancing brand leadership worldwide in open source
- LF Leadership support to keynote member events, participate in outreach (eg roadshows, events, conference meet ups etc.)
- Priority for hosting LF Energy Roadshows and meetups at the location of their choice
- 2x guest blog pieces on LF Energy blog

ACTION: Contact us at members.lfenergy.org for more details.



Current Strategic Members



Contact Us

LF Energy Foundation

548 Market St
PMB 57274
San Francisco CA 94104
Phone/Fax: +1 415 723-9709
www.lfenergy.org

General Inquiries

support@lfenergy.org

Membership

membership@lfenergy.org





Projects in Detail

QLF ENERGY

Digital Substations

Digital Substation Architecture






Real-time platform that can run virtualized automation and protection applications

Early Adoption

"Reference design" and "industrial grade" open source real-time platform that can run virtualized protection, automation and control applications.

Meets the high requirements of substation reliability, performance and availability.

- **Hosting of virtualization systems:** a heterogeneous variety of virtual machines can be installed and managed on the platform.
- **High availability and clustering:** machines on the cluster are externally monitored in order to guarantee the high availability in case of hardware or software failures.
- **Distributed storage:** data and disk images from the virtual machines are replicated and synchronized in order to guarantee its integrity and availability on the cluster.
- **Intelligent virtual network:** the virtualisation platform is capable of configuring and managing the network traffic in a data layer level.
- **Administration:** system can be easily configured and managed from a remote machine connected to the network as well as by an administrator on site.
- **Automatic update:** the virtualisation platform can be automatically updated from a remote server.



© 2019-2020 Advantech, Alliander, GE, National Grid, RTE, Schneider Electric, Siemens, licensed under Creative Commons Attribution 4.0 International (CC BY 4.0)

Learn more at seapath.energy | [GitHub](https://github.com/seapath-project) | [Video](#)

Contributions by




Profile management and configuration for IEC 61850 protection, automation and control systems

Incubation

Common software blocks for IEC 61850 profile configuration, using an open source shared development model, accelerating conformity to IEC 61850 through software implementation.

Primary use cases:


- Tools for IEC 61850 profile management and configuration are needed at various business processes of the power grid industry
- The planning process for grid infrastructure components facilitates the design of power system adaptations and the engineering of substation PACS to be installed or upgraded
- Specifying requirements and performing multi-vendor system integration and commissioning during the PACS procurement and delivery phase
- Adapting to changes in operational conditions and performing system configuration updates during the operational life of PACS
- Managing assets in order to perform maintenance actions and PACS upgrades
- Improving the interlinkage between grid planning and PACS engineering processes
- Improving the interlinkage between the configuration of PACS and the configuration of central systems, including SCADA and asset management



Learn more at compas.energy | [GitHub](#) | [Video](#)

Contributions by

alliander



OMICRON



Rte



TRANSNET BW



TRANSPower

SPRINTEINS




Substation Configuration Designer

Sandbox

From communication design, configuration, and commissioning; through to modelling, monitoring, maintenance and replacement, OpenSCD offers a universal tool built on IEC 61850 industry standards.

Key features:

- SCD File Improvement:** Enhance existing SCD (Substation Configuration Description) files by seamlessly incorporating crucial substation information, ensuring comprehensive documentation and efficient workflow.
- IEC 61850 Configuration and Engineering:** Facilitate engineering of compliant IEC 61850 devices with ease, supported by a plug-in architecture for effortless integration of vendor-specific components.
- IEC 61850 System Design and Configuration:** Realize the vision of a comprehensive system configuration tool with evolving features, enabling top-down engineering of IEC 61850 systems.



Learn more at openscd.energy | [GitHub](https://github.com/OpenSCD/OpenSCD) | [Video](#)

Contributions by





Multi-protocol translation gateway for power systems based on the industrial IoT LF Edge project Fledge


Incubation

Flexible, lightweight, industrial-grade, open source gateway that embeds Fledge (LF EDGE). Additionally, FledgePOWER provides a toolbox for simulation, data configuration, and checking focused uniquely on power systems' protocols translation and power systems' use cases.

Features: lightweight, extensible, modular, flexible, scalable, secured, interoperable

Use cases:

- Improving the availability of an IEC 104 substation by deploying FledgePower with multi-centre IEC 104 redundancy.
- Securing an old generation substation in HNZ protocol, by deploying FledgePower with IEC 104 over TLS.
- Power grid simulation, using FledgePower to integrate with the substation in IEC 104 on the one hand and the simulation system in OPCUA on the other.



Learn more at fledgepower.energy | [GitHub](#) | [Video](#)

Contributions by





ALFEN ENERGY
EV CHARGING

The logo consists of the word "ALFEN ENERGY" in a bold, sans-serif font. The letters "A", "L", "F", "E", "N", "E", "R", "G", and "Y" are colored blue. The letters "A", "L", "F", "E", "N", "E", "R" are stacked vertically, while "G" and "Y" are positioned to the right of "N". Below this, the words "EV CHARGING" are written in a smaller, bold, dark blue sans-serif font.



Open source modular framework for EV chargers


Early Adoption

Software for EV chargers with implementations of:

- communication protocols
- software modules for representations of hardware devices (chargers, cars, etc.)
- tools for simulating the charging process

By digitally abstracting the complexity of multiple standards and use cases, EVerest runs on any device, from unmanaged AC home chargers to complex multi-EVSE satellite public DC charging stations with battery and solar support.

EVerest supports all protocols needed to facilitate frictionless and reliable charging.



Learn more at everest-project.energy

[Documentation](#) | [GitHub](#) | [Video](#)

Contributions by






Open source charger network software for rapid OCPP 2.0.1 and NEVI compliant EV charge management

Sandbox

The primary goal of CitrineOS is to develop and maintain an open source Charging Station Management System (CSMS) software stack.

CitrineOS is developed having modularity and extensibility in mind. It consists of logically separated modules, each encapsulating a subset of functionality pertaining to the definitions of OCPP 2.0.1 – the standard protocol for communication between charging stations and charge management software.

All modules handle and emit all necessary OCPP messages and are loosely coupled by a message broker interface connecting them to a central component that relays the messages to the charging station and vice versa.



Learn more at

<https://lfenergy.org/projects/citrineos/> | [GitHub](#)

[Video](#)

Contributions by



Data Standards and Tooling



Computing consistent and replicable estimates of changes in time series of energy consumption, primarily as measured for populations of commercial and residential buildings.

Incubation


Top Use Cases

OpenEEmeter, as implemented in the eemeter package and its companion eeweather package, contains the most complete open source implementation of the [CalTRACK methods](#), which specify a family of ways to calculate and aggregate estimates avoided energy use at a single meter particularly suitable for use in pay-for-performance (P4P) programs

Technical Summary

OpenEEmeter emphasizes consistency and replicability to facilitate payments and market transactions that may be take the energy savings outputs of the software as inputs.

Project contributed by [Recurve](#)



Learn more at [openeemeter.energy](#) | [GitHub](#) |

[Video](#)

Contributions by

RECURVE

WattCarbon





Building sustainable open source software,
best practices, and deliver standards for the
battery industry

[Sandbox](#)

Design: One key challenge arises from the lack of open source battery data and a standardized method to access existing datasets. As a result, companies often find themselves engaged in redundant efforts concerning data collection and conversion.

Testing: Many companies manually configure their testing equipment. There is a gap in the market between available testing standards and the actual execution of tests.

Manufacturing: Variations in battery data structures across manufacturers lead to unnecessary complexities in schema design and data conversion leading to inefficiencies and barriers for collaboration.

Telemetry: The area of battery telemetry remains largely unexplored from an open-source perspective. There is untapped potential for development and growth in this area.

Learn more at

<https://lfenergy.org/projects/battery-data-alliance/>

Contributions by



BattGenie.





OpenSynth

Open community designed to democratize synthetic data

[Sandbox](#)

The initial focus for the community includes:

- Defining what comprises 'good' synthetic data (to include how synthetic data in energy might be evaluated for common concepts such as privacy, fidelity and utility)
- Developing an open repository for synthetic smart meter data and algorithms
- Encouraging community members to contribute data by using our initial algorithms

Learn more at

<https://lfenergy.org/projects/opensynth/>

Contributions by



Centre for Net Zero

Powered by Octopus Energy




Specifications for the underlying measured/raw data used to calculate energy and carbon-related metrics.

Use Cases

- Customer data. This may include, but is not limited to:
 - Metering consumption and production data
 - Account and bill data needed for project analysis
 - Authorization and consent processes
- Power systems data. This may include, but is not limited to:
 - Power generation emissions
 - Delivery capacities and/or constraints
 - Generation mix
 - Power imports and exports
 - Power market data
 - Contractual data

Technical Summary

Data dictionary for raw data and a standard for data requirements that enable energy data access for measuring, quantifying, and tracking carbon emissions from energy production and consumption.



Learn more at carbondataspec.org | [GitHub](https://github.com/CarbonDataSpecification)

Contributions by




Worldwide applicable meter and respective data gateway specification

Use Cases

- Basic metering functionality
- Country-specific functionality
- Third party functionality and integration capability for system operation applications

Technical Summary

Standards collaboration



Learn more at superadvancedmeter.energy |
[GitHub](#) | [Video](#)

Contributions by






Accelerating the implementation of interoperable systems for the exchange of transmission facility ratings

With FERC Order 881, North American Transmission Owners, Transmission Operators, Transmission Providers, and Reliability Coordinators must establish a means to exchange ratings information based on current and forecasted ambient conditions.

The project's specific aims are:

- Define API specification for the exchange of ratings and ratings-related information to support organizations working to comply with FERC Order 881.
- A conformance program that emulates that Zowe Conformance Program or the Certified Kubernetes Conformance Program insofar as they give vendors a means to demonstrate their conformance to the above specification and signal their commitment to maintaining their conformance over time.
- An open commons for the development of clients of the API specification.



Learn more at <https://itenergy.org/projects/tolie/>

| [Documentation](#) | [GitHub](#) | [Video](#)

Contributions by



Grid Operations




Industrial IoT backend that enables hardware monitoring and control at scale

Early Adoption

GXF provides several functions out of the box and provides scalability & high availability, high security, a generic design, and no vendor lock-in. GXF is currently deployed in several public use cases, including microgrids, smart metering, public lighting, and distribution automation.

GXF can be deployed to multiple servers or distributed over multiple data centers in an active-active setup so that even if one data center fails, no data or functionality is lost. In a cloud-hosted setup, it is possible to use auto scaling to automatically add or remove servers on any of the platform layers to scale the platform to the current load and use. Servers can automatically be scaled up and down when necessary, thereby reducing hardware costs. This setup can also be used to minimize the costs during the phased rollout of smart devices.



Learn more at gxf.energy | [GitHub](#) | [Video](#)

Contributions by



Modular, extensible platform for alert management for systems operators


Early Adoption

Top Use Cases

- Electricity, water, and other utility operational dashboard for managing field devices and alert response
- Organizational power system coordination, visibility, communication, and workflow between distributed users across national and regional boundaries.

Technical Summary

- Written in Java and based on the Spring framework



Learn more at operatorfabric.energy | [GitHub](https://github.com/operatorfabric) |

[Video](#)

Contributions by



Microservice based architecture for distribution grid automation


Early Adoption

Top Use Cases

- State Estimation
- Load Prediction
- Voltage Control

Technical Summary

- Microservices architecture; designed to be deployed using Kubernetes, either in the cloud or at the edge
- Seamless integration of development, testing, and deployment enables new automation functionalities to be developed and thoroughly tested against a virtual real-time representation of the power system before deployment.
- Developed under European Union's Horizon 2020 research and innovation programme under grant agreement No 774613, and open sourced by RWTH.



Learn more at sogno.energy | [GitHub](#) | [Video](#)



Intelligent & developer-friendly EMS to support real-time energy flexibility apps, rapidly and scalably

Top Use Cases

The problem it helps to solve is “What are the best times to run flexible assets, like batteries, heat pumps or industry processes?”

- Industry: Shift process running times to minimize balancing costs as well as CO₂ & support network congestion
- Built Environment: Optimize heating to satisfy comfort and energy costs (use rooftop solar & dynamic tariffs)
- E-Mobility (optimal charging time to lower bills, including vehicle-to-grid)

Technical Summary

FlexMeasures is designed to be developer-friendly, which helps you to go to market quickly, while keeping the costs of software development at bay.

FlexMeasures supports:

- Real-time data integration & intelligence
- Model data well – units, time resolution & uncertainty (of forecasts)
- Faster app-building (API/UI/CLI, plugin & multi-tenancy support)

Incubation



Learn more at flexmeasures.energy | [GitHub](https://github.com/flexmeasures/flexmeasures)

Contributions by



Seita



DLF ENERGY

SHAPESHIFTER

Implements the Universal Smart Energy Framework for flexibility forecasting, offering, ordering, and settlement processes.


Incubation

Top Use Cases

- Exchange of flexibility between aggregators (AGRs) and distribution system operators (DSOs) or between aggregators and transmission system operations (TSOs).
- Enables DSO and TSO to resolve grid constraints by applying congestion management or grid capacity management

Technical Summary

- Based on the market-based coordination mechanism (MCM) described by USEF



Learn more at shapeshifter.energy | [GitHub](#) |

[Video](#)

Contributions by



GOPACS



Easy access to high volume, historical and real time process data for analytics applications, engineers, and data scientists wherever they are.

Use Cases

- Process time series data for preventive maintenance management


Technical Summary

Key components are:

- The Delta Ingestion engine used to process streaming data from streaming sources and files stored in cloud storage into Delta format. The data ingested is typically sourced from Pi Historians, OPC UA Servers, IoT Devices 2.
- Python SDK that enables data consumers to read and query raw, sampled, interpolated or time weighted averages of the data stored in Delta3.
- REST APIs that are wrappers for the Python SDK that enable developers in non-python languages to consume the data

Contributed by [Shell](#)

OLF ENERGY



Learn more at [rtdip.io](#) | [GitHub](#) | [Video](#)

Contributions by



Grid Simulation and Modeling




Early Adoption

Top Use Cases

- Dynamic power flow simulations and security analyses across a power grid
- Data exchanges using a variety of formats including ENTSO-E CIM/CGMES, UCTE-DEF, and more.

Technical Summary

- Written in Java
- Can be used for one-off scripting and scale up to production application usage.



Learn more at powsybl.energy | [GitHub](https://github.com/powsybl/powsybl) | [Video](#)

Contributions by



Artelys
OPTIMIZATION SOLUTIONS



Hybrid C++/Modelica open source suite of simulation tools for power systems


Incubation

Top Use Cases

- Power system simulations
- Decision making on operational grid needs

Technical Summary

- Hybrid C++/Modelica codebase



Learn more at

<https://lfenergy.org/projects/dynawo/> | [GitHub](#)

[Video](#)

Contributions by





Predict future load on the electricity grid using machine learning


Incubation

Top Use Cases

- Forecasting load at the DSO/TSO interface
 - Forecasting load for the DSO to perform congestion management
 - Forecasting load on secondary substations or individual customers to facilitate smart-grid applications

Technical Overview

- OpenSTEF validates input data, uses external predictors such as weather and market prices, trains machine learning models, and provides a forecast via API and graphical user interface.
 - The stack is based on open source technology, organized in a microservice architecture, and optimized for cloud-deployment.



Learn more at [openstef.energy](#) | [GitHub](#) | [Video](#)

Contributions by



High performance distribution grid calculation model

Incubation


Top Use Cases

- Short term real-time state estimation and forecasting
- Long term grid planning
- Congestion management

Technical Summary

Power Grid Model has a C++ calculation core with a mature C-API and Python API. Currently, it supports the following calculations:

- Symmetric and asymmetric power flow calculation with Newton-Raphson method, iterative current method and linear method
- Symmetric and asymmetric state estimation with iterative linear method



Learn more at powergridmodel.energy | [GitHub](https://github.com/PowerGridModel/powergridmodel) |
[Video](#)

Contributions by





Simulation and analysis tool that models emerging smart grid energy technologies


Top Use Cases

- Distributed energy resource hosting capacity, tariff design, and end-use load electrification
- Extreme weather resilience and wildfire safety and protection,
- Peer-to-peer energy and advanced load modeling and forecasting.

Technical Summary

- Originally called HiPAS GridLAB-D.
- Primarily built in C++ and Python.

Project contributed by California Energy Commission and US Department of Energy Cybersecurity Energy Security and Emergency Response Office



Learn more at arras.energy | [Website](#) | [GitHub](#)

Contributions by





Help electric grid operators anticipate, mitigate against, and recover from the effects of extreme weather events


[Sandbox](#)

GRIP uses telemetry data to identify infrastructure most at risk from severe weather. One of the key strengths of GRIP is its threat-agnostic grid modeling capabilities. Regardless of the type of extreme weather event, if telemetry data is available regarding the failed asset, GRIP's system modeling capabilities can provide actionable insights to the grid operator.

Use cases:

- Anticipating grid events using machine learning and artificial intelligence techniques with diverse data sources.
- Absorbing grid events by employing validated control strategies for distributed energy resources; and
- Reducing recovery time by managing distributed energy resources in the case of limited communications.

With GRIP, electrical utility operators can reduce operating costs by optimizing grid hardening costs and lowering liability costs and shareholder exposure. These grid operator benefits will ultimately lead to lower electricity rates for customers.



Learn more at <https://www.grip.energy/> | [GitHub](#) | [Website](#)

Contributions by

SLAC
NATIONAL
ACCELERATOR
LABORATORY

aws



SOUTHERN CALIFORNIA EDISON®
Energy for What's Ahead™
Pacific Northwest NATIONAL LABORATORY

HITACHI

Enable grid operators - and the customers they serve - to more easily see when and where connections will be most optimal


Sandbox

Top Use Cases

- Ensure customer and stakeholders expectations on grid connections are realistic to give a better connection experience with fewer surprises for both grid owner (DSO/TSO), grid customers and other stakeholders.
- Giving a utility ability to advise a company to move locations to get connection sooner.

Technical Summary

- Built in Python; using the [panda power](#) grid model and power flow calculation



Learn more at [gridcapacitymap.energy](#) | [GitHub](#)

Contributions by

VATTENFALL 



OLF ENERGY

covXtreme

Model and software for hazard risk analysis of extreme events

[Sandbox](#)

Hazard risk analysis often involves modelling extreme events, for example of natural phenomena such as rainfall, temperature and ocean waves, or of man-made systems such as industrial processes and stock-markets. We seek to understand the characteristics of the most exceptional (largest or most rare) events we have seen historically, and potentially might see if we look harder.

covXtreme was developed for oceanographic applications, but it has been used more widely. You will probably find covXtreme interesting, if:

- You are interested in quantifying extremes using statistical analysis of a data set, and might want to estimate extreme quantiles or “return levels”;
- The characteristics of your data are not steady; that is, they vary with covariates which you know about,
- You may be interested in quantifying extremes of multiple variables at the same time, and
- You want to quantify how confident you can be in your modelling.

Learn more at

<https://lfenergy.org/projects/covxtreme/> | [GitHub](#)

Contributions by

