

Mplus VERSION 8.4 (Mac)
MUTHEN & MUTHEN
01/22/2021 12:54 PM

INPUT INSTRUCTIONS

TITLE: Measurement Models – School Conn PAF Int

DATA: FILE = "All_Variables_012021.dat";

VARIABLE:

NAMES = ff_id ThreatComp DepComp k6d2ag k6d2ai k6d2d k6d2j k6d2t
k6d2ac k6d2ak k6d2c
k6d2n k6d2x p6b36 p6b40 p6b52 p6b53 p6b54 p6b68 p6b65 p6b66
k6d2ag_r k6d2ai_r
k6d2d_r k6d2j_r k6d2t_r k6d2ac_r k6d2ak_r k6d2c_r k6d2n_r
k6d2x_r k6d61a k6d61b
k6d61c k6d61d k6d61e k6d61f k6d61g k6d61h k6d61i k6d61j k6d61k
k6d61l k6d61m
k6d2a k6d2p k6d2r k6d2z k6d2ab k6d2aj k6d40 k6d48 k6f63 k6f68
k6f74 p6b35 p6b37
p6b38 p6b39 p6b41 p6b42 p6b43 p6b44 p6b45 p6b57 p6b59 p6b49
p6b50 p6b51 p6b60
p6b61 p6b62 p6b63 p6b64 p6b67 k6d2a_r k6d2p_r k6d2r_r k6d2z_r
k6d2ab_r k6d2aj_r
k6d40_r k6d48_r k6f63_r k6f68_r k6f74_r k6d2b k6d2e k6d2f k6d2g
k6d2h k6d2i
k6d2k k6d2l k6d2m k6d2o k6d2s k6d2u k6d2v k6d2w k6d2y k6d2aa
k6d2ad k6d2ae
k6d2af k6d2ah k6d2b_r k6d2e_r k6d2f_r k6d2g_r k6d2h_r k6d2i_r
k6d2k_r k6d2l_r
k6d2m_r k6d2o_r k6d2s_r k6d2u_r k6d2v_r k6d2w_r k6d2y_r
k6d2aa_r k6d2ad_r
k6d2ae_r k6d2af_r k6d2ah_r k5e1a k5e1b k5e1c k5e1d k6b1a k6b1b
k6b1c k6b1d
k6b1a_r k6b1b_r k6b1c_r k6b1d_r p5q3m p5q3ab p5q3ac p5q3ad
p5q3ae p5q3af p5q3ah
p5q3ar p5q3av p5q3ax p5q3bq p5q3ck p5q3db p5q3e p5q3ao p5q3bk
p5q3bo p5q3bu
p5q3cu p5q3cv p5q3da p5q3as p5q3au p5q3aw p5q3az p5q3bb1
p5q3bb2 p5q3bb3
p5q3bb4 p5q3bb5 p5q3bb6 p5q3bb7 p5q3b p5q3x p5q3aa p5q3al
p5q3ap p5q3bi p5q3bm
p5q3br p5q3bs p5q3bz p5q3ca p5q3cj p5q3cp p5q3cr p5q3ct p5q3cx
p5q3cy p5q3c
p5q3o p5q3r p5q3s p5q3t p5q3u p5q3v p5q3aj p5q3bc p5q3bn p5q3cf
p5q3cg p5q3ch
p5q3ci p5q3cn p5q3co p5q3cq p5q3cw povco_avg Race_AA Race_C
Race_L ck6ethrace
cm1bsex m1city;

USEVARIABLES =

```

!ThreatComp DepComp ! Not used in measurement model.
! SC15
! k6b1a_r k6b1b_r k6b1c_r k6b1d_r
! SC9
! k5e1a k5e1b k5e1c k5e1d
! Anxiety
! k6d2ag_r k6d2ai_r k6d2d_r k6d2j_r k6d2t_r
! Depression
! k6d2ac_r k6d2ak_r k6d2c_r k6d2n_r k6d2x_r
! Internalizing CBCL
!p6b36 p6b40 p6b52 p6b53 p6b54 p6b68 p6b65 p6b66
! Delinquency (Reverse Coded)
! k6d2a_r k6d2p_r k6d2r_r k6d2z_r k6d2ab_r k6d2aj_r
! Impulsivity
! k6d61a k6d61b k6d61c k6d61d k6d61e k6d61f k6d61g k6d61h
! k6d61i k6d61j k6d61k k6d61l k6d61m
! Substance Use (Dichotomous)
! k6d40_r k6d48_r k6f63_r k6f68_r k6f74_r
! Externalizing CBCL
!p6b35 p6b37 p6b38 p6b39 p6b41 p6b42 p6b43 p6b44 p6b45 p6b57 p6b59
p6b49 p6b50
!p6b51 p6b60 p6b61 p6b62 p6b63 p6b64 p6b67
! PAF
k6d2b_r k6d2f_r k6d2g_r
k6d2i_r k6d2k_r k6d2l_r k6d2m_r k6d2o_r
k6d2s_r k6d2v_r k6d2w_r k6d2y_r
k6d2aa_r k6d2ae_r k6d2af_r k6d2ah_r
;
! 9.24.2019 - I am removing te 4 items on the PAF engagement
subscale because
! they all have standard factor loadings below 0.3 and qualitatively
seem
! to be measuring something different. Those items are: k6d2e,
k6d2h, k6d2u, k6d2ad.

```

CATEGORICAL =

```

! SC15
! k6b1a_r k6b1b_r k6b1c_r k6b1d_r
! SC9
! k5e1a k5e1b k5e1c k5e1d
! Anxiety
! k6d2ag_r k6d2ai_r k6d2d_r k6d2j_r k6d2t_r
! Depression
! k6d2ac_r k6d2ak_r k6d2c_r k6d2n_r k6d2x_r
! Internalizing CBCL
!p6b36 p6b40 p6b52 p6b53 p6b54 p6b68 p6b65 p6b66
! Delinquency (Reverse Coded)
! k6d2a_r k6d2p_r k6d2r_r k6d2z_r k6d2ab_r k6d2aj_r
! Impulsivity
! k6d61a k6d61b k6d61c k6d61d k6d61e k6d61f k6d61g k6d61h

```

```

! k6d61i k6d61j k6d61k k6d61l k6d61m
! Substance Use (Dichotomous)
! k6d40_r k6d48_r k6f63_r k6f68_r k6f74_r
! Externalizing CBI
!p6b35 p6b37 p6b38 p6b39 p6b41 p6b42 p6b43 p6b44 p6b45 p6b57 p6b59
p6b49 p6b50
!p6b51 p6b60 p6b61 p6b62 p6b63 p6b64 p6b67
! PAF
k6d2b_r k6d2f_r k6d2g_r
k6d2i_r k6d2k_r k6d2l_r k6d2m_r k6d2o_r
k6d2s_r k6d2v_r k6d2w_r k6d2y_r
k6d2aa_r k6d2ae_r k6d2af_r k6d2ah_r
;

IDVARIABLE = ff_id;
MISSING=ALL(99);
cluster = m1city;

ANALYSIS:
PROCESSORS=8;
Type = Complex;

MODEL:

! School Connectedness @ Age 15
! SC15 BY k6b1a_r* k6b1b_r k6b1c_r k6b1d_r;
! SC15 @ 1;

! School Connectedness @ Age 9
! SC9 BY k5e1a* k5e1b k5e1c k5e1d;
! SC9 @ 1;

! Internalizing @ Age 15
! Internalizing BY k6d2ag_r* k6d2ai_r k6d2d_r k6d2j_r k6d2t_r
! k6d2ac_r k6d2ak_r k6d2c_r k6d2n_r k6d2x_r;
!p6b36 p6b40 p6b52 p6b53 p6b54 p6b68 p6b65 p6b66

! Internalizing @ 1;

! Externalizing @ Age 15 (Multi-informant)
! EXTERN BY k6d2a_r* k6d2p_r k6d2r_r k6d2z_r k6d2ab_r k6d2aj_r
! k6d61a k6d61b k6d61c k6d61d k6d61e k6d61f k6d61g k6d61h
! k6d61i k6d61j k6d61k k6d61l k6d61m
! k6d40_r k6d48_r k6f63_r k6f68_r k6f74_r;
!p6b35 p6b37 p6b38
!p6b39 p6b41 p6b42 p6b43 p6b44 p6b45 p6b57 p6b59 p6b49 p6b50
!p6b51 p6b60 p6b61 p6b62 p6b63 p6b64 p6b67

! EXTERN @ 1;

```

```
! PAF @ Age 15
PAF BY k6d2b_r* k6d2f_r k6d2g_r
k6d2i_r k6d2k_r k6d2l_r k6d2m_r k6d2o_r
k6d2s_r k6d2v_r k6d2w_r k6d2y_r
k6d2aa_r k6d2ae_r k6d2af_r k6d2ah_r;
PAF @ 1;
```

OUTPUT: modindices (ALL) standardized sampstat;

SAVEDATA:
FILE IS CFA_FactorScores_PAF_012221.txt;
save = fscores;

```
*** WARNING
Data set contains unknown or missing values for GROUPING,
PATTERN, COHORT, CLUSTER and/or STRATIFICATION variables.
Number of cases with unknown or missing values: 1
*** WARNING
Data set contains cases with missing on all variables.
These cases were not included in the analysis.
Number of cases with missing on all variables: 1460
2 WARNING(S) FOUND IN THE INPUT INSTRUCTIONS
```

Measurement Models – School Conn PAF Int

SUMMARY OF ANALYSIS

Number of groups	1
Number of observations	3437
Number of dependent variables	16
Number of independent variables	0
Number of continuous latent variables	1

Observed dependent variables

Binary and ordered categorical (ordinal)					
K6D2B_R	K6D2F_R	K6D2G_R	K6D2I_R	K6D2K_R	K6D2L_R
K6D2M_R	K6D2O_R	K6D2S_R	K6D2V_R	K6D2W_R	K6D2Y_R
K6D2AA_R	K6D2AE_R	K6D2AF_R	K6D2AH_R		

Continuous latent variables
PAF

Cluster variable	M1CITY
ID variable	FF ID

Input data file(s)
All_Variables_012021.dat

SUMMARY OF DATA

COVARIANCE COVERAGE OF DATA

PROPORTION OF DATA PRESENT

	Covariance	Coverage		
	K6D2B_R	K6D2F_R	K6D2G_R	K6D2I_R
K6D2K_R				
K6D2B_R	0.999			
K6D2F_R	0.999	1.000		
K6D2G_R	0.999	1.000	1.000	
K6D2I_R	0.998	0.999	0.999	0.999
K6D2K_R	0.999	0.999	0.999	0.998
0.999				
K6D2L_R	0.999	1.000	1.000	0.999
0.999				
K6D2M_R	0.999	1.000	1.000	0.999

0.999				
K6D20_R	0.999	0.999	0.999	0.998
0.998				
K6D2S_R	0.999	1.000	1.000	0.999
0.999				
K6D2V_R	0.999	1.000	1.000	0.999
0.999				
K6D2W_R	0.999	0.999	0.999	0.999
0.999				
K6D2Y_R	0.999	0.999	0.999	0.998
0.999				
K6D2AA_R	0.999	1.000	1.000	0.999
0.999				
K6D2AE_R	0.997	0.997	0.998	0.997
0.997				
K6D2AF_R	0.999	0.999	1.000	0.999
0.999				
K6D2AH_R	0.987	0.987	0.987	0.986
0.987				

	Covariance Coverage			
	K6D2L_R	K6D2M_R	K6D20_R	K6D2S_R
K6D2V_R				
K6D2L_R	1.000			
K6D2M_R	1.000	1.000		
K6D20_R	0.999	0.999	0.999	
K6D2S_R	1.000	1.000	0.999	1.000
K6D2V_R	1.000	1.000	0.999	1.000
1.000				
K6D2W_R	0.999	0.999	0.999	0.999
0.999				
K6D2Y_R	0.999	0.999	0.999	0.999
0.999				
K6D2AA_R	1.000	1.000	0.999	1.000
1.000				
K6D2AE_R	0.998	0.998	0.997	0.998
0.998				
K6D2AF_R	1.000	1.000	0.999	1.000
1.000				
K6D2AH_R	0.987	0.987	0.986	0.987
0.987				

	Covariance Coverage			
	K6D2W_R	K6D2Y_R	K6D2AA_R	K6D2AE_R
K6D2AF_R				

K6D2W_R	0.999			
K6D2Y_R	0.999	0.999		
K6D2AA_R	0.999	0.999	1.000	
K6D2AE_R	0.997	0.997	0.998	0.998
K6D2AF_R	0.999	0.999	1.000	0.997
1.000				
K6D2AH_R	0.987	0.987	0.987	0.985
0.987				

Covariance Coverage
K6D2AH_R

K6D2AH_R	0.987
----------	-------

UNIVARIATE PROPORTIONS AND COUNTS FOR CATEGORICAL VARIABLES

K6D2B_R		
Category 1	0.020	67.000
Category 2	0.029	100.000
Category 3	0.202	695.000
Category 4	0.749	2573.000
K6D2F_R		
Category 1	0.030	103.000
Category 2	0.052	178.000
Category 3	0.361	1241.000
Category 4	0.557	1914.000
K6D2G_R		
Category 1	0.015	51.000
Category 2	0.013	43.000
Category 3	0.150	517.000
Category 4	0.822	2826.000
K6D2I_R		
Category 1	0.029	99.000
Category 2	0.081	278.000
Category 3	0.444	1524.000
Category 4	0.446	1532.000
K6D2K_R		
Category 1	0.021	71.000
Category 2	0.068	233.000
Category 3	0.429	1474.000
Category 4	0.482	1656.000
K6D2L_R		
Category 1	0.006	20.000
Category 2	0.010	34.000
Category 3	0.096	330.000
Category 4	0.888	3053.000
K6D2M_R		

Category 1	0.012	41.000
Category 2	0.044	152.000
Category 3	0.443	1524.000
Category 4	0.500	1720.000
K6D20_R		
Category 1	0.067	231.000
Category 2	0.052	177.000
Category 3	0.275	946.000
Category 4	0.606	2080.000
K6D2S_R		
Category 1	0.015	51.000
Category 2	0.038	131.000
Category 3	0.289	993.000
Category 4	0.658	2262.000
K6D2V_R		
Category 1	0.009	31.000
Category 2	0.021	73.000
Category 3	0.352	1210.000
Category 4	0.618	2123.000
K6D2W_R		
Category 1	0.017	59.000
Category 2	0.058	200.000
Category 3	0.356	1223.000
Category 4	0.569	1953.000
K6D2Y_R		
Category 1	0.017	57.000
Category 2	0.033	114.000
Category 3	0.201	689.000
Category 4	0.750	2575.000
K6D2AA_R		
Category 1	0.015	52.000
Category 2	0.036	123.000
Category 3	0.283	974.000
Category 4	0.666	2288.000
K6D2AE_R		
Category 1	0.031	105.000
Category 2	0.092	314.000
Category 3	0.499	1710.000
Category 4	0.379	1300.000
K6D2AF_R		
Category 1	0.012	41.000
Category 2	0.015	52.000
Category 3	0.180	618.000
Category 4	0.793	2725.000
K6D2AH_R		
Category 1	0.030	103.000
Category 2	0.039	131.000
Category 3	0.326	1106.000
Category 4	0.605	2053.000

SAMPLE STATISTICS

ESTIMATED SAMPLE STATISTICS

	MEANS/INTERCEPTS/THRESHOLDS			
K6D2F_R\$	K6D2B_R\$	K6D2B_R\$	K6D2B_R\$	K6D2F_R\$
_____	_____	_____	_____	_____
-1.393	-2.064	-1.658	-0.672	-1.881
	MEANS/INTERCEPTS/THRESHOLDS			
K6D2I_R\$	K6D2F_R\$	K6D2G_R\$	K6D2G_R\$	K6D2G_R\$
_____	_____	_____	_____	_____
-1.898	-0.143	-2.174	-1.921	-0.924
	MEANS/INTERCEPTS/THRESHOLDS			
K6D2K_R\$	K6D2I_R\$	K6D2I_R\$	K6D2K_R\$	K6D2K_R\$
_____	_____	_____	_____	_____
0.045	-1.228	0.135	-2.040	-1.350
	MEANS/INTERCEPTS/THRESHOLDS			
K6D2M_R\$	K6D2L_R\$	K6D2L_R\$	K6D2L_R\$	K6D2M_R\$
_____	_____	_____	_____	_____
-1.588	-2.523	-2.152	-1.217	-2.259
	MEANS/INTERCEPTS/THRESHOLDS			
K6D2S_R\$	K6D2M_R\$	K6D20_R\$	K6D20_R\$	K6D20_R\$
_____	_____	_____	_____	_____
-2.174	-0.001	-1.496	-1.181	-0.268

	MEANS/INTERCEPTS/THRESHOLDS			
K6D2V_R\$	K6D2S_R\$	K6D2S_R\$	K6D2V_R\$	K6D2V_R\$
<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
-0.299	-1.617	-0.407	-2.365	-1.877

	MEANS/INTERCEPTS/THRESHOLDS			
K6D2Y_R\$	K6D2W_R\$	K6D2W_R\$	K6D2W_R\$	K6D2Y_R\$
<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
-1.647	-2.116	-1.437	-0.173	-2.130

	MEANS/INTERCEPTS/THRESHOLDS			
K6D2AE_R	K6D2Y_R\$	K6D2AA_R	K6D2AA_R	K6D2AA_R
<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
-1.872	-0.673	-2.167	-1.636	-0.428

	MEANS/INTERCEPTS/THRESHOLDS			
K6D2AF_R	K6D2AE_R	K6D2AE_R	K6D2AF_R	K6D2AF_R
<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
-0.817	-1.164	0.308	-2.259	-1.926

	MEANS/INTERCEPTS/THRESHOLDS		
	K6D2AH_R	K6D2AH_R	K6D2AH_R
	<hr/>	<hr/>	<hr/>
	-1.876	-1.484	-0.266

	CORRELATION MATRIX (WITH VARIANCES ON THE DIAGONAL)			
K6D2K_R	K6D2B_R	K6D2F_R	K6D2G_R	K6D2I_R
<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
K6D2B_R				

K6D2F_R	0.504			
K6D2G_R	0.302	0.388		
K6D2I_R	0.277	0.269	0.162	
K6D2K_R	0.320	0.311	0.179	0.455
K6D2L_R	0.533	0.416	0.391	0.324
0.303				
K6D2M_R	0.321	0.352	0.176	0.471
0.630				
K6D2O_R	0.430	0.383	0.226	0.244
0.257				
K6D2S_R	0.689	0.615	0.334	0.349
0.353				
K6D2V_R	0.329	0.370	0.196	0.484
0.478				
K6D2W_R	0.418	0.416	0.212	0.345
0.438				
K6D2Y_R	0.408	0.371	0.327	0.283
0.271				
K6D2AA_R	0.533	0.523	0.394	0.273
0.306				
K6D2AE_R	0.327	0.341	0.194	0.258
0.323				
K6D2AF_R	0.380	0.395	0.424	0.233
0.251				
K6D2AH_R	0.319	0.354	0.210	0.244
0.254				

CORRELATION MATRIX (WITH VARIANCES ON THE DIAGONAL)

	K6D2L_R	K6D2M_R	K6D2O_R	K6D2S_R
K6D2V_R				
K6D2M_R	0.329			
K6D2O_R	0.354	0.287		
K6D2S_R	0.579	0.357	0.476	
K6D2V_R	0.336	0.479	0.344	0.386
K6D2W_R	0.399	0.427	0.455	0.505
0.473				
K6D2Y_R	0.577	0.317	0.363	0.513
0.312				
K6D2AA_R	0.526	0.316	0.409	0.647
0.348				
K6D2AE_R	0.300	0.324	0.348	0.406
0.335				
K6D2AF_R	0.544	0.260	0.373	0.457
0.317				
K6D2AH_R	0.326	0.265	0.354	0.384
0.343				

CORRELATION MATRIX (WITH VARIANCES ON THE DIAGONAL)				
	K6D2W_R	K6D2Y_R	K6D2AA_R	K6D2AE_R
K6D2AF_R				
K6D2Y_R	0.459			
K6D2AA_R	0.448	0.470		
K6D2AE_R	0.442	0.336	0.361	
K6D2AF_R	0.428	0.569	0.479	0.354
K6D2AH_R	0.350	0.303	0.328	0.302
0.382				

CORRELATION MATRIX (WITH VARIANCES ON THE DIAGONAL)
K6D2AH_R

THE MODEL ESTIMATION TERMINATED NORMALLY

MODEL FIT INFORMATION

Number of Free Parameters 64

Chi-Square Test of Model Fit

Value	1163.434*
Degrees of Freedom	104
P-Value	0.0000

* The chi-square value for MLM, MLMV, MLR, ULSMV, WLSM and WLSMV cannot be used for chi-square difference testing in the regular way. MLM, MLR and WLSM chi-square difference testing is described on the Mplus website. MLMV, WLSMV, and ULSMV difference testing is done using the DIFFTEST option.

RMSEA (Root Mean Square Error Of Approximation)

Estimate	0.054
90 Percent C.I.	0.052 0.057
Probability RMSEA <= .05	0.005

CFI/TLI

CFI	0.925
-----	-------

TLI 0.914

Chi-Square Test of Model Fit for the Baseline Model

Value 14266.636
Degrees of Freedom 120
P-Value 0.0000

SRMR (Standardized Root Mean Square Residual)

Value 0.062

Optimum Function Value for Weighted Least-Squares Estimator

Value 0.26734716D+00

MODEL RESULTS

		Estimate	S.E.	Est./S.E.	Two-Tailed P-Value
PAF	BY				
	K6D2B_R	0.681	0.009	75.111	0.000
	K6D2F_R	0.667	0.012	57.695	0.000
	K6D2G_R	0.441	0.017	25.365	0.000
	K6D2I_R	0.526	0.013	39.027	0.000
	K6D2K_R	0.610	0.016	37.760	0.000
	K6D2L_R	0.684	0.020	33.823	0.000
	K6D2M_R	0.614	0.017	35.388	0.000
	K6D2O_R	0.579	0.017	33.256	0.000
	K6D2S_R	0.800	0.013	62.095	0.000
	K6D2V_R	0.614	0.014	44.516	0.000
	K6D2W_R	0.668	0.013	51.946	0.000
	K6D2Y_R	0.662	0.020	33.822	0.000
	K6D2AA_R	0.703	0.014	49.869	0.000
	K6D2AE_R	0.530	0.014	37.644	0.000
	K6D2AF_R	0.634	0.014	44.406	0.000
	K6D2AH_R	0.501	0.012	42.812	0.000
Thresholds					
	K6D2B_R\$1	-2.064	0.072	-28.807	0.000
	K6D2B_R\$2	-1.658	0.048	-34.843	0.000
	K6D2B_R\$3	-0.672	0.038	-17.869	0.000
	K6D2F_R\$1	-1.881	0.043	-44.084	0.000
	K6D2F_R\$2	-1.393	0.025	-55.856	0.000
	K6D2F_R\$3	-0.143	0.027	-5.227	0.000
	K6D2G_R\$1	-2.174	0.076	-28.490	0.000
	K6D2G_R\$2	-1.921	0.044	-43.772	0.000

K6D2G_R\$3	-0.924	0.033	-28.214	0.000
K6D2I_R\$1	-1.898	0.038	-50.617	0.000
K6D2I_R\$2	-1.228	0.037	-33.438	0.000
K6D2I_R\$3	0.135	0.035	3.886	0.000
K6D2K_R\$1	-2.040	0.042	-49.060	0.000
K6D2K_R\$2	-1.350	0.026	-52.344	0.000
K6D2K_R\$3	0.045	0.037	1.205	0.228
K6D2L_R\$1	-2.523	0.079	-31.806	0.000
K6D2L_R\$2	-2.152	0.065	-33.057	0.000
K6D2L_R\$3	-1.217	0.035	-34.405	0.000
K6D2M_R\$1	-2.259	0.062	-36.360	0.000
K6D2M_R\$2	-1.588	0.034	-47.275	0.000
K6D2M_R\$3	-0.001	0.036	-0.031	0.975
K6D2O_R\$1	-1.496	0.045	-33.574	0.000
K6D2O_R\$2	-1.181	0.042	-28.076	0.000
K6D2O_R\$3	-0.268	0.039	-6.841	0.000
K6D2S_R\$1	-2.174	0.056	-39.153	0.000
K6D2S_R\$2	-1.617	0.039	-41.661	0.000
K6D2S_R\$3	-0.407	0.029	-13.985	0.000
K6D2V_R\$1	-2.365	0.059	-40.036	0.000
K6D2V_R\$2	-1.877	0.033	-57.705	0.000
K6D2V_R\$3	-0.299	0.035	-8.474	0.000
K6D2W_R\$1	-2.116	0.057	-37.427	0.000
K6D2W_R\$2	-1.437	0.033	-42.901	0.000
K6D2W_R\$3	-0.173	0.030	-5.734	0.000
K6D2Y_R\$1	-2.130	0.038	-56.019	0.000
K6D2Y_R\$2	-1.647	0.045	-36.271	0.000
K6D2Y_R\$3	-0.673	0.040	-16.800	0.000
K6D2AA_R\$1	-2.167	0.050	-43.342	0.000
K6D2AA_R\$2	-1.636	0.031	-52.709	0.000
K6D2AA_R\$3	-0.428	0.034	-12.428	0.000
K6D2AE_R\$1	-1.872	0.042	-44.335	0.000
K6D2AE_R\$2	-1.164	0.032	-36.829	0.000
K6D2AE_R\$3	0.308	0.037	8.234	0.000
K6D2AF_R\$1	-2.259	0.055	-40.945	0.000
K6D2AF_R\$2	-1.926	0.033	-57.508	0.000
K6D2AF_R\$3	-0.817	0.029	-28.003	0.000
K6D2AH_R\$1	-1.876	0.037	-51.270	0.000
K6D2AH_R\$2	-1.484	0.029	-51.209	0.000
K6D2AH_R\$3	-0.266	0.030	-8.933	0.000

Variances				
PAF	1.000	0.000	999.000	999.000

STANDARDIZED MODEL RESULTS

STDYX Standardization

		Estimate	S.E.	Est./S.E.	Two-Tailed P-Value
PAF	BY				
	K6D2B_R	0.681	0.009	75.111	0.000
	K6D2F_R	0.667	0.012	57.695	0.000
	K6D2G_R	0.441	0.017	25.365	0.000
	K6D2I_R	0.526	0.013	39.027	0.000
	K6D2K_R	0.610	0.016	37.760	0.000
	K6D2L_R	0.684	0.020	33.823	0.000
	K6D2M_R	0.614	0.017	35.388	0.000
	K6D2O_R	0.579	0.017	33.256	0.000
	K6D2S_R	0.800	0.013	62.095	0.000
	K6D2V_R	0.614	0.014	44.516	0.000
	K6D2W_R	0.668	0.013	51.946	0.000
	K6D2Y_R	0.662	0.020	33.822	0.000
	K6D2AA_R	0.703	0.014	49.869	0.000
	K6D2AE_R	0.530	0.014	37.644	0.000
	K6D2AF_R	0.634	0.014	44.406	0.000
	K6D2AH_R	0.501	0.012	42.812	0.000
Thresholds					
	K6D2B_R\$1	-2.064	0.072	-28.807	0.000
	K6D2B_R\$2	-1.658	0.048	-34.843	0.000
	K6D2B_R\$3	-0.672	0.038	-17.869	0.000
	K6D2F_R\$1	-1.881	0.043	-44.084	0.000
	K6D2F_R\$2	-1.393	0.025	-55.856	0.000
	K6D2F_R\$3	-0.143	0.027	-5.227	0.000
	K6D2G_R\$1	-2.174	0.076	-28.490	0.000
	K6D2G_R\$2	-1.921	0.044	-43.772	0.000
	K6D2G_R\$3	-0.924	0.033	-28.214	0.000
	K6D2I_R\$1	-1.898	0.038	-50.617	0.000
	K6D2I_R\$2	-1.228	0.037	-33.438	0.000
	K6D2I_R\$3	0.135	0.035	3.886	0.000
	K6D2K_R\$1	-2.040	0.042	-49.060	0.000
	K6D2K_R\$2	-1.350	0.026	-52.344	0.000
	K6D2K_R\$3	0.045	0.037	1.205	0.228
	K6D2L_R\$1	-2.523	0.079	-31.806	0.000
	K6D2L_R\$2	-2.152	0.065	-33.057	0.000
	K6D2L_R\$3	-1.217	0.035	-34.405	0.000
	K6D2M_R\$1	-2.259	0.062	-36.360	0.000
	K6D2M_R\$2	-1.588	0.034	-47.275	0.000
	K6D2M_R\$3	-0.001	0.036	-0.031	0.975
	K6D2O_R\$1	-1.496	0.045	-33.574	0.000
	K6D2O_R\$2	-1.181	0.042	-28.076	0.000
	K6D2O_R\$3	-0.268	0.039	-6.841	0.000
	K6D2S_R\$1	-2.174	0.056	-39.153	0.000
	K6D2S_R\$2	-1.617	0.039	-41.661	0.000
	K6D2S_R\$3	-0.407	0.029	-13.985	0.000
	K6D2V_R\$1	-2.365	0.059	-40.036	0.000

K6D2V_R\$2	-1.877	0.033	-57.705	0.000
K6D2V_R\$3	-0.299	0.035	-8.474	0.000
K6D2W_R\$1	-2.116	0.057	-37.427	0.000
K6D2W_R\$2	-1.437	0.033	-42.901	0.000
K6D2W_R\$3	-0.173	0.030	-5.734	0.000
K6D2Y_R\$1	-2.130	0.038	-56.019	0.000
K6D2Y_R\$2	-1.647	0.045	-36.271	0.000
K6D2Y_R\$3	-0.673	0.040	-16.800	0.000
K6D2AA_R\$1	-2.167	0.050	-43.342	0.000
K6D2AA_R\$2	-1.636	0.031	-52.709	0.000
K6D2AA_R\$3	-0.428	0.034	-12.428	0.000
K6D2AE_R\$1	-1.872	0.042	-44.335	0.000
K6D2AE_R\$2	-1.164	0.032	-36.829	0.000
K6D2AE_R\$3	0.308	0.037	8.234	0.000
K6D2AF_R\$1	-2.259	0.055	-40.945	0.000
K6D2AF_R\$2	-1.926	0.033	-57.508	0.000
K6D2AF_R\$3	-0.817	0.029	-28.003	0.000
K6D2AH_R\$1	-1.876	0.037	-51.270	0.000
K6D2AH_R\$2	-1.484	0.029	-51.209	0.000
K6D2AH_R\$3	-0.266	0.030	-8.933	0.000

Variances

PAF	1.000	0.000	999.000	999.000
-----	-------	-------	---------	---------

STDY Standardization

	Estimate	S.E.	Est./S.E.	Two-Tailed P-Value
PAF BY				
K6D2B_R	0.681	0.009	75.111	0.000
K6D2F_R	0.667	0.012	57.695	0.000
K6D2G_R	0.441	0.017	25.365	0.000
K6D2I_R	0.526	0.013	39.027	0.000
K6D2K_R	0.610	0.016	37.760	0.000
K6D2L_R	0.684	0.020	33.823	0.000
K6D2M_R	0.614	0.017	35.388	0.000
K6D2O_R	0.579	0.017	33.256	0.000
K6D2S_R	0.800	0.013	62.095	0.000
K6D2V_R	0.614	0.014	44.516	0.000
K6D2W_R	0.668	0.013	51.946	0.000
K6D2Y_R	0.662	0.020	33.822	0.000
K6D2AA_R	0.703	0.014	49.869	0.000
K6D2AE_R	0.530	0.014	37.644	0.000
K6D2AF_R	0.634	0.014	44.406	0.000
K6D2AH_R	0.501	0.012	42.812	0.000

Thresholds

K6D2B_R\$1	-2.064	0.072	-28.807	0.000
------------	--------	-------	---------	-------

K6D2B_R\$2	-1.658	0.048	-34.843	0.000
K6D2B_R\$3	-0.672	0.038	-17.869	0.000
K6D2F_R\$1	-1.881	0.043	-44.084	0.000
K6D2F_R\$2	-1.393	0.025	-55.856	0.000
K6D2F_R\$3	-0.143	0.027	-5.227	0.000
K6D2G_R\$1	-2.174	0.076	-28.490	0.000
K6D2G_R\$2	-1.921	0.044	-43.772	0.000
K6D2G_R\$3	-0.924	0.033	-28.214	0.000
K6D2I_R\$1	-1.898	0.038	-50.617	0.000
K6D2I_R\$2	-1.228	0.037	-33.438	0.000
K6D2I_R\$3	0.135	0.035	3.886	0.000
K6D2K_R\$1	-2.040	0.042	-49.060	0.000
K6D2K_R\$2	-1.350	0.026	-52.344	0.000
K6D2K_R\$3	0.045	0.037	1.205	0.228
K6D2L_R\$1	-2.523	0.079	-31.806	0.000
K6D2L_R\$2	-2.152	0.065	-33.057	0.000
K6D2L_R\$3	-1.217	0.035	-34.405	0.000
K6D2M_R\$1	-2.259	0.062	-36.360	0.000
K6D2M_R\$2	-1.588	0.034	-47.275	0.000
K6D2M_R\$3	-0.001	0.036	-0.031	0.975
K6D2O_R\$1	-1.496	0.045	-33.574	0.000
K6D2O_R\$2	-1.181	0.042	-28.076	0.000
K6D2O_R\$3	-0.268	0.039	-6.841	0.000
K6D2S_R\$1	-2.174	0.056	-39.153	0.000
K6D2S_R\$2	-1.617	0.039	-41.661	0.000
K6D2S_R\$3	-0.407	0.029	-13.985	0.000
K6D2V_R\$1	-2.365	0.059	-40.036	0.000
K6D2V_R\$2	-1.877	0.033	-57.705	0.000
K6D2V_R\$3	-0.299	0.035	-8.474	0.000
K6D2W_R\$1	-2.116	0.057	-37.427	0.000
K6D2W_R\$2	-1.437	0.033	-42.901	0.000
K6D2W_R\$3	-0.173	0.030	-5.734	0.000
K6D2Y_R\$1	-2.130	0.038	-56.019	0.000
K6D2Y_R\$2	-1.647	0.045	-36.271	0.000
K6D2Y_R\$3	-0.673	0.040	-16.800	0.000
K6D2AA_R\$1	-2.167	0.050	-43.342	0.000
K6D2AA_R\$2	-1.636	0.031	-52.709	0.000
K6D2AA_R\$3	-0.428	0.034	-12.428	0.000
K6D2AE_R\$1	-1.872	0.042	-44.335	0.000
K6D2AE_R\$2	-1.164	0.032	-36.829	0.000
K6D2AE_R\$3	0.308	0.037	8.234	0.000
K6D2AF_R\$1	-2.259	0.055	-40.945	0.000
K6D2AF_R\$2	-1.926	0.033	-57.508	0.000
K6D2AF_R\$3	-0.817	0.029	-28.003	0.000
K6D2AH_R\$1	-1.876	0.037	-51.270	0.000
K6D2AH_R\$2	-1.484	0.029	-51.209	0.000
K6D2AH_R\$3	-0.266	0.030	-8.933	0.000

Variances

PAF	1.000	0.000	999.000	999.000
-----	-------	-------	---------	---------

STD Standardization

		Estimate	S.E.	Est./S.E.	Two-Tailed P-Value
PAF	BY				
	K6D2B_R	0.681	0.009	75.111	0.000
	K6D2F_R	0.667	0.012	57.695	0.000
	K6D2G_R	0.441	0.017	25.365	0.000
	K6D2I_R	0.526	0.013	39.027	0.000
	K6D2K_R	0.610	0.016	37.760	0.000
	K6D2L_R	0.684	0.020	33.823	0.000
	K6D2M_R	0.614	0.017	35.388	0.000
	K6D2O_R	0.579	0.017	33.256	0.000
	K6D2S_R	0.800	0.013	62.095	0.000
	K6D2V_R	0.614	0.014	44.516	0.000
	K6D2W_R	0.668	0.013	51.946	0.000
	K6D2Y_R	0.662	0.020	33.822	0.000
	K6D2AA_R	0.703	0.014	49.869	0.000
	K6D2AE_R	0.530	0.014	37.644	0.000
	K6D2AF_R	0.634	0.014	44.406	0.000
	K6D2AH_R	0.501	0.012	42.812	0.000
Thresholds					
	K6D2B_R\$1	-2.064	0.072	-28.807	0.000
	K6D2B_R\$2	-1.658	0.048	-34.843	0.000
	K6D2B_R\$3	-0.672	0.038	-17.869	0.000
	K6D2F_R\$1	-1.881	0.043	-44.084	0.000
	K6D2F_R\$2	-1.393	0.025	-55.856	0.000
	K6D2F_R\$3	-0.143	0.027	-5.227	0.000
	K6D2G_R\$1	-2.174	0.076	-28.490	0.000
	K6D2G_R\$2	-1.921	0.044	-43.772	0.000
	K6D2G_R\$3	-0.924	0.033	-28.214	0.000
	K6D2I_R\$1	-1.898	0.038	-50.617	0.000
	K6D2I_R\$2	-1.228	0.037	-33.438	0.000
	K6D2I_R\$3	0.135	0.035	3.886	0.000
	K6D2K_R\$1	-2.040	0.042	-49.060	0.000
	K6D2K_R\$2	-1.350	0.026	-52.344	0.000
	K6D2K_R\$3	0.045	0.037	1.205	0.228
	K6D2L_R\$1	-2.523	0.079	-31.806	0.000
	K6D2L_R\$2	-2.152	0.065	-33.057	0.000
	K6D2L_R\$3	-1.217	0.035	-34.405	0.000
	K6D2M_R\$1	-2.259	0.062	-36.360	0.000
	K6D2M_R\$2	-1.588	0.034	-47.275	0.000
	K6D2M_R\$3	-0.001	0.036	-0.031	0.975
	K6D2O_R\$1	-1.496	0.045	-33.574	0.000
	K6D2O_R\$2	-1.181	0.042	-28.076	0.000
	K6D2O_R\$3	-0.268	0.039	-6.841	0.000

K6D2S_R\$1	-2.174	0.056	-39.153	0.000
K6D2S_R\$2	-1.617	0.039	-41.661	0.000
K6D2S_R\$3	-0.407	0.029	-13.985	0.000
K6D2V_R\$1	-2.365	0.059	-40.036	0.000
K6D2V_R\$2	-1.877	0.033	-57.705	0.000
K6D2V_R\$3	-0.299	0.035	-8.474	0.000
K6D2W_R\$1	-2.116	0.057	-37.427	0.000
K6D2W_R\$2	-1.437	0.033	-42.901	0.000
K6D2W_R\$3	-0.173	0.030	-5.734	0.000
K6D2Y_R\$1	-2.130	0.038	-56.019	0.000
K6D2Y_R\$2	-1.647	0.045	-36.271	0.000
K6D2Y_R\$3	-0.673	0.040	-16.800	0.000
K6D2AA_R\$1	-2.167	0.050	-43.342	0.000
K6D2AA_R\$2	-1.636	0.031	-52.709	0.000
K6D2AA_R\$3	-0.428	0.034	-12.428	0.000
K6D2AE_R\$1	-1.872	0.042	-44.335	0.000
K6D2AE_R\$2	-1.164	0.032	-36.829	0.000
K6D2AE_R\$3	0.308	0.037	8.234	0.000
K6D2AF_R\$1	-2.259	0.055	-40.945	0.000
K6D2AF_R\$2	-1.926	0.033	-57.508	0.000
K6D2AF_R\$3	-0.817	0.029	-28.003	0.000
K6D2AH_R\$1	-1.876	0.037	-51.270	0.000
K6D2AH_R\$2	-1.484	0.029	-51.209	0.000
K6D2AH_R\$3	-0.266	0.030	-8.933	0.000
Variances				
PAF	1.000	0.000	999.000	999.000
R-SQUARE				
Observed				Two-Tailed
Residual				
Variable	Estimate	S.E.	Est./S.E.	P-Value
Variance				
K6D2B_R	0.464	0.012	37.555	0.000
0.536				
K6D2F_R	0.444	0.015	28.848	0.000
0.556				
K6D2G_R	0.195	0.015	12.683	0.000
0.805				
K6D2I_R	0.277	0.014	19.514	0.000
0.723				
K6D2K_R	0.372	0.020	18.880	0.000
0.628				
K6D2L_R	0.468	0.028	16.912	0.000
0.532				
K6D2M_R	0.377	0.021	17.694	0.000
0.623				

K6D20_R	0.335	0.020	16.628	0.000
0.665				
K6D2S_R	0.639	0.021	31.047	0.000
0.361				
K6D2V_R	0.377	0.017	22.258	0.000
0.623				
K6D2W_R	0.446	0.017	25.973	0.000
0.554				
K6D2Y_R	0.438	0.026	16.911	0.000
0.562				
K6D2AA_R	0.495	0.020	24.935	0.000
0.505				
K6D2AE_R	0.281	0.015	18.822	0.000
0.719				
K6D2AF_R	0.401	0.018	22.203	0.000
0.599				
K6D2AH_R	0.251	0.012	21.406	0.000
0.749				

QUALITY OF NUMERICAL RESULTS

Condition Number for the Information Matrix
0.642E-02
(ratio of smallest to largest eigenvalue)

MODEL MODIFICATION INDICES

Minimum M.I. value for printing the modification index 10.000

	M.I.	E.P.C.	Std E.P.C.	StdYX
E.P.C.				
ON Statements				
K6D2B_R ON K6D2I_R	10.710	-0.091	-0.091	
-0.091				
K6D2B_R ON K6D2K_R	19.741	-0.114	-0.114	
-0.114				
K6D2B_R ON K6D2M_R	13.363	-0.110	-0.110	
-0.110				
K6D2B_R ON K6D2S_R	66.080	0.193	0.193	
0.193				
K6D2B_R ON K6D2V_R	10.720	-0.100	-0.100	
-0.100				
K6D2F_R ON K6D2G_R	17.682	0.110	0.110	
0.110				
K6D2F_R ON K6D2I_R	16.160	-0.096	-0.096	
-0.096				

K6D2F_R -0.110	ON K6D2K_R	14.442	-0.110	-0.110
K6D2F_R 0.110	ON K6D2S_R	21.511	0.110	0.110
K6D2G_R 0.110	ON K6D2F_R	17.692	0.110	0.110
K6D2G_R -0.101	ON K6D2K_R	11.707	-0.101	-0.101
K6D2G_R -0.105	ON K6D2M_R	11.549	-0.105	-0.105
K6D2G_R -0.095	ON K6D2W_R	11.612	-0.095	-0.095
K6D2G_R 0.096	ON K6D2AA_R	11.003	0.096	0.096
K6D2G_R 0.156	ON K6D2AF_R	18.618	0.156	0.156
K6D2I_R -0.091	ON K6D2B_R	10.708	-0.091	-0.091
K6D2I_R -0.096	ON K6D2F_R	16.156	-0.096	-0.096
K6D2I_R 0.168	ON K6D2K_R	69.661	0.168	0.168
K6D2I_R 0.165	ON K6D2M_R	35.915	0.165	0.165
K6D2I_R 0.194	ON K6D2V_R	78.189	0.194	0.194
K6D2I_R -0.111	ON K6D2AA_R	16.948	-0.111	-0.111
K6D2K_R -0.114	ON K6D2B_R	19.737	-0.114	-0.114
K6D2K_R -0.110	ON K6D2F_R	14.435	-0.110	-0.110
K6D2K_R -0.101	ON K6D2G_R	11.711	-0.101	-0.101
K6D2K_R 0.168	ON K6D2I_R	69.663	0.168	0.168
K6D2K_R -0.128	ON K6D2L_R	13.681	-0.128	-0.128
K6D2K_R 0.336	ON K6D2M_R	247.119	0.336	0.336
K6D2K_R -0.108	ON K6D2O_R	12.129	-0.108	-0.108
K6D2K_R -0.158	ON K6D2S_R	26.442	-0.158	-0.158
K6D2K_R 0.121	ON K6D2V_R	20.801	0.121	0.121
K6D2K_R -0.141	ON K6D2Y_R	11.602	-0.141	-0.141
K6D2K_R -0.136	ON K6D2AA_R	16.928	-0.136	-0.136

K6D2K_R	ON	K6D2AF_R	21.090	-0.150	-0.150
-0.150					
K6D2L_R	ON	K6D2K_R	13.683	-0.128	-0.128
-0.128					
K6D2L_R	ON	K6D2Y_R	21.160	0.147	0.147
0.147					
K6D2L_R	ON	K6D2AF_R	10.763	0.123	0.123
0.123					
K6D2M_R	ON	K6D2B_R	13.363	-0.110	-0.110
-0.110					
K6D2M_R	ON	K6D2G_R	11.556	-0.105	-0.105
-0.105					
K6D2M_R	ON	K6D2I_R	35.913	0.165	0.165
0.165					
K6D2M_R	ON	K6D2K_R	247.110	0.336	0.336
0.336					
K6D2M_R	ON	K6D2S_R	28.580	-0.160	-0.160
-0.160					
K6D2M_R	ON	K6D2V_R	21.829	0.120	0.120
0.120					
K6D2M_R	ON	K6D2AA_R	19.616	-0.133	-0.133
-0.133					
K6D2M_R	ON	K6D2AF_R	18.988	-0.143	-0.143
-0.143					
K6D2O_R	ON	K6D2K_R	12.133	-0.108	-0.108
-0.108					
K6D2S_R	ON	K6D2B_R	66.085	0.193	0.193
0.193					
K6D2S_R	ON	K6D2F_R	21.519	0.110	0.110
0.110					
K6D2S_R	ON	K6D2K_R	26.445	-0.158	-0.158
-0.158					
K6D2S_R	ON	K6D2M_R	28.578	-0.160	-0.160
-0.160					
K6D2S_R	ON	K6D2V_R	20.019	-0.128	-0.128
-0.128					
K6D2S_R	ON	K6D2AA_R	21.212	0.113	0.113
0.113					
K6D2V_R	ON	K6D2B_R	10.719	-0.100	-0.100
-0.100					
K6D2V_R	ON	K6D2I_R	78.186	0.194	0.194
0.194					
K6D2V_R	ON	K6D2K_R	20.797	0.121	0.121
0.121					
K6D2V_R	ON	K6D2M_R	21.829	0.120	0.120
0.120					
K6D2V_R	ON	K6D2S_R	20.021	-0.128	-0.128
-0.128					
K6D2V_R	ON	K6D2AA_R	18.596	-0.104	-0.104
-0.104					

K6D2W_R ON K6D2G_R -0.095	11.618	-0.095	-0.095
K6D2W_R ON K6D2AE_R 0.105	21.506	0.105	0.105
K6D2Y_R ON K6D2K_R -0.141	11.606	-0.141	-0.141
K6D2Y_R ON K6D2L_R 0.147	21.158	0.147	0.147
K6D2Y_R ON K6D2AF_R 0.187	54.928	0.187	0.187
K6D2AA_R ON K6D2G_R 0.096	10.996	0.096	0.096
K6D2AA_R ON K6D2I_R -0.111	16.951	-0.111	-0.111
K6D2AA_R ON K6D2K_R -0.136	16.933	-0.136	-0.136
K6D2AA_R ON K6D2M_R -0.133	19.617	-0.133	-0.133
K6D2AA_R ON K6D2S_R 0.113	21.209	0.113	0.113
K6D2AA_R ON K6D2V_R -0.104	18.597	-0.104	-0.104
K6D2AE_R ON K6D2W_R 0.105	21.510	0.105	0.105
K6D2AF_R ON K6D2G_R 0.156	18.608	0.156	0.156
K6D2AF_R ON K6D2K_R -0.150	21.095	-0.150	-0.150
K6D2AF_R ON K6D2L_R 0.123	10.760	0.123	0.123
K6D2AF_R ON K6D2M_R -0.143	18.989	-0.143	-0.143
K6D2AF_R ON K6D2Y_R 0.187	54.926	0.187	0.187

WITH Statements

K6D2G_R WITH K6D2F_R 0.165	17.687	0.110	0.110
K6D2I_R WITH K6D2B_R -0.146	10.707	-0.091	-0.091
K6D2I_R WITH K6D2F_R -0.152	16.155	-0.096	-0.096
K6D2K_R WITH K6D2B_R -0.197	19.737	-0.114	-0.114
K6D2K_R WITH K6D2F_R -0.186	14.436	-0.110	-0.110
K6D2K_R WITH K6D2G_R -0.142	11.711	-0.101	-0.101
K6D2K_R WITH K6D2I_R	69.663	0.168	0.168

0.249				
K6D2L_R WITH K6D2K_R	13.682	-0.128	-0.128	
-0.222				
K6D2M_R WITH K6D2B_R	13.360	-0.110	-0.110	
-0.191				
K6D2M_R WITH K6D2G_R	11.554	-0.105	-0.105	
-0.149				
K6D2M_R WITH K6D2I_R	35.916	0.165	0.165	
0.247				
K6D2M_R WITH K6D2K_R	247.118	0.336	0.336	
0.538				
K6D20_R WITH K6D2K_R	12.130	-0.108	-0.108	
-0.167				
K6D2S_R WITH K6D2B_R	66.088	0.193	0.193	
0.440				
K6D2S_R WITH K6D2F_R	21.520	0.110	0.110	
0.246				
K6D2S_R WITH K6D2K_R	26.442	-0.158	-0.158	
-0.332				
K6D2S_R WITH K6D2M_R	28.575	-0.160	-0.160	
-0.338				
K6D2V_R WITH K6D2B_R	10.716	-0.100	-0.100	
-0.174				
K6D2V_R WITH K6D2I_R	78.191	0.194	0.194	
0.289				
K6D2V_R WITH K6D2K_R	20.800	0.121	0.121	
0.193				
K6D2V_R WITH K6D2M_R	21.832	0.120	0.120	
0.193				
K6D2V_R WITH K6D2S_R	20.017	-0.128	-0.128	
-0.269				
K6D2W_R WITH K6D2G_R	11.616	-0.095	-0.095	
-0.142				
K6D2Y_R WITH K6D2K_R	11.602	-0.141	-0.141	
-0.238				
K6D2Y_R WITH K6D2L_R	21.162	0.147	0.147	
0.269				
K6D2AA_R WITH K6D2G_R	10.999	0.096	0.096	
0.151				
K6D2AA_R WITH K6D2I_R	16.948	-0.111	-0.111	
-0.184				
K6D2AA_R WITH K6D2K_R	16.928	-0.136	-0.136	
-0.242				
K6D2AA_R WITH K6D2M_R	19.612	-0.133	-0.133	
-0.238				
K6D2AA_R WITH K6D2S_R	21.214	0.113	0.113	
0.264				
K6D2AA_R WITH K6D2V_R	18.593	-0.104	-0.104	
-0.186				
K6D2AE_R WITH K6D2W_R	21.508	0.105	0.105	

0.166			
K6D2AF_R WITH K6D2G_R	18.611	0.156	0.156
0.224			
K6D2AF_R WITH K6D2K_R	21.091	-0.150	-0.150
-0.245			
K6D2AF_R WITH K6D2L_R	10.764	0.123	0.123
0.217			
K6D2AF_R WITH K6D2M_R	18.985	-0.143	-0.143
-0.234			
K6D2AF_R WITH K6D2Y_R	54.932	0.187	0.187
0.322			

SAMPLE STATISTICS FOR ESTIMATED FACTOR SCORES

SAMPLE STATISTICS

	Means PAF	PAF_SE
	<u>-0.021</u>	<u>0.397</u>

	Covariances PAF	PAF_SE
PAF	<u>0.795</u>	<u>0.007</u>
PAF_SE	0.067	

	Correlations PAF	PAF_SE
PAF	<u>1.000</u>	<u>1.000</u>
PAF_SE	0.909	

SAVEDATA INFORMATION

Save file
CFA_FactorScores_PAF_012221.txt

Order and format of variables

K6D2B_R	F10.3
K6D2F_R	F10.3
K6D2G_R	F10.3

K6D2I_R	F10.3
K6D2K_R	F10.3
K6D2L_R	F10.3
K6D2M_R	F10.3
K6D2O_R	F10.3
K6D2S_R	F10.3
K6D2V_R	F10.3
K6D2W_R	F10.3
K6D2Y_R	F10.3
K6D2AA_R	F10.3
K6D2AE_R	F10.3
K6D2AF_R	F10.3
K6D2AH_R	F10.3
PAF	F10.3
PAF_SE	F10.3
FF_ID	I6
M1CITY	I3

Save file format
18F10.3 I6 I3

Save file record length 10000

Beginning Time: 12:54:31
Ending Time: 12:54:32
Elapsed Time: 00:00:01

MUTHEN & MUTHEN
3463 Stoner Ave.
Los Angeles, CA 90066

Tel: (310) 391-9971
Fax: (310) 391-8971
Web: www.StatModel.com
Support: Support@StatModel.com

Copyright (c) 1998–2019 Muthen & Muthen