

CLASS-11
CHAPTER-10
STRAIGHT LINES

Exercise 10.3

Q3. Reduce the following equations into normal form. Find their perpendicular distances from the origin and angle between perpendicular and the positive x -axis.

1. $x - \sqrt{3}y + 8 = 0$

2. $y - 2 = 0$

3. $x - y = 4$

Solution:

1. From the given equation:

$$\mathbf{m} = \frac{1}{\sqrt{3}} \quad (1)$$

$$c = \frac{8}{\sqrt{3}} \quad (2)$$

The directional vector is given by:

$$\mathbf{m} = \left(\frac{1}{\sqrt{3}} \right) \quad (3)$$

The normal vector is given by:

$$\mathbf{n} = \left(-\frac{1}{\sqrt{3}} \right) \quad (4)$$

$$\mathbf{n}^\top = \left(-\frac{1}{\sqrt{3}} \quad 1 \right) \quad (5)$$

Angle between perpendicular and the positive x -axis is given by:

$$\cos \theta = \frac{\mathbf{e}_1^\top \mathbf{n}}{\|\mathbf{e}_1\| \|\mathbf{n}\|} \quad (6)$$

$$= \frac{(1 \ 0) \begin{pmatrix} -\frac{1}{\sqrt{3}} \\ 1 \end{pmatrix}}{\frac{2}{\sqrt{3}}} \quad (7)$$

$$= -\frac{1}{2} \quad (8)$$

$$\implies \theta = 120^\circ \quad (9)$$

The perpendicular distance from the origin to the line is given by:

$$d = \frac{|c|}{\|\mathbf{n}\|} = \frac{8}{2} = 4 \quad (10)$$




Figure 1:

2. From the given equation:

$$\mathbf{m} = 0 \quad (11)$$

$$c = 2 \quad (12)$$

The directional vector is given by:

$$\mathbf{m} = \begin{pmatrix} 1 \\ 0 \end{pmatrix} \quad (13)$$

The normal vector is given by:

$$\mathbf{n} = \begin{pmatrix} 0 \\ 1 \end{pmatrix} \quad (14)$$

$$\mathbf{n}^\top = (0 \ 1) \quad (15)$$

Angle between perpendicular and the positive x -axis is given by:

$$\cos \theta = \frac{\mathbf{e}_1^\top \mathbf{n}}{\|\mathbf{e}_1\| \|\mathbf{n}\|} \quad (16)$$

$$= \frac{\begin{pmatrix} 1 & 0 \end{pmatrix} \begin{pmatrix} 0 \\ 1 \end{pmatrix}}{1} \quad (17)$$

$$= 0 \quad (18)$$

$$\implies \theta = 90^\circ \quad (19)$$

The perpendicular distance from the origin to the line is given by:

$$d = \frac{|c|}{\|\mathbf{n}\|} = \frac{2}{1} = 2 \quad (20)$$




Figure 2:

3. From the given equation:

$$\mathbf{m} = 1 \quad (21)$$

$$c = -4 \quad (22)$$

The directional vector is given by:

$$\mathbf{m} = \begin{pmatrix} 1 \\ 1 \end{pmatrix} \quad (23)$$

The normal vector is given by:

$$\mathbf{n} = \begin{pmatrix} -1 \\ 1 \end{pmatrix} \quad (24)$$

$$\mathbf{n}^\top = (-1 \ 1) \quad (25)$$

Angle between perpendicular and the positive x -axis is given by:

$$\cos \theta = \frac{\mathbf{e}_1^\top \mathbf{n}}{\|\mathbf{e}_1\| \|\mathbf{n}\|} \quad (26)$$

$$= \frac{(1 \ 0) \begin{pmatrix} -1 \\ 1 \end{pmatrix}}{\sqrt{2}} \quad (27)$$

$$= -\frac{1}{2} \quad (28)$$

$$\implies \theta = 315^\circ \quad (29)$$

The perpendicular distance from the origin to the line is given by:

$$d = \frac{|c|}{\|\mathbf{n}\|} = \frac{4}{\sqrt{2}} = 2\sqrt{2} \quad (30)$$




Figure 3: