

# Catchy Part: Surveying Users' Perceptions of Threats for Wearable Devices

Linda N. Lee  
UC Berkeley  
lnl@berkeley.edu

Serge Egelman  
UC Berkeley  
ICSI  
serge@cs.berkeley.edu

David Wagner  
UC Berkeley  
daw@cs.berkeley.edu

## ABSTRACT

(Okay, kind of intimidated with writing the abstract. My plan is to write intro/conclusion first and then condense it into here, while nodding off to the contributions that we made.) At the very least, I can say that we studied user perceptions for threats in wearable devices, along with user perceptions of risk and benefit for emerging technologies and what they thought was the biggest risk for using wearable devices. Data type, data recipient, and device type all matter different amounts. All new technologies were perceived to be low risk low benefit but we think this is because people are unfamiliar with these technologies. Privacy was the number one concern, followed by security, then health, money, social norms changing and social stigma. Fantastic ending sentence here.

## Categories and Subject Descriptors

look it up [keyword1]: keyword2keyword3

## General Terms

term1 term2 term3

## Keywords

Privacy, Security, User Studies, Risk Perception, Ubiquitous Computing, Wearables

## 1. INTRODUCTION

Basically a longer version of the abstract, plus some additional motivational things thrown in here.

2014 is year of wearables [1]. A survey consisting of 3,956 respondents who are either current users or non-users with high interest in wearables [?] says that most popular devices (61%), followed by smart watches (45%) and mHealth (mobile health) devices (17%). It is estimated that 15% use it in daily life [2][3].

End this section with an explicit list of contributions made by this paper.

## 2. RELATED WORK

In this paper, we explore user perceptions of security threats for wearable devices. In this section, we discuss related works which explore threats for smartphones and wearable devices, discuss emerging challenges related to ubiquitous computing, and study user perceptions of threats and technologies.

### 2.1 Concerns for Smartphones and Wearables

(REDO) Mention Adrienne's work here, and other relevant smartphone studies of any sort. I will talk about how I model Adrienne's work in the next section, Survey, just give a nod to it here and go into it later. Since my results were that people care about privacy, security, health, and social change/social stigma, any phone studies which hint at any of those things will be good to put here. Be sure to go cite a fair number of them. Related work section is the part where it looks like I know stuff.

Mention any studies for wearables (like the ones you can find at Ubicomp, CHI, or SOUPS), and give them a nod. Especially mention ones on privacy and perceptions, since I know those exist. I doubt there will be ones for social norm shifts/social stigma, or health concerns, but maybe I can at least include some security ones here too. Throughout mentioning all of these works, highlight how my study is different from previous studies.

### 2.2 Ubiquitous Computing

(REDO) As technology becomes more and more ubiquitous, more sensors will record more things about more people more of the time. There are an endless amount of unique situations which can negatively impact a person's privacy or security. There is a clear need to better communicate these risks to people (cite webcam paper and other papers here?), but there are too many things to warn people about. Therefore, we need to know what are the most threatening and also most relevant situations to inform the users about, since we can't bug them all the time about everything.

We need to investigate the threat landscape and people's privacy concerns now, before wearables are widely adopted, or designed without these considerations in mind. So although our research is at a time when things are rapidly

changing and most people don't have wearables, it is crucial to do the research now so we can prevent badness later.

## 2.3 User Perception

(REDO) In this paper, we investigate one of the two important questions—what are the most relevant situations to people. We do this firstly because people are really bad at knowing the likelihood of something, especially a threat with respect to security or privacy, is going to happen (sources here). And while the most damaging situations should also be addressed, this is not yet possible since these technologies haven't been adopted and the damage hasn't happened, so we don't know yet. Additionally, since the number one concern that people had with these devices was privacy (can I say result here? I guess I already did in abstract), we need to know what people consider private, which is more nuanced and requires a user study like this survey.

We also study risk. Mention Fischhoff here. This is a very seminal paper in risk perception and it also studies how safe enough something has to be before people can accept something. I will talk about how I model my work in the next section, Survey, just give it a nod here and go into it later. Also mention at least a couple more works related to risk perception here to round it off.

## 3. SURVEY

The survey design process consisted of synthesizing a relevant and comprehensive set of questions, validating the relevance, clarity, and completeness of the questions, and concluded with finalizing distribution logistics. Details on the synthesis, validation, methodology, and data are below.

### 3.1 Threat Landscape Investigation

(REDO) To generate the list of possible scenarios which can happen with a wearable device, we did three things. Firstly, we looked at the most popular list of wearable technologies (including the Fitbit fitness tracker, Pebble smartwatch, and Glass wearable computing device) and their sensors and capabilities. Secondly, we looked at past research in mobile devices and current wearable device considerations. Thirdly, we finished off brainstorming possible things yet to come by looking at vision videos for wearables, and the news for possible concerns.

We already motivated why ubiquitous computing is relevant and we need to do it, so no need to do it here. In the end, we ended up focusing questions on new capabilities that wearables have that smartphones and other devices do not, existing sensors, any concerns which might infringe on security and privacy, along with a couple investigative ones (like if someone recorded all your conversations but never shared it, are you going to be upset? that might be taken out of this paper, but still).

### 3.2 Calibrating with Existing Works

(REDO) Mobile devices threats are well studied and the closest well-researched thing to wearable device threats. We used the same format as Adrienne's paper so that we can compare our results to the ones that she got in her study for mobile devices. We purposed used the same scale and question format as she did in her study, but it's a pretty

defensible scale to use anyway and the wording was about consistent with how we were going to do it anyway. Defend the likert scale use and the wording of the question a bit here. Because it is similar, and we also had calibrating questions, we can compare the threats with respect to existing threats studied. We're so relevant, yay.

We used a prompt similar to Fischhoff's study so that we could compare our results to the ones that he got in his study, and to put more of the new technologies onto the risk/benefit map. This way, we can have a sense of the risk and benefit with respect to well-studied and more familiar technologies. This also makes the results that we have more accurate and tangible, since people have anchors to base their assessments off of, rather than comparing a bunch of things that seem nebulous to them.

### 3.3 Validation

(REDO) We conducted a focus group to look over the list, brainstorm more scenarios, and get question feedback. We got a small sample of results (which were guided so we through them out, but it was helpful to know what we might expect) and clarify any scenarios which were unclear. Logistically, we also used this time to time the survey, made sure the survey worked, and other things. Quick demographics of the focus group here—(fix later) 12 people, X% male, average age Y, with education ranging from A to B and professions including student, artist, business person, court judge, etc.

### 3.4 Methodology

We recruited 2,250 participants August 7th-13th 2014 via Amazon's Mechanical Turk. We restricted participants to those over 18 years old. No other restrictions on participation were applied. We asked questions regarding participants' perceptions of various situations which might occur when wearing a wearable device, and about the risks and benefits of new technologies.

## 4. QUESTIONS

The survey consisted of questions regarding concerns with respect to a fictitious wearable device called the Cubetas-tic3000 (this was done to prevent any biases in answers from participants with respect to specific companies), smartphone concerns, risk and benefit assessment of technologies, and exit questions. Details on the question ordering, question formatting, and sample questions are below. The full survey can be found at <LINK HERE>.

### 4.1 Format

In total, the survey consisted of 367 unique questions, with each participant answering 27 questions. Out of the 27 seen by the participant, 10 of the questions are randomly selected from a particular set of questions (see below).

- 2 comprehension questions
- 6/305 questions about various scenarios
- 2/5 questions about smartphone scenarios
- 1/20 benefit questions
- 1/20 risk questions (same technology)
- 4 demographics
- 1 open-ended question

- 10 questions of IUIPC

To mitigate any biases, we randomized the order in which users saw groups of questions. That is; the participant has an equal chance of seeing questions related to threat perceptions or questions related to risk and benefit assessment of technologies. Additionally, each question in the sections about various scenarios, questions about smartphone scenarios, and IUIPC questions were randomly selected. A participant was also equally likely to see the risk or benefit questions first when they got to the section pertaining to risk and benefit assessment of technologies. (Ugh this is bad, re-write later)

#### 4.1.1 Threat Perceptions

Format of question explanation, list the edge case questions here. Show an example of the question.

#### 4.1.2 Technology Perceptions

Format of the question explanation, list the technologies here (is this too many?). Show an example of the question.

#### 4.1.3 User Concerns

This is an open-ended question. Show the question here. Say that the participants had as much space as they wanted, although they were shown a line.

#### 4.1.4 Additional Questions

demographics and IUIPC, explain why I used IUIPC instead of the Westin, just one or two sentences will do.

## 5. RESULTS

After removing X incomplete responses, our sample consisted of Y participants. Of these X, A% were male, with a median age of B. Two researchers independently coded 1,785 open-ended responses, discussed any disagreements, and resolved them so that the final codings reflect unanimous agreement.

### 5.1 Factors in Upsetting Users


We found that the data type and data recipient, respectively, are the most significant predictors of how upsetting or threatening a situation is perceived by a user. On the other hand, the device type does not significantly impact how users perceive a situation.

#### 5.1.1 Data Type

blah blah here.

For shared only

1. social security number (98.04%)
2. a video of you unclothed (97.44%)
3. bank account information (97.10%)
4. recordings of your work conversations (96.97%)
5. a photo of you that is incriminating/embarrassing (96.36%)
6. a photo of you unclothed (96.30%)
7. credit card information (95.92%)
8. username and password for websites (95.41%)
9. a video of you entering in your PIN (93.91%)
10. recordings of your phone conversations (93.88%)



**Figure 1: (This is a placeholder! TODO: generate a better plot for data recipient)**

64. your name (47.25%)
65. when and how much you exercise (46.07%)
66. when you were happy or having fun (38.10%)
67. what television shows you watch (35.96%)
68. when you are busy or interruptible (34.34%)
69. your heart rate (32.28%)
70. music from your device (31.87%)
71. your age (29.67%)
72. the language you speak (20.95%)
73. your gender (16.81%)

For appserver only

1. bank account information (90.91%)
2. a video of you unclothed (90.62%)
3. social security number (88.68%)
4. video of you entering your PIN (88.57%)
5. a photo of you that is incriminating/embarrassing (78.05%)
6. a photo of you unclothed (77.78%)
7. a video of you entering a passcode to a door (75.00%)
8. when and how much you have sex (73.08%)
9. a video of you that is incriminating/embarrassing (71.88%)
10. a photo of you at home taken randomly by an inward-facing camera (66.67%)
64. when and how much you exercise (16.67%)
65. how much you use your phone (15.79%)
66. your age (14.29%)
67. how much you like the people you interact with (13.79%)
68. when, what, and how much you ate (12.50%)
69. which television shows you watch (11.43%)
70. your gender (9.52%)
71. your heart rate (9.09%)
72. eye movement patterns (for eye tracking) (6.98%)
73. the language you speak (2.50%)

More text.

#### 5.1.2 Data Recipient

#### 5.1.3 Device Type

## 5.2 A Bigger Picture




Figure 2: (This is a placeholder! TODO: generate a better version of this)




Figure 3: (This is a placeholder! TODO: generate a better plot; take out the specific wearables too.)

We asked users to rate how beneficial or risky a technology was, for all parties affected by the technology (including manufacturers, consumers, and bystanders), over a long period of time, with respect to other, well studied technologies. This gives us an interesting insight into how people perceive these new technologies. For instance, the capacity for facial detection on a wearable device is perceived to be as risky as interacting with a physical lawnmower.

### 5.2.1 Risk and Benefit Ranks

### 5.2.2 Lawnmower Ratios

## 5.3 Perceived Concerns for Wearable Devices

Although we asked users about particular situations which might occur with a wearable device and asked them to assess technologies in a general sense, our open ended question asked the users to state the most likely risk(s) associated with owning and interacting with wearable devices. Without any doubt, the most common concern for owning and interacting with wearable devices for the every day user is the *loss of privacy*.

Talk about the results of the open-ended answers here.

## 6. DISCUSSION

We take this section to discuss complementary future research directions in fields of privacy, ubiquitous computing, and user studies, along with specific limitations of this survey.

### 6.1 Future Research Directions

(REDO, ask David's/Serge's input for this section) Additional future work is encouraged in the area of studying privacy with respect to ubiquitous computing, since we proved it was the number one concern of the users of wearable devices. Clearly, this is a hard question which has been worked on for a long time but not yet fully addressed. Even this survey just barely touched on the various factors which can influence privacy perceptions and how upset people would be.

Also, maybe some work with respect to security threats, and how feasible they might be, and some defenses against stopping wearables devices from getting sensitive information (like blocking text, detecting sensitive situations like the bathroom, etc.). Research which defends against false information, false positive commands, and just more safeguards against the new system for wearables, whatever that is, is also something to really look into.

Work making sure that people are aware of what is going on, using indicators, not-too-transparent interfaces, and maybe being polite (recording rules follow social rules—think polite glass talk from Jaeyeon at MSR) are going to be valuable as wearables get more sophisticated but also more adopted by people. Think about it—put people in control of the technology, not technology shifting the social norms (our survey says that one of the top concerns of people were about how wearables will change social norms).

### 6.2 Limitations

One of the main limitations of this work is that our participants might not have interest, or an accurate idea, of wearable devices and their capabilities. 83% of our participants reported that they do not own a wearable device, but at this time, about 15% of the general population own and use wearable devices [2][3], so our study is reflective of the status quo. We believed that getting a representative survey base was a useful endeavor, although we could have easily recruited only wearable device owners or people specifically interested in wearables. However, that will also have its own bias and limitations as well, since they would not reflect the general population. We expect user perceptions to change as rapidly as wearable technologies and the rate of adoption change.

Crowdsourcing user studies in Mechanical Turk has its challenges [6]. While the Amazon Mechanical Turk population is diverse across several significant demographic dimensions such as age, gender, and income, it is not a precise representation of the U.S. population [7][5]. Additionally, Amazon Mechanical Turk workers generally put a higher value on anonymity and hiding information, were more likely to do so, had more privacy concerns than the larger U.S. public [4].

The survey was constructed in a way to randomize the order

of the particular sets of questions participants saw, except for the open-ended question, which was always near the end of the survey, asked along with the demographics. For this reason, people were heavily primed for the open-ended question. However, this question was always shown before the IUIPC questions, so our results on privacy being the top concern isn't because of the bias from the privacy index. The intent of the open-ended question was more to get a sense of what people were concerned of, and we believe the results do reflect their actual concerns, but with a bit more clarity, since the participants were already thinking about such risks related to wearables.

(REDO, Should I even say this?) I messed up that motorcycle question. I wish I actually had a calibration point for high risk high benefit for the Fischhoff technology assessment questions. But well, none of the new technologies fit that description so we didn't really need it critically.

## 7. CONCLUSION

END STRONG! Echo the conclusion a little, remind the people of the takeaways in a way that highlights the contribution of this paper.

## 8. ACKNOWLEDGMENTS

NSF funding, SCRUB, BLUES. Also any people who helped.

## 9. REFERENCES

- [1] 2014 Will Be The Year of Wearable Technology. <http://www.forbes.com/sites/ewanspence/2013/11/02/2014-will-be-the-year-of-wearable-technology/>. Accessed: 2014-12-19.
- [2] Are Consumers Really Interested in Wearing Tech on Their Sleeves? <http://www.nielsen.com/us/en/insights/news/2014/tech-styles-are-consumers-really-interested-in-wearing-tech-on-their-sleeves.html>. Accessed: 2014-12-19.
- [3] PwC: 1 in 5 Americans Owns a Wearable, 1 in 10 Wears Them Daily. <http://mobihealthnews.com/37543/pwc-1-in-5-americans-owns-a-wearable-1-in-10-wears-them-daily/>. Accessed: 2014-12-19.
- [4] R. Kang, S. Brown, L. Dabbish, and S. Kiesler. Privacy attitudes of mechanical turk workers and the us public. In *Symposium on Usable Privacy and Security (SOUPS)*, 2014.
- [5] P. G. Kelley. Conducting usable privacy & security studies with amazon's mechanical turk. In *Symposium on Usable Privacy and Security (SOUPS)*(Redmond, WA. Citeseer, 2010.
- [6] A. Kittur, E. H. Chi, and B. Suh. Crowdsourcing user studies with mechanical turk. In *Proceedings of the SIGCHI conference on human factors in computing systems*, pages 453–456. ACM, 2008.
- [7] J. Ross, L. Irani, M. Silberman, A. Zaldivar, and B. Tomlinson. Who are the crowdworkers?: Shifting demographics in mechanical turk. In *CHI'10 Extended Abstracts on Human Factors in Computing Systems*, pages 2863–2872. ACM, 2010.

## APPENDIX

- A. FULL SURVEY
- B. DETAILED SITUATION RANKINGS
- C. DETAILED TECH RANKINGS
- D. FOCUS GROUP SCRIPT