

```
<h1>Counter</h1>
Current count: @ currentCounter
<button id="increment-button"</pre>
        class="btn btn-primary"
        @onclick="IncrementCount">Click me</button>
@code {
    private int currentCounter { get; set; }
    private void IncrementCount()
        currentCounter++;
```

```
@using AngleSharp.Dom
@using Bunit
@using Xunit
@inherits Bunit.TestContext
@code {
    [Fact]
    public void IncrementCounterByOneWhenButtonClicked()
        // Render our component including all lifecycle events
        var cut = Render(@<Counter />);
```

```
// Find the button via CSS selector and click it
IElement button = cut.Find("button");
button.Click();
```

```
// Assert the markup
var pElement = cut.Find("p");
pElement.MarkupMatches(@Current count: 1);
```



Counter - Test

```
@using AngleSharp.Dom
@using Bunit
@using Xunit
@inherits Bunit.TestContext
@code {
    [Fact]
    public void IncrementCounterByOneWhenButtonClicked()
        // Render our component including all lifecycle events
       var cut = Render(@<Counter />);
        // Find the button via CSS selector and click it
       IElement button = cut.Find("button");
       button.Click();
       // Assert the markup
       var pElement = cut.Find("p");
       pElement.MarkupMatches(@Current count: 1);
```

Compare the markup

Semantic Comparing