

LinksPlatform's Platform.Communication Class Library

1.1 ./Platform.Communication/Protocol/Gexf/Edge.cs

```
1  using System.Globalization;
2  using System.Runtime.CompilerServices;
3  using System.Xml;
4  using System.Xml.Serialization;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Communication.Protocol.Gexf
9  {
10     public class Edge
11     {
12         public static readonly string ElementName = "edge";
13         public const string IdAttributeName = "id";
14         public const string SourceAttributeName = "source";
15         public const string TargetAttributeName = "target";
16         public const string LabelAttributeName = "label";
17
18         [XmlAttribute(AttributeName = IdAttributeName)]
19         public long Id
20         {
21             [MethodImpl(MethodImplOptions.AggressiveInlining)]
22             get;
23             [MethodImpl(MethodImplOptions.AggressiveInlining)]
24             set;
25         }
26
27         [XmlAttribute(AttributeName = SourceAttributeName)]
28         public long Source
29         {
30             [MethodImpl(MethodImplOptions.AggressiveInlining)]
31             get;
32             [MethodImpl(MethodImplOptions.AggressiveInlining)]
33             set;
34         }
35
36         [XmlAttribute(AttributeName = TargetAttributeName)]
37         public long Target
38         {
39             [MethodImpl(MethodImplOptions.AggressiveInlining)]
40             get;
41             [MethodImpl(MethodImplOptions.AggressiveInlining)]
42             set;
43         }
44
45         [XmlAttribute(AttributeName = LabelAttributeName)]
46         public string Label
47         {
48             [MethodImpl(MethodImplOptions.AggressiveInlining)]
49             get;
50             [MethodImpl(MethodImplOptions.AggressiveInlining)]
51             set;
52         }
53
54         [MethodImpl(MethodImplOptions.AggressiveInlining)]
55         public void WriteXml(XmlWriter writer) => WriteXml(writer, Id, Source, Target, Label);
56
57         [MethodImpl(MethodImplOptions.AggressiveInlining)]
58         public static void WriteXml(XmlWriter writer, long id, long sourceNodeId, long
59             ↪ targetNodeId) => WriteXml(writer, id, sourceNodeId, targetNodeId, null);
60
61         [MethodImpl(MethodImplOptions.AggressiveInlining)]
62         public static void WriteXml(XmlWriter writer, long id, long sourceNodeId, long
63             ↪ targetNodeId, string label)
64         {
65             // <edge id="0" source="0" target="0" label="..." />
66             writer.WriteStartElement(ElementName);
67             writer.WriteAttributeString(IdAttributeName,
68                 ↪ id.ToString(CultureInfo.InvariantCulture));
69             writer.WriteAttributeString(SourceAttributeName,
70                 ↪ sourceNodeId.ToString(CultureInfo.InvariantCulture));
71             writer.WriteAttributeString(TargetAttributeName,
72                 ↪ targetNodeId.ToString(CultureInfo.InvariantCulture));
73             if (!string.IsNullOrEmpty(label))
74             {
75                 writer.WriteAttributeString(LabelAttributeName, label);
76             }
77             writer.WriteEndElement();
78         }
79     }
80 }
```

```

74     }
75 }

```

1.2 ./Platform.Communication/Protocol/Gexf/Gexf.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3  using System.Xml;
4  using System.Xml.Serialization;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Communication.Protocol.Gexf
9  {
10     [XmlRoot(ElementName = ElementName, Namespace = Namespace)]
11     public class Gexf
12     {
13         public const string ElementName = "gexf";
14         public const string Namespace = "http://www.gexf.net/1.2draft";
15         public const string VersionAttributeName = "version";
16         public const string GraphElementName = "graph";
17         public static readonly string CurrentVersion = "1.2";
18
19         [XmlAttribute(AttributeName = VersionAttributeName)]
20         public string Version
21         {
22             [MethodImpl(MethodImplOptions.AggressiveInlining)]
23             get;
24             [MethodImpl(MethodImplOptions.AggressiveInlining)]
25             set;
26         }
27
28         [XmlElement(ElementName = GraphElementName)]
29         public Graph Graph
30         {
31             [MethodImpl(MethodImplOptions.AggressiveInlining)]
32             get;
33             [MethodImpl(MethodImplOptions.AggressiveInlining)]
34             set;
35         }
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         public Gexf() => (Version, Graph) = (CurrentVersion, new Graph());
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         public void WriteXml(XmlWriter writer) => WriteXml(writer, () => Graph.WriteXml(writer),
42             ↪ Version);
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         public static void WriteXml(XmlWriter writer, Action writeGraph) => WriteXml(writer,
46             ↪ writeGraph, CurrentVersion);
47
48         [MethodImpl(MethodImplOptions.AggressiveInlining)]
49         public static void WriteXml(XmlWriter writer, Action writeGraph, string version)
50         {
51             writer.WriteStartDocument();
52             writer.WriteStartElement(ElementName, Namespace);
53             writer.WriteAttributeString(VersionAttributeName, version);
54             writeGraph();
55             writer.WriteEndElement();
56             writer.WriteEndDocument();
57         }
58
59         [MethodImpl(MethodImplOptions.AggressiveInlining)]
60         public static void WriteXml(XmlWriter writer, Action writeNodes, Action writeEdges) =>
61             ↪ WriteXml(writer, writeNodes, writeEdges, CurrentVersion, GraphMode.Static,
62             ↪ GraphDefaultEdgeType.Directed);
63
64         [MethodImpl(MethodImplOptions.AggressiveInlining)]
65         public static void WriteXml(XmlWriter writer, Action writeNodes, Action writeEdges,
66             ↪ string version) => WriteXml(writer, writeNodes, writeEdges, version,
67             ↪ GraphMode.Static, GraphDefaultEdgeType.Directed);
68
69         [MethodImpl(MethodImplOptions.AggressiveInlining)]
70         public static void WriteXml(XmlWriter writer, Action writeNodes, Action writeEdges,
71             ↪ string version, GraphMode mode) => WriteXml(writer, writeNodes, writeEdges, version,
72             ↪ mode, GraphDefaultEdgeType.Directed);
73
74         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

67     public static void WriteXml(XmlWriter writer, Action writeNodes, Action writeEdges,
    ↪     string version, GraphMode mode, GraphDefaultEdgeType defaultEdgeType) =>
    ↪     WriteXml(writer, () => Graph.WriteXml(writer, writeNodes, writeEdges, mode,
    ↪     defaultEdgeType), version);
68 }
69 }

```

1.3 ./Platform.Communication/Protocol/Gexf/Graph.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using System.Xml;
5  using System.Xml.Serialization;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Communication.Protocol.Gexf
10 {
11     public class Graph
12     {
13         public static readonly string ElementName = "graph";
14         public const string ModeAttributeName = "mode";
15         public const string DefaultEdgeTypeAttributeName = "defaultedgetype";
16         public const string NodesElementName = "nodes";
17         public const string NodeElementName = "node";
18         public const string EdgesElementName = "edges";
19         public const string EdgeElementName = "edge";
20
21         [XmlAttribute(AttributeName = ModeAttributeName)]
22         public GraphMode Mode
23         {
24             [MethodImpl(MethodImplOptions.AggressiveInlining)]
25             get;
26             [MethodImpl(MethodImplOptions.AggressiveInlining)]
27             set;
28         }
29
30         [XmlAttribute(AttributeName = DefaultEdgeTypeAttributeName)]
31         public GraphDefaultEdgeType DefaultEdgeType
32         {
33             [MethodImpl(MethodImplOptions.AggressiveInlining)]
34             get;
35             [MethodImpl(MethodImplOptions.AggressiveInlining)]
36             set;
37         }
38
39         [XmlArray(ElementName = NodesElementName)]
40         [XmlArrayItem(ElementName = NodeElementName)]
41         public List<Node> Nodes
42         {
43             [MethodImpl(MethodImplOptions.AggressiveInlining)]
44             get;
45             [MethodImpl(MethodImplOptions.AggressiveInlining)]
46             set;
47         }
48
49         [XmlArray(ElementName = EdgesElementName)]
50         [XmlArrayItem(ElementName = EdgeElementName)]
51         public List<Edge> Edges
52         {
53             [MethodImpl(MethodImplOptions.AggressiveInlining)]
54             get;
55             [MethodImpl(MethodImplOptions.AggressiveInlining)]
56             set;
57         }
58
59         [MethodImpl(MethodImplOptions.AggressiveInlining)]
60         public Graph() => (Nodes, Edges) = (new List<Node>(), new List<Edge>());
61
62         [MethodImpl(MethodImplOptions.AggressiveInlining)]
63         public void WriteXml(XmlWriter writer) => WriteXml(writer, () => WriteNodes(writer), ()
    ↪     => WriteEdges(writer), Mode, DefaultEdgeType);
64
65         [MethodImpl(MethodImplOptions.AggressiveInlining)]
66         private void WriteEdges(XmlWriter writer)
67         {
68             for (var i = 0; i < Edges.Count; i++)
69             {
70                 Edges[i].WriteXml(writer);
71             }
72         }
73     }
74 }

```

```

72     }
73
74     [MethodImpl(MethodImplOptions.AggressiveInlining)]
75     private void WriteNodes(XmlWriter writer)
76     {
77         for (var i = 0; i < Nodes.Count; i++)
78         {
79             Nodes[i].WriteXml(writer);
80         }
81     }
82
83     [MethodImpl(MethodImplOptions.AggressiveInlining)]
84     public static void WriteXml(XmlWriter writer, Action writeNodes, Action writeEdges) =>
85         ↪ WriteXml(writer, writeNodes, writeEdges, GraphMode.Static,
86         ↪ GraphDefaultEdgeType.Directed);
87
88     [MethodImpl(MethodImplOptions.AggressiveInlining)]
89     public static void WriteXml(XmlWriter writer, Action writeNodes, Action writeEdges,
90         ↪ GraphMode mode) => WriteXml(writer, writeNodes, writeEdges, mode,
91         ↪ GraphDefaultEdgeType.Directed);
92
93     [MethodImpl(MethodImplOptions.AggressiveInlining)]
94     public static void WriteXml(XmlWriter writer, Action writeNodes, Action writeEdges,
95         ↪ GraphMode mode, GraphDefaultEdgeType defaultEdgeType)
96     {
97         writer.WriteStartElement(ElementName);
98         writer.WriteAttributeString(ModeAttributeName, mode.ToString().ToLower());
99         writer.WriteAttributeString(DefaultEdgeTypeAttributeName,
100             ↪ defaultEdgeType.ToString().ToLower());
101         writer.WriteStartElement(NodesElementName);
102         writeNodes();
103         writer.WriteEndElement();
104         writer.WriteStartElement(EdgesElementName);
105         writeEdges();
106         writer.WriteEndElement();
107         writer.WriteEndElement();
108     }
109 }

```

1.4 ./Platform.Communication/Protocol/Gexf/GraphDefaultEdgeType.cs

```

1  using System.Xml.Serialization;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Communication.Protocol.Gexf
6  {
7      public enum GraphDefaultEdgeType
8      {
9          [XmlEnum(Name = "directed")]
10         Directed
11     }
12 }

```

1.5 ./Platform.Communication/Protocol/Gexf/GraphMode.cs

```

1  using System.Xml.Serialization;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Communication.Protocol.Gexf
6  {
7      public enum GraphMode
8      {
9          [XmlEnum(Name = "static")]
10         Static,
11
12         [XmlEnum(Name = "dynamic")]
13         Dynamic
14     }
15 }

```

1.6 ./Platform.Communication/Protocol/Gexf/Node.cs

```

1  using System.Globalization;
2  using System.Runtime.CompilerServices;
3  using System.Xml;
4  using System.Xml.Serialization;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

```

```

7
8 namespace Platform.Communication.Protocol.Gexf
9 {
10     public class Node
11     {
12         public static readonly string ElementName = "node";
13         public const string IdAttributeName = "id";
14         public const string LabelAttributeName = "label";
15
16         [XmlAttribute(AttributeName = IdAttributeName)]
17         public long Id
18         {
19             [MethodImpl(MethodImplOptions.AggressiveInlining)]
20             get;
21             [MethodImpl(MethodImplOptions.AggressiveInlining)]
22             set;
23         }
24
25         [XmlAttribute(AttributeName = LabelAttributeName)]
26         public string Label
27         {
28             [MethodImpl(MethodImplOptions.AggressiveInlining)]
29             get;
30             [MethodImpl(MethodImplOptions.AggressiveInlining)]
31             set;
32         }
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         public void WriteXml(XmlWriter writer) => WriteXml(writer, Id, Label);
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         public static void WriteXml(XmlWriter writer, long id, string label)
39         {
40             // <node id="0" label="..." />
41             writer.WriteStartElement(ElementName);
42             writer.WriteAttributeString(IdAttributeName,
43                 ↪ id.ToString(CultureInfo.InvariantCulture));
44             writer.WriteAttributeString(LabelAttributeName, label);
45             writer.WriteEndElement();
46         }
47     }

```

1.7 ./Platform.Communication/Protocol/Udp/UdpClientExtensions.cs

```

1 using System.Net;
2 using System.Net.Sockets;
3 using System.Runtime.CompilerServices;
4 using System.Text;
5 using Platform.Singletons;
6
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Communication.Protocol.Udp
10 {
11     public static class UdpClientExtensions
12     {
13         private static readonly Encoding _defaultEncoding = Singleton.Get(() =>
14             ↪ Encoding.GetEncoding(0));
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public static int SendString(this UdpClient udp, IPEndPoint ipEndPoint, string message)
18         {
19             var bytes = _defaultEncoding.GetBytes(message);
20             return udp.Send(bytes, bytes.Length, ipEndPoint);
21         }
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         public static string ReceiveString(this UdpClient udp)
25         {
26             IPEndPoint remoteEndPoint = default;
27             return _defaultEncoding.GetString(udp.Receive(ref remoteEndPoint));
28         }
29     }

```

1.8 ./Platform.Communication/Protocol/Udp/UdpReceiver.cs

```

1 using System;
2 using System.Net.Sockets;
3 using System.Runtime.CompilerServices;
4 using System.Threading;

```

```

5 using Platform.Disposables;
6 using Platform.Exceptions;
7 using Platform.Threading;
8
9 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Communication.Protocol.Udp
12 {
13     public delegate void MessageHandlerCallback(string message);
14
15     /// <summary>
16     /// Represents the receiver of messages transfered via UDP protocol.
17     /// Представляет получателя сообщений по протоколу UDP.
18     /// </summary>
19     public class UdpReceiver : DisposableBase //-V3073
20     {
21         private const int DefaultPort = 15000;
22
23         private bool _receiverRunning;
24         private Thread _thread;
25         private readonly UdpClient _udp;
26         private readonly MessageHandlerCallback _messageHandler;
27
28         public bool Available
29         {
30             [MethodImpl(MethodImplOptions.AggressiveInlining)]
31             get => _udp.Available > 0;
32         }
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         public UdpReceiver(int listenPort, bool autoStart, MessageHandlerCallback messageHandler)
36         {
37             _udp = new UdpClient(listenPort);
38             _messageHandler = messageHandler;
39             if (autoStart)
40             {
41                 Start();
42             }
43         }
44
45         [MethodImpl(MethodImplOptions.AggressiveInlining)]
46         public UdpReceiver(int listenPort, MessageHandlerCallback messageHandler) :
47             → this(listenPort, true, messageHandler) { }
48
49         [MethodImpl(MethodImplOptions.AggressiveInlining)]
50         public UdpReceiver(MessageHandlerCallback messageHandler) : this(DefaultPort, true,
51             → messageHandler) { }
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         public UdpReceiver() : this(DefaultPort, true, message => { }) { }
55
56         [MethodImpl(MethodImplOptions.AggressiveInlining)]
57         public void Start()
58         {
59             {
60                 if (!_receiverRunning && _thread == null)
61                 {
62                     _receiverRunning = true;
63                     _thread = new Thread(Receiver);
64                     _thread.Start();
65                 }
66             }
67         }
68
69         [MethodImpl(MethodImplOptions.AggressiveInlining)]
70         public void Stop()
71         {
72             {
73                 if (_receiverRunning && _thread != null)
74                 {
75                     _receiverRunning = false;
76                     _thread.Join();
77                     _thread = null;
78                 }
79             }
80         }
81
82         [MethodImpl(MethodImplOptions.AggressiveInlining)]
83         public string Receive() => _udp.ReceiveString();
84
85         [MethodImpl(MethodImplOptions.AggressiveInlining)]
86         public void ReceiveAndHandle() => _messageHandler(Receive());
87
88         // Функция извлекающая пришедшие сообщения

```

```

83 // и работающая в отдельном потоке.
84 [MethodImpl(MethodImplOptions.AggressiveInlining)]
85 private void Receiver()
86 {
87     while (_receiverRunning)
88     {
89         try
90         {
91             if (Available)
92             {
93                 ReceiveAndHandle();
94             }
95             else
96             {
97                 ThreadHelpers.Sleep();
98             }
99         }
100         catch (Exception exception)
101         {
102             exception.Ignore();
103         }
104     }
105 }
106
107 [MethodImpl(MethodImplOptions.AggressiveInlining)]
108 protected override void Dispose(bool manual, bool wasDisposed)
109 {
110     if (!wasDisposed)
111     {
112         Stop();
113         _udp.DisposeIfPossible();
114     }
115 }
116 }
117 }

```

1.9 ./Platform.Communication/Protocol/Udp/UdpSender.cs

```

1 using System.Net;
2 using System.Net.Sockets;
3 using System.Runtime.CompilerServices;
4 using Platform.Disposables;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Communication.Protocol.Udp
9 {
10     /// <summary>
11     /// Represents the sender of messages transferred via UDP protocol.
12     /// Представляет отправителя сообщений по протоколу UDP.
13     /// </summary>
14     public class UdpSender : DisposableBase //-V3073
15     {
16         private readonly UdpClient _udp;
17         private readonly IPEndPoint _ipendpoint;
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         public UdpSender(IPEndPoint ipendpoint) => (_udp, _ipendpoint) = (new UdpClient(),
21             ↪ ipendpoint);
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         public UdpSender(IPAddress address, int port) : this(new IPEndPoint(address, port)) { }
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         public UdpSender(string hostname, int port) : this(IPAddress.Parse(hostname), port) { }
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         public UdpSender(int port) : this(IPAddress.Loopback, port) { }
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public int Send(string message) => _udp.SendString(_ipendpoint, message);
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         protected override void Dispose(bool manual, bool wasDisposed)
37         {
38             if (!wasDisposed)
39             {
40                 _udp.DisposeIfPossible();
41             }
42         }
43     }
44 }

```

```
42     }
43 }
```

1.10 ./Platform.Communication/Protocol/Xml/Serializer.cs

```
1  using System.IO;
2  using System.Runtime.CompilerServices;
3  using System.Text;
4  using System.Xml.Serialization;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Communication.Protocol.Xml
9  {
10     public static class Serializer<T>
11     {
12         public static readonly XmlSerializer Instance = new XmlSerializer(typeof(T));
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         public static T FromFile(string path)
16         {
17             using (var stream = File.OpenRead(path))
18             {
19                 return (T)Instance.Deserialize(stream);
20             }
21         }
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         public static T FromString(string xml)
25         {
26             using (var reader = new StringReader(xml))
27             {
28                 return (T)Instance.Deserialize(reader);
29             }
30         }
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public static void ToFile(T @object, string path)
34         {
35             using (var stream = File.OpenWrite(path))
36             {
37                 Instance.Serialize(stream, @object);
38             }
39         }
40
41         [MethodImpl(MethodImplOptions.AggressiveInlining)]
42         public static string ToString(T @object)
43         {
44             var sb = new StringBuilder();
45             using (var writer = new StringWriter(sb))
46             {
47                 Instance.Serialize(writer, @object);
48             }
49             return sb.ToString();
50         }
51     }
52 }
```

1.11 ./Platform.Communication.Tests/SerializerTests.cs

```
1  using System;
2  using System.IO;
3  using Xunit;
4  using Platform.Singletons;
5  using Platform.Communication.Protocol.Xml;
6
7  namespace Platform.Communication.Tests
8  {
9     public static class SerializerTests
10     {
11         [Fact]
12         public static void SerializeToFileTest()
13         {
14             var tempFilename = Path.GetTempFileName();
15             Serializer<object>.ToFile(Default<object>.Instance, tempFilename);
16             Assert.Equal(File.ReadAllText(tempFilename), $"<?xml
17                 ↪ version=\"1.0\"?>{Environment.NewLine}<anyType
18                 ↪ xmlns:xsi=\"http://www.w3.org/2001/XMLSchema-instance\"
19                 ↪ xmlns:xsd=\"http://www.w3.org/2001/XMLSchema\" />");
20             File.Delete(tempFilename);
21         }
22     }
23 }
```



```

19     [Fact]
20     public static void SerializeAsXmlStringTest()
21     {
22         var serializedObject = Serializer<object>.ToString(Default<object>.Instance);
23         Assert.Equal(serializedObject, $"<?xml version=\"1.0\"
24             ↪ encoding=\"utf-16\"?>{Environment.NewLine}<anyType
25             ↪ xmlns:xsi=\"http://www.w3.org/2001/XMLSchema-instance\"
26             ↪ xmlns:xsd=\"http://www.w3.org/2001/XMLSchema\" />");
27     }

```

1.12 ./Platform.Communication.Tests/UdpReceiverTests.cs

```

1  using Xunit;
2  using Platform.Communication.Protocol.Udp;
3
4  namespace Platform.Communication.Tests
5  {
6      public class UdpReceiverTests
7      {
8          [Fact]
9          public static void DisposalTest()
10         {
11             using (var receiver = new UdpReceiver())
12             {
13             }
14         }
15     }
16 }

```

Index

- ./Platform.Communication.Tests/SerializerTests.cs, 8
- ./Platform.Communication.Tests/UdpReceiverTests.cs, 9
- ./Platform.Communication/Protocol/Gexf/Edge.cs, 1
- ./Platform.Communication/Protocol/Gexf/Gexf.cs, 2
- ./Platform.Communication/Protocol/Gexf/Graph.cs, 3
- ./Platform.Communication/Protocol/Gexf/GraphDefaultEdgeType.cs, 4
- ./Platform.Communication/Protocol/Gexf/GraphMode.cs, 4
- ./Platform.Communication/Protocol/Gexf/Node.cs, 4
- ./Platform.Communication/Protocol/Udp/UdpClientExtensions.cs, 5
- ./Platform.Communication/Protocol/Udp/UdpReceiver.cs, 5
- ./Platform.Communication/Protocol/Udp/UdpSender.cs, 7
- ./Platform.Communication/Protocol/Xml/Serializer.cs, 8