```
LinksPlatform's Platform. Disposables Class Library
./Platform.Disposables/DisposableBase.cs
   using System;
   using System.Diagnostics; using System.Threading;
2
   using Platform. Exceptions;
4
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
   namespace Platform. Disposables
8
9
       /// <summary>
10
       11
           necessary to increase the likelihood of correct unmanaged resources release. </para>
       /// <para>Предоставляет базовую реализацию для интерфейса IDisposable с основной логикой
12
        🛶 необходимой для повышения вероятности корректного высвобождения неуправляемых
           pecypcoв.</para>
       /// </summary>
13
       public abstract class DisposableBase : IDisposable
14
15
           private static readonly Process _currentProcess = Process.GetCurrentProcess();
16
           private volatile int _disposed;
18
19
           public bool IsDisposed => _disposed > 0;
21
           protected virtual string ObjectName => GetType().Name;
22
23
           protected virtual bool AllowMultipleDisposeAttempts => false;
25
           protected virtual bool AllowMultipleDisposeCalls => false;
26
           protected DisposableBase()
28
29
                _disposed = 0;
30
                _currentProcess.Exited += OnProcessExit;
31
33
            ~DisposableBase() => Destruct();
34
35
           protected abstract void Dispose(bool manual, bool wasDisposed);
36
37
           public void Dispose()
38
39
                GC.SuppressFinalize(this);
40
               Dispose(true);
41
42
43
           public void Destruct()
44
45
                try
46
                    if (!IsDisposed)
48
49
                        Dispose(false);
50
51
                }
52
                catch (Exception exception)
53
                    exception.Ignore();
55
                }
56
           }
57
58
           private void OnProcessExit(object sender, EventArgs e)
59
                GC.SuppressFinalize(this);
61
                Destruct();
62
63
64
           private void Dispose(bool manual)
65
66
                var originalDisposedValue = Interlocked.CompareExchange(ref _disposed, 1, 0);
67
                var wasDisposed = originalDisposedValue > 0;
                if (!wasDisposed)
69
                {
70
                    UnsubscribeFromProcessExitedEventIfPossible();
71
72
                  (wasDisposed && !AllowMultipleDisposeCalls && manual)
                i f
73
74
```

```
Ensure.Always.NotDisposed(this, ObjectName, "Multiple dispose calls are now
75
                        allowed. Override AllowMultipleDisposeCalls property to modify behaviour.");
76
                 if (AllowMultipleDisposeAttempts || !wasDisposed)
77
78
                     Dispose(manual, wasDisposed);
79
                 }
            }
81
82
            private void UnsubscribeFromProcessExitedEventIfPossible()
83
84
                 try
                 {
86
                     if (_currentProcess != null)
87
                         _currentProcess.Exited -= OnProcessExit;
89
                     else
91
92
                         Process.GetCurrentProcess().Exited -= OnProcessExit;
93
94
95
                 catch (Exception exception)
97
                     exception. Ignore();
98
99
            }
100
        }
101
102
./Platform.Disposables/DisposableBaseExtensions.cs
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
    namespace Platform.Disposables
 3
 4
        public static class DisposableBaseExtensions
 5
 6
            public static void DisposeIfNotDisposed(this DisposableBase disposable)
                 if (!disposable.IsDisposed)
10
11
                     disposable.Dispose();
12
            }
13
        }
14
    }
./Platform.Disposables/Disposable.cs
   using System;
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
 3
    namespace Platform.Disposables
 6
        /// <summary>
        /// <para>Represents disposable object that contains OnDispose event which is raised when
            the object itself is disposed.</para>
        /// <para>Представляет высвобождаемый объект, который содержит событие OnDispose, которое
            возникает при высвобождении самого объекта.</para>
        /// </summary>
10
        public class Disposable : DisposableBase
11
12
            private static readonly Disposal _emptyDelegate = (manual, wasDisposed) => { };
13
14
            public event Disposal OnDispose;
15
16
            public Disposable(Action disposed)
17
18
                 OnDispose = (manual, wasDisposed) =>
19
                 {
20
                     if (!wasDisposed)
                         disposed();
23
24
25
                 };
26
            public Disposable(Disposal disposed) => OnDispose = disposed;
```

```
29
            public Disposable() => OnDispose = _emptyDelegate;
31
            public static implicit operator Disposable(Action action) => new Disposable(action);
33
            public static implicit operator Disposable(Disposal disposal) => new
34

→ Disposable(disposal);

35
            protected override void Dispose(bool manual, bool wasDisposed) => OnDispose(manual,
36

→ wasDisposed);

37
            protected void RaiseOnDisposeEvent(bool manual, bool wasDisposed) => OnDispose(manual,
38

→ wasDisposed);

            public static bool TryDisposeAndResetToDefault<T>(ref T @object)
40
41
                var result = @object.TryDispose();
42
                if (result)
43
44
                    @object = default;
45
46
                return result;
            }
48
       }
49
50
./Platform.Disposables/Disposable[T].cs
   using System;
2
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
   namespace Platform.Disposables
5
6
       /// <summary>
       /// <para>Represents disposable container that disposes contained object when the container
          itself is disposed.</para>
        /// <para>Представляет высвобождаемый контейнер, который высвобождает содержащийся в нём
9
           объект при высвобождении самого контейнера.</para>
        /// </summary>
10
       public class Disposable<T> : Disposable
11
12
            public T Object { get; }
13
            public Disposable(T @object, Action<T> disposed)
15
16
                Object = @object;
17
                OnDispose += (manual, wasDisposed) =>
18
19
                    if (!wasDisposed)
20
21
22
                        disposed(Object);
23
                };
24
            }
25
26
            public Disposable(T @object, Action disposed) : base(disposed) => Object = @object;
27
2.8
            public Disposable(T @object, Disposal disposed) : base(disposed) => Object = @object;
29
30
            public Disposable(T @object) => Object = @object;
31
32
            public static implicit operator Disposable<T>(ValueTuple<T, Action<T>> tuple) => new
33
            → Disposable<T>(tuple.Item1, tuple.Item2);
            public static implicit operator Disposable<T>(ValueTuple<T, Action> tuple) => new
            → Disposable<T>(tuple.Item1, tuple.Item2);
36
            public static implicit operator Disposable<T>(ValueTuple<T, Disposal> tuple) => new
37
            → Disposable<T>(tuple.Item1, tuple.Item2);
38
            public static implicit operator Disposable<T>(T @object) => new Disposable<T>(@object);
3.9
40
            public static implicit operator T(Disposable<T> disposable) => disposable.Object;
41
42
            protected override void Dispose(bool manual, bool wasDisposed)
43
44
                base.Dispose(manual, wasDisposed);
                Object.TryDispose();
46
            }
47
```

```
48
   }
49
./Platform.Disposables/Disposable[TPrimary, TAuxiliary].cs
   using System;
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
3
   namespace Platform. Disposables
5
6
        /// <summary>
       /// <para>Represents disposable container that disposes two contained objects when the
           container itself is disposed.</para>
       /// <para>Представляет высвобождаемый контейнер, который высвобождает два содержащийхся в
9
           нём объектов при высвобождении самого контейнера.</para>
        /// </summary>
10
       public class Disposable<TPrimary, TAuxiliary> : Disposable<TPrimary>
11
12
           public TAuxiliary AuxiliaryObject { get; }
13
14
           public Disposable(TPrimary @object, TAuxiliary auxiliaryObject, Action<TPrimary,</pre>
15
               TAuxiliary> action)
                : base(@object)
16
            ₹
17
                AuxiliaryObject = auxiliaryObject;
                OnDispose += (manual, wasDisposed) =>
19
20
21
                    if (!wasDisposed)
22
                        action(Object, AuxiliaryObject);
23
24
                };
            }
26
27
           public Disposable(TPrimary @object, TAuxiliary auxiliaryObject, Action action) :
28
            base(@object, action) => AuxiliaryObject = auxiliaryObject;
29
           public Disposable(TPrimary @object, TAuxiliary auxiliaryObject, Disposal disposal) :
30
            base(@object, disposal) => AuxiliaryObject = auxiliaryObject;
31
           public Disposable(TPrimary @object, TAuxiliary auxiliaryObject) : base(@object) =>
32
            → AuxiliaryObject = auxiliaryObject;
33
           public Disposable(TPrimary @object) : base(@object) { }
35
           public static implicit operator Disposable<TPrimary, TAuxiliary>(ValueTuple<TPrimary,</pre>
36
                TAuxiliary, Action<TPrimary, TAuxiliary>> tuple) => new Disposable<TPrimary,
               TAuxiliary>(tuple.Item1, tuple.Item2, tuple.Item3);
37
           public static implicit operator Disposable<TPrimary, TAuxiliary>(ValueTuple<TPrimary,</pre>
38
                TAuxiliary, Action> tuple) => new Disposable<TPrimary, TAuxiliary>(tuple.Item1,
               tuple.Item2, tuple.Item3);
39
           public static implicit operator Disposable<TPrimary, TAuxiliary>(ValueTuple<TPrimary,</pre>
40
               TAuxiliary, Disposal> tuple) => new Disposable<TPrimary, TAuxiliary>(tuple.Item1,
               tuple.Item2, tuple.Item3);
           public static implicit operator Disposable<TPrimary, TAuxiliary>(ValueTuple<TPrimary,</pre>
42
            TAuxiliary> tuple) => new Disposable<TPrimary, TAuxiliary>(tuple.Item1, tuple.Item2);
           public static implicit operator TPrimary(Disposable<TPrimary, TAuxiliary>
44
            → disposableContainer) => disposableContainer.Object;
           public static implicit operator TAuxiliary(Disposable<TPrimary, TAuxiliary>
46
            disposableContainer) => disposableContainer.AuxiliaryObject;
           protected override void Dispose(bool manual, bool wasDisposed)
48
49
                RaiseOnDisposeEvent(manual, wasDisposed);
50
                AuxiliaryObject.TryDispose();
                Object.TryDispose();
52
            }
53
       }
   }
./Platform.Disposables/Disposal.cs
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
```

```
namespace Platform.Disposables
3
4
        public delegate void Disposal(bool manual, bool wasDisposed);
5
./Platform.Disposables/EnsureExtensions.cs
   using System;
   using System.Diagnostics;
   using System.Runtime.CompilerServices; using Platform.Exceptions;
3
   using Platform. Exceptions. Extension Roots;
   #pragma warning disable IDE0060 // Remove unused parameter
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform.Disposables
11
        public static class EnsureExtensions
12
13
            #region Always
15
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
16
            public static void NotDisposed(this EnsureAlwaysExtensionRoot root, IDisposable
               disposable) => NotDisposed(root, disposable, null, null);
18
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static void NotDisposed(this EnsureAlwaysExtensionRoot root, IDisposable
20
            → disposable, string objectName) => NotDisposed(root, disposable, objectName, null);
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
22
            public static void NotDisposed(this EnsureAlwaysExtensionRoot root, IDisposable
2.3
                disposable, string objectName, string message)
                if (disposable.IsDisposed)
                {
26
                    throw new ObjectDisposedException(objectName, message);
27
28
            }
30
            #endregion
31
32
            #region OnDebug
33
            [Conditional("DEBUG")]
35
            public static void NotDisposed(this EnsureOnDebugExtensionRoot root, IDisposable
36
            disposable) => Ensure.Always.NotDisposed(disposable, null, null);
            [Conditional("DEBUG")]
38
            public static void NotDisposed(this EnsureOnDebugExtensionRoot root, IDisposable
                disposable, string objectName) => Ensure.Always.NotDisposed(disposable, objectName,
                null);
40
            [Conditional("DEBUG")]
41
            public static void NotDisposed(this EnsureOnDebugExtensionRoot root, IDisposable
                disposable, string objectName, string message) =>
                Ensure.Always.NotDisposed(disposable, objectName, message);
43
            #endregion
44
        }
45
46
./Platform.Disposables/GenericObjectExtensions.cs
   using System;
   using Platform.Exceptions;
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform.Disposables
6
   {
        static public class GenericObjectExtensions
q
            public static bool TryDispose<T>(this T @object)
10
                try
12
                    if (@object is DisposableBase disposableBase)
14
15
                         disposableBase.DisposeIfNotDisposed();
16
                    }
```

```
else if (@object is System.IDisposable disposable)
18
19
                         disposable.Dispose();
20
21
                    return true;
22
23
                catch (Exception exception)
24
25
                    exception.Ignore();
26
27
                return false;
2.8
29
30
            public static void DisposeIfPossible<T>(this T @object) => TryDispose(@object);
31
        }
32
   }
./ Platform. Disposables / ID is posable. cs\\
   namespace Platform.Disposables
1
        /// <summary>
3
        /// <para>Представляет расширенный интерфейс IDisposable.</para>
4
        /// <para>Represents an extended IDisposable interface.</para>
        /// </summary>
       public interface IDisposable : System.IDisposable
            /// <summary>
q
            /// <para>Gets a value indicating whether the object was disposed.</para>
10
            /// <para>Возвращает значение определяющее был ли высвобожден объект.</para>
11
            /// </summary>
12
            bool IsDisposed { get; }
13
            /// <summary>
15
            /// <para>Performs application-defined tasks associated with freeing, releasing, or
16
                resetting unmanaged resources without throwing any exceptions. </para>
            /// <para>Выполняет определенные пользователем задачи, связанные с освобождением,
17
               высвобождением или сбросом неуправляемых ресурсов без выбрасывания исключений.</para>
            /// </summary>
            /// <remarks>
19
            /// <para>Should be called only from classes destructors, or in case exceptions should
20
               be not thrown.</para>
            /// <para>Должен вызываться только из деструкторов классов, или в случае, если
               исключения выбрасывать нельзя.</para>
            /// </remarks>
            void Destruct();
23
        }
^{24}
./Platform.Disposables.Tests/SystemTests.cs
   using Xunit;
1
2
   namespace Platform.Disposables.Tests
4
   {
        /// <summary>
5
        /// <para>Contains tests for features of .NET Framework itself, that are required by current
           implementations.</para>
        /// <para>Содержит тесты для функций самой .NET Framework, которые требуются для текущих
        → реализаций.</para>
/// </summary>
        public class SystemTests
10
            [Fact]
11
            public void UsingSupportsNullTest()
12
13
                using (var disposable = null as IDisposable)
14
15
                     Assert.True(disposable == null);
16
                }
17
            }
18
        }
19
   }
20
```

## Index

./Platform.Disposables.Tests/SystemTests.cs, 6
./Platform.Disposables/Disposable.cs, 2
./Platform.Disposables/DisposableBase.cs, 1
./Platform.Disposables/DisposableBaseExtensions.cs, 2
./Platform.Disposables/Disposable[TPrimary, TAuxiliary].cs, 4
./Platform.Disposables/Disposable[T].cs, 3
./Platform.Disposables/Disposal.cs, 4
./Platform.Disposables/EnsureExtensions.cs, 5
./Platform.Disposables/GenericObjectExtensions.cs, 5
./Platform.Disposables/IDisposable.cs, 6