```
LinksPlatform's Platform Reflection Class Library
./Platform.Reflection/AssemblyExtensions.cs
   using System;
   using System.Collections.Concurrent;
2
   using System. Reflection;
   using Platform. Exceptions;
4
   using Platform.Collections.Lists;
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform. Reflection
9
   {
10
       public static class AssemblyExtensions
11
12
           private static readonly ConcurrentDictionary<Assembly, Type[]> _loadableTypesCache = new
13
            14
            /// <remarks>
15
            /// Source: http://haacked.com/archive/2012/07/23/get-all-types-in-an-assembly.aspx/
16
            /// </remarks>
17
           public static Type[] GetLoadableTypes(this Assembly assembly)
18
19
                Ensure.Always.ArgumentNotNull(assembly, nameof(assembly));
               try
21
                {
                    return assembly.GetTypes();
23
                }
24
                catch (ReflectionTypeLoadException e)
25
26
                    return e.Types.ToArray(t => t != null);
27
                }
28
           }
30
           public static Type[] GetCachedLoadableTypes(this Assembly assembly) =>
               _loadableTypesCache.GetOrAdd(assembly, GetLoadableTypes);
       }
   }
33
./Platform.Reflection/DelegateHelpers.cs
   using System;
   using System.Collections.Generic;
   using System.Linq;
3
   using System.Reflection.Emit;
   using Platform. Exceptions;
5
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform. Reflection
9
   {
10
       public static class DelegateHelpers
11
12
           public static TDelegate CompileOrDefault<TDelegate>(Action<ILGenerator> emitCode)
13
                where TDelegate : Delegate
14
                var @delegate = default(TDelegate);
16
17
                try
                    var delegateType = typeof(TDelegate);
19
                    var invoke = delegateType.GetMethod("Invoke");
                    var returnType = invoke.ReturnType;
21
                    var parameterTypes = invoke.GetParameters().Select(s =>
22

→ s.ParameterType).ToArray();
                    var dynamicMethod = new DynamicMethod(Guid.NewGuid().ToString(), returnType,
23
                       parameterTypes);
                    var generator = dynamicMethod.GetILGenerator();
                    emitCode(generator);
25
                    @delegate = (TDelegate)dynamicMethod.CreateDelegate(delegateType);
26
                }
                catch (Exception exception)
28
29
                    exception. Ignore();
30
                }
31
               return @delegate;
32
           }
34
35
           public static TDelegate Compile<TDelegate>(Action<ILGenerator> emitCode)
                where TDelegate: Delegate
36
                var @delegate = CompileOrDefault<TDelegate>(emitCode);
```

```
(EqualityComparer<TDelegate>.Default.Equals(@delegate, default))
3.9
40
                    @delegate = new NotSupportedExceptionDelegateFactory<TDelegate>().Create();
41
42
                return @delegate;
43
            }
44
       }
45
   }
46
./Platform.Reflection/DynamicExtensions.cs
   using System.Collections.Generic;
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform. Reflection
5
6
        public static class DynamicExtensions
            public static bool HasProperty(this object @object, string propertyName)
9
10
                var type = @object.GetType();
11
                if (type is IDictionary<string, object> dictionary)
12
13
                    return dictionary.ContainsKey(propertyName);
14
                return type.GetProperty(propertyName) != null;
16
            }
17
       }
18
   }
19
./Platform.Reflection/EnsureExtensions.cs
   using System;
   using System Diagnostics;
   using System.Runtime.CompilerServices;
   using Platform. Exceptions;
   using Platform.Exceptions.ExtensionRoots;
5
   #pragma warning disable IDE0060 // Remove unused parameter
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform. Reflection
10
   {
11
        public static class EnsureExtensions
12
13
            #region Always
14
15
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
16
            public static void IsUnsignedInteger<T>(this EnsureAlwaysExtensionRoot root,
17
                Func<string> messageBuilder)
                if (!NumericType<T>.IsNumeric || NumericType<T>.IsSigned ||
19
                    NumericType<T>.IsFloatPoint)
                {
20
                    throw new NotSupportedException(messageBuilder());
                }
22
            }
23
24
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
25
            public static void IsUnsignedInteger<T>(this EnsureAlwaysExtensionRoot root, string
26
               message)
            {
                string messageBuilder() => message;
                IsUnsignedInteger<T>(root, messageBuilder);
29
            }
30
31
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
32
            public static void IsUnsignedInteger<T>(this EnsureAlwaysExtensionRoot root) =>
33
               IsUnsignedInteger<T>(root, (string)null);
34
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
35
            public static void IsSignedInteger<T>(this EnsureAlwaysExtensionRoot root, Func<string>
                messageBuilder)
                if (!NumericType<T>.IsNumeric || !NumericType<T>.IsSigned ||
38
                    NumericType<T>.IsFloatPoint)
                {
39
                    throw new NotSupportedException(messageBuilder());
40
                }
41
```

```
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static void IsSignedInteger<T>(this EnsureAlwaysExtensionRoot root, string
   message)
    string messageBuilder() => message;
    IsSignedInteger<T>(root, messageBuilder);
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static void IsSignedInteger<T>(this EnsureAlwaysExtensionRoot root) =>
→ IsSignedInteger<T>(root, (string)null);
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static void IsSigned<T>(this EnsureAlwaysExtensionRoot root, Func<string>
   messageBuilder)
    if (!NumericType<T>.IsSigned)
    {
        throw new NotSupportedException(messageBuilder());
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static void IsSigned<T>(this EnsureAlwaysExtensionRoot root, string message)
    string messageBuilder() => message;
    IsSigned<T>(root, messageBuilder);
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static void IsSigned<T>(this EnsureAlwaysExtensionRoot root) => IsSigned<T>(root,
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static void IsNumeric<T>(this EnsureAlwaysExtensionRoot root, Func<string>
   messageBuilder)
{
    if (!NumericType<T>.IsNumeric)
        throw new NotSupportedException(messageBuilder());
    }
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static void IsNumeric<T>(this EnsureAlwaysExtensionRoot root, string message)
    string messageBuilder() => message;
    IsNumeric<T>(root, messageBuilder);
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static void IsNumeric<T>(this EnsureAlwaysExtensionRoot root) =>
   IsNumeric<T>(root, (string)null);
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static void CanBeNumeric<T>(this EnsureAlwaysExtensionRoot root, Func<string>
   messageBuilder)
    if (!NumericType<T>.CanBeNumeric)
        throw new NotSupportedException(messageBuilder());
    }
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static void CanBeNumeric<T>(this EnsureAlwaysExtensionRoot root, string message)
    string messageBuilder() => message;
    CanBeNumeric<T>(root, messageBuilder);
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static void CanBeNumeric<T>(this EnsureAlwaysExtensionRoot root) =>
   CanBeNumeric<T>(root, (string)null);
#endregion
```

44

46

47

48 49 50

51

53

55

56

59 60

62

64 65

66

68

70

71

7.3

77

7.8

80

82

83 84

86

87 88

89

90

92

95 96

98

99 100

101

102

104

105

107

108 109

110

```
112
            #region OnDebug
113
            [Conditional("DEBUG")]
115
           public static void IsUnsignedInteger<T>(this EnsureOnDebugExtensionRoot root,
116
            → Func<string> messageBuilder) => Ensure.Always.IsUnsignedInteger<T>(messageBuilder);
            [Conditional("DEBUG")]
118
           public static void IsUnsignedInteger<T>(this EnsureOnDebugExtensionRoot root, string
119
            → message) => Ensure.Always.IsUnsignedInteger<T>(message);
120
            [Conditional("DEBUG")]
121
122
           public static void IsUnsignedInteger<T>(this EnsureOnDebugExtensionRoot root) =>
               Ensure.Always.IsUnsignedInteger<T>();
123
            [Conditional("DEBUG")]
124
           public static void IsSignedInteger<T>(this EnsureOnDebugExtensionRoot root, Func<string>
            messageBuilder) => Ensure.Always.IsSignedInteger<T>(messageBuilder);
126
            [Conditional("DEBUG")]
127
            public static void IsSignedInteger<T>(this EnsureOnDebugExtensionRoot root, string
            message) => Ensure.Always.IsSignedInteger<T>(message);
129
            [Conditional("DEBUG")]
            public static void IsSignedInteger<T>(this EnsureOnDebugExtensionRoot root) =>
131

→ Ensure.Always.IsSignedInteger<T>();
132
            [Conditional("DEBUG")]
            public static void IsSigned<T>(this EnsureOnDebugExtensionRoot root, Func<string>
134
            messageBuilder) => Ensure.Always.IsSigned<T>(messageBuilder);
135
            [Conditional("DEBUG")]
            public static void IsSigned<T>(this EnsureOnDebugExtensionRoot root, string message) =>
137
            [Conditional("DEBUG")]
139
           public static void IsSigned<T>(this EnsureOnDebugExtensionRoot root) =>
140
            141
            [Conditional("DEBUG")]
142
            public static void IsNumeric<T>(this EnsureOnDebugExtensionRoot root, Func<string>
143
            messageBuilder) => Ensure.Always.IsNumeric<T>(messageBuilder);
144
            [Conditional("DEBUG")]
145
           public static void IsNumeric<T>(this EnsureOnDebugExtensionRoot root, string message) =>
146
               Ensure.Always.IsNumeric<T>(message);
147
            [Conditional("DEBUG")]
148
            public static void IsNumeric<T>(this EnsureOnDebugExtensionRoot root) =>
            150
            [Conditional("DEBUG")]
151
            public static void CanBeNumeric<T>(this EnsureOnDebugExtensionRoot root, Func<string>
            messageBuilder) => Ensure.Always.CanBeNumeric<T>(messageBuilder);
153
            [Conditional("DEBUG")]
154
            public static void CanBeNumeric<T>(this EnsureOnDebugExtensionRoot root, string message)
155

→ => Ensure.Always.CanBeNumeric<T>(message);
156
            [Conditional("DEBUG")]
           public static void CanBeNumeric<T>(this EnsureOnDebugExtensionRoot root) =>
158

→ Ensure.Always.CanBeNumeric<T>();
            #endregion
160
        }
161
162
./Platform.Reflection/FieldInfoExtensions.cs
    using System. Reflection;
   using System.Runtime.CompilerServices;
 2
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform. Reflection
 6
        public static class FieldInfoExtensions
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
public static T GetStaticValue<T>(this FieldInfo fieldInfo) =>
11
                (T)fieldInfo.GetValue(null);
        }
   }
13
./Platform.Reflection/ILGeneratorExtensions.cs
   using System;
   using System.Linq;
using System.Reflection;
2
   using System.Reflection.Emit;
4
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform.Reflection
        public static class ILGeneratorExtensions
10
11
            public static void Throw<T>(this ILGenerator generator) =>
12

→ generator.ThrowException(typeof(T));
13
            public static void ConvertTo<T>(this ILGenerator generator)
14
15
                 var type = typeof(T);
16
                 if (type == typeof(short))
18
                     generator.Emit(OpCodes.Conv_I2);
19
                 }
                 else if (type == typeof(ushort))
21
22
                     generator.Emit(OpCodes.Conv_U2);
23
24
                 else if (type == typeof(sbyte))
25
26
27
                     generator.Emit(OpCodes.Conv_I1);
                 }
28
                 else if (type == typeof(byte))
29
30
                     generator.Emit(OpCodes.Conv_U1);
31
                 }
32
33
                 else
                 {
34
                     throw new NotSupportedException();
35
                 }
36
            }
37
38
            public static void LoadConstant(this ILGenerator generator, bool value) =>
39
                generator.LoadConstant(value ? 1 : 0);
40
            public static void LoadConstant(this ILGenerator generator, float value) =>
41
                generator.Emit(OpCodes.Ldc_R4, value);
42
43
            public static void LoadConstant(this ILGenerator generator, double value) =>
                generator.Emit(OpCodes.Ldc_R8, value);
            public static void LoadConstant(this ILGenerator generator, ulong value) =>
45

→ generator.Emit(OpCodes.Ldc_I8, unchecked((long)value));
            public static void LoadConstant(this ILGenerator generator, long value) =>
47
                generator.Emit(OpCodes.Ldc_I8, value);
            public static void LoadConstant(this ILGenerator generator, uint value)
49
50
                 switch (value)
51
52
                     case uint.MaxValue: generator.Emit(OpCodes.Ldc_I4_M1, value); return;
53
                     case 0: generator.Emit(OpCodes.Ldc_I4_0, value); return;
54
                             generator.Emit(OpCodes.Ldc_I4_1, value); return;
                     case 2: generator.Emit(OpCodes.Ldc_I4_2, value); return;
56
                     case 3: generator.Emit(OpCodes.Ldc_I4_3, value); return;
57
                     case 4: generator.Emit(OpCodes.Ldc_I4_4, value); return;
58
                     case 5: generator.Emit(OpCodes.Ldc_I4_5, value); return;
                     case 6: generator.Emit(OpCodes.Ldc_I4_6, value); return;
60
                     case 7: generator.Emit(OpCodes.Ldc_I4_7, value); return;
case 8: generator.Emit(OpCodes.Ldc_I4_8, value); return;
61
63
                if (value <= sbyte.MaxValue)</pre>
64
65
                     generator.Emit(OpCodes.Ldc_I4_S, unchecked((byte)value));
```

```
else
        generator.Emit(OpCodes.Ldc_I4, unchecked((int)value));
}
public static void LoadConstant(this ILGenerator generator, int value)
    switch (value)
        case -1: generator.Emit(OpCodes.Ldc_I4_M1, value); return;
        case 0: generator.Emit(OpCodes.Ldc_I4_0, value); return;
                 generator.Emit(OpCodes.Ldc_I4_1, value); return;
        case 2: generator.Emit(OpCodes.Ldc_I4_2, value); return;
        case 3: generator.Emit(OpCodes.Ldc_I4_3, value); return;
        case 4: generator.Emit(OpCodes.Ldc_I4_4, value); return;
        case 5: generator.Emit(OpCodes.Ldc_I4_5, value); return;
        case 6: generator.Emit(OpCodes.Ldc_I4_6, value); return;
case 7: generator.Emit(OpCodes.Ldc_I4_7, value); return;
case 8: generator.Emit(OpCodes.Ldc_I4_8, value); return;
    if (value >= sbyte.MinValue && value <= sbyte.MaxValue)</pre>
        generator.Emit(OpCodes.Ldc_I4_S, unchecked((byte)value));
    }
    else
    {
        generator.Emit(OpCodes.Ldc_I4, value);
    }
}
public static void LoadConstant(this ILGenerator generator, short value)
    generator.LoadConstant((int)value);
    generator.ConvertTo<short>();
public static void LoadConstant(this ILGenerator generator, ushort value)
    generator.LoadConstant((int)value);
    generator.ConvertTo<ushort>();
public static void LoadConstant(this ILGenerator generator, sbyte value)
    generator.LoadConstant((int)value);
    generator.ConvertTo<sbyte>();
public static void LoadConstant(this ILGenerator generator, byte value)
    generator.LoadConstant((int)value);
    generator.ConvertTo<byte>();
public static void LoadConstantOne<TConstant>(this ILGenerator generator) =>
→ LoadConstantOne(generator, typeof(TConstant));
public static void LoadConstantOne(this ILGenerator generator, Type constantType)
    if (constantType == typeof(float))
        generator.LoadConstant(1F);
    }
    else if (constantType == typeof(double))
        generator.LoadConstant(1D);
    else if (constantType == typeof(long))
        generator.LoadConstant(1L);
    else if (constantType == typeof(ulong))
        generator.LoadConstant(1UL);
    else if (constantType == typeof(int))
```

68 69

7.1

72 73

74 75

76 77

78

79 80

81

82

84

89

91

92 93

94

95

97 98

99 100

101

102 103

105 106

107

108 109 110

111 112

113

114 115 116

117 118

120 121 122

123

 $\frac{125}{126}$

127 128

129

130

132

133 134

135 136

137 138

139 140

 $\frac{141}{142}$

```
generator.LoadConstant(1);
    }
    else if (constantType == typeof(uint))
        generator.LoadConstant(1U);
    else if (constantType == typeof(short))
        generator.LoadConstant((short)1);
    else if (constantType == typeof(ushort))
        generator.LoadConstant((ushort)1);
    else if (constantType == typeof(sbyte))
        generator.LoadConstant((sbyte)1);
    else if (constantType == typeof(byte))
        generator.LoadConstant((byte)1);
    }
    else
    {
        throw new NotSupportedException();
    }
}
public static void LoadConstant<TConstant>(this ILGenerator generator, object
   constantValue) => LoadConstant(generator, typeof(TConstant), constantValue);
public static void LoadConstant(this ILGenerator generator, Type constantType, object
   constantValue)
    if (constantType == typeof(float))
        generator.LoadConstant((float)constantValue);
    }
    else if (constantType == typeof(double))
        generator.LoadConstant((double)constantValue);
    else if (constantType == typeof(long))
        generator.LoadConstant((long)constantValue);
    else if (constantType == typeof(ulong))
        generator.LoadConstant((ulong)constantValue);
    else if (constantType == typeof(int))
        generator.LoadConstant((int)constantValue);
    else if (constantType == typeof(uint))
        generator.LoadConstant((uint)constantValue);
    else if (constantType == typeof(short))
        generator.LoadConstant((short)constantValue);
    else if (constantType == typeof(ushort))
        generator.LoadConstant((ushort)constantValue);
    else if (constantType == typeof(sbyte))
        generator.LoadConstant((sbyte)constantValue);
    else if (constantType == typeof(byte))
        generator.LoadConstant((byte)constantValue);
    }
    else
        throw new NotSupportedException();
```

146

147 148

149 150

151

153 154

155

157 158

160

161 162

163 164

165

167

168

169

170

171 172

173

174

175

176

177 178

179

180

181 182

183

185 186

188

189 190

192

193

195 196

197

199 200

 $\frac{201}{202}$

 $\frac{203}{204}$

205 206

 $\frac{207}{208}$

209 210

 $\frac{211}{212}$

 $\frac{213}{214}$

215

216

 $\frac{217}{218}$

```
}
220
221
222
             public static void Increment<TValue>(this ILGenerator generator) =>
                generator.Increment(typeof(TValue));
224
             public static void Decrement<TValue>(this ILGenerator generator) =>
225

    generator.Decrement(typeof(TValue));

226
             public static void Increment(this ILGenerator generator, Type valueType)
227
228
                 generator.LoadConstantOne(valueType);
229
                 generator.Add();
230
             }
231
232
             public static void Add(this ILGenerator generator) => generator.Emit(OpCodes.Add);
233
234
             public static void Decrement(this ILGenerator generator, Type valueType)
235
236
                 generator.LoadConstantOne(valueType);
237
                 generator.Subtract();
238
             }
239
240
             public static void Subtract(this ILGenerator generator) => generator.Emit(OpCodes.Sub);
241
242
             public static void Negate(this ILGenerator generator) => generator.Emit(OpCodes.Neg);
243
244
             public static void And(this ILGenerator generator) => generator.Emit(OpCodes.And);
245
246
             public static void Or(this ILGenerator generator) => generator.Emit(OpCodes.Or);
247
248
             public static void Not(this ILGenerator generator) => generator.Emit(OpCodes.Not);
249
250
             public static void ShiftLeft(this ILGenerator generator) => generator.Emit(OpCodes.Shl);
251
252
             public static void ShiftRight(this ILGenerator generator) => generator.Emit(OpCodes.Shr);
253
254
             public static void LoadArgument(this ILGenerator generator, int argumentIndex)
255
256
                 if (argumentIndex == 0)
257
258
                     generator.Emit(OpCodes.Ldarg_0);
259
260
                 else if (argumentIndex == 1)
261
                     generator.Emit(OpCodes.Ldarg_1);
263
264
                 else if (argumentIndex == 2)
266
                     generator.Emit(OpCodes.Ldarg_2);
267
                 }
268
                 else if (argumentIndex == 3)
270
                     generator.Emit(OpCodes.Ldarg_3);
271
                 }
272
                 else
273
                 {
274
                     generator.Emit(OpCodes.Ldarg, argumentIndex);
275
276
             }
277
278
             public static void LoadArguments(this ILGenerator generator, params int[]
279
                 argumentIndices)
280
                 for (var i = 0; i < argumentIndices.Length; i++)</pre>
282
                     generator.LoadArgument(argumentIndices[i]);
283
                 }
             }
285
286
             public static void StoreArgument(this ILGenerator generator, int argumentIndex) =>
287
                generator.Emit(OpCodes.Starg, argumentIndex);
288
             public static void CompareGreaterThan(this ILGenerator generator) =>
                generator.Emit(OpCodes.Cgt);
290
             public static void UnsignedCompareGreaterThan(this ILGenerator generator) =>
291
                generator.Emit(OpCodes.Cgt_Un);
```

```
public static void CompareGreaterThan(this ILGenerator generator, bool isSigned)
293
295
                    (isSigned)
                 {
296
                     generator.CompareGreaterThan();
                 }
298
                 else
299
                     generator.UnsignedCompareGreaterThan();
301
                 }
302
             }
303
304
             public static void CompareLessThan(this ILGenerator generator) =>
305
                 generator.Emit(OpCodes.Clt);
306
             public static void UnsignedCompareLessThan(this ILGenerator generator) =>
307
                generator.Emit(OpCodes.Clt_Un);
308
             public static void CompareLessThan(this ILGenerator generator, bool isSigned)
309
310
                 if (isSigned)
311
                 {
312
                     generator.CompareLessThan();
313
                 }
                 else
315
                 {
316
                     generator.UnsignedCompareLessThan();
317
318
             }
319
320
             public static void BranchIfGreaterOrEqual(this ILGenerator generator, Label label) =>
321

→ generator.Emit(OpCodes.Bge, label);
322
             public static void UnsignedBranchIfGreaterOrEqual(this ILGenerator generator, Label
323
                label) => generator.Emit(OpCodes.Bge_Un, label);
             public static void BranchIfGreaterOrEqual(this ILGenerator generator, bool isSigned,
325
                 Label label)
326
                 if (isSigned)
327
328
                     generator.BranchIfGreaterOrEqual(label);
329
                 }
330
331
                 else
332
                     generator.UnsignedBranchIfGreaterOrEqual(label);
333
                 }
334
             }
335
             public static void BranchIfLessOrEqual(this ILGenerator generator, Label label) =>
337
                generator.Emit(OpCodes.Ble, label);
338
             public static void UnsignedBranchIfLessOrEqual(this ILGenerator generator, Label label)
339
                => generator.Emit(OpCodes.Ble_Un, label);
340
             public static void BranchIfLessOrEqual(this ILGenerator generator, bool isSigned, Label
341
                 label)
342
                 if (isSigned)
343
344
                     generator.BranchIfLessOrEqual(label);
345
                 }
346
                 else
                 {
348
                     generator.UnsignedBranchIfLessOrEqual(label);
349
                 }
350
             }
351
352
             public static void Box<TBox>(this ILGenerator generator) => generator.Box(typeof(TBox));
354
             public static void Box(this ILGenerator generator, Type boxedType) =>
355
                generator.Emit(OpCodes.Box, boxedType);
356
             public static void Call(this ILGenerator generator, MethodInfo method) =>
357
                generator.Emit(OpCodes.Call, method);
358
             public static void Return(this ILGenerator generator) => generator.Emit(OpCodes.Ret);
359
360
```

```
public static void Unbox<TUnbox>(this ILGenerator generator) =>
361
                generator.Unbox(typeof(TUnbox));
362
            public static void Unbox(this ILGenerator generator, Type typeToUnbox) =>
363
                generator.Emit(OpCodes.Unbox, typeToUnbox);
            public static void UnboxValue<TUnbox>(this ILGenerator generator) =>
365

→ generator.UnboxValue(typeof(TUnbox));
            public static void UnboxValue(this ILGenerator generator, Type typeToUnbox) =>
367

→ generator.Emit(OpCodes.Unbox_Any, typeToUnbox);
368
            public static LocalBuilder DeclareLocal<T>(this ILGenerator generator) =>
                generator.DeclareLocal(typeof(T));
370
            public static void LoadLocal(this ILGenerator generator, LocalBuilder local) =>
                generator.Emit(OpCodes.Ldloc, local);
372
            public static void StoreLocal(this ILGenerator generator, LocalBuilder local) =>
373

→ generator.Emit(OpCodes.Stloc, local);
374
            public static void NewObject(this ILGenerator generator, Type type, params Type[]
375
                parameterTypes)
                 var allConstructors = type.GetConstructors(BindingFlags.Public |
377
                     BindingFlags.NonPublic | BindingFlags.Instance
    #if !NETSTANDARD
378
                     | BindingFlags.CreateInstance
    #endif
380
381
                 var constructor = allConstructors.Where(c => c.GetParameters().Length ==
382
                    parameterTypes.Length && c.GetParameters().Select((p, i) => p.ParameterType ==
                     parameterTypes[i]).Aggregate(true, (a, b) => a && b)).SingleOrDefault();
                 if (constructor == null)
383
                 {
384
                     throw new InvalidOperationException("Type " + type + " must have a constructor
                     that matches parameters [" + string.Join(", ",
                        parameterTypes.AsEnumerable()) + "]");
386
                 generator.NewObject(constructor);
387
            }
388
389
            public static void NewObject(this ILGenerator generator, ConstructorInfo constructor)
390
392
                 generator.Emit(OpCodes.Newobj, constructor);
393
394
            public static void LoadIndirect<T>(this ILGenerator generator, bool isVolatile = false,
395
             → byte? unaligned = null) => generator.LoadIndirect(typeof(T), isVolatile, unaligned);
396
            public static void LoadIndirect(this ILGenerator generator, Type type, bool isVolatile =
397
                false, byte? unaligned = null)
398
                 if (unaligned. Has Value && unaligned != 1 && unaligned != 2 && unaligned != 4)
                 {
400
                     throw new ArgumentException("unaligned must be null, 1, 2, or 4");
401
                 }
402
                 if (isVolatile)
404
                     generator.Emit(OpCodes.Volatile);
405
                 }
406
                 if (unaligned.HasValue)
407
                 {
408
                     generator.Emit(OpCodes.Unaligned, unaligned.Value);
409
                 if (type.IsPointer)
411
412
                     generator.Emit(OpCodes.Ldind_I);
413
414
                 else if (!type.IsValueType)
415
416
                     generator.Emit(OpCodes.Ldind_Ref);
417
418
                 else if (type == typeof(sbyte))
419
                     generator.Emit(OpCodes.Ldind_I1);
421
422
```

```
else if (type == typeof(bool))
        generator.Emit(OpCodes.Ldind_I1);
    else if (type == typeof(byte))
        generator.Emit(OpCodes.Ldind_U1);
    else if (type == typeof(short))
        generator.Emit(OpCodes.Ldind_I2);
    else if (type == typeof(ushort))
        generator.Emit(OpCodes.Ldind_U2);
    else if (type == typeof(char))
        generator.Emit(OpCodes.Ldind_U2);
    else if (type == typeof(int))
        generator.Emit(OpCodes.Ldind_I4);
    else if (type == typeof(uint))
        generator.Emit(OpCodes.Ldind_U4);
    else if (type == typeof(long) || type == typeof(ulong))
        generator.Emit(OpCodes.Ldind_I8);
    else if (type == typeof(float))
        generator.Emit(OpCodes.Ldind_R4);
    else if (type == typeof(double))
        generator.Emit(OpCodes.Ldind_R8);
    }
    else
        throw new InvalidOperationException("LoadIndirect cannot be used with " + type +
             , LoadObject may be more appropriate");
}
public static void StoreIndirect<T>(this ILGenerator generator, bool isVolatile = false,
→ byte? unaligned = null) => generator.StoreIndirect(typeof(T), isVolatile, unaligned);
public static void StoreIndirect(this ILGenerator generator, Type type, bool isVolatile
   = false, byte? unaligned = null)
    if (unaligned. Has Value && unaligned != 1 && unaligned != 2 && unaligned != 4)
    {
        throw new ArgumentException("unaligned must be null, 1, 2, or 4");
    }
    if (isVolatile)
        generator.Emit(OpCodes.Volatile);
    if (unaligned.HasValue)
        generator.Emit(OpCodes.Unaligned, unaligned.Value);
    if (type.IsPointer)
        generator.Emit(OpCodes.Stind_I);
    }
    else if (!type.IsValueType)
        generator.Emit(OpCodes.Stind_Ref);
    else if (type == typeof(sbyte) || type == typeof(byte))
        generator.Emit(OpCodes.Stind_I1);
    else if (type == typeof(short) || type == typeof(ushort))
```

425 426

428

429 430

432

433 434

436

437

439 440

441 442

443 444

445 446

447

449 450

451 452

453 454

455 456

457 458

460

461

463 464

465

466

467 468

469

470

471

472

473

474

475

476

477 478

479 480

481 482

483

485 486

488

489 490

492

493 494

```
{
498
                     generator.Emit(OpCodes.Stind_I2);
                 }
500
                 else if (type == typeof(int) || type == typeof(uint))
501
                     generator.Emit(OpCodes.Stind_I4);
503
504
                 else if (type == typeof(long) || type == typeof(ulong))
505
506
                     generator.Emit(OpCodes.Stind_I8);
507
                 }
508
                 else if (type == typeof(float))
509
                 {
510
                     generator.Emit(OpCodes.Stind_R4);
511
                 }
512
513
                 else if (type == typeof(double))
514
                     generator.Emit(OpCodes.Stind_R8);
515
                 }
516
                 else
517
518
                     throw new InvalidOperationException("StoreIndirect cannot be used with " + type
519

→ + ", StoreObject may be more appropriate");
                 }
520
            }
521
        }
523
./Platform.Reflection/MethodInfoExtensions.cs
    using System.Reflection;
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
 3
 4
    namespace Platform. Reflection
 6
    {
        public static class MethodInfoExtensions
            public static byte[] GetILBytes(this MethodInfo methodInfo) =>
 9
             → methodInfo.GetMethodBody().GetILAsByteArray();
        }
10
    }
11
./Platform.Reflection/NotSupportedExceptionDelegateFactory.cs
    using System;
    using System.Collections.Generic;
    using Platform.Interfaces;
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
    namespace Platform. Reflection
 8
        public class NotSupportedExceptionDelegateFactory<TDelegate> : IFactory<TDelegate>
            where TDelegate : Delegate
10
11
            public TDelegate Create()
12
13
                 var @delegate = DelegateHelpers.CompileOrDefault<TDelegate>(generator =>
14
15
                     generator.Throw<NotSupportedException>();
16
                 });
17
                    (EqualityComparer<TDelegate>.Default.Equals(@delegate, default))
18
19
                     throw new InvalidOperationException("Unable to compile stub delegate.");
2.0
21
                 return @delegate;
22
            }
23
        }
24
    }
25
./Platform.Reflection/NumericType.cs
    using System;
    using System.Runtime.InteropServices;
    using Platform.Exceptions;
    // ReSharper disable AssignmentInConditionalExpression
    // ReSharper disable BuiltInTypeReferenceStyle
 6
    // ReSharper disable StaticFieldInGenericType
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
```

```
namespace Platform. Reflection
    public static class NumericType<T>
        public static readonly Type Type;
        public static readonly Type UnderlyingType;
        public static readonly Type SignedVersion; public static readonly Type UnsignedVersion;
        public static readonly bool IsFloatPoint;
        public static readonly bool IsNumeric;
                                bool
        public static readonly
                                      IsSigned;
        public static readonly bool CanBeNumeric;
        public static readonly bool IsNullable;
        public static readonly int BitsLength;
public static readonly T MinValue;
        public static readonly T MaxValue;
        static NumericType()
            try
                 var type = typeof(T);
                 var isNullable = type.IsNullable();
                 var underlyingType = isNullable ? Nullable.GetUnderlyingType(type) : type;
                 var canBeNumeric = underlyingType.CanBeNumeric();
                 var isNumeric = underlyingType.IsNumeric();
                 var isSigned = underlyingType.IsSigned();
                 var isFloatPoint = underlyingType.IsFloatPoint();
                 var bitsLength = Marshal.SizeOf(underlyingType) * 8;
                 GetMinAndMaxValues(underlyingType, out T minValue, out T maxValue);
                 GetSignedAndUnsignedVersions(underlyingType, isSigned, out Type signedVersion,
                    out Type unsignedVersion);
                 Type = type;
                 IsNullable = isNullable;
                 UnderlyingType = underlyingType;
                 CanBeNumeric = canBeNumeric
                 IsNumeric = isNumeric;
                 IsSigned = isSigned;
                 IsFloatPoint = isFloatPoint;
                 BitsLength = bitsLength;
                 MinValue = minValue;
                 MaxValue = maxValue;
                 SignedVersion = signedVersion;
                 UnsignedVersion = unsignedVersion;
            catch (Exception exception)
                 exception.Ignore();
            }
        }
        private static void GetMinAndMaxValues(Type type, out T minValue, out T maxValue)
            if (type == typeof(bool))
            {
                 minValue = (T)(object)false;
                 maxValue = (T)(object)true;
            else
                 minValue = type.GetStaticFieldValue<T>(nameof(int.MinValue));
                 maxValue = type.GetStaticFieldValue<T>(nameof(int.MaxValue));
            }
        private static void GetSignedAndUnsignedVersions(Type type, bool isSigned, out Type
            signedVersion, out Type unsignedVersion)
            if (isSigned)
            {
                 signedVersion = type;
                 unsignedVersion = type.GetUnsignedVersionOrNull();
            else
                 signedVersion = type.GetSignedVersionOrNull();
                 unsignedVersion = type;
        }
```

12 13

14

15

16 17

18

19

20

21

23 24

26

27

2.9

31

32 33

34

35

36

38

39

40

41

43

44

45

46

47

48

49

50

51

53

54

56

57

58 59

60

62

63

66

67 68

69

71 72 73

74

7.5

77

78

79 80

82

83

84 85

```
}
./Platform.Reflection/PropertyInfoExtensions.cs
    using System.Reflection;
    using System.Runtime.CompilerServices;
2
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
    namespace Platform. Reflection
6
        public static class PropertyInfoExtensions
9
10
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
             public static T GetStaticValue<T>(this PropertyInfo fieldInfo) =>
                 (T)fieldInfo.GetValue(null);
12
    }
13
./Platform.Reflection/TypeExtensions.cs
   using System;
    using System.Collections.Generic;
    using System.Linq;
using System.Reflection;
3
4
    using System.Runtime.CompilerServices;
    using Platform.Collections;
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
    namespace Platform.Reflection
10
11
        public static class TypeExtensions
12
13
             static private readonly HashSet<Type> _canBeNumericTypes;
static private readonly HashSet<Type> _isNumericTypes;
static private readonly HashSet<Type> _isSignedTypes;
14
15
16
             static private readonly HashSet<Type> _isFloatPointTypes;
static private readonly Dictionary<Type, Type> _unsignedVersionsOfSignedTypes;
static private readonly Dictionary<Type, Type> _signedVersionsOfUnsignedTypes;
17
18
19
             static TypeExtensions()
21
22
                  _canBeNumericTypes = new HashSet<Type> { typeof(bool), typeof(char),
                      typeof(DateTime), typeof(TimeSpan) };
                  _isNumericTypes = new HashSet<Type> { typeof(byte), typeof(ushort), typeof(uint),
                      typeof(ulong) };
                  _canBeNumericTypes.UnionWith(_isNumericTypes);
25
                  _isSignedTypes = new HashSet<Type> { typeof(sbyte), typeof(short), typeof(int),
26
                      typeof(long) };
                  _canBeNumericTypes.UnionWith(_isSignedTypes);
                  _isNumericTypes.UnionWith(_isSignedTypes);
                  _isFloatPointTypes = new HashSet<Type> { typeof(decimal), typeof(double),
29
                      typeof(float) }
                  _canBeNumericTypes.UnionWith(_isFloatPointTypes);
30
                  _isNumericTypes.UnionWith(_isFloatPointTypes);
                  _isSignedTypes.UnionWith(_isFloatPointTypes);
32
                  _unsignedVersionsOfSignedTypes = new Dictionary<Type, Type>
33
34
                       { typeof(sbyte), typeof(byte) },
{ typeof(short), typeof(ushort) },
35
36
                       { typeof(int), typeof(uint) }
                       { typeof(long), typeof(ulong) },
38
                  };
                  _signedVersionsOfUnsignedTypes = new Dictionary<Type, Type>
39
41
                       { typeof(byte), typeof(sbyte)}
42
                       { typeof(ushort), typeof(short) },
                       { typeof(uint), typeof(int) },
44
                       { typeof(ulong), typeof(long) },
45
                  };
             }
47
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
49
             public static FieldInfo GetFirstField(this Type type) => type.GetFields()[0];
50
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
52
             public static T GetStaticFieldValue<T>(this Type type, string name) =>
                 type.GetTypeInfo().GetField(name, BindingFlags.Public | BindingFlags.NonPublic |
                  BindingFlags.Static).GetStaticValue<T>();
```

```
[MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T GetStaticPropertyValue<T>(this Type type, string name) =>
56
                type.GetTypeInfo().GetProperty(name, BindingFlags.Public | BindingFlags.NonPublic |
                BindingFlags.Static).GetStaticValue<T>();
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static MethodInfo GetGenericMethod(this Type type, string name, Type[]
59
                genericParameterTypes, Type[] argumentTypes)
60
                var methods = from m in type.GetMethods()
                               where m.Name == name
62
                                  && {\tt m.IsGenericMethodDefinition}
63
                               let typeParams = m.GetGenericArguments()
64
                               let normalParams = m.GetParameters().Select(x => x.ParameterType)
65
                               where typeParams.SequenceEqual(genericParameterTypes)
                                  && normalParams.SequenceEqual(argumentTypes)
67
                               select m;
                var method = methods.Single();
69
70
                return method;
            }
71
72
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static Type GetBaseType(this Type type) => type.GetTypeInfo().BaseType;
74
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
76
            public static Assembly GetAssembly(this Type type) => type.GetTypeInfo().Assembly;
77
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
79
            public static bool IsSubclassOf(this Type type, Type superClass) =>
80

→ type.GetTypeInfo().IsSubclassOf(superClass);
81
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
82
            public static bool IsValueType(this Type type) => type.GetTypeInfo().IsValueType;
84
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
85
            public static bool IsGeneric(this Type type) => type.GetTypeInfo().IsGenericType;
87
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static bool IsGeneric(this Type type, Type genericTypeDefinition) =>
89

→ type.IsGeneric() && type.GetGenericTypeDefinition() == genericTypeDefinition;

90
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static bool IsNullable(this Type type) => type.IsGeneric(typeof(Nullable<>>));
92
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
94
            public static Type GetUnsignedVersionOrNull(this Type signedType) =>
95
                _unsignedVersionsOfSignedTypes.GetOrDefault(signedType);
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static Type GetSignedVersionOrNull(this Type unsignedType) =>
98
                _signedVersionsOfUnsignedTypes.GetOrDefault(unsignedType);
qq
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
100
            public static bool CanBeNumeric(this Type type) => _canBeNumericTypes.Contains(type);
101
102
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
103
            public static bool IsNumeric(this Type type) => _isNumericTypes.Contains(type);
105
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static bool IsSigned(this Type type) => _isSignedTypes.Contains(type);
107
108
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
109
            public static bool IsFloatPoint(this Type type) => _isFloatPointTypes.Contains(type);
110
        }
111
./Platform.Reflection/Types.cs
    using System;
    using System.Collections.Generic;
    using System.Collections.ObjectModel;
    using Platform.Collections.Lists;
 4
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
    namespace Platform. Reflection
 8
 9
        public abstract class Types
10
```

```
public static ReadOnlyCollection<Type> Collection { get; } = new
12
            → ReadOnlyCollection<Type>(new Type[0]);
            public static Type[] Array => Collection.ToArray();
13
14
            protected ReadOnlyCollection<Type> ToReadOnlyCollection()
                var types = GetType().GetGenericArguments();
17
                var result = new List<Type>();
18
                AppendTypes(result, types);
19
                return new ReadOnlyCollection<Type>(result);
20
21
            private static void AppendTypes(List<Type> container, IList<Type> types)
23
24
                for (var i = 0; i < types.Count; i++)</pre>
26
                     var element = types[i];
27
                     if (element != typeof(Types))
29
                         if (element.IsSubclassOf(typeof(Types)))
30
31
                             AppendTypes(container, element.GetStaticPropertyValue<ReadOnlyCollection_{\parallel}
                                 <Type>>(nameof(Types<object>.Collection)));
                         }
33
                         else
                         {
35
                             container.Add(element);
36
                         }
37
                    }
                }
39
            }
40
        }
41
./Platform.Reflection/Types[T1, T2].cs
   using System;
   using System.Collections.ObjectModel;
2
   using Platform.Collections.Lists;
3
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform.Reflection
        public class Types<T1, T2> : Types
9
10
            public new static ReadOnlyCollection<Type> Collection { get; } = new Types<T1,</pre>
11
                T2>().ToReadOnlyCollection();
            public new static Type[] Array => Collection.ToArray();
            private Types() { }
13
14
15
./Platform.Reflection/Types[T1, T2, T3].cs
   using System;
   using System.Collections.ObjectModel;
   using Platform.Collections.Lists;
3
4
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform. Reflection
7
        public class Types<T1, T2, T3> : Types
10
            public new static ReadOnlyCollection<Type> Collection { get; } = new Types<T1, T2,</pre>
11
            → T3>().ToReadOnlyCollection();
            public new static Type[] Array => Collection.ToArray();
private Types() { }
12
13
        }
14
15
./Platform.Reflection/Types[T1, T2, T3, T4].cs
   using System;
   using System.Collections.ObjectModel;
   using Platform.Collections.Lists;
3
5
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform. Reflection
```

```
public class Types<T1, T2, T3, T4> : Types
10
            public new static ReadOnlyCollection<Type> Collection { get; } = new Types<T1, T2, T3,</pre>

→ T4>().ToReadOnlyCollection();
            public new static Type[] Array => Collection.ToArray();
            private Types() { }
13
       }
14
   }
15
./Platform.Reflection/Types[T1, T2, T3, T4, T5].cs
   using System;
   using System.Collections.ObjectModel;
   using Platform.Collections.Lists;
3
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
   namespace Platform.Reflection
7
8
       public class Types<T1, T2, T3, T4, T5> : Types
9
10
            public new static ReadOnlyCollection<Type> Collection { get; } = new Types<T1, T2, T3,</pre>

→ T4, T5>().ToReadOnlyCollection();
            public new static Type[] Array => Collection.ToArray();
12
            private Types() { }
13
       }
14
   }
./Platform.Reflection/Types[T1, T2, T3, T4, T5, T6].cs
   using System;
   using System.Collections.ObjectModel;
   using Platform.Collections.Lists;
3
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
   namespace Platform. Reflection
       public class Types<T1, T2, T3, T4, T5, T6> : Types
9
10
            public new static ReadOnlyCollection<Type> Collection { get; } = new Types<T1, T2, T3,</pre>

→ T4, T5, T6>().ToReadOnlyCollection();
            public new static Type[] Array => Collection.ToArray();
12
            private Types() { }
13
       }
14
   }
15
./Platform.Reflection/Types[T1, T2, T3, T4, T5, T6, T7].cs
   using System;
   using System.Collections.ObjectModel;
   using Platform.Collections.Lists;
3
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform. Reflection
7
       public class Types<T1, T2, T3, T4, T5, T6, T7> : Types
9
10
            public new static ReadOnlyCollection<Type> Collection { get; } = new Types<T1, T2, T3,</pre>
            → T4, T5, T6, T7>().ToReadOnlyCollection();
            public new static Type[] Array => Collection.ToArray();
12
            private Types() { }
13
       }
14
15
./Platform.Reflection/Types[T].cs
   using System;
   using System.Collections.ObjectModel;
   using Platform.Collections.Lists;
3
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform. Reflection
       public class Types<T> : Types
10
            public new static ReadOnlyCollection<Type> Collection { get; } = new
11
            → Types<T>().ToReadOnlyCollection();
            public new static Type[] Array => Collection.ToArray();
12
            private Types() { }
13
```

```
}
14
   }
./Platform.Reflection.Tests/CodeGenerationTests.cs
   using System;
   using Xunit;
3
   namespace Platform.Reflection.Tests
4
5
       public static class CodeGenerationTests
            [Fact]
            public static void EmptyActionCompilationTest()
10
                var compiledAction = DelegateHelpers.Compile<Action>(generator =>
11
                    generator.Return();
                }):
14
                compiledAction();
15
            }
16
17
            [Fact]
18
            public static void FailedActionCompilationTest()
20
                var compiledAction = DelegateHelpers.Compile<Action>(generator =>
21
22
                    throw new NotImplementedException();
23
                });
24
                Assert.Throws<NotSupportedException>(compiledAction);
            }
        }
27
28
./Platform.Reflection.Tests/GetlLBytesMethodTests.cs
   using System;
   using System Reflection;
   using Xunit;
   using
         Platform.Collections;
   using Platform.Collections.Lists;
   namespace Platform.Reflection.Tests
7
        public static class GetILBytesMethodTests
9
10
            [Fact]
11
            public static void ILBytesForDelegateAreAvailableTest()
12
13
                var function = new Func<object, int>(argument => 0);
                var bytes = function.GetMethodInfo().GetILBytes();
1.5
                Assert.False(bytes.IsNullOrEmpty());
16
            }
18
            [Fact]
19
            public static void ILBytesForDifferentDelegatesAreTheSameTest()
20
21
                var firstFunction = new Func<object, int>(argument => 0);
                var secondFunction = new Func<object, int>(argument => 0);
                Assert.False(firstFunction == secondFunction);
24
                var firstFunctionBytes = firstFunction.GetMethodInfo().GetILBytes();
25
                Assert.False(firstFunctionBytes.IsNullOrEmpty());
26
                var secondFunctionBytes = secondFunction.GetMethodInfo().GetILBytes();
27
                Assert.False(secondFunctionBytes.IsNullOrEmpty());
28
                Assert.True(firstFunctionBytes.EqualTo(secondFunctionBytes));
29
30
            }
        }
31
32
./Platform.Reflection.Tests/NumericTypeTests.cs
   using Xunit;
1
   namespace Platform.Reflection.Tests
4
        public class NumericTypeTests
6
            [Fact]
            public void UInt64IsNumericTest()
                Assert.True(NumericType<ulong>.IsNumeric);
10
            }
```

12 }

Index

```
/Platform Reflection Tests/GetILBytesMethodTests.cs, 18
./Platform.Reflection.Tests/NumericTypeTests.cs, 18
./Platform.Reflection/AssemblyExtensions.cs, 1
/Platform Reflection/DelegateHelpers.cs, 1
./Platform.Reflection/DynamicExtensions.cs, 2
./Platform.Reflection/EnsureExtensions.cs, 2
/Platform Reflection/FieldInfoExtensions.cs, 4
./Platform Reflection/ILGeneratorExtensions.cs, 5
./Platform.Reflection/MethodInfoExtensions.cs, 12
./Platform.Reflection/NotSupportedExceptionDelegateFactory.cs, 12
./Platform Reflection/NumericType.cs, 12
./Platform.Reflection/PropertyInfoExtensions.cs, 14
/Platform Reflection/TypeExtensions.cs, 14
./Platform.Reflection/Types.cs, 15
./Platform.Reflection/Types[T1, T2, T3, T4, T5, T6, T7].cs, 17
./Platform.Reflection/Types[T1, T2, T3, T4, T5, T6].cs, 17
./Platform.Reflection/Types[T1, T2, T3, T4, T5].cs, 17
./Platform.Reflection/Types[T1, T2, T3, T4].cs, 16
./Platform.Reflection/Types[T1, T2, T3].cs, 16
/Platform Reflection/Types T1, T2 cs, 16
/Platform Reflection/Types[T] cs, 17
```

./Platform.Reflection.Tests/CodeGenerationTests.cs, 18