```
LinksPlatform's Platform RegularExpressions Transformer CSharpToCpp Class Library
     ./Platform.RegularExpressions.Transformer.CSharpToCpp/CSharpToCppTransformer.cs
   using System;
   using System.Collections.Generic;
using System.Ling;
2
   using System. Text. Regular Expressions;
4
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform.RegularExpressions.Transformer.CSharpToCpp
       public class CSharpToCppTransformer : Transformer
10
11
            public static readonly IList<ISubstitutionRule> FirstStage = new List<SubstitutionRule>
12
13
14
                //
15
                (new Regex(0"(\r?\n)?[\t]+//+.+"), "", null, 0),
16
                // #pragma warning disable CS1591 // Missing XML comment for publicly visible type
                   or member
18
                (new Regex(0"^\s*?\pragma[\sa-zA-Z0-9]+$"), "", null, 0),
19
                // \{ n n 
                // {
                (new Regex(0"{\s+[\r\n]+"), "{" + Environment.NewLine, null, 0),
22
                // Platform.Collections.Methods.Lists
                // Platform::Collections::Methods::Lists
                (new Regex(0"(namespace[\rrimn]+?)\.([\rrimn]+?)"), "$1::$2", null, 20),
25
                // out TProduct
26
                // TProduct
27
                (new Regex(0"(?<before>(<|, ))(in|out)</pre>
2.8
                    (?<typeParameter>[a-zA-Z0-9]+)(?<after>(>|,))"),
                    "${before}${typeParameter}${after}", null, 10),
                // public abstract class
2.9
                // class
30
                (new Regex(0"(public abstract|static) class"), "class", null, 0),
31
                // class GenericCollectionMethodsBase {
32
                // class GenericCollectionMethodsBase {
                                                          public:
33
                (new Regex(0"class ([a-zA-Z0-9]+)(\s+){"}, "class $1$2{"} + Environment.NewLine + "
                     public:", null, 0),
                // class GenericCollectionMethodsBase<TElement> {
35
                // template <typename TElement> class GenericCollectionMethodsBase { public:
36
                (\text{new Regex}(@"class}([a-zA-Z0-9]+)<([a-zA-Z0-9]+)>([^{1}+)^{1}), "template < typename $2>
                   class $1$3{" + Environment.NewLine + "
                                                                public:", null, 0),
                // static void
                   TestMultipleCreationsAndDeletions<TElement>(SizedBinaryTreeMethodsBase<TElement>
                   tree, TElement* root)
                // template<typename T> static void
39
                    TestMultipleCreationsAndDeletions<TElement>(SizedBinaryTreeMethodsBase<TElement>
                   tree, TElement* root)
                (new Regex(0"static ([a-zA-Z0-9]+) ([a-zA-Z0-9]+)<([a-zA-Z0-9]+)>\(([^\)]+)\)"),
40
                    "template <typename $3> static $1 $2($4)", null, 0),
                // interface IFactory<out TProduct> {
                // template <typename TProduct> class IFactory { public:
                (new Regex(@"interface (?<interface>[a-zA-Z0-9]+)<(?<typeParameters>[a-zA-Z0-9
43
                    ,]+)>(?<whitespace>[^{]+){"), "template <typename ${typeParameters}> class
                    ${interface}${whitespace}{" + Environment.NewLine + "
                                                                               public:", null, 0),
                // template <typename TObject, TProperty, TValue>
                // template <typename TObject, typename TProperty, TValue>
                (new Regex(0"(?<before>template <((, )?typename [a-zA-Z0-9]+)+,</pre>
46
                   )(?<typeParameter>[a-zA-ZO-9]+)(?<after>(,|>))"), "${before}typename
                    $\{\typeParameter}$\{\text{after}\", null, 10),
                // (this
47
                (new Regex(@"\(this "), "(", null, 0),
49
                // Func<TElement> treeCount
50
                // std::function<TElement()> treeCount
                (new Regex(@"Func<([a-zA-Z0-9]+)> ([a-zA-Z0-9]+)"), "std::function<$1()> $2", null,
                   0),
                // Action<TElement> free
53
                // std::function<void(TElement)> free
54
                (new Regex(@"Action<([a-zA-Z0-9]+)> ([a-zA-Z0-9]+)"), "std::function<void($1)> $2",
55
                 \rightarrow null, 0),
                // private const int MaxPath = 92;
                // static const int MaxPath = 92;
57
                (new Regex(@"private (const|static readonly) ([a-zA-Z0-9]+) ([_a-zA-Z0-9]+) =
58
                   ([^{;}]+);"), "static const $2 $3 = $4;", null, 0),
```

```
// protected virtual
5.9
                // virtual
                (new Regex(@"protected virtual"), "virtual", null, 0),
61
                // protected abstract TElement GetFirst();
62
                // virtual TElement GetFirst() = 0;
                (new Regex(@"protected abstract ([^;]+);"), "virtual $1 = 0;", null, 0),
64
                // protected abstract TElement GetFirst();
65
                // virtual TElement GetFirst() = 0;
66
                (new Regex(0"([a-zA-Z0-9]+ [a-zA-Z0-9]+\([^\)]*\));"), "virtual $1 = 0;", null, 0),
                // public virtual
68
                // virtual
69
                (new Regex(@"public virtual"), "virtual", null, 0),
70
                // protected readonly
71
72
                                                    "", null, 0),
                (new Regex(@"protected readonly ")
73
                // protected readonly TreeElement[] _elements;
                // TreeElement _elements[N];
7.5
                (new Regex(@"(protected|private) readonly ([a-zA-Z<>0-9]+)([\[\]]+)
76
                    ([_a-zA-Z0-9]+);"), "$2 $4[N];", null, 0),
                // protected readonly TElement Zero;
                // TElement Zero;
                (new Regex(@"(protected|private) readonly([a-zA-Z<>0-9]+)([_a-zA-Z0-9]+);"), "$2
79

    $3;", null, 0),
                // private
80
81
                (new Regex(@"(\W)(private|protected|public|internal) "), "$1", null, 0),
82
                // SizeBalancedTree(int capacity) => a = b;
83
                // SizeBalancedTree(int capacity) { a = b; }
84
                (new Regex(0"(^s+)(override)?(void)?([a-zA-Z0-9]+)\(([^s-\s+([^s-]+);"),
                    "$1$2$3$4($5) { $6; }", null, 0),
                // int SizeBalancedTree(int capacity) => a;
86
                // int SizeBalancedTree(int capacity) { return a; }
87
                (new Regex(0"(^{s+})(override)?([a-zA-Z0-9]+
88
                    ([a-zA-Z0-9]+)(([^{(]*)}))+=>\s+([^;]+);"), "$1$2$3$4($5) { return $6; }",
                    null, 0),
                // () => Integer<TElement>.Zero,
89
                // () { return Integer<TElement>.Zero; }
                (\text{new Regex}(@''(\)\s^{=}\s^{([^r,n,;]+?),"}), "() \{ \text{return $1; },", \text{null, } 0), \}
91
                // => Integer<TElement>.Zero;
92
                // { return Integer<TElement>.Zero; }
93
                // () { return avlTree.Count; }
95
                // [&]()-> auto { return avlTree.Count; }
96
                (new Regex(@", \(\) { return ([^;]+); }"), ", [&]()-> auto { return $1; }", null, 0),
                // Count => GetSizeOrZero(Root);
98
                // GetCount()
                               { return GetSizeOrZero(Root); }
99
                (new Regex(@"([A-Z][a-z]+)\s+=>\s+([^;]+); "), "Get$1() { return $2; }", null, 0),
100
                // var
                // auto
102
                (\text{new Regex}(0"(\W) \text{var}(\W)"), "$1auto$2", null, 0),
103
                // unchecked
105
                (new Regex(0"[\r]{2}\s*?unchecked\s*?$"), "", null, 0),
106
107
                // "
108
                (new Regex(0"\$"""), "\"", null, 0),
109
                // Console.WriteLine("...")
110
                // printf("...\n")
                (new Regex(@"Console\.WriteLine\(""([^""]+)""\)"), "printf(\"$1\\n\")", null, 0),
112
                // throw new InvalidOperationException
113
                // throw std::exception
114
                (new Regex(@"throw new (InvalidOperationException|Exception)"), "throw
115
                    std::exception", null, 0)
                // override void PrintNode(TElement node, StringBuilder sb, int level)
116
                // void PrintNode(TElement node, StringBuilder sb, int level) override
117
                (\text{new Regex}(@"override}([a-zA-Z0-9 *+]+)(([^\)]+?\))"), "$1$2 override", null, 0),
118
                // string
119
                // char*
120
                (new Regex(@"(\W)string(\W)"), "$1char*$2", null, 0),
121
                // sbyte
122
                // std::int8_t
123
                (new Regex(@"(\W)sbyte(\W)"), "$1std::int8_t$2", null, 0),
124
                // uint
                // std::uint32_t
126
                (new Regex(@"(\W)uint(\W)"), "$1std::uint32_t$2", null, 0),
127
128
                // char*[] args
                // char* args[]
129
```

```
(\text{new Regex}(@"([_a-zA-Z0-9:\*]?)\[\] ([a-zA-Z0-9]+)"), "$1 $2[]", null, 0),
// using Platform.Numbers;
(\text{new Regex}(@"([\r\n]_{2}|^))\s*?using [\.a-zA-ZO-9]+;\s*?$"), "", null, 0),
// struct TreeElement { }
// struct TreeElement { };
(new Regex(@"(struct|class) ([a-zA-Z0-9]+)(\s+){([\sa-zA-Z0-9;:_]+?)}([^;])"), "$1

    $2$3{$4};$5", null, 0),
// class Program { }
// class Program { };
(new Regex(0"(struct|class) ([a-zA-Z0-9]+[^r]*)([^r]+(?<indentLevel>[\t
   ]*)?)\{([\S\s]+?[\r\n]+\k<indentLevel>)\}([^;]|$)"), "$1 $2$3{$4};$5", null, 0),
// class SizedBinaryTreeMethodsBase : GenericCollectionMethodsBase
// class SizedBinaryTreeMethodsBase : public GenericCollectionMethodsBase
(new Regex(@"class ([a-zA-Z0-9]+) : ([a-zA-Z0-9]+)"), "class $1 : public $2", null,
\rightarrow 0),
// class IProperty : ISetter<TValue, TObject>, IProvider<TValue, TObject>
// class IProperty : public ISetter<TValue, TObject>, IProvider<TValue, TObject>
(new Regex(0"(?\ensuremath{^{\circ}}(c)=\ensuremath{^{\circ}}(public [a-zA-Z0-9]+(\ensuremath{^{\circ}}(a-zA-Z0-9)+(\ensuremath{^{\circ}})
    ,]+>)?,
            )+)?)(?<inheritedType>(?!public)[a-zA-Z0-9]+(<[a-zA-Z0-9
    ,]+>)?)(?<after>(, [a-zA-ZO-9]+(?!>)|[ \r\n]+))"), "${before}public
    ${inheritedType}${after}", null, 10),
// Insert scope borders.
// ref TElement root
// ~!root!~ref TElement root
(\text{new Regex}(0"(?<\text{definition}>(?<= |\()(\text{ref }[a-zA-Z0-9]+|[a-zA-Z0-9]+(?<!\text{ref})))
    (?< variable>[a-zA-Z0-9]+)(?=\)|, | =))"), "~!${variable}!~${definition}", null, | =)
    0)
// Inside the scope of ~!root!~ replace:
// root
// *root
(new Regex(0"(?<definition>~!(?<pointer>[a-zA-Z0-9]+)!~ref [a-zA-Z0-9]+
    \k<pointer>(?=\)|, | =))(?<before>((?<!~!\k<pointer>!~)(.|\n))*?)(?<prefix>(\W
    |\())\k<pointer>(?<suffix>( |\)|;|,))"),
    "${definition}${before}${prefix}*${pointer}${suffix}", null, 70),
// Remove scope borders.
//
    '!root!^
(new Regex(@"~!(?<pointer>[a-zA-Z0-9]+)!~"), "", null, 5),
// ref auto root = ref
// ref auto root =
(\text{new Regex}(@"\text{ref}([a-zA-Z0-9]+)([a-zA-Z0-9]+) = \text{ref}(\W)"), "$1* $2 =$3", null, 0),
// *root = ref left;
// root = left:
(\text{new Regex}(@"\*([a-zA-Z0-9]+) = \text{ref}([a-zA-Z0-9]+)(\W)"), "$1 = $2$3", null, 0),
   (ref left)
// (left)
(new Regex(0"\(ref ([a-zA-Z0-9]+)(\)|\(|,)"), "($1$2", null, 0),
   ref TElement
   TElement*
(new Regex(0"(|\()ref ([a-zA-Z0-9]+)"), "$1$2* ", null, 0),
  ref sizeBalancedTree.Root
// &sizeBalancedTree->Root
(\text{new Regex}(@"\text{ref }([a-zA-Z0-9]+)\.([a-zA-Z0-9]*]+)"), "&$1->$2", null, 0),
// ref ĞetElement(node).Right
// &GetElement(node)->Right
(new Regex(@"ref ([a-zA-\bar{Z}0-9]+)\(([a-zA-Z0-9\*]+)\)\.([a-zA-Z0-9]+)"),
    "&$1($2)->$3", null, 0),
// GetElement(node).Right
// GetElement(node)->Right
(\text{new Regex}(@"([a-zA-Z0-9]+))(([a-zA-Z0-9]*)+))).([a-zA-Z0-9]+)"), "$1($2)->$3",
    null.
// TEST_METHOD(SizeBalancedTreeMultipleAttachAndDetachTest)
(new Regex(0"\[Fact\][\s\n]+(static)?void ([a-zA-Z0-9]+)\(\)"), "TEST_METHOD($2)",
\rightarrow null, 0),
// class TreesTests
// TEST_CLASS(TreesTests)
(new Regex(@"class ([a-zA-ZO-9]+)Tests"), "TEST_CLASS($1)", null, 0),
  Assert.Equal
// Assert::AreEqual
(new Regex(0"Assert\.Equal"), "Assert::AreEqual", null, 0),
// TElement Root;
// TElement Root = 0;
(new Regex(0"(\r?\n[\t]+)([a-zA-Z0-9:_]+(?<!return)) ([_a-zA-Z0-9]+);"), "$1$2 $3 =
\rightarrow 0;", null, 0),
```

130

132

133

135

136

137

139

140

141

143

144

145

146

147

148

152

153

155 156

158

159

161

162

163

165

166

167

169 170

172

173

176

177

179

180

181

183

184

185

186

187

188

190

```
// TreeElement _elements[N];
// TreeElement _elements[N] = { {0} };
191
                            (\text{new Regex}(@"(\r?\n[\t]+)([a-zA-Z0-9]+) ([_a-zA-Z0-9]+)\[([_a-zA-Z0-9]+)\];"),
193
                                   "$1$2 $3[$4] = { {0} };", null, 0),
                            // auto path = new TElement[MaxPath];
194
                            // TElement path[MaxPath] = { {0} };
195
                            (\text{new Regex}(0^{"}(\r?\n[\t]+)[a-zA-Z0-9]+([a-zA-Z0-9]+) = \text{new})
                                   ([a-zA-Z0-9]+)\setminus[([_a-zA-Z0-9]+)\setminus];"), "$1$3 $2[$4] = { {0} };", null, 0),
                            // Insert scope borders.
197
                            // auto added = new HashSet<TElement>();
198
                                ~!added!~std::unordered_set<TElement>_added;
199
                            (new Regex(0"auto (?<variable>[a-zA-Z0-9]+) = new
200
                                   HashSet < (? < element > [a-zA-Z0-9] +) > \setminus (\);")
                                   ""!\${variable}!"std::unordered_set<\${element}> \${variable};", null, 0),
                            // Inside the scope of ~!added!~ replace:
                            // added.Add(node)
202
                            // added.insert(node)
203
                            (new Regex(@"(?<scope>~!(?<variable>[a-zA-Z0-9]+)!~)(?<separator>.|\n)(?<before>((?<|</pre>
                                   !^{\cdot} k< variable>!^{\cdot} (.|n))*?) k< variable> \. Add \((?< argument>[a-zA-Z0-9]+)\)"),
                                   "${scope}${separator}${before}${variable}.insert(${argument})", null, 10),
                            // Inside the scope of ~!added!~ replace:
                            // added.Remove(node)
206
                            // added.erase(node)
207
                            (new Regex(@"(?<scope>~!(?<variable>[a-zA-Z0-9]+)!~)(?<separator>.|\n)(?<before>((?< |</pre>
                                   !~!\k<variable>!~)(.|\n))*?)\k<variable>\.Remove\((?<argument>[a-zA-Z0-9]+)\)"),
                                   "${scope}${separator}${before}${variable}.erase(${argument})", null, 10),
                            // if (added.insert(node)) {
209
                            // if (!added.contains(node)) { added.insert(node);
210
                             (\text{new Regex}(@"if \setminus ((?<\text{variable}=a-zA-Z0-9]+) \setminus (?<\text{argument}=a-zA-Z0-9]+) \setminus) (?_{\text{new Regex}}(@"if \setminus ((?<\text{argument}=a-zA-Z0-9]+)))))
211
                                   \ensuremath{\langle separator \rangle [\t ]*[\r\n]+)(?\ensuremath{\langle indent \rangle [\t ]*){"}}, "if
                                   (!${variable}.contains(${argument}))${separator}${indent}{" +
                                   Environment.NewLine + "${indent}
                                                                                                   ${variable}.insert(${argument});", null, 0),
                            // Remove scope borders.
212
                            // ~!added!~
213
                            (new Regex(0"^{!}(?<pointer>[a-zA-Z0-9]+)!^{"}), "", null, 5),
                            // Insert scope borders.
216
                            // auto random = new System.Random(0);
217
                             // std::srand(0);
                            (\text{new Regex}(@"[a-zA-Z0-9]] + ([a-zA-Z0-9]] + ) = \text{new}
219
                                    (System\.)?Random\(([a-zA-Z0-9]+)\);"), "~!$1!~std::srand($3);", null, 0),
                            // Inside the scope of ~!random!~ replace:
220
                            // random.Next(1, N)
221
                            // (std::rand() % N) + 1
                            (new Regex(0"(?<scope>~!(?<variable>[a-zA-Z0-9]+)!~)(?<separator>.|\n)(?<br/>before>((?<|
                                    !^! \k< variable>!^")(.|\n))*?) \k< variable> \. Next \((?< from>[a-zA-Z0-9]+), (?< to>[a-zA-Z0-9]+))"), "$ \{scope} $ \{separator\} $ \{before\} (std::rand() % $ \{to\}) + (rand() % $ \{to\})
                                   ${from}", null, 10),
                            // Remove scope borders.
224
                            // ~!random!^
225
                            //
226
                            (new Regex(0"~!(?<pointer>[a-zA-Z0-9]+)!~"), "", null, 5),
227
                            // Insert method body scope starts.
228
                            // void PrintNodes(TElement node, StringBuilder sb, int level) {
// void PrintNodes(TElement node, StringBuilder sb, int level) {/*method-start*/
229
230
                            (new Regex(@"(?<start>\r?\n[\t ]+)(?fix>((virtual )?[a-zA-Z0-9:_]+
231
                                   )?) (?<method>[a-zA-Z] [a-zA-Z0-9] *) \ ( (?<arguments>[^\)] *) \ ) (?<override>(
                                   override)?)(?<separator>[ \t\r\n]*)\{(?<end>[^~])"), "${start}${prefix}${method}_|
                                   (${arguments})${override}${separator}{/*method-start*/${end}", null,
                                   0),
                            // Insert method body scope ends.
232
                            // {/*method-start*/...}
                            // {/*method-start*/.../*method-end*/}
                            (new Regex(@"\{/\*method-start\*/(?<body>((?<bracket>\{)|(?<-bracket>\})|[^\{\}]*)+)|
235
                                   \}"), "{/*method-start*/${body}/*method-end*/}", null,
                                   0),
                            // Inside method bodies replace:
236
                            // GetFirst(
                            // this->GetFirst(
238
                            //(\text{new Regex}(0"(?<\text{separator})((|, |([]W]) | \text{return }))(?<!(->|)*)
239
                                   ))(?<method>(?!sizeof)[a-zA-Z0-9]+)\((?!\)\()"),
                                   "${separator}this->${method}(", null, 1),
                             (new Regex(@"(?<scope>/\*method-start\*/)(?<before>((?<!/\*method-end\*/)(.|\n))*?)(|</pre>
240
                                   ?<separator>[\W](?<!(::\\.|->)))(?<method>(?!sizeof)[a-zA-Z0-9]+)\((?!\)
                                    \{\}(?<after>(.|\n)*?)(?<scopeEnd>/\*method-end\*/)"),
                                   "${scope}${before}${separator}this->${method}(${after}${scopeEnd}", null, 100),
```

```
// Remove scope borders.
241
                                          // /*method-start*/
                                          //
243
                                          (new Regex(0"/\*method-(start|end)\*/"), "", null, 0),
244
                                }.Cast<ISubstitutionRule>().ToList();
246
                               public static readonly IList<ISubstitutionRule> LastStage = new List<SubstitutionRule>
247
248
                                          // (expression)
249
                                          // expression
250
                                          (\text{new Regex}(@"(\(| )(([a-zA-Z0-9_{*:}]+))(, | |;|))"), "$1$2$3", null, 0),
251
                                          // (method(expression))
252
253
                                          // method(expression)
                                          (new Regex(0"(?<firstSeparator>(\()
254
                                                    ))\((?\mode{a-zA-Z0-9}-\*:]+)\((?\mode{a-zA-Z0-9}-\*:]+)\((?\mode{a-zA-Z0-9}-\*:]+)\((?\mode{a-zA-Z0-9}-\*:]+)\((?\mode{a-zA-Z0-9}-\*:]+)\((?\mode{a-zA-Z0-9}-\*:]+)\((?\mode{a-zA-Z0-9}-\*:]+)\((?\mode{a-zA-Z0-9}-\*:]+)\((?\mode{a-zA-Z0-9}-\*:]+)\((?\mode{a-zA-Z0-9}-\*:]+)\((?\mode{a-zA-Z0-9}-\*:]+)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\(?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*:)\((?\mode{a-zA-Z0-9}-\*
                                                  hesis > ) | [a-zA-ZO-9_\-> *:]*) + ) (?(parenthesis)(?!)) \) (?(lastSeparator>(, | Parenthesis)(?!)) | (?(parenthesis)(?!)) | (?(parent
                                                    |;|\)))"), "${firstSeparator}${method}(${expression})${lastSeparator}", null, 0),
                                          // return ref _elements[node];
255
                                          // return &_elements[node];
256
                                          (new Regex(@"return ref ([_a-zA-Z0-9]+)\[([_a-zA-Z0-9\*]+)\];"), "return &$1[$2];",
257
                                                  null, 0),
258
                                          // default
                                          // 0
259
                                          (new Regex(@"(\W)default(\W)"), "${1}0$2", null, 0),
260
                                          // //#define ENABLE_TREE_AUTO_DEBUG_AND_VALIDATION
262
                                          (\text{new Regex}(@'')//[ t]*\#\text{define}[ t]+[_a-zA-Z0-9]+[ t]*"), "", null, 0),
263
                                          // #if USEARRAYPOOL\r\n#endif
265
                                          (new Regex(0"#if [a-zA-Z0-9]+\s+\#endif"), "", null, 0),
266
                                          // [Fact]
267
                                          269
                                                  n>((?\langle parenthesis \rangle () | (?\langle -parenthesis \rangle ()) | [^()]*)+) (?(parenthesis) (?!)) \rangle)][
                                                    \label{eq:continuity} $$ t^*(\hat{r}^n\k<\ndent>)?"), "${firstNewLine}${indent}", null, 5),
                                          // \n ... namespace
270
                                          // namespace
271
                                          (\text{new Regex}(@"(\s[\r\n]{1,2})?[\r\n]+namespace"), "$1namespace", null, 0),
272
                                                \n ... class
273
                                          // class
274
                                          (new Regex(0"(\S[\r\n]{1,2})?[\r\n]+class"), "$1class", null, 0),
                               }.Cast<ISubstitutionRule>().ToList();
276
277
                               public CSharpToCppTransformer(IList<ISubstitutionRule> extraRules) :
                                       base(FirstStage.Concat(extraRules).Concat(LastStage).ToList()) { }
279
                               public CSharpToCppTransformer() : base(FirstStage.Concat(LastStage).ToList()) { }
280
                     }
281
282
              ./Platform.RegularExpressions.Transformer.CSharpToCpp.Tests/CSharpToCppTransformerTests.cs
 1.2
         using Xunit;
          namespace Platform.RegularExpressions.Transformer.CSharpToCpp.Tests
   3
   4
                     public class CSharpToCppTransformerTests
   5
                                [Fact]
                               public void HelloWorldTest()
                                          const string helloWorldCode = @"using System;
  10
           class Program
  11
  12
                     public static void Main(string[] args)
 13
  14
                                Console.WriteLine(""Hello, world!"");
  15
  16
          }":
 17
                                          const string expectedResult = @"class Program
           {
 19
                     public:
 20
                     static void Main(char* args[])
 21
 22
                               printf(""Hello, world!\n"");
 24
           };";
 25
                                          var transformer = new CSharpToCppTransformer();
 26
                                          var actualResult = transformer.Transform(helloWorldCode, new Context(null));
```

## Index