

Auto dataset two regimes: Pre-oilshock and Post-oilshock

We can also test if there are two regimes that contribute to the heteroskedasticity by running separate regressions for pre-oilshock and post-oilshock.

Imports for python objects and libraries

Set up IPython libraries for customizing notebook display

```
from notebookfuncs import *
```

Import standard libraries

```
import numpy as np
import pandas as pd

pd.set_option("display.max_rows", 1000)
pd.set_option("display.max_columns", 1000)
pd.set_option("display.width", 1000)
pd.set_option("display.max_colwidth", None)
import matplotlib.pyplot as plt
import seaborn as sns
import itertools
```

Statsmodels imports

```
import statsmodels.api as sm
```

Import statsmodels.objects

```
from statsmodels.stats.outliers_influence import summary_table
```

Import ISLP objects

```
import ISLP
from ISLP import models
from ISLP import load_data
from ISLP.models import ModelSpec as MS, summarize, poly
```

Import user functions

```
from userfuncs import display_residuals_plot
from userfuncs import identify_least_significant_feature
from userfuncs import calculate_VIFs
from userfuncs import identify_highest_VIF_feature
from userfuncs import standardize
from userfuncs import perform_analysis
```

Set level of significance (alpha)

```
LOS_Alpha = 0.01
```

Data Cleaning and exploratory data analysis

```
Auto = load_data("Auto")
Auto = Auto.sort_values(by=["year"], ascending=True)
Auto.head()
Auto.columns
Auto = Auto.dropna()
Auto.shape
Auto.describe()
```

	mpg	cylinders	displacement	horsepower	weight	acceleration	year	origin
count	392.000000	392.000000	392.000000	392.000000	392.000000	392.000000	392.000000	392.000000

	mpg	cylinders	displacement	horsepower	weight	acceleration	year	origin
mean	23.445918	5.471939	194.411990	104.469388	2977.584184	15.541327	75.979592	1.570
std	7.805007	1.705783	104.644004	38.491160	849.402560	2.758864	3.683737	0.803
min	9.000000	3.000000	68.000000	46.000000	1613.000000	8.000000	70.000000	1.000
25%	17.000000	4.000000	105.000000	75.000000	2225.250000	13.775000	73.000000	1.000
50%	22.750000	4.000000	151.000000	93.500000	2803.500000	15.500000	76.000000	1.000
75%	29.000000	8.000000	275.750000	126.000000	3614.750000	17.025000	79.000000	2.000
max	46.600000	8.000000	455.000000	230.000000	5140.000000	24.800000	82.000000	3.000

Convert origin to categorical type

```
Auto["origin"] = Auto["origin"].astype("category")
Auto["origin"] = Auto["origin"].cat.rename_categories(
    {1: "America", 2: "Europe", 3: "Japan"}
)
Auto.describe()
```

	mpg	cylinders	displacement	horsepower	weight	acceleration	year
count	392.000000	392.000000	392.000000	392.000000	392.000000	392.000000	392.000000
mean	23.445918	5.471939	194.411990	104.469388	2977.584184	15.541327	75.979592
std	7.805007	1.705783	104.644004	38.491160	849.402560	2.758864	3.683737
min	9.000000	3.000000	68.000000	46.000000	1613.000000	8.000000	70.000000
25%	17.000000	4.000000	105.000000	75.000000	2225.250000	13.775000	73.000000
50%	22.750000	4.000000	151.000000	93.500000	2803.500000	15.500000	76.000000
75%	29.000000	8.000000	275.750000	126.000000	3614.750000	17.025000	79.000000
max	46.600000	8.000000	455.000000	230.000000	5140.000000	24.800000	82.000000

Create two datasets based on whether the car models have been exposed to the 1973 oil shock or not

```
Auto_preos = Auto[Auto["year"] <= 76]
Auto_preos.shape
Auto_preos.describe()
Auto_preos.corr(numeric_only=True)
```

	mpg	cylinders	displacement	horsepower	weight	acceleration	year
mpg	1.000000	-0.863133	-0.878385	-0.812052	-0.903557	0.494406	0.172135
cylinders	-0.863133	1.000000	0.955270	0.852144	0.906436	-0.616635	-0.157796
displacement	-0.878385	0.955270	1.000000	0.900549	0.926890	-0.653019	-0.195140
horsepower	-0.812052	0.852144	0.900549	1.000000	0.861309	-0.748969	-0.294137
weight	-0.903557	0.906436	0.926890	0.861309	1.000000	-0.522137	-0.073366
acceleration	0.494406	-0.616635	-0.653019	-0.748969	-0.522137	1.000000	0.298412
year	0.172135	-0.157796	-0.195140	-0.294137	-0.073366	0.298412	1.000000

```
Auto_postos = Auto[Auto["year"] > 76]
Auto_postos.shape
Auto_postos.describe()
```

	mpg	cylinders	displacement	horsepower	weight	acceleration	year
count	178.000000	178.000000	178.000000	178.000000	178.000000	178.000000	178.000000
mean	27.900562	4.960674	160.426966	91.410112	2726.679775	16.133146	79.455056
std	7.504963	1.466624	80.477444	27.144212	670.417952	2.504227	1.714248
min	15.000000	3.000000	70.000000	48.000000	1755.000000	11.100000	77.000000
25%	20.875000	4.000000	98.000000	70.000000	2144.250000	14.500000	78.000000
50%	28.000000	4.000000	134.500000	87.000000	2630.000000	15.800000	79.000000
75%	33.650000	6.000000	200.000000	105.000000	3208.750000	17.600000	81.000000
max	46.600000	8.000000	400.000000	190.000000	4360.000000	24.800000	82.000000

```
display(
    "If you look at the two datasets as displayed above, it's evident that the oil shock had
")
display(Auto_preos.mean(numeric_only=True), Auto_postos.mean(numeric_only=True))
display(
    "Mileage increased, number of cylinders decreased, displacement decreased, horsepower de
")
```

"If you look at the two datasets as displayed above, it's evident that the oil shock had a ma

```
mpg          19.740654
cylinders     5.897196
displacement 222.679907
horsepower   115.331776
weight      3186.280374
acceleration  15.049065
```

```
year          73.088785
dtype: float64
```

```
mpg          27.900562
cylinders     4.960674
displacement 160.426966
horsepower    91.410112
weight       2726.679775
acceleration  16.133146
year         79.455056
dtype: float64
```

'Mileage increased, number of cylinders decreased, displacement decreased, horsepower decreased'

Standardize numeric variables in the model

```
Auto_preos = Auto_preos.apply(standardize)
Auto_preos.describe()
```

	mpg	cylinders	displacement	horsepower	weight	acceleration	year
count	2.140000e+02	2.140000e+02	2.140000e+02	2.140000e+02	214.000000	214.000000	2.140000e+02
mean	-4.150366e-17	-2.490220e-17	2.490220e-17	-1.494132e-16	0.000000	0.000000	-5.312400e-17
std	1.002345e+00	1.002345e+00	1.002345e+00	1.002345e+00	1.002345	1.002345	1.002345e+00
min	-1.829062e+00	-1.635252e+00	-1.362364e+00	-1.617309e+00	-1.705900	-2.463723	-1.552200e+00
25%	-8.073018e-01	-1.070826e+00	-9.550106e-01	-6.842252e-01	-0.944725	-0.698694	-1.049700e+00
50%	-1.261285e-01	5.802508e-02	4.685742e-02	-3.576458e-01	-0.081084	-0.017149	-4.461900e-01
75%	7.891982e-01	1.186877e+00	8.395442e-01	8.087090e-01	0.913215	0.629446	9.604930e-01
max	2.598565e+00	1.186877e+00	2.046190e+00	2.674877e+00	2.118409	2.953691	1.463050e+01

```
Auto_postos = Auto_postos.apply(standardize)
Auto_postos.describe()
```

	mpg	cylinders	displacement	horsepower	weight	acceleration	year
count	1.780000e+02	1.780000e+02	1.780000e+02	1.780000e+02	178.000000	1.780000e+02	1.780000e+02
mean	-3.193450e-16	2.794269e-16	-7.983626e-17	-1.796316e-16	0.000000	-1.237462e-15	-1.510000e-16
std	1.002821e+00	1.002821e+00	1.002821e+00	1.002821e+00	1.002821	1.002821e+00	1.002821e+00
min	-1.723786e+00	-1.340633e+00	-1.126801e+00	-1.603751e+00	-1.453453	-2.015529e+00	-1.430000e+00
25%	-9.387629e-01	-6.568717e-01	-7.778958e-01	-7.909792e-01	-0.871207	-6.539953e-01	-8.510000e-01

	mpg	cylinders	displacement	horsepower	weight	acceleration	year
50%	1.328704e-02	-6.568717e-01	-3.230732e-01	-1.629280e-01	-0.144615	-1.334087e-01	-2.60
75%	7.682459e-01	7.106507e-01	4.931154e-01	5.020674e-01	0.721088	5.874034e-01	9.03
max	2.498638e+00	2.078173e+00	2.985294e+00	3.642323e+00	2.443144	3.470652e+00	1.48

Encode categorical variables as dummy variables dropping the first to remove multicollinearity.

```
Auto_preos = pd.get_dummies(
    Auto_preos, columns=list(["origin"]), drop_first=True, dtype=np.uint8
)
Auto_preos.columns
```

Index(['mpg', 'cylinders', 'displacement', 'horsepower', 'weight', 'acceleration', 'year', 'origin_Europe', 'origin_Japan', 'origin_US'])

```
Auto_postos = pd.get_dummies(
    Auto_postos, columns=list(["origin"]), drop_first=True, dtype=np.uint8
)
Auto_postos.columns
```

Index(['mpg', 'cylinders', 'displacement', 'horsepower', 'weight', 'acceleration', 'year', 'origin_Europe', 'origin_Japan', 'origin_US'])

Analysis for pre-oil shock model

Test for multicollinearity using correlation matrix and variance inflation factors

```
Auto_preos.corr(numeric_only=True)
```

	mpg	cylinders	displacement	horsepower	weight	acceleration	year	origin_Europe	origin_Japan	origin_US
mpg	1.000000	-0.863133	-0.878385	-0.812052	-0.903557	0.494406	0.172135	0.429946	-0.507897	-0.499456
cylinders	-0.863133	1.000000	0.955270	0.852144	0.906436	-0.616635	-0.157796	-0.195140	-0.294137	-0.073366
displacement	-0.878385	0.955270	1.000000	0.900549	0.926890	-0.653019	-0.195140	-0.294137	-0.073366	-0.522137
horsepower	-0.812052	0.852144	0.900549	1.000000	0.861309	-0.748969	-0.294137	-0.073366	1.000000	0.298412
weight	-0.903557	0.906436	0.926890	0.861309	1.000000	-0.522137	-0.073366	0.298412	0.298412	1.000000
acceleration	0.494406	-0.616635	-0.653019	-0.748969	-0.522137	1.000000	0.298412	1.000000	0.298412	0.061819
year	0.172135	-0.157796	-0.195140	-0.294137	-0.073366	0.298412	1.000000	0.061819	0.061819	1.000000
origin_Europe	0.429946	-0.507897	-0.499456	-0.373257	-0.420078	0.215335	0.061819	1.000000	0.061819	0.061819
origin_Japan	-0.507897	-0.195140	-0.294137	-0.073366	0.298412	0.061819	0.061819	0.061819	1.000000	0.061819
origin_US	-0.499456	-0.073366	-0.522137	0.298412	0.298412	0.061819	0.061819	0.061819	0.061819	1.000000

	mpg	cylinders	displacement	horsepower	weight	acceleration	year	origin
origin_Japan	0.454576	-0.408555	-0.428045	-0.292877	-0.424328	0.164038	0.030362	-0.000000

```
vifdf = calculate_VIFs("mpg ~ " + " + ".join(Auto_preos.columns) + " - mpg", Auto_preos)
vifdf
```

Feature	VIF
cylinders	12.409093
displacement	23.483690
horsepower	9.924721
weight	10.993223
acceleration	2.965117
year	1.296707
origin_Europe	2.286473
origin_Japan	2.062780

```
identify_highest_VIF_feature(vifdf)
```

We find the highest VIF in this model is displacement with a VIF of 23.483689524756567. Hence, we drop displacement from the model to be fitted.

```
vifdf = calculate_VIFs(
    "mpg ~ " + " + ".join(Auto_preos.columns) + " - mpg - displacement", Auto_preos
)
vifdf
```

Feature	VIF
cylinders	8.727646
horsepower	8.845099
weight	9.513189
acceleration	2.856231
year	1.287027
origin_Europe	1.960903
origin_Japan	1.789531

```
identify_highest_VIF_feature(vifdf)
```

No variables are significantly collinear.

Linear Regression for mpg ~ horsepower + acceleration + weight + cylinders + year + origin_Europe + origin_Japan

```
cols = list(Auto_preos.columns)
cols.remove("mpg")
cols.remove("displacement")
formula = " + ".join(cols)
results = perform_analysis("mpg", formula, Auto_preos)
```

```

                                OLS Regression Results
=====
Dep. Variable:                  mpg      R-squared:                  0.848
Model:                          OLS      Adj. R-squared:             0.842
Method:                        Least Squares      F-statistic:             163.8
Date:                          Wed, 25 Sep 2024      Prob (F-statistic):       1.51e-80
Time:                          07:57:00      Log-Likelihood:          -102.32
No. Observations:                214      AIC:                      220.6
Df Residuals:                    206      BIC:                      247.6
Df Model:                        7
Covariance Type:                nonrobust
=====

```

	coef	std err	t	P> t	[0.025	0.975]
Intercept	-0.1025	0.040	-2.583	0.010	-0.181	-0.024
cylinders	-0.1149	0.080	-1.430	0.154	-0.273	0.043
horsepower	-0.1394	0.081	-1.724	0.086	-0.299	0.020
weight	-0.6079	0.084	-7.248	0.000	-0.773	-0.443
acceleration	-0.0653	0.046	-1.421	0.157	-0.156	0.025
year	0.0776	0.031	2.514	0.013	0.017	0.138
origin_Europe	0.2534	0.097	2.618	0.009	0.063	0.444
origin_Japan	0.3985	0.106	3.749	0.000	0.189	0.608

```

=====
Omnibus:                      12.372      Durbin-Watson:              1.407
Prob(Omnibus):                 0.002      Jarque-Bera (JB):           16.578
Skew:                         -0.403      Prob(JB):                   0.000251
Kurtosis:                      4.099      Cond. No.                   9.30
=====

```


Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

	df	sum_sq	mean_sq	F	PR(>F)
cylinders	1.0	159.429574	159.429574	1007.436126	2.877624e-81
horsepower	1.0	4.577852	4.577852	28.927463	2.030739e-07
weight	1.0	13.283446	13.283446	83.938147	5.242535e-17
acceleration	1.0	0.533174	0.533174	3.369126	6.787066e-02
year	1.0	1.267919	1.267919	8.011985	5.107121e-03
origin_Europe	1.0	0.083174	0.083174	0.525577	4.692948e-01
origin_Japan	1.0	2.224788	2.224788	14.058446	2.302318e-04
Residual	206.0	32.600074	0.158253	NaN	NaN

```
identify_least_significant_feature(results, alpha=LOS_Alpha)
```

We find the least significant variable in this model is acceleration with a p-value of 0.156. Using the backward methodology, we suggest dropping acceleration from the new model.

Linear Regression after dropping acceleration in pre-oil shock. The model now is mpg ~ horsepower + weight + cylinder + year + origin_Europe + origin_Japan

```
cols.remove("acceleration")
formula = " + ".join(cols)
results = perform_analysis("mpg", formula, Auto_preos)
```

OLS Regression Results						
=====						
Dep. Variable:	mpg	R-squared:	0.846			
Model:	OLS	Adj. R-squared:	0.842			
Method:	Least Squares	F-statistic:	189.8			
Date:	Wed, 25 Sep 2024	Prob (F-statistic):	2.86e-81			
Time:	07:57:01	Log-Likelihood:	-103.36			
No. Observations:	214	AIC:	220.7			
Df Residuals:	207	BIC:	244.3			
Df Model:	6					
Covariance Type:	nonrobust					
=====						
	coef	std err	t	P> t	[0.025	0.975]

Intercept	-0.1073	0.040	-2.705	0.007	-0.185	-0.029

cylinders	-0.0832	0.077	-1.075	0.284	-0.236	0.069
horsepower	-0.0718	0.066	-1.095	0.275	-0.201	0.057
weight	-0.6564	0.077	-8.546	0.000	-0.808	-0.505
year	0.0789	0.031	2.552	0.011	0.018	0.140
origin_Europe	0.2722	0.096	2.832	0.005	0.083	0.462
origin_Japan	0.4069	0.106	3.825	0.000	0.197	0.617

```
=====
Omnibus:                9.704    Durbin-Watson:                1.384
Prob(Omnibus):          0.008    Jarque-Bera (JB):         10.825
Skew:                   -0.398    Prob(JB):                 0.00446
Kurtosis:               3.763    Cond. No.:                8.52
=====
```

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

	df	sum_sq	mean_sq	F	PR(>F)
cylinders	1.0	159.429574	159.429574	1002.499833	2.735220e-81
horsepower	1.0	4.577852	4.577852	28.785723	2.155884e-07
weight	1.0	13.283446	13.283446	83.526863	5.919063e-17
year	1.0	1.323199	1.323199	8.320328	4.335077e-03
origin_Europe	1.0	0.139721	0.139721	0.878569	3.496863e-01
origin_Japan	1.0	2.326581	2.326581	14.629642	1.731691e-04
Residual	207.0	32.919628	0.159032	NaN	NaN

```
identify_least_significant_feature(results, alpha=LOS_Alpha)
```

We find the least significant variable in this model is cylinders with a p-value of 0.283510. Using the backward methodology, we suggest dropping cylinders from the new model

```
cols.remove("cylinders")
formula = " + ".join(cols)
results = perform_analysis("mpg", formula, Auto_preos)
```

OLS Regression Results

```
=====
Dep. Variable:          mpg    R-squared:                0.845
Model:                  OLS    Adj. R-squared:           0.842
Method:                 Least Squares    F-statistic:             227.3
Date:                  Wed, 25 Sep 2024    Prob (F-statistic):       3.20e-82
Time:                  07:57:01    Log-Likelihood:          -103.95
No. Observations:      214    AIC:                    219.9
=====
```

Df Residuals: 208 BIC: 240.1
Df Model: 5
Covariance Type: nonrobust

	coef	std err	t	P> t	[0.025	0.975]
Intercept	-0.1213	0.037	-3.235	0.001	-0.195	-0.047
horsepower	-0.0964	0.061	-1.569	0.118	-0.218	0.025
weight	-0.6974	0.067	-10.455	0.000	-0.829	-0.566
year	0.0802	0.031	2.597	0.010	0.019	0.141
origin_Europe	0.3185	0.086	3.708	0.000	0.149	0.488
origin_Japan	0.4445	0.101	4.422	0.000	0.246	0.643
Omnibus:	7.861	Durbin-Watson:	1.406			
Prob(Omnibus):	0.020	Jarque-Bera (JB):	8.096			
Skew:	-0.371	Prob(JB):	0.0175			
Kurtosis:	3.598	Cond. No.	6.43			

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

	df	sum_sq	mean_sq	F	PR(>F)
horsepower	1.0	141.117636	141.117636	886.687803	6.026431e-77
weight	1.0	34.542884	34.542884	217.044124	4.053391e-34
year	1.0	1.552002	1.552002	9.751732	2.046623e-03
origin_Europe	1.0	0.572100	0.572100	3.594690	5.935071e-02
origin_Japan	1.0	3.111879	3.111879	19.552944	1.576086e-05
Residual	208.0	33.103499	0.159151	NaN	NaN

```
identify_least_significant_feature(results, alpha=LOS_Alpha)
```

We find the least significant variable in this model is horsepower with a p-value of 0.118230
Using the backward methodology, we suggest dropping horsepower from the new model

```
cols.remove("horsepower")
formula = " + ".join(cols)
results = perform_analysis("mpg", formula, Auto_preos)
```

OLS Regression Results

```
=====
Dep. Variable:          mpg    R-squared:          0.843
```

```

Model:                                OLS      Adj. R-squared:                0.840
Method:                             Least Squares  F-statistic:                281.6
Date:                               Wed, 25 Sep 2024  Prob (F-statistic):        6.06e-83
Time:                               07:57:01      Log-Likelihood:            -105.21
No. Observations:                    214          AIC:                      220.4
Df Residuals:                        209          BIC:                      237.3
Df Model:                            4
Covariance Type:                     nonrobust

```

	coef	std err	t	P> t	[0.025	0.975]
Intercept	-0.1151	0.037	-3.077	0.002	-0.189	-0.041
weight	-0.7850	0.037	-21.422	0.000	-0.857	-0.713
year	0.1028	0.027	3.742	0.000	0.049	0.157
origin_Europe	0.3078	0.086	3.582	0.000	0.138	0.477
origin_Japan	0.4140	0.099	4.183	0.000	0.219	0.609

Omnibus:	10.672	Durbin-Watson:	1.398
Prob(Omnibus):	0.005	Jarque-Bera (JB):	11.650
Skew:	-0.443	Prob(JB):	0.00295
Kurtosis:	3.722	Cond. No.	4.59

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

	df	sum_sq	mean_sq	F	PR(>F)
weight	1.0	174.712905	174.712905	1090.157519	7.188986e-85
year	1.0	2.410414	2.410414	15.040281	1.409621e-04
origin_Europe	1.0	0.576721	0.576721	3.598570	5.920817e-02
origin_Japan	1.0	2.804802	2.804802	17.501148	4.226183e-05
Residual	209.0	33.495157	0.160264	NaN	NaN


```
identify_least_significant_feature(results, alpha=LOS_Alpha)
```

No variables are statistically insignificant.

The model `mpg ~ weight + year + origin_Europe + origin_Japan` cannot be pruned further.

Residual plot for model for pre-oil shock

```
display_residuals_plot(results)
```



```
preoilshock_model = results
```

Analysis for post Oil Shock

Test for multicollinearity using correlation matrix and variance inflation factors

```
Auto_postos.corr(numeric_only=True)
```

	mpg	cylinders	displacement	horsepower	weight	acceleration	year	origin
mpg	1.000000	-0.710232	-0.771039	-0.796617	-0.837333	0.278650	0.460200	0.2
cylinders	-0.710232	1.000000	0.936943	0.796697	0.860088	-0.247767	-0.338905	-0.
displacement	-0.771039	0.936943	1.000000	0.854454	0.929346	-0.264374	-0.319411	-0.
horsepower	-0.796617	0.796697	0.854454	1.000000	0.837067	-0.535033	-0.353954	-0.
weight	-0.837333	0.860088	0.929346	0.837067	1.000000	-0.130152	-0.319783	-0.
acceleration	0.278650	-0.247767	-0.264374	-0.535033	-0.130152	1.000000	0.157159	0.2
year	0.460200	-0.338905	-0.319411	-0.353954	-0.319783	0.157159	1.000000	-0.
origin_Europe	0.212795	-0.181385	-0.240143	-0.214702	-0.144152	0.235217	-0.057596	1.0
origin_Japan	0.405159	-0.359263	-0.436964	-0.317954	-0.459869	0.000714	0.155368	-0.

```
vifdf = calculate_VIFs(
    "mpg ~ " + " + ".join(Auto_postos.columns) + " - mpg", Auto_postos
)
vifdf
```

	VIF
Feature	
cylinders	9.017020
displacement	20.423355
horsepower	9.245687
weight	12.693737
acceleration	2.788052
year	1.185236
origin_Europe	1.452328
origin_Japan	1.651675

```
identify_highest_VIF_feature(vifdf)
```

We find the highest VIF in this model is displacement with a VIF of 20.423354692792778. Hence, we drop displacement from the model to be fitted.

```
vifdf = calculate_VIFs(
    "mpg ~ " + " + ".join(Auto_postos.columns) + " - mpg - displacement", Auto_postos
)
vifdf
```

Feature	VIF
cylinders	4.251590
horsepower	9.104343
weight	9.540921
acceleration	2.770794
year	1.182561
origin_Europe	1.278261
origin_Japan	1.512852

```
identify_highest_VIF_feature(vifdf)
```

No variables are significantly collinear.

Linear Regression Analysis for post oil shock dropping feature displacement

```
cols = list(Auto_postos.columns)
cols.remove("mpg")
cols.remove("displacement")
formula = " + ".join(cols)
results = perform_analysis("mpg", formula, Auto_postos)
```

OLS Regression Results						
=====						
Dep. Variable:	mpg	R-squared:	0.788			
Model:	OLS	Adj. R-squared:	0.779			
Method:	Least Squares	F-statistic:	90.11			
Date:	Wed, 25 Sep 2024	Prob (F-statistic):	7.20e-54			
Time:	07:57:02	Log-Likelihood:	-114.64			
No. Observations:	178	AIC:	245.3			
Df Residuals:	170	BIC:	270.7			
Df Model:	7					
Covariance Type:	nonrobust					
=====						
	coef	std err	t	P> t	[0.025	0.975]

Intercept	-0.1072	0.051	-2.096	0.038	-0.208	-0.006
cylinders	0.1988	0.073	2.728	0.007	0.055	0.343
horsepower	-0.1879	0.107	-1.762	0.080	-0.398	0.023

weight	-0.7149	0.109	-6.550	0.000	-0.930	-0.499
acceleration	0.0713	0.059	1.212	0.227	-0.045	0.187
year	0.2148	0.038	5.589	0.000	0.139	0.291
origin_Europe	0.3461	0.111	3.108	0.002	0.126	0.566
origin_Japan	0.1946	0.097	2.012	0.046	0.004	0.385

```
=====
Omnibus:                6.408    Durbin-Watson:                1.583
Prob(Omnibus):          0.041    Jarque-Bera (JB):        6.069
Skew:                   0.398    Prob(JB):                0.0481
Kurtosis:               3.431    Cond. No.:               7.71
=====
```

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

	df	sum_sq	mean_sq	F	PR(>F)
cylinders	1.0	89.788355	89.788355	403.941459	8.824859e-47
horsepower	1.0	25.953062	25.953062	116.758098	4.752402e-21
weight	1.0	15.387223	15.387223	69.224316	2.748274e-14
acceleration	1.0	0.660414	0.660414	2.971082	8.658318e-02
year	1.0	6.087213	6.087213	27.385264	4.863030e-07
origin_Europe	1.0	1.436421	1.436421	6.462195	1.191261e-02
origin_Japan	1.0	0.899608	0.899608	4.047172	4.582475e-02
Residual	170.0	37.787704	0.222281	NaN	NaN

```
identify_least_significant_feature(results, alpha=LOS_Alpha)
```

We find the least significant variable in this model is acceleration with a p-value of 0.227. Using the backward methodology, we suggest dropping acceleration from the new model

```
cols.remove("acceleration")
formula = " + ".join(cols)
results = perform_analysis("mpg", formula, Auto_postos)
```

OLS Regression Results

```
=====
Dep. Variable:          mpg    R-squared:                0.786
Model:                  OLS    Adj. R-squared:          0.778
Method:                 Least Squares    F-statistic:            104.6
Date:                   Wed, 25 Sep 2024    Prob (F-statistic):      1.39e-54
Time:                   07:57:03    Log-Likelihood:          -115.40
No. Observations:      178    AIC:                     244.8
=====
```



```

Df Residuals:          171    BIC:          267.1
Df Model:              6
Covariance Type:      nonrobust
=====
              coef      std err          t      P>|t|      [0.025      0.975]
-----
Intercept        -0.1148      0.051     -2.261     0.025     -0.215     -0.015
cylinders         0.1915      0.073      2.633     0.009      0.048      0.335
horsepower       -0.2864      0.069     -4.148     0.000     -0.423     -0.150
weight          -0.6311      0.085     -7.462     0.000     -0.798     -0.464
year             0.2149      0.038      5.584     0.000      0.139      0.291
origin_Europe    0.3689      0.110      3.355     0.001      0.152      0.586
origin_Japan     0.2096      0.096      2.183     0.030      0.020      0.399
=====
Omnibus:          6.875    Durbin-Watson:      1.555
Prob(Omnibus):    0.032    Jarque-Bera (JB):    6.653
Skew:             0.400    Prob(JB):            0.0359
Kurtosis:         3.507    Cond. No.            6.16
=====

```

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

	df	sum_sq	mean_sq	F	PR(>F)
cylinders	1.0	89.788355	89.788355	402.836748	8.041561e-47
horsepower	1.0	25.953062	25.953062	116.438785	4.931248e-21
weight	1.0	15.387223	15.387223	69.034999	2.864764e-14
year	1.0	6.001042	6.001042	26.923762	5.941221e-07
origin_Europe	1.0	1.693907	1.693907	7.599738	6.471569e-03
origin_Japan	1.0	1.062190	1.062190	4.765532	3.039795e-02
Residual	171.0	38.114221	0.222890	NaN	NaN

```
identify_least_significant_feature(results, alpha=LOS_Alpha)
```

We find the least significant variable in this model is origin_Japan with a p-value of 0.030. Using the backward methodology, we suggest dropping origin_Japan from the new model

- However, origin_Japan is one of three levels with origin_Europe significant. So we do not drop it from the model.
- We can check what will happen with dropping the Intercept with it also insignificant especially since we have standardized the variables.
- <https://stats.stackexchange.com/questions/197923/difference-between-centered-and-uncentered-r2>

```

postoilshock_model_intercept = results
formula = " + ".join(cols)
formula += " - 1"
results = perform_analysis("mpg", formula, Auto_postos)

```

OLS Regression Results

```

=====
Dep. Variable:          mpg      R-squared (uncentered):          0.779
Model:                  OLS      Adj. R-squared (uncentered):        0.772
Method:                 Least Squares      F-statistic:          101.3
Date:                  Wed, 25 Sep 2024      Prob (F-statistic):      8.07e-54
Time:                  07:57:03      Log-Likelihood:         -118.03
No. Observations:      178      AIC:          248.1
Df Residuals:          172      BIC:          267.1
Df Model:               6
Covariance Type:       nonrobust
=====

```

	coef	std err	t	P> t	[0.025	0.975]
cylinders	0.1892	0.074	2.572	0.011	0.044	0.334
horsepower	-0.2877	0.070	-4.117	0.000	-0.426	-0.150
weight	-0.6656	0.084	-7.905	0.000	-0.832	-0.499
year	0.2098	0.039	5.398	0.000	0.133	0.287
origin_Europe	0.2400	0.095	2.523	0.013	0.052	0.428
origin_Japan	0.0688	0.074	0.930	0.353	-0.077	0.215

```

=====
Omnibus:                9.950      Durbin-Watson:              1.526
Prob(Omnibus):          0.007      Jarque-Bera (JB):          10.241
Skew:                   0.498      Prob(JB):                  0.00597
Kurtosis:               3.622      Cond. No.:                 5.06
=====

```

Notes:

[1] R^2 is computed without centering (uncentered) since the model does not contain a constant.

[2] Standard Errors assume that the covariance matrix of the errors is correctly specified.

	df	sum_sq	mean_sq	F	PR(>F)
cylinders	1.0	89.788355	89.788355	393.430947	2.582371e-46
horsepower	1.0	25.953062	25.953062	113.720066	1.057893e-20
weight	1.0	15.387223	15.387223	67.423107	5.008832e-14
year	1.0	6.001042	6.001042	26.295121	7.831453e-07
origin_Europe	1.0	1.419140	1.419140	6.218329	1.358813e-02
origin_Japan	1.0	0.197537	0.197537	0.865561	3.534910e-01

Residual	172.0	39.253641	0.228219	NaN	NaN
----------	-------	-----------	----------	-----	-----

```
identify_least_significant_feature(results, alpha=LOS_Alpha)
```

We find the least significant variable in this model is origin_Japan with a p-value of 0.353. Using the backward methodology, we suggest dropping origin_Japan from the new model

- We drop both origin_Europe and origin_Japan from the model.

```
cols.remove("origin_Europe")
cols.remove("origin_Japan")
formula = " + ".join(cols)
formula += " - 1"
results = perform_analysis("mpg", formula, Auto_postos)
```

OLS Regression Results

=====						
Dep. Variable:	mpg	R-squared (uncentered):	0.770			
Model:	OLS	Adj. R-squared (uncentered):	0.765			
Method:	Least Squares	F-statistic:	146.0			
Date:	Wed, 25 Sep 2024	Prob (F-statistic):	1.73e-54			
Time:	07:57:03	Log-Likelihood:	-121.62			
No. Observations:	178	AIC:	251.2			
Df Residuals:	174	BIC:	264.0			
Df Model:	4					
Covariance Type:	nonrobust					
=====						
	coef	std err	t	P> t	[0.025	0.975]

cylinders	0.1776	0.074	2.388	0.018	0.031	0.324
horsepower	-0.3084	0.070	-4.424	0.000	-0.446	-0.171
weight	-0.6688	0.082	-8.173	0.000	-0.830	-0.507
year	0.1974	0.039	5.055	0.000	0.120	0.274
=====						
Omnibus:	13.678	Durbin-Watson:	1.582			
Prob(Omnibus):	0.001	Jarque-Bera (JB):	14.628			
Skew:	0.630	Prob(JB):	0.000666			
Kurtosis:	3.619	Cond. No.	4.67			
=====						

Notes:

- [1] R^2 is computed without centering (uncentered) since the model does not contain a constant
 [2] Standard Errors assume that the covariance matrix of the errors is correctly specified.

	df	sum_sq	mean_sq	F	PR(>F)
cylinders	1.0	89.788355	89.788355	382.262105	8.909529e-46
horsepower	1.0	25.953062	25.953062	110.491745	2.548773e-20
weight	1.0	15.387223	15.387223	65.509078	9.616073e-14
year	1.0	6.001042	6.001042	25.548647	1.085130e-06
Residual	174.0	40.870318	0.234887	NaN	NaN

```
identify_least_significant_feature(results, alpha=LOS_Alpha)
```

We find the least significant variable in this model is cylinders with a p-value of 0.0180062
 Using the backward methodology, we suggest dropping cylinders from the new model

```
cols.remove("cylinders")
formula = " + ".join(cols)
formula += " - 1"
results = perform_analysis("mpg", formula, Auto_postos)
```

OLS Regression Results

```
=====
Dep. Variable:          mpg      R-squared (uncentered):          0.763
Model:                  OLS      Adj. R-squared (uncentered):        0.759
Method:                 Least Squares      F-statistic:          187.7
Date:                  Wed, 25 Sep 2024      Prob (F-statistic):      1.90e-54
Time:                  07:57:04      Log-Likelihood:         -124.49
No. Observations:      178      AIC:          255.0
Df Residuals:          175      BIC:          264.5
Df Model:               3
Covariance Type:       nonrobust
=====
```

	coef	std err	t	P> t	[0.025	0.975]
horsepower	-0.2653	0.068	-3.888	0.000	-0.400	-0.131
weight	-0.5548	0.067	-8.238	0.000	-0.688	-0.422
year	0.1889	0.039	4.793	0.000	0.111	0.267

```
=====
Omnibus:              15.435      Durbin-Watson:              1.592
Prob(Omnibus):        0.000      Jarque-Bera (JB):           16.821
Skew:                 0.690      Prob(JB):                   0.000223
Kurtosis:             3.601      Cond. No.                   3.56
=====
```

=====

Notes:

[1] R^2 is computed without centering (uncentered) since the model does not contain a constant.

[2] Standard Errors assume that the covariance matrix of the errors is correctly specified.

	df	sum_sq	mean_sq	F	PR(>F)
horsepower	1.0	112.958534	112.958534	468.320143	2.378397e-51
weight	1.0	17.289976	17.289976	71.683331	9.907388e-15
year	1.0	5.541596	5.541596	22.975165	3.490133e-06
Residual	175.0	42.209894	0.241199	NaN	NaN

```
identify_least_significant_feature(results, alpha=LOS_Alpha)
```


No variables are statistically insignificant.

The model `mpg ~ horsepower + weight + year - 1` cannot be pruned further.

```
postoilshock_model = results
```

Residual plot for model for post-oil shock

```
display_residuals_plot(results)
```



Pre-oilshock model

```
preoilshock_model.model.formula
```

```
'mpg ~ weight + year + origin_Europe + origin_Japan'
```

Explanatory power of preoilshock model

```
preoilshock_model.rsquared_adj
```

```
0.8404849876892488
```

```
### Post-oil shock model without intercept
```

```
postoilshock_model.model.formula
```

```
'mpg ~ horsepower + weight + year - 1'
```

Explanatory power of postoilshock model

```
postoilshock_model.rsquared_adj
```

```
0.7588006068263029
```

- Thus, we can conclude that prior to the oil shock of 1973, mileage was determined mostly by weight, year and origin.
- Post the oil shock of 1973, mileage was determined by horsepower, weight and year. Origin no longer played an important role as before.

Post oil shock model with intercept (Corollary)

```
postoilshock_model_intercept.model.formula
```

```
'mpg ~ cylinders + horsepower + weight + year + origin_Europe + origin_Japan'
```

Explanatory power of postoilshock model with intercept

```
postoilshock_model_intercept.rsquared_adj
```

```
0.7783620129852484
```

Finished

```
allDone()
```

```
<IPython.lib.display.Audio object>
```