

GEOMETRY HOMEWORK 2

B96201044 黃上恩, B98901182 時丕勳, K0020100x 劉士璋

September 24, 2011

Problem 3 (P47: 5). *If a closed plane curve C is contained inside a disk of radius r , prove that there exists a point $p \in C$ such that the curvature κ of C at p satisfies $|\kappa| \geq 1/r$.*

Proof.

□

Problem 4 (P23: 4, 僅討論平面情形). *Assume that all parametrized curve α has the property that all its tangent lines pass through a fixed point.*

(a) *Prove that the trace of α is a (segment of a) straight line.*

(b) *Does the conclusion in part (a) still hold if α is not regular?*

Problem 5. 以 $t = 0$ 開始將曲線 (t^2, t^3) 化成長度參數。並討論 $t = 0$ 時的曲率。

Problem 6.

(a) 以原點為中心，將 $y = f(x)$ 的圖形縮放 λ 倍，並說明新的圖形是 $y = \lambda f(\frac{x}{\lambda})$ 的函數圖形。

(b) 討論曲率的變化。

Problem 7. 如圖，有一橢圓，其焦點為 O_1 和 O_2 ，設 L 切橢圓於 P ，且 L 與 $\overline{O_2P}$ 之夾角為 θ 。以 θ 為參數，說明曲率 $\kappa \propto \sin^3 \theta$

Problem 9. 如圖，有 regular curve $\gamma(t)$ ， $\gamma_0 = \gamma(0)$ ， $N_0 = N(0)$ ， $L_0 = \{\gamma_0 + vN_0\}$ 。現考慮直線 $L_t = \{\gamma(t) + uN(t)\}$ ，令 $P(t) = L_t \cap L_0$ 證明

$$\kappa(0) \neq 0 \Rightarrow \lim_{t \rightarrow 0} P(t) = \gamma_0 + \frac{1}{\kappa(0)} N_0$$