# How to Compile your Java Application using VSCode, export the Jar and run on the cluster

Verify Java Extension for VSCode
1. Open VSCode
2. Go under Extension tab and check whether "Extension Pack for Java" is installed

3. If not installed, you can click on the "Install" button in the page associated to the extension.

Verify usage of JDK 1.8
1. In the lower-left part of VSCode, under "Java Project", click on the "…" icon
2. Click on "Configure Java Runtime" in the menu
3. Verify that, associated to the opened project, a JDK 1.8 installation is selected

4. If not, you can modify it from the "edit" button

Import project (both Maven and "with_libraries")
1. Simply Open the folder containing the project under File -> "Open folder…" or "Open folder…" in the initial screen. VSCode will automatically detect whether it's a pure-Java project or Maven-based.

Export JAR file from Maven project
1. In the lower-left part of VSCode, expand the "Maven" menu
2. Expand the projects' maven entry
3. Expand the Lifecycle menu
4. Click on the Run button over "package" entry

5. The exported JAR file is located under the project folder -> target -> (project name).jar

Local Execution of Hadoop/Spark (Java) application (<u>Maven only</u>)

1. First, the input program arguments must be configured through the launch.json file
2. To create it, go under the Run tab in the left part of VSCode, select "crete a launch.json file" and select the "Java" debugger
3. VSCode will automatically generate a launch.json file. You can modify it by adding the

"args" entry and specify a list of input arguments, such as follows:

4. In this example, the configuration "DriverBigData" was modified by adding 4 different input program arguments.
5. To execute the application, open the DriverBigData class and click on the Run button in the upper-right corner

Export JAR file from "with_libraries" project

1. In the lower-left part of VSCode, in the Java Project menu, select the Export Jar button (right arrow symbol)

2. In the upper area, in the center, VSCode, will ask you to choose the main class for your project. Select <without main class>

3. Next, you will be prompted to add all the files that your jar file should contain. You can keep only the content of "bin" folder (since libraries are already present on our cluster).

4. You will find the jar file in the main folder of your project. You can upload such jar file directly on jupyter.polito.it cluster